INCH-POUND

MIL-R-83536/6
AMENDMENT 3
15 December 1998
SUPERSEDING
AMENDMENT 2
15 December 1995

MILITARY SPECIFICATION SHEET

RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT,
LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED,
ALL WELDED, TRANSIENT SUPPRESSED DC COILS

This amendment forms a part of MIL-R-83536/6, dated 27 March 1992, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1


FIGURE 1, side view: Delete "SERIAL NUMBER SHALL BE MARKED ON TOP OF RELAYS".

PAGE 2

FIGURE 1, side view: Delete "SERIAL NUMBER SHALL BE MARKED ON TOP OF RELAYS".

PAGE 4


*FIGURE 1, track mount A, side view, delete and substitute:



DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:44Z
Check the source to verify that this is the current version before use.


*FIGURE 1, track mount B, side view, delete and substitute:



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:44Z
Check the source to verify that this is the current version before use.

PAGE 6

Add the following circuit diagram:



CIRCUIT DIAGRAM (NO MOUNT, RVFM, HFH AND TRACK MOUNT A)
(OPTIONAL INTERNAL
DIODE CONFIGURATION)

PAGE 8

Delete "Contact voltage drop or resistance:" and substitute "Contact voltage drop and resistance:".

PAGE 9

Delete "Coil transient suppression: Applicable." and substitute "Coil transient suppression: Applicable (42 V dc maximum)."

PAGE 12

*Delete "Maximum leakage current: 100 microamperes rms in accordance with MIL-R-83536." and substitute "Maximum leakage current for track mount B only: 100 microamperes rms."

Vibration (random), first and second paragraphs: Delete "15 minutes each plane" (2 places).

PAGE 13

Weight: Delete "(32.6 g's)" and substitute "(32.6 grams)". Delete "0.034 pound (15.4 g's)" and substitute "0.058 pound (26.4 grams)".

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:44Z
Check the source to verify that this is the current version before use.

TABLE V, delete and substitute:

"TABLE V. Supersession data.

Superseded PIN	Replacement PIN M83536/6-
M6106/22-003	025
M6106/28-003	017
004	017
007	018
008	018
011	019
012	019
015	020
016	020
019	021
020	021
023	022
024	022
027	023
028	023
031	024
032	024
038	012
040	013
042	014
044	015
046	016

"

The margins of this amendment are marked with asterisks to indicate where changes from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodians:
* Army - CR
Navy - EC
Air Force - 85

Review activities:
Air Force - 99

Preparing activity:
Air Force - 85

Agent:
DLA - CC

(Project 5945-1005)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:44Z
Check the source to verify that this is the current version before use.