MIL-F-43142F
26 June 1985
SUPERSEDING
MIL-F-43142E
7 June 1977

MILITARY SPECIFICATION

FISH SQUARES, RAW, DEHYDRATED

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This document covers dehydrated raw fish squares for use by th Department of Defense as a component of operational rations and as an item of general issue.

1.2 Classification. The dehydrated fish shall be of the following species specified (see 6.1):

Species a - Cod (Gadus morhua and Gadus macrocephalus)
Species b - Haddock (Melanogrammus aeglefinus)

2. APPLICABLE DOCUMENTS

2.1 Government documents. Unless otherwise specified, the following documents of the issue in effect on date of invitation for bids or request fo proposal, form a part of this document to the extent specified herein.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: U.S. Army Natick Research and Development Center, Natick, MA 01760-5014 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 8905

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T20:46Z
Check the source to verify that this is the current version before use.

SPECIFICATIONS

FEDERAL

TT-C-495	-	Coatings, Exterior, for Tinned Food Cans
PPP-B-636	-	Boxes, Shipping, Fiberboard

MILITARY

MIL-L-1497	-	Labeling of Metal Cans for Subsistence Items
MIL-L-35078	-	Loads, Unit: Preparation of Non-Perishable Subsistence Items

STANDARDS

FEDERAL

FED-STD-369	-	Sanitation Standards for Fish Plants

MILITARY

MIL-STD-105	-	Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-129	-	Marking for Shipment and Storage

(Copies of documents required by manufacturers in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting officer.)

OTHER GOVERNMENT DOCUMENTS

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder (21, CFR Parts 1-199)

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

Source: https://assist.dla.mil -- Downloaded: 202640-21T20:46Z
Check the source to verify that this is the current version before use.

United States Standards for Condition of Food Containers

(Application for copies should be addressed to the Director, Food Quality Assurance Division, Agricultural Marketing Service, U.S. Department of Agriculture, Washington, DC 20250.)

ENVIRONMENTAL PROTECTION AGENCY (EPA)

National Interim Primary Drinking Water Regulations

(Application for copies should be addressed to the Office of Drinking Water WH550, Environmental Protection Agency, Washington, DC 20460.)

U.S. DEPARTMENT OF COMMERCE

Regulations Governing Processed Fishery Products and U.S. Standards for Grades of Fishery Products (50 CFR Parts 260-265)

(Application for copies should be addressed to the National Oceanic and Atmospheric Administration, National Marine Fisheries Services, National Seafood Inspection Laboratory, P. O. Drawer 1207, Pascagoula, MS 39567-0112.)

2.2 Other publications. Unless otherwise specified, the following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this document to the extent specified herein.

ASSOCIATION OF OFFICIAL ANALYTICAL CHEMISTS (AOAC)

Official Methods of Analysis of the Association of Official Analytical Chemists

(Application for copies should be addressed to the Association of Official Analytical Chemists, 1111 North 19th Street, Suite 210, Arlington, VA 22209.)

AMERICAN DRY MILK INSTITUTE, INC.

Standards for Grades of Dry Milk Including Methods of Analysis, Bulletin 916

(Application for copies should be addressed to the American Dry Milk Institute, Inc., 130 No. Franklin Street, Chicago, IL 60606.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T20:46Z
Check the source to verify that this is the current version before use.

THE UNITED STATES PHARMACOPOEIAL CONVENTION (USP)

Pharmacopoeia of the United States

(Application for copies should be addressed to the United States Pharmacopoeial Convention, 12601 Twinbrook Parkway, Rockville, MD 20852.)

NATIONAL MOTOR FREIGHT TRAFFIC ASSOCIATION, INC., AGENT

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., Traffic Department, 1616 P Street, N.W., Washington, DC 20036.)

UNIFORM CLASSIFICATION COMMITTEE, AGENT

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, Suite 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

(Technical society and technical association documents are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

2.3 Order of precedence. In the event of a conflict between the text of this document and the references cited herein, the text of this document shall take precedence.

3. REQUIREMENTS

3.1 First article. When specified, a sample shall be subjected to first article inspection (see 4.4, 6.1, and 6.3).

3.2 Ingredients. All ingredients shall be clean, sound, wholesome and free from foreign materials, evidence of rodent and insect infestation, extraneous material, off-odors, off-flavors and off-colors.

3.2.1 Frozen fish blocks. The frozen fish blocks shall be U.S. Grade A of the U.S. Standards for Grades of Frozen Fish Blocks (50 CFR Part 264.101-125). The blocks shall be prepared in accordance with 3.3.1.

Source: https://assist.dla.mil -- Downloaded: 202610-21T20:46Z
Check the source to verify that this is the current version before use.

3.2.2 Nitrogen. Nitrogen shall meet the requirements of the Pharmacopoeia of the United States and shall be water or liquid nitrogen pumped.

3.2.3 Water. Water used for formulation and washing shall conform to the National Interim Primary Drinking Water Regulations.

3.3 Preparation and processing.

3.3.1 Fish block preparation. Fish blocks shall be from a single species and prepared from whole or major pieces of whole, skinless, wholesome fish fillets. The whole fillets or major pieces of fillets shall each weigh not less than 3 ounces. The fillets shall be skinned so that the skinned surface is free from silvery sheen (inner layer of skin). The fillets shall be thoroughly candled and codworm parasites (Porracaecum decipiens) removed. Fillets too large to be effectively candled shall either be excluded from the production lot or sliced to permit effective candling at the option of the vendor. The fish blocks shall be handled in such a manner so as to comply with the following limitations:

a. Maximum time from completing of blocking operation until product is placed in the freezer.	2 hours
b. Maximum internal temperature of fish block 24 hours after being placed in the freezer.	0°F
c. Maximum time from date of manufacture of frozen fish blocks to time of subdividing.	4 months

3.3.2 Preparation of frozen fish squares. The frozen fish blocks may be tempered and shall be cut into squares. The frozen fish blocks shall be handled in such a manner so as to comply with the following limitations:

a. Maximum temperature of frozen blocks and cut squares from start of subdividing to placement in freezer. 1/	0°F
b. Maximum time from subdividing until product is placed in freezer.	1 hour
c. Maximum storage and shipment temperature of frozen fish blocks and subdivided fish squares.	0°F
d. Maximum time from start of subdividing to start of dehydration.	20 days

1/ Fish blocks may be tempered to aid in subdividing the frozen fish blocks into frozen fish squares.

Source: https://assist.dla.mil -- Downloaded: 202640-21T20:46Z
Check the source to verify that this is the currentversion before use.

3.3.3 Freeze dehydration. The prepared product shall be spread on dehydrator trays, and freeze-dehydrated. The product shall be freeze-dehydrated at an absolute pressure not to exceed 1.5 millimeters of mercury. After dehydration is completed, the pressure shall be equalized to the atmospheric level with nitrogen and the product shall be packaged within 2 hours as specified in 5.1. Not more than 16 hours shall elapse from the time the chamber is opened and the product is packaged. In the interim, the product shall be adequately protected from oxygen and moisture by holding under a nitrogen atmosphere containing not more than 2.0 percent oxygen or under a vacuum of at least 27 inches during the entire period. If vacuum is used, it shall be broken with nitrogen.

3.4 Finished product requirements. The finished product shall comply with the following physical characteristics:

Dehydrated product:

a. There shall be no foreign material such as but not limited to dirt, glass, or paint.
b. There shall be no color foreign to the product, such as, but not limited to black or purple.
c. There shall be no evidence of incomplete dehydration such as damp or soggy areas.
d. There shall be no evidence of faulty dehydration such as glazed surface areas measuring more than 0.5 inch in any dimension or dark colored cores of any dimension.
e. Moisture content of the dehydrated product shall not exceed 2.0 percent.
f. At least ninety percent of the container net weight shall consist of whole fish squares 1/, having the following dimensions (inches) 2/:

Length	3-1/4 to 3-7/8
Width	2-7/8 to 3-1/2
Thickness	7/16 to 9/16

g. At least ninety percent of the container net weight shall consist of whole fish squares 1/, which have no depressions (visible voids or shallow areas in the surface of the fish square) greater than 1/4-inch in depth and greater than 1/2-inch in both length and width.

Source: https://assist.dla.mil -- Downloaded: 202640-21T20:46Z
Check the source to verify that this is the currentversion before use.

h. At least ninety percent of the container net weight shall consist of whole fish squares 1/, which when laid in any orientation on a flat smooth surface, will have not more than 3/8 inch between the bottom surface of the fish square and the flat surface.

i. When rehydrated in an excess of water at a temperature of 50° to 75°F for 8 minutes and cooked in accordance with 3/ without garnishment, the product shall have a good fish flavor, shall be free from rancidity and other objectionable flavors and odors, and shall show no evidence of incomplete rehydration such as tough or dry spots.

1/ A broken fish square shall be any fish square which does not have at least three quarters of a normal volume of a whole fish square. Fish squares which separate along natural cleavage lines with the fish squares in the container shall not be considered broken.

2/ Dimensions shall be measured across the center of the fish square ignoring edge imperfections, whether or not such imperfections exceed other limitations.

3/ For the purpose of this requirement, the rehydrated pieces shall be wrapped in aluminum foil individually or in a single layer, placed flat on a cookie sheet or shallow pan and cooked in a properly ventilated oven at a temperature of 400°F to an internal temperature of from 160° to 165°F.

3.5 Plant qualification. The product shall be prepared, processed, and packaged in accordance with Part 260, Chapter II, Title 50 of the Code of Federal Regulations.

3.6 Federal Food, Drug, and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder.

Source: https://assist.dla.mil -- Downloaded: 20260-21T20:46Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Contractor's responsibility. Inspection and acceptance by the USDC shall not relieve the contractor of obligation and responsibility to deliver a product complying with all requirements of this document. The contractor shall assure product compliance prior to submitting the product to the USDC for any inspection.

4.2 Inspection and certification. Product acceptability shall be determined by the USDC. The USDC will determine the degree of supervision necessary to assure compliance with the requirements of this document.

4.3 Classification of inspection. The inspection requirements specified herein are classified as follows:

a. First article inspection (see 4.4).
b. Quality conformance inspection (see 4.5).

4.4 First article inspection. When a first article is required (see 6.1), it shall be inspected in accordance with the quality assurance provisions of this document and evaluated for overall appearance and palatability. Any failure to conform to the quality assurance provisions of this document or any appearance or palatability failure shall be cause for rejection of the first article.

4.5 Quality conformance inspection. Unless otherwise specified, sampling for inspection shall be performed in accordance with MIL-STD-105.

4.5.1 Component and material inspection. In accordance with 4.1, components and materials shall be inspected in accordance with all the requirements of referenced documents unless otherwise excluded, amended, modified, or qualified in this document or applicable purchase document.

4.5.1.1 Examination of fillets prior to forming. The fish fillets shall be examined for the defects listed in table I. Lot size shall be expressed in containers. The sample unit shall be 5 pounds of fillets or pieces of fillets derived from a container. The inspection level shall be S-4. The acceptable quality level (AQL), expressed in terms of defects per hundred units, shall be 4.0 for major defects and 10.0 for minor defects. The presence of fillets from more than one species shall be cause for rejection of the lot.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T20:46Z
Check the source to verify that this is the current version before use.

TABLE I. Examination of fillets prior to forming

Category		Defect
Major	Minor	
101		Presence of more than five Porracaecum decipiens parasites visible by candling
102		Not skinned as specified
	201	Fillet or major piece of fillet weighing less than 3 ounces 1/

1/ Weighed to nearest 1/4-ounce.

4.5.1.2 Process inspection of fish blocks. Examination shall be made during processing to determine compliance with 3.3.1 as concerns condition, method of refrigeration, and the temperature at start of and during processing. Records of time and temperature limitations shall be maintained. Nonconformance to one or more of the above referenced requirement(s) reflected by actual examination or by records shall be cause for rejection of the lot or the finished product made therefrom, as applicable.

4.5.1.3 Examination of frozen fish blocks prior to subdividing into frozen fish squares. Determination of compliance to the requirements of 3.2.1, 3.3.1, and 3.3.2 concerning fillet characteristics, grade, storage time and temperature requirements, shall be ascertained by examination of labels, invoices, marking, storage records or by actual examination, as applicable. Nonconformance to one or more requirement(s), reflected by actual examination or by records shall be cause for rejection of the lot or the finished product made therefrom, as applicable.

4.5.1.4 Unfilled can inspection. Conformance of unfilled cans to the requirements specified in 5.1.1 shall be determined by examination of certificates of conformance or of other valid documents. Any nonconformance shall be cause for rejection of the can lot or of any involved product.

Source: https://assist.dla.mil -- Downloaded: 202640-21T20:46Z
Check the source to verify that this is the currentversion before use.

4.5.2 In-process examination. In-process examination shall be performed to determine conformance to the preparation, processing, handling, storage, and packaging requirements. Any nonconformance revealed by actual examination or by review of records of time, temperature, and formulation or of other valid documents shall be cause for rejection of the involved product.

4.5.3 Product examination. The finished product shall be examined for the defects listed in table III. The lot size shall be expressed in cans. The sample unit shall be the contents of one filled and sealed can. The inspection level shall be S-3 and the AQL, expressed in terms of defects per hundred units shall be 2.5.

TABLE III. Product defects 1/

Category	Defect
Major	Applicable to dehydrated product:
101	Evidence of incomplete dehydration such as damp or soggy areas
102	Presence of glazed areas more than 1/2 inch in any dimension
103	More than 10 percent of sample unit by weight contains one or more of the following defects: presence of broken piece(s); dimension(s) not as specified; presence of void space; presence of warping that measures more than 3/8 inch
104	Not specified number of fish squares
105	Presence of dark colored core of any dimension
	Applicable to rehydrated product 2/
106	Presence of incomplete rehydration such as tough or dry spot

Source: https://assist.dla.mil -- Downloaded: 202640-21T20:46Z
Check the source to verify that this is the currentversion before use.

TABLE III. Product defects 1/ (cont'd)

Category	Defect
Major	
	Applicable to rehydrated and cooked product 3/
107	Absence of good fish odor and flavor

1/ The presence of any foreign material (e.g., glass, dirt, insect parts, hair, wood, metal, etc.), foreign odor or flavor (e.g., moldy, rancid, sour, stale, etc.) or foreign color shall be cause for rejection of the lot.

2/ For the purpose of this examination, only one fish square per sample unit shall be rehydrated. Unrehydrated fish squares may be recanned provided that recanning is done within 2 hours of opening the can. Rehydrate the product by soaking it in 50° to 75°F water for 8 minutes.

3/ Rehydrated fish squares shall be wrapped in aluminum foil individually or in a single layer, placed flat on a cookie sheet or shallow pan and cooked in a properly ventilated oven at a temperature of 400°F to an internal temperature of from 160° to 165°F.

4.5.4 Oxygen in headspace testing. The filled and sealed cans shall be tested for conformance to the oxygen in headspace requirement in 5.1.1 in accordance with the American Dry Milk Institute, Inc., publication, bulletin 916, Standards for Grades of Dry Milk, Including Methods of Analysis : Determination of Oxygen. Alternatively, the headspace oxygen content may be determined by an Instrumentation Laboratories Oxygen Analyzer or equivalent instrument. Test results shall be reported to the nearest 0.1 percent. When referee testing is necessary, the American Dry Milk Institute Method shall be followed. The lot size shall be expressed in cans. The sample unit shall be one filled and sealed can. Any nonconformance shall be scored as a major defect. The inspection level shall be S-2 and the AQL, expressed in terms of percent defective, shall be 2.5.

Source: https://assist.dla.mil -- Downloaded: 202640-21T20:46Z
Check the source to verify that this is the currentversion before use.

4.5.5 Moisture content testing. The filled and sealed cans shall be tested for conformance to the moisture content requirements in 3.4 in accordance with the Moisture -Drying in Vacuum method in the Meat section of the Meat and Meat Products chapter in the Official Methods of Analysis of the Association of Official Analytical Chemists. The results shall be reported to the nearest 0.1 percent. The lot size shall be expressed in cans. The sample unit shall be one filled and sealed can. Any nonconformance shall be scored as a major defect. The inspection level shall be S-2 and the AQL, expressed in terms of percent defective, shall be 2.5.

4.5.6 Can condition examination. Examination of primary containers for external condition shall be in accordance with the U.S. Standards for Condition of Food Containers, except that inspection for labeling shall be in accordance with MIL-L-1497 (see 5.4).

4.5.7 Shipping container examination. Shipping containers shall be examined for defects in construction, packing, closure, and reinforcement in accordance with the appendix of PPP-B-636, except that the following additional defects shall apply:

Major

National stock number, item description, contract number, or date of pack markings missing, incorrect, or illegible.

Minor

Other required markings missing, incorrect, or illegible.
Arrangement not as specified.

Level C shipping containers shall be examined for the marking and arrangement defects specified above and for the closure method specified in 5.2.3.

4.5.8 Unit load inspection. Inspection of unit loads shall be in accordance with the quality assurance provisions of MIL-L-35078.

Source: https://assist.dla.mil -- Downloaded: 202610-21T20:46Z
Check the source to verify that this is the current version before use.

5. PACKAGING

5.1 Preservation. Preservation shall be level A or C as specified (see 6.1).

5.1.1 Level A. Twenty-one fish squares shall be filled into an open-top style, round metal can, size 603 by 700, with a soldered or welded side seam and compound-lined, double-seamed ends. The can shall be made throughout from not less than 0.25 pound per base box electrolytic tin plate. The can shall have a sufficient base plate weight and temper to protect the product during shipment and storage. The can shall be coated overall on the outside with a coating conforming to type I or when specified (see 6.1), type III of TT-C-495. The product shall be gas packed by first removing the air from the filled can and replacing it with nitrogen. The oxygen content shall not exceed 2.0 percent within each hermetically sealed can.

5.1.2 Level C. The product shall be preserved as specified in 5.1.1, except that cans with or without commercial exterior coating will be acceptable. Alternatively, cans may be made from 0.20 pound per base box electrolytic tinplate that is coated with a commercial exterior coating.

5.2 Packing. Six cans of product arranged 3 in length, 2 in width, and 1 in depth shall be packed on end in a snug fitting fiberboard shipping container in accordance with level A, B or C as specified (see 6.1).

5.2.1 Level A packing. The shipping container shall be constructed and closed in accordance with style RSC, grade V2s of PPP-B-636. Each fiberboard box shall be reinforced with nonmetallic strapping or pressure-sensitive adhesive filament reinforced tape in accordance with the appendix of PPP-B-636. Shipping containers shall be arranged in unit loads in accordance with MIL-L-35078 for the type and class of load specified (see 6.1). Strapping shall be limited to non-metallic strapping, except for type II, class F loads.

5.2.2 Level B packing. The shipping container shall be constructed and closed in accordance with style RSC, grade W5c or W5s of PPP-B-636. Each fiberboard box shall be reinforced with nonmetallic strapping or pressure-sensitive adhesive filament reinforced tape in accordance with the appendix of PPP-B-636.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T20:46Z
Check the source to verify that this is the current version before use.

5.2.3 Level C packing. The shipping container shall be in accordance with National Motor Freight Classification or Uniform Freight Classification as applicable, except that the closure of fiberboard boxes shall be in accordance with method II as specified in the appendix of PPP-B-636.

5.3 Unit loading. When specified (see 6.1), the product packed as specified in 5.2.2 and 5.2.3, shall be arranged in unit loads in accordance with MIL-L-35078 for the type and class of load specified. When unit loads are strapped, the strapping shall be limited to nonmetallic strapping.

5.4 Labeling and marking.

5.4.1 Cans. Cans shall be labeled in accordance with MIL-L-1497 and shall include the following information:

Fish Squares Raw, Dehydrated, Species (a or b as applicable)
Number of squares
Name of manufacturer
Date of dehydration (month and year)
Lot number
Directions for use (as specified in 5.4.1.1)
This product is gas packed

5.4.1.1 Directions for use. Directions for use shall be as follows:

Directions for use

Stack fish squares not more than three layers deep in roasting pans (18 by 24 inches). Cover with cool water. Soak until all portions are moistened (3 to 8 minutes). Drain, cover, and let stand for 30 minutes or longer to equalize moisture. Refrigerate until ready to use. Prepare according to any recipe for fresh fish fillets.

Yield: 14 servings, 1-1/2 square each

5.4.2 Shipping containers. Shipping containers shall be marked in accordance with MIL-STD-129. In addition, container net weight shall be marked on the shipping container with the location and lettering as specified for required markings in MIL-STD-129.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T20:46Z
Check the source to verify that this is the current version before use.

5.4.3 Unit loads. Unit loads shall be marked in accordance with MIL-L-35078.

6. NOTES

6.1 Ordering data. Acquisition documents should specify the following:

a. Title, number, and date of this document.
b. Species of product required (see 1.2).
c. When a first article is required (see 3.1, 4.3 and 6.3).
d. Levels of preservation and packing required (see 5.1 and 5.2).
e. Type and class of unit load when unit loading is specified (see 5.2.1 and 5.3).

6.2 Appropriate level of pack. Based on conditions known or expected to be encountered during shipment, handling, and storage of the specific item being procured, the procuring activity should select the appropriate level of pack in accordance with the criteria established in AR 700-15/NAVSUPINST 4030.28/ AFR 71-6/MCO 4030.33A/DLAR 4145.7.

6.3 First article. When a first article is required, it shall be inspected and approved under the appropriate provisions of FAR 52.209. The first article should be a preproduction sample. The contracting officer should include specific instructions in all acquisition documents regarding arrangements for selection, inspection,and approval of the first article.

6.4 Changes from previous issue. Asterisks are not used in this revision to identify changes with respect to the previous issue due to the extensiveness of the changes.

Custodians:

Army - GL
Navy - SA
Air Force - 50

Preparing activity:

Army - GL

Project No. 8905-B008

Review activities:

Army - MD, TS
Navy - MS, MC
DP - SS

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T20:46Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-F-43142F	Fish Squares, Raw, Dehydrated

3a. NAME OF SUBMITTING ORGANIZATION

b. ADDRESS *(Street, City, State, ZIP Code)*

4. TYPE OF ORGANIZATION *(Mark one)*

- ☐ VENDOR
- ☐ USER
- ☐ MANUFACTURER
- ☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

NATICK OP, 20 Nov 84

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T20:46Z
Check the source to verify that this is the current version before use.