MILITARY SPECIFICATION

COPY AND SUPPLY SECTION,

TOPOGRAPHIC MAPPING SET,

TRUCK MOUNTED, PACKAGING OF

1. SCOPE

1.1 Scope. This specification covers requirements for preservation, packaging, packing and marking of a copy and supply section, Topographic Mapping Set, Truck Mounted (SC6675-97-CL-E36).

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

R-N-91	- Napthalene; Technical.
UU-P-268	- Paper, Kraft, Untreated, Wrapping.
PPP-B-601	- Boxes, Wood, Cleated-Plywood.
PPP-B-636	- Box, Fiberboard.
PPP-B-640	- Boxes, Fiberboard, Corrugated, Triple-Wall.
PPP-B-1055	- Barrier Material, Waterproofed, Flexible.
PPP-T-60	- Tape: Pressure-Sensitive Adhesive, Waterproof, for Packaging.

Military

MIL-P-116	- Preservation, Methods of.
MIL-B-121	- Barrier Material, Greaseproofed, Waterproofed, Flexible.
MIL-R-3593	- Refrigeration and Cooling Equipment (Excluding Household Refrigerators), Packaging of.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

MIL-H-15424	- Hand Tools; Packaging of.
MIL-G-52280	- Generator Set, Gasoline-Engine-Driven, 10.0 KW, Alternating-Current, Air-Cooled, Portable, Tubular-Frame, Skid-Mounted.

STANDARDS

Military

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.
MIL-STD-281	- Automobiles, Trucks, Truck-Tractors, Trailers and Trailer Dollies; Preservation and Packaging of.
MIL-STD-1186	- Cushioning, Anchoring, Bracing, Blocking, and Waterproofing; With Appropriate Test Methods.

(Copies of specifications and standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

UNIFORM CLASSIFICATION COMMITTEE, AGENT

Uniform Freight Classification

(Application for copies should be addressed to the Uniform Classification Committee, 202 Union Station, 516 West Jackson Boulevard, Chicago, Illinois 60606.)

NATIONAL MOTOR FREIGHT TRAFFIC ASSOCIATION, INC., AGENT

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., 1616 P Street, NW, Washington, D. C. 20036.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 First article.

3.1.1 Preproduction pack. The supplier shall furnish a preproduction pack for examination within the time frame specified to prove, prior to starting production packaging and packing, that the applied preservation, packaging, packing, and marking comply with the requirements of this specification. Examination shall be as specified in section 4 and shall be subject to surveillance and approval by the Government (see 6.3).

3.2 Materials. Materials shall be as specified herein and in applicable specifications and standards. Materials not specified shall be selected by the supplier and shall be subject to all provisions of this specification. Materials shall be free of defects.

3.3 Preservation and packaging. Preservation and packaging shall be level A or C, as specified.

3.3.1 Level A.

3.3.1.1 Preservatives and methods of preservation. Preservatives specified herein shall conform to the applicable specifications listed in and shall be applied in accordance with MIL-P-116. Methods of preservation specified herein by symbols shall conform to the applicable symbols listed in MIL-P-116.

3.3.1.2 Hand tools. The knife blades, hammer, knives, pliers, screwdriver, shears, measuring tape and wrench shall be preserved and packaged in accordance with MIL-H-15424, level A.

3.3.1.3 Truck van. The components and accessories of the truck and van body shall be preserved in accordance with MIL-STD-281, level A, mobile and as follows.

3.3.1.3.1 Screw jacks. The screws shall be coated with type P-11 preservative and fully retracted into the jacks. Exterior unpainted surfaces of the jacks shall be coated with type P-1 preservative. The jacks shall be secured in the storage compartment provided on the truck van body.

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:29Z
Check the source to verify that this is the current version before use.

3.3.1.3.2 Cable reel, 100 foot cable assembly and reel cover. The cable assembly shall be wound on the cable reel, the cover installed and the reel secured in the bracket provided.

3.3.1.3.3 Heating and air conditioning unit. The heating and air conditioning unit shall be preserved in accordance with MIL-R-3593, level A.

3.3.1.4 Generator set (MAP). The generator set, accessories, repair parts, tools and technical publications shall be preserved, packaged and packed in accordance with MIL-G-52280, level A.

3.3.1.5 Reproduction set. The reproduction set shall be preserved method IIb. The inner container shall be a close-fitting box conforming to PPP-B-636, **V1lc**, style optional. The outer container shall be a close-fitting box conforming to PPP-B-640, class weather resistant, style optional. The reproduction set shall be immobilized within the inner container.

3.3.1.6 Composing machine. The composing machine shall be preserved method IIb. The inner container shall be a close-fitting box conforming to PPP-B-636, **V1lc**, style optional. The outer container shall be a close-fitting box conforming to PPP-B-640, class weather resistant, style optional. The composing machine shall be immobilized within the inner container.

3.3.1.7 Artist's brushes. The artist brushes shall be placed in a commercial-type artist brush envelope. The envelope containing the brushes shall contain a minimum of three napthalene balls or equivalent quantity of flake napthalene conforming to R-N-91.

3.3.1.8 Paint brush. The bristle end of the brush shall have a double thickness wrap of 30 pound basic weight kraft paper. The wrap shall be folded back over the bristle and secured to the brush handle with tape or as an alternate the brush shall be placed in a commercial type envelope.

3.3.1.9 Dusting brush, folding chair, desk lights and revolving stool. Each of these items shall be preserved method III. Containers shall conform to PPP-B-636, W5c or W6c.

3.3.1.10 Cable assembly. The terminal lugs of the four conductor cable assembly shall be secured together with tape. The cable assembly, with lugs taped and dummy connectors in place, shall be coiled in a minimum

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

coil, not less than 10 times the cable diameter. The coil shall be secured with cotton tape or twine.

3.3.1.11 Tracing cloth, curve set, drafting instrument set, erasers, file holders, abrasive paper, direct positive paper, photographic paper, paperweights, pen point assortments, tracing powder, roller, drafting ruler, pencil sharpener, spline and weight set, staplers, sharpening stones, stylus, tape, thumbtacks, pen vises and water color sets. Each item, roll, set, gross, hundred, sleeve or box as applicable shall be preserved method IC-1.

3.3.1.12 Etching needles, lettering pens, ruling pens, drafting scales and plotting scales. Items of like description shall be preserved together method IC-1 in quantities specified for each set.

3.3.1.13 Paper trimmer. Unprotected metal surfaces requiring a contact preservative shall be coated with type P-1 preservative. The trimmer shall be packaged in a close-fitting box conforming to PPP-B-636, W5c, style optional. Fiberboard blocking shall be provided to prevent movement of the trimmer within the box.

3.3.1.14 Kraft paper. The kraft paper shall be preserved and packaged in accordance with UU-P-268, level A.

3.3.1.15 Photographic film. The film shall be preserved method II in quantities specified for each set.

3.3.1.16 Consolidated packaging. The storage cabinets shall be utilized for consolidated packaging of the preserved and packaged set components, with the exception of items with securing brackets or straps. For consolidated packaging of remaining set components, boxes conforming to PPP-B-601, domestic type, style I or J shall be used. Strapping of boxes shall not be required. The consolidated packaged components shall be blocked, braced and cushioned in accordance with MIL-STD-1186. The size and number of boxes shall be governed by the available space for securing the preserved, packaged and consolidated packaged items within the truck van body and cab. The reproduction set and composing machine preserved and packaged as specified in 3.3.1.5 and 3.3.1.6 shall not require consolidated packaging.

3.3.2 Level C. The components of each complete topographic mapping set, excluding the truck van, shall be preserved and packaged to afford protection against deteriotation and damage during shipment from the supplier to the initial destination.

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:29Z
Check the source to verify that this is the current version before use.

3.3.2.1 Truck van. The components of the chassis and van body shall be preserved and packaged in accordance with MIL-STD-281, level C, mobile.

3.4 Packing. Packing shall be level A or C as specified.

3.4.1 Level A. The truck van shall be prepared for shipment mobile. All louvered openings of metal shrouds covering the heater and air conditioner shall be covered with barrier material conforming to PPP-B-1055, class B-2 or MIL-B-121, type I, grade A, class 2. The barrier material shall be secured with tape conforming to PPP-T-60, type IV. Set components consolidated packaged in boxes and the reproduction set and composing machine preserved and packaged as specified in 3.3.1.5 and 3.3.1.6 shall be packed for shipment within the van body and cab. Blocking, bracing, cushioning and anchoring shall be in accordance with MIL-STD-1186. Strapping shall be zinc coated.

3.4.1.1 Generator set (MAP). The generator set preserved, packaged and packed as specified in 3.3.1.4 shall not require additional packing. The generator set shall be shipped separately from, but at the same time as the truck van.

3.4.2 Level C. Each complete topographic mapping set shall be packed to insure carrier acceptance and safe delivery to destination at lowest ratings. Containers as a minimum shall comply with Uniform Classification rules or National Motor Freight Classification rules.

3.5 Marking. In addition to any special marking required by the contract or purchase order, packages, shipping containers, and unboxed (mobile) trucks shall be marked in accordance with MIL-STD-129.

3.6 Workmanship. Workmanship shall be such as to provide maximum protection to the set components, by application of the requirements specified herein, to prevent corrosion, deterioration, and mechanical or physical damage to the components during handling, shipment, and storage.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in this specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Material inspection. The supplier is responsible for insuring that supplies and materials used are manufactured, examined, and tested in accordance with referenced specifications and standards.

4.2 Classification of inspection. Inspection shall be classified as follows:

(a) Preproduction pack inspection (see 4.3).
(b) Quality conformance inspection (see 4.4).

4.3 Preproduction pack inspection.

4.3.1 Examination. The preproduction pack shall be examined for the defects listed in 4.4.4. Presence of one or more defects shall be cause for rejection of the preproduction pack.

4.4 Quality conformance inspection.

4.4.1 Inspection stages.

(a) The first stage shall include inspection of procedures, methods, materials, containers, and packaging marking prior to placing the packages into location in the van or prior to placing the packages into consolidated containers.
(b) The second stage shall include inspection of closure and marking of the consolidated containers, and the arrangement and blocking and bracing of the located items and blocking and bracing of consolidated containers in the van.
(c) The third stage shall include inspection of the mobile truck van as prepared for shipment.

4.4.2 Unit of product. For the purpose of inspection, all packages or packs, prepared for any applicable inspection stages that will comprise a complete pack, shall be considered a unit of product.

4.4.3 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:29Z
Check the source to verify that this is the currentversion before use.

4.4.4 Examination. Samples selected in accordance with 4.4.3 shall be examined for the defects marked "X" for the applicable level in table I. AQL shall be 2.5 percent defective.

Table I. Classification of defects.

No.	Defect	Level A	Level C
101.	Materials, methods or containers not as specified. Each incorrect material, method or container shall constitute one defect (see 3.2, 3.3.1.1, 3.3.1.9, 3.3.1.11, 3.3.1.12).	X	-
102.	Hand tools not preserved and packaged in accordance with the reference documents (see 3.3.1.2).	X	-
103.	Truck van components and accessories not preserved in accordance with the referenced document and as specified (see 3.3.1.3, 3.3.1.3.1, 3.3.1.3.2, 3.3.1.3.3 and 3.3.2.1).	X	X
104.	Generator set not preserved, packaged and packed in accordance with the referenced document (3.3.1.4).	X	-
105.	Reproduction set not preserved as specified (see 3.3.1.5).	X	-
106.	Composing machine not preserved as specified (see 3.3.1.6).	X	-
107.	Artist and paint brushes not preserved and packaged as specified (see 3.3.1.7 and 3.3.1.8).	X	-
108.	Cable assembly not packaged as specified (see 3.3.1.10).	X	-
109.	Paper trimmer not preserved and packaged as specified (see 3.3.1.13).	X	-
110.	Kraft paper not preserved and packaged in accordance with the referenced document (see 3.3.1.14).	X	-
111.	Photographic film not preserved as specified (see 3.3.1.15).	X	-
112.	Consolidated packaging not as specified (see 3.3.1.16).	X	-
113.	Packing not as specified (see 3.4.1).	X	-
114.	Marking illegible, incorrect, incomplete or missing (see 3.6).	X	X

5. PREPARATION FOR DELIVERY

(This section not applicable to this specification.)

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:29Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Intended use. This specification is intended to be used for direct reference in contracts or purchase orders for the preservation, packaging, packing, and marking of a Copy and Supply Section, Topographic Mapping Set, Truck Mounted (SC6675-97-CL-E36).

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Time frame required for submission of the preproduction pack (see 3.1.1).
(c) Level of preservation and packaging and level of packing required (see 3.3 and 3.4).
(d) Any special marking required (see 3.5).

6.3 Preproduction pack. Any changes or deviations of production packs from the approved preproduction pack will be subject to the approval of the contracting officer. Approval of the preproduction pack will not relieve the supplier of his obligation to preserve, package, pack, and mark the set components in accordance with this specification.

Custodian:

Army - ME

Preparing activity:

Army - ME

Project No. 6675-A140

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION MIL-C-52669(ME) Copy and Supply Section, Topographic Mapping Set, Truck Mounted, Packaging Of

ORGANIZATION

CITY AND STATE

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO *(If "yes", in what way?)*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.)*

SUBMITTED BY *(Printed or typed name and activity - Optional)*

DATE

DD FORM 1426 REPLACES EDITION OF 1 OCT 62 WHICH MAY BE USED.

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:29Z
Check the source to verify that this is the current version before use.