MILITARY SPECIFICATION

MAP REVISION SECTION, TOPOGRAPHIC

MAPPING SET, TRUCK MOUNTED,

PACKAGING OF

1. SCOPE

1.1 This specification covers requirements for preservation, packaging, packing, and marking of a Map Revision Section, Topographic Mapping Set, Truck Mounted (SC 6675-93-CL-E38).

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

GG-D-635	- Drawing Boards or Drawing Boards and Trestles.
PPP-B-601	- Boxes, Wood, Cleated-Plywood.
PPP-B-636	- Box, Fiberboard.
PPP-B-1055	- Barrier Material, Waterproofed, Flexible.
PPP-T-60	- Tape: Pressure-Sensitive Adhesive, Waterproof, for Packaging.

Military

MIL-P-116	- Preservation, Methods of.
MIL-B-121	- Barrier Material, Greaseproofed, Waterproofed, Flexible.
MIL-S-2410	- Sketchmaster, Oblique, 60-Degree, Plotting Scale Range 1/4 to 1, With Case.
MIL-R-3593	- Refrigeration and Cooling Equipment (Excluding Household Refrigerators), Packaging of.
MIL-S-10145	- Sketchmaster, Vertical, With Case.

Source: https://assist.dla.mil -- Downloaded: 202640-22T21:29Z
Check the source to verify that this is the current version before use.

MIL-P-11411	- Projector, Vertical Reflecting, Photogrammetric (Autofocus).
MIL-H-15424	- Hand Tools; Packaging of.
MIL-G-52279	- Generator Set, Gasoline-Engine-Driven, 5.0-KW, 60 Hertz, Alternating-Current, Air-Cooled, Portable, Tubular-Frame, Skid-Mounted.

STANDARDS

Military

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.
MIL-STD-281	- Automobiles, Trucks, Truck-Tractors, Trailers and Trailer Dollies; Preservation and Packaging of.
MIL-STD-1186	- Cushioning, Anchoring, Bracing, Blocking, and Waterproofing; With Appropriate Test Methods.

(Copies of specifications and standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

UNIFORM CLASSIFICATION COMMITTEE, AGENT

Uniform Freight Classification.

(Application for copies should be addressed to the Tariff Publishing Officer, Room 202, Union Station, 516 West Jackson Boulevard, Chicago, Illinois 60606.)

NATIONAL MOTOR FREIGHT TRAFFIC ASSOCIATION, INC., AGENT

National Motor Freight Classification.

(Application for copies should be addressed to the American Trucking Associations, Inc., ATTN: Tariff Order Section, 1616 P Street NW, Washington, D. C. 20036.)

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:29Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 First article.

3.1.1 Preproduction pack. The supplier shall furnish a preproduction pack for examination within the time frame specified, to prove, prior to starting production packaging and packing, that the applied preservation, packaging, packing, and marking comply with the requirements of this specification. Examination shall be as specified in section 4 and shall be subject to surveillance and approval by the Government (see 6.3).

3.2 Materials. Materials shall be as specified herein and in applicable specifications and standards. Materials not specified shall be selected by the supplier and shall be subject to all provisions of this specification. Materials shall be free of defects.

3.3 Preservation and packaging. Preservation and packaging shall be level A or C, as specified.

3.3.1 Level A.

3.3.1.1 Preservatives and methods of preservation. Preservatives specified herein shall conform to the applicable specifications listed in and shall be applied in accordance with MIL-P-116. Methods of preservation specified herein by symbols shall conform to the applicable symbols listed in MIL-P-116.

3.3.1.2 Hand tools. The hammer, knives, knife blades, hand oiler, pliers, screwdriver, shears and wrench shall be preserved and packaged in accordance with MIL-H-15424, level A.

3.3.1.3 Truck van. The components and accessories of the truck and van body shall be preserved in accordance with MIL-STD-281, level A, mobile and as follows.

3.3.1.3.1 Screw jacks. The screws shall be coated with type P-11 preservative and fully retracted into the jacks. Exterior unpainted surfaces of the jacks shall be coated with type P-1 preservative. The jacks shall be secured in the storage compartment provided on the truck van body.

3.3.1.3.2 Cable reel, 100-foot cable assembly and reel cover. The cable assembly shall be wound on the cable reel; the cover installed and the reel secured in the bracket provided.

Source: https://assist.dla.mil -- Downloaded: 20260-22T21:29Z
Check the source to verify that this is the current version before use.

3.3.1.3.3 Heating and air conditioning unit. The heating and air conditioning unit shall be preserved in accordance with MIL-R-3593, level A.

3.3.1.4 Generator set (MAP). The generator set, accessories, repair parts, tools and technical publications shall be preserved, packaged and packed in accordance with MIL-G-52279, level A.

3.3.1.5 Paint brush. The bristle end of the brush shall have a double thickness wrap of 30-pound basic weight kraft paper. The wrap shall be folded back over the bristle and secured to the brush handle with tape or as an alternate the brush shall be placed in a commercial type envelope.

3.3.1.6 Dusting brushes, folding chairs, desk lights, revolving stools and folding leg table. Chairs shall be folded. Stool seats shall be lowered to the minimum height. Table legs shall be folded and secured. Each brush, chair, light, stool and table shall be packaged individually in a close-fitting box conforming to PPP-B-636, W6c, W5c or V3c as applicable, style optional. The box shall be waterproof sealed with tape as specified for slotted style boxes in the appendix to the box specification.

3.3.1.7 Drawing board. The drawing board shall be preserved and packaged in accordance with GG-D-635, level A.

3.3.1.8 Pivot compasses, curtain, dividers, drafting instrument sets, electric eraser, lead repointers, lettering set, magnifier, etching needle, pencil sharpener, stapler, stereoscope, sharpening stone and straightedge. The curtain shall be folded to the minimum practicable dimensions. Each compass, curtain, divider, drafting instrument set, eraser, repointer, lettering set, magnifier, needle, sharpener, stapler, stereoscope, stone and straightedge shall be preserved method IC-1.

3.3.1.9 Curves, pencils, drafting scales, plotting scales, triangles and pin vises. Curves, pencils, scales, triangles and vises of like description shall be preserved together method IC-1 in quantities specified for each set.

3.3.1.10 Incandescent lamps. Each lamp shall be placed in a single-wall fiberboard sleeve. Lamps of like description shall then be packaged together in a close-fitting box conforming to PPP-B-636, W6c, style optional, in quantities specified for each set.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.

3.3.1.11 Paperweights. The paperweights shall be packaged together method III in a box conforming to PPP-B-636, W6c, style optional, in quantities specified for each set. The box shall be waterproof sealed with tape as specified for slotted style boxes in the appendix to the box specification.

3.3.1.12 Projector. The projector shall be preserved, packaged and packed in accordance with MIL-P-11411, level A, except that boxes shall be domestic type and strapping shall not be required.

3.3.1.13 Sketchmasters. The oblique sketchmaster shall be preserved, packaged and packed in accordance with MIL-S-2410, level A, except that boxes shall be domestic type and strapping shall not be required. The vertical sketchmaster shall be preserved, packaged and packed in accordance with MIL-S-10145, level A, except that boxes shall be domestic type and strapping shall not be required.

3.3.1.14 Consolidated packaging. The cabinets shall be utilized for consolidated packaging of the preserved and packaged set components, with the exception of items with securing brackets or straps. For consolidated packaging of remaining set components, boxes conforming to PPP-B-601, domestic type, style I or J shall be used. Strapping of boxes shall not be required. The consolidated packaged components shall be blocked, braced and cushioned in accordance with MIL-STD-1186. The size and number of boxes shall be governed by the available space for securing the preserved packaged and consolidated packaged items within the truck van body and cab. The projector and sketchmasters preserved, packaged and packed as specified in 3.3.1.12 and 3.3.1.13 shall not require consolidated packaging.

3.3.2 Level C. The components of each complete map revision section, excluding the truck van, shall be preserved and packaged to afford protection against deterioration and damage during shipment from the supplier to the initial destination.

3.3.2.1 Truck van. The components of the chassis and van body shall be preserved and packaged in accordance with MIL-STD-281, level C, mobile.

3.4 Packing. Packing shall be level A or C as specified.

3.4.1 Level A. The truck van shall be prepared for shipment mobile. All louvered openings of metal shrouds covering the heater and air conditioner shall be covered with barrier material conforming to PPP-B-1055, class B-2 or MIL-B-121, type I, grade A, class 2. The barrier material shall be secured with tape conforming to PPP-T-60, type IV. Set components

Source: https://assist.dla.mil -- Downloaded: 202640-22T21:29Z
Check the source to verify that this is the current version before use.

consolidated packaged in boxes and the projector and sketchmasters preserved, packaged and packed as specified in 3.3.1.12 and 3.3.1.13 shall be packed for shipment within the van body and cab. Blocking, bracing, cushioning and anchoring shall be in accordance with MIL-STD-1186. Strapping shall be zinc coated.

3.4.1.1 Generator set (MAP). The generator set preserved, packaged and packed as specified in 3.3.1.4 shall not require additional packing. The generator set shall be packed for shipment within the van body if space is available. If space is not available within the van body, the generator shall be shipped separately from, but at the same time as the truck van.

3.4.2 Level C. Each complete map revision section shall be packed to insure carrier acceptance and safe delivery to destination at lowest ratings. Containers as a minimum shall be in compliance with Uniform Freight Classification rules or National Motor Freight Classification rules.

3.5 Marking. In addition to any special marking required by the contract or purchase order, packages, consolidated containers, and unboxed (mobile) trucks shall be marked in accordance with MIL-STD-129.

3.6 Workmanship. Workmanship shall be such as to provide maximum protection to the set components, by application of the requirements specified herein, to prevent corrosion, deterioration, and mechanical or physical damage to the components during handling, shipment, and storage.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in this specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Material inspection. The supplier is responsible for insuring that supplies and materials used are manufactured, examined, and tested in accordance with referenced specifications and standards.

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:29Z
Check the source to verify that this is the current version before use.

4.2 Classification of inspection. Inspection shall be classified as follows:

(a) Preproduction pack inspection (see 4.3).
(b) Quality conformance inspection (see 4.4).

4.3 Preproduction pack inspection.

4.3.1 Examination. The preproduction pack shall be examined for the defects listed in 4.4.4. Presence of one or more defects shall be cause for rejection of the preproduction pack.

4.4 Quality conformance inspection.

4.4.1 Inspection stages. Inspection shall be in three stages as follows:

(a) The first stage shall include inspection of procedures, methods, materials, containers, and packaging marking prior to placing the packages into location in the van or prior to placing the packages into consolidated containers.
(b) The second stage shall include inspection of closure and marking of the consolidated containers, and the arrangement and blocking and bracing of the located items and blocking and bracing of consolidated containers in the van.
(c) The third stage shall include inspection of the closed and marked mobile van as prepared for shipment.

4.4.2 Unit of product. For the purpose of inspection, all packages or packs, prepared for any applicable inspection stages that will comprise a complete pack, shall be considered a unit of product.

4.4.3 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.4.4 Examination. Samples selected in accordance with 4.4.3 shall be examined for the defects marked "X" for the applicable level in table I. Acceptable quality level (AQL) shall be 2.5 percent defective.

Source: https://assist.dla.mil -- Downloaded: 202640-22T21:29Z
Check the source to verify that this is the current version before use.

Table I. Classification of defects

No.	Defect	Level A	Level C
101.	Materials, methods or containers not as specified. Each incorrect material, method or container shall constitute one defect (3.2, 3.3.1.1, 3.3.1.8, 3.3.1.9, 3.3.1.11).	X	-
102.	Paint brush not preserved and packaged as specified (3.3.1.5).	X	-
103.	Items not packaged as specified (3.3.1.2, 3.3.1.3, 3.3.1.4, 3.3.1.6, 3.3.1.7, 3.3.1.12, 3.3.1.13, 3.3.2.1).	X	X
104.	Incandescent lamps not packaged as specified (3.3.1.10).	X	-
105.	Consolidated packaging not as specified (3.3.1.14).	X	-
106.	Packing not as specified (3.4.1).	X	-
107.	Marking illegible, incorrect, incomplete or missing (3.5).	X	X

5. PREPARATION FOR DELIVERY

(This section not applicable to this specification.)

6. NOTES

6.1 Intended use. This specification is intended to be used for direct reference in contracts or purchase orders for the preservation, packaging, packing, and marking of a Map Revision Section, Topographic Mapping Set, Truck Mounted (FSN 6675-526-4788) for MAP (FSN 6675-914-4669).

6.2 Ordering data. Procurement documents should specify the following:

(a) Title number, and date of this specification.
(b) Time frame required for submission of the preproduction pack (see 3.1.1).
(c) Level of preservation and packaging and level of packing required (see 3.3 and 3.4).
(d) Any special marking required (see 3.5).

6.3 Preproduction pack. Any changes or deviations of production packs from the approved preproduction pack will be subject to the approval of the contracting officer. Approval of the preproduction pack will not relieve the supplier of his obligation to preserve, package, pack and mark the set components in accordance with this specification.

Custodian:

Army - ME

Preparing activity:

Army - ME

Project No. 6675-A141

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:29Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION MIL-M-52673(ME) Map Revision Section, Topographic Mapping Set, Truck Mounted, Packaging Of

ORGANIZATION

CITY AND STATE

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO *(If "yes", in what way?)*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers attach to form and place both in an envelope addressed to preparing activity.)*

SUBMITTED BY *(Printed or typed name and activity - Optional)*

DATE

DD FORM 1426

REPLACES PREVIOUS EDITION OF 1 JAN 64 WHICH MAY BE USED.

Source: https://assist.dla.mil -- Downloaded: 202640-22T21:29Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE ARMY
U. A. ARMY MOBILITY EQUIPMENT COMMAND
RESEARCH, DEVELOPMENT AND ENGINEERING DIRECTORATE
ATTN: AMSME-RZK-KX
FORT BELVOIR, VIRGINIA 22060

OFFICIAL BUSINESS

POSTAGE AND FEES PAID

DEPARTMENT OF THE ARMY
U. S. ARMY MOBILITY EQUIPMENT COMMAND
RESEARCH, DEVELOPMENT AND ENGINEERING DIRECTORATE
ATTN: AMSME-RZK-KX
FORT BELVOIR, VIRGINIA 22060

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:29Z
Check the source to verify that this is the current version before use.