FF-C-436f
INT. AMENDMENT - 2
June 23, 1975
SUPERSEDING
Int. Amendment - 1
February 15, 1967

INTERIM AMENDMENT

TO

FEDERAL SPECIFICATION

CLIP, PAPER, WIRE

This interim amendment was developed by the General Services Administration, Federal Supply Service, Washington, DC 20406, based upon currently available technical information. It is recommended that Federal agencies use it in procurement and forward recommendations for changes to the preparing activity at the address shown above.

The General Services Administration has authorized the use of this interim amendment as a valid exception to Federal Specification FF-C-436f, dated April 5, 1965.

PAGE 1

Section 2, delete in its entirety and substitute the following:

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issues in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein.

Federal Specifications:

UU-P-121 - Paper, Bond and Writing; White and Colored.
PPP-B-566 - Boxes, Folding, Paperboard.
PPP-B-636 - Boxes, Shipping, Fiberboard.
PPP-B-676 - Boxes, Setup.

Federal Standard:

Fed. Std. No. 123 - Marking for Shipment (Civil Agencies).

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.

(Single copies of this specification and other Federal Specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Administration Regional Offices in Boston, New York, Washington, DC, Atlanta, Chicago, Kansas City, MO, Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, WA.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Military Specification:

MIL-L-10547 - Liners, Case and Sheet, Overwrap, Water-Vaporproof or Waterproof, Flexible.

FSC 7510

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:47Z
Check the source to verify that this is the current version before use.

Military Standards:

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of Military Specifications and Standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply.

National Motor Freight Traffic Association, Inc., Agent:

National Motor Freight Classification.

(Application for copies should be addressed to the American Trucking Associations, Inc., Tariff Order Section, 1616 P Street, N.W., Washington, DC 20036.)

Uniform Classification Committee, Agent:

Uniform Freight Classification.

(Application for copies should be addressed to the Uniform Classification Committee, Room 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

PAGE 2

Table I. First line under "Diameter of Wire" delete "0.041" and substitute "0.036".

PAGE 5

Section 5. Delete in its entirety and substitute the following:

5. PREPARATION FOR DELIVERY

5.1 Packaging.

5.1.1 Unit packages.

5.1.1.1 Level A and B.

5.1.1.1.1 Type I. Type I, Gem-pattern clips shall be packaged 100 per box, one size only, in a box conforming to PPP-B-566, or PPP-B-676.

5.1.1.1.2 Type II. Type II, Ideal-pattern clips shall be packaged 12 per box (size 1, large) or 50 per box (size 2, medium), in a box conforming to PPP-B-566, or PPP-B-676.

5.1.1.2 Level C (types I and II). Clips shall be unit-packaged in accordance with the manufacturer's commercial practice.

5.1.2 Intermediate packages.

5.1.2.1 Level A and B (types I and II). Unit boxes of clips of one size only shall be packaged in quantities as specified in table IV, in a box conforming to PPP-B-566, or PPP-B-676. Alternatively, unit-packaged type I clips shall be intermediate packaged, in quantities as specified in table IV, in a paperboard sleeve provided with self-locking tabs or tucks, or in shrinkable plastic film.

5.1.2.2 Level C (types I and II). Clips shall be intermediate-packaged in accordance with manufacturer's commercial practice.

5.2 Packing.

5.2.1 Level A. Clips of one type and size, packaged in unit and intermediate containers as specified in 5.1, shall be packed in a box conforming to PPP-B-636, grade V3C, in quantities as specified in table IV. Boxes shall be closed and sealed in accordance with the appendix to PPP-B-636.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:47Z
Check the source to verify that this is the current version before use.

5.2.2 Level B. Clips of one type and size, packaged in unit and intermediate boxes as specified in 5.1, shall be packed in a box conforming to PPP-B-636, in quantities as specified in table IV. Closure shall be in accordance with appendix to PPP-B-636.

5.2.3 Level C. Clips packaged as specified in 5.1, shall be packed in a manner to insure carrier acceptance and safe delivery to destination at the lowest transportation rate for such supplies. Containers shall comply with Uniform Freight Classification Rules or National Motor Freight Classification Rules, as applicable.

5.3 Marking.

5.3.1 Civil agencies. In addition to any special marking required by the contract or order, interior packages and shipping containers shall be marked in accordance with Fed. Std. No. 123.

5.3.2 Military activities. In addition to any special marking required by the contract or order, interior packages and shipping containers shall be marked in accordance with MIL-STD-129.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:47Z
Check the source to verify that this is the current version before use.