MILITARY STANDARD

MIL-STD-1323-209 (NAVY)

2 DECEMBER 1982

SUPERSEDING WR-54/209 15 FEBRUARY 1973


UNIT LOAD FOR UNDERWAY REPLENISHMENT MINE, UNDERWATER: MK 55 AND MODS, CONFIGURATIONS "B","C" AND"D" IN CRATE MK 55 MOD 1 WITH CRATE ADAPTERS MK 112 MOD 0 (LOADED)

UNIT LOAD DATA

DODIC/ NALC NO.	MINE MK 55 MOD	CONFIG-URATION	GROSS WEIGHT (APPROX) LBS.	
			CRATED MINE	UNIT LOAD
U 875	1	B	2185	2335
U 876	1	C	2163	2313
U 877	1	D	2155	2305
U 887	2	B	2263	2413
U 888	2	C	2229	2379
U 889	2	D	2221	2371
U 899	3	B	2276	2426
U 900	3	C	2239	2389
U 901	3	D	2231	2381
U 911	4	B	2168	2318
U 912	4	C	2160	2310
U 913	4	D	2135	2285
U 923	5	B	2422	2572
U 924	5	C	2236	2386
U 925	5	D	2232	2382
U 929	6	B	2380	2530
U 930	6	C	2247	2397
U 931	6	D	2232	2382
U 935	7	B	2325	2475
U 936	7	C	2315	2465
U 937	7	D	2285	2435

NUMBER OF MINES PER UNIT LOAD 1
WEIGHT OF TWO CRATE ADAPTERS (ESTIMATED) ..... 150 LBS
CUBE ..... 45.0 CU. FT.
UNIT LOAD DIMENSIONS ..... 84 L X 28 3/4 W X 32 1/4 H .

"THIS DOCUMENT IS NOT CONTROLLED. ITS CURRENTNESS IS ASSURED THROUGH 9 APR 1983 IT IS THE USER'S RESPONSIBILITY TO ASSURE THE VALIDITY OF THIS DOCUMENT"



CRATE, MK 55 MOD 1
10001-2202843
(LD 538045)
CRATE ADAPTER, MK 112 MOD 0
10001 - 2644678

DO NOT STACK MORE THAN 5 UNIT LOADS HIGH IN STORAGE

HAZARD CLASSIFICATION
DOT - CLASS A
CG - CLASS X-A

NOTES:
1. WHEN MK 112 ADAPTERS ARE NOT AVAILABLE, USE MIL-STD-1322-714.
2. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
3. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR SHIPPING, HANDLING STORAGE AND TRANSFER-AT-SEA. IT MAY ALSO BE USED FOR DOMESTIC SHIPMENT IN COMPLIANCE WITH DOT REGULATIONS.

M.S. Gray NWHC 11/30/82
SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

SIGNATURE SEASYSCOM BY DIRECTION 1-2-83 DATE


REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1323 (NAVY)

ORIGINATOR 11/30/82 DATE


NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:57Z
Check the source to verify that this is the current version before use.

ASSEMBLY DETAILS



REMOVE (4) 1/2-20 UNF SCREWS FROM ADAPTER AND MATCH DRILL BOTTOM WELDMENT WITH ADAPTER $.531^{+.008}_{-.001}$ DIA. 4 PLACES EACH ADAPTER IN LOCATION SHOWN. SECURE ADAPTER ON OUTSIDE BOTTOM WELDMENT.



TOP AND SIDE VIEW OF BOTTOM SECTION

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:57Z
Check the source to verify that this is the current version before use.

ASSEMBLING PROCEDURE

TO FACILITATE INSTALLATION OF THE ADAPTERS, ITEM 1, REMOVE THE MINE FROM THE CRATE.

(a) REMOVE THE SELF - LOCKING NUTS AND SCREWS FROM THE ADAPTER. POSITION THE BOTTOM FRAME IN A CONVENIENT PLACE AND MATCH DRILL FOUR .531 DIA. HOLES THRU THE BOTTOM ANGLE IN THE LOCATIONS INDICATED IN THE TOP VIEW ILLUSTRATION, ON PAGE 2.


(b) SECURE THE ADAPTER TO THE BOTTOM SECTION IN THE POSITION SHOWN IN THE TOP VIEW ILLUSTRATION, AND IN DETAIL A.

(c) REPEAT PROCEDURES (a) AND (b) FOR THE SECOND ADAPTER AND POSITION AS SHOWN IN THE TOP VIEW ILLUSTRATION.

(d) DRILL TWO .531 DIA HOLES IN THE TOP SECTION IN POSITIONS SHOWN IN THE ILLUSTRATION ON PAGE 3. INSERT THE HEX HEAD CAP SCREW , ITEM 2, AND SECURE WITH SELF-LOCKING NUT, ITEM 3, AS SHOWN.

(e) POSITION THE MINE IN THE BOTTOM SECTION AND ALIGN THE TOP SECTION WITH THE BOTTOM. SECURE THE TOP AND BOTTOM SECTIONS.

TO STACK THE MINE CRATES IN STORAGE THE HOLES IN THE FORK POCKETS OF THE ADAPTER MUST BE ALIGNED WITH THE CAP SCREWS AND SELF-LOCKING NUTS INSTALLED IN THE TOP SECTION.



NOTES:

1. CAP SCREWS AND SELF - LOCKING NUTS ARE SUPPLIED WITH THE ADAPTER .
2. UNLESS OTHERWISE SPECIFIED, ALL MATERIALS WILL BE IN ACCORDANCE WITH MIL - STD - 1323 .

REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
2	3	NUT , SELF - LOCKING	SEE NOTE 2	1/2 - 13 UNC
2	2	SCREW , CAP , HEX HEAD	SEE NOTE 2	1/2 - 13 UNC X .875 L
2	1	ADAPTER , MK 112 MOD 0 (MINE CRATE MK 55)	10001 - 2644678	

LIST OF MATERIALS

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:57Z
Check the source to verify that this is the current version before use.