MILITARY SPECIFICATION

PAPER, LENS, TISSUE, ANTITARNISH, WRAPPING

1. SCOPE

1.1 This specification covers one type of tissue paper, of antitarnish quality, for use in wrapping lenses.

2. APPLICABLE DOCUMENTS

2.1 The following specifications and standards, of the issue in effect on date of invitation for bids, form a part of this specification:

SPECIFICATIONS

FEDERAL

NN-B-591 - Boxes; Wood-Cleated-Fiberboard
NN-B-621 - Boxes; Wood, Nailed and Lock-Corner.
NN-B-631 - Boxes; Wood, Wirebound, (For Domestic Shipment).
UU-P-31 - Paper; General Specifications and Methods of Testing.
LLL-B-631 - Boxes; Fiber, Corrugated (Domestic Shipment).
LLL-B-636 - Boxes; Fiber, Solid (For Domestic Shipment).
PPP-B-601 - Boxes, Wood, Cleated-Plywood.

MILITARY

JAN-P-106 - Boxes, Wood, Nailed (Overseas Type).
MIL-B-107 - Boxes, Wood, Wirebound (Overseas Type).
JAN-P-125 - Packaging and Packing for Overseas Shipment - Barrier-Materials, Waterproof, Flexible.
JAN-P-138 - Packaging and Packing for Overseas Shipment - Boxes, Wood, Fiberboard-Lined.
MIL-A-140 - Adhesive, Water-Resistant, Waterproof Barrier-Material.

STANDARDS

MILITARY

MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring agency or as directed by the contracting officer.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:44Z
Check the source to verify that this is the current version before use.

2.2 Other publications.- The following documents form a part of this specification. Unless otherwise indicated, the issue in effect on date of invitation for bids shall apply.

TECHNICAL ASSOCIATION OF THE PULP AND PAPER INDUSTRY

TAPPI Method T-444m-47 - Silver-Tarnishing Test of Paper.

(Copies of the above cited method may be obtained from the Technical Association of the Pulp and Paper Industry, 122 East 42nd Street, New York 17, N.Y.)

CONSOLIDATED FREIGHT CLASSIFICATION
Consolidated Freight Classification Rules.

(Copies of this publication should be obtained from the Consolidated Classification Committee, 202 Union Station, Chicago 6, Illinois.)

AMERICAN TRUCKING ASSOCIATIONS, INC.
National Motor Freight Classification Rules.

(Copies of this publication should be obtained from the American Trucking Associations, Inc., 1424 - 16th St., N.W., Washington 6, D.C.)

3. REQUIREMENTS

3.1 Material.- The tissue paper shall be made from either white or unbleached wood pulp, free of groundwood particles.

3.2 Physical and chemical properties.- The tissue paper shall conform to the physical and chemical requirements specified hereunder, when tested in accordance with the test methods specified in section 4 of this specification.

3.2.1 Basis weight.- The basis weight of the tissue paper (20 x 30-500) shall be 8.0 $\pm$ 0.5 pounds.

3.2.2 Bursting strength.- The average bursting strength of the tissue paper shall be not less than 5 points.

3.2.3 Acidity (pH value).- The pH value of the tissue paper shall be in the range of 6.0 to 7.0. The tissue paper shall contain no free acids, and shall be free of chlorides and sulfur.

3.2.4 Tarnish resistance.- The tissue paper shall not cause tarnishing of silver surfaces.

3.3 Workmanship.- The tissue paper shall be free of abrasive materials, lint, and dust. The edges of the sheets shall be clean-cut.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:44Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Size of lot.- A lot shall consist of all tissue paper offered for delivery at one time.

4.2 Sampling.- Sampling shall be in accordance with the applicable provisions of method 160 of Specification UU-P-31. The number of test specimens taken from the lot shall be as required by the individual tests to which the tissue paper is to be subjected (see 4.4).

4.3 Inspection.- Inspection shall be in accordance with Specification UU-P-31.

4.4 Tests.-

4.4.1 The following tests shall be performed in accordance with the indicated test methods of Specification UU-P-31. The tests shall be performed under standard testing atmospheric conditions, as specified in method 102 of Specification UU-P-31.

Test	Method No.
Fiber identification	300
Basis weight	110
Bursting strength 1/	112
Acidity, pH	200

1/ The average bursting strength of 10 test specimens shall be reported.

4.3.2 Tarnish resistance.- The tarnish resistance quality of the tissue paper shall be determined in accordance with method T-444-m-47 of the Technical Association of Pulp and Paper Industry.

5. PREPARATION FOR DELIVERY

5.1 Packaging.-

5.1.1 Domestic shipment, immediate use.- The tissue paper shall be packaged in reams. Each ream shall be wrapped in kraft paper and securely banded.

5.1.2 Domestic shipment, limited storage.- Each ream of tissue paper shall be wrapped in waterproof barrier-material conforming to Specification JAN-P-125, and sealed with adhesive conforming to Specification MIL-A-140.

5.1.3 Overseas shipment and extended domestic storage.- The tissue paper shall be packaged in the same manner as specified for domestic shipment limited storage (see 5.1.2).

5.2 Packing.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:44Z
Check the source to verify that this is the current version before use.

5.2.1. Domestic shipment, immediate use.- The ream packages (see 5.1.1) shall be packed in shipping containers conforming to the Consolidated Freight Classification Rules, for rail shipments, or to the National Motor Freight Classification Rules, for truck shipment.

5.2.2 Domestic shipment, limited storage.- The ream packages (see 5.1.2) shall be packed in shipping containers conforming to Specification NN-B-591, NN-B-621, NN-B-631, LLL-B-631, LLL-B-636, or PPP-B-601. The gross weight of the shipping container shall not exceed 150 pounds, except that the weight of the fiberboard boxes shall be subject to the limitations of the corresponding box specification.

5.2.3 Overseas shipment and extended domestic storage.- The ream packages (see 5.1.2) shall be packed in shipping containers conforming to Specification JAN-P-106, MIL-B-107, JAN-P-138, or PPP-B-601. The gross weight of the shipping container shall not exceed 150 pounds.

5.3 Marking.- The ream packages and the shipping containers shall be marked in accordance with Standard MIL-STD-129.

6. NOTES

6.1 Ordering data.- Procurement documents should specify the following:

a. Title, number, and date of this specification.
b. Type of packaging and packing required.

NOTICE: When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Custodian:

Army - Ordnance Corps

Other interest: QSig

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:44Z
Check the source to verify that this is the current version before use.