MILITARY SPECIFICATION
TOILETS, AIRCRAFT, CHEMICAL

This amendment forms a part of Military Specification MIL-T-25186A dated 5 July 1961, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1:

Federal Specifications:

Delete: "NN-P-515 - Plywood, Container Grade"
Add: "TT-E-489 - Enamel, Alkyd, Gloss, (For Exterior and Interior Surfaces)"

Add: "TT-P-1757 - Primer Coating, Zinc Chromate, Low Moisture Sensitivity"

Delete: "PPP-B-591 - Boxes, Fiberboard, Wood-Cleated"
Add: "PPP-B-591 - Boxes, Shipping, Fiberboard, Wood-Cleated"

Delete: "PPP-B-636 - Boxes, Fiberboard"
Add: "PPP-B-636 - Box, Shipping, Fiberboard"

Delete: "PPP-B-665 - Boxes; Paper -Board, Metal Stayed (Includes Stayed Material)"

Add: "PPP-B-665 - Boxes, Paperboard, Metal Edged and Components"

Delete: "PPP-B-676 - Boxes, Set-Up Paper-board"
Add: "PPP-B-676 - Boxes Setup"

FSC 4510

Source: https://assist.dla.mil -- Downloaded: 202610-20T03:57Z
Check the source to verify that this is the current version before use.

Delete: "PPP-T-60" - Tape, Pressure Sensitive Adhesive, Waterproof for Packaging and Sealing"

Add: "PPP-T-60 Tape, Packaging, Waterproof"

Military Specifications

Delete: "JAN-P-100 - Packaging and Packing for Overseas Shipment, General Specification"

Delete: "MIL-M-14 - Molding Plastic and Molded Parts, Thermosetting"
Add: "MIL-M-14 - Molding Plastic and Molded Plastic Parts, Thermosetting"

Add: "DOD-D-1000 - Drawing, Engineering And Associated List"

Delete: "MIL-R-3043 - Resin-Coating, Permanent (For Internal Engine Parts)"
Add: "MIL-R-3043 - Resin Coating, Unpigmented, For Engine Components and Metal Parts"

Delete: "MIL-C-5541 - Chemical Films for Aluminum and Aluminum Alloys"
Add: "MIL-C-5541 - Chemical Conversion Coatings on Aluminum and Aluminum Alloys"

Delete: "MIL-E-7729 -Enamel; Gloss, for Aircraft Use."

PAGE 2

2.1:

Military Specification:

Delete: "MIL-P-8585 - Primer Coating, Zinc Chromate, Low-Moisture-Sensitivity"

Delete: "MIL-L-10547 - Liners, Case, Waterproof"
Add: "MIL-L-10547 - Liner, Case, and Sheet, Overwrap, Water Vaporproof Or Waterproof, Flexible"

Delete: "MIL-D-70327 - Drawing, Engineering and Associated List"

Federal Standards:

Add: "MIL-STD-889 - Dissimilar Metals"
Add: "MIL-STD-1186 - Cushioning, Anchoring, Bracing, Blocking, And Waterproofing, With Appropriate Test Methods"
Delete: "MS33586 - Metals -Definition of Dissimilar"

Source: https://assist.dla.mil -- Downloaded: 202610-20T03:57Z
Check the source to verify that this is the current version before use.

3.1 Delete entire paragraph and add the following:

Reclaimed Materials. Recycled and recovered raw material should be used to the maximum extent possible in lieu of virgin raw materials as long as these materials do not jeopardize the intended use and fully comply with all contract requirements. Materials used shall be free from defects which would affect the performance or maintainability of individual components of the overall assembly.

3.1.2 line 5 delete "Standard MS33586" and replace with "MIL-STD-889

3.3.2.2 Maximum weight for 6 gallon unit.
Delete "10 pounds" and substitute "15 pounds."

PAGES 3, 4 and 5

Figures 1, 2 and 3. Add under tolerances:
"Fractions ± 1/32".

PAGE 7

3.3.2.3 line 8 delete "MIL-P-8585" and replace with"TT-P-1757".
Line 10 delete "MIL-E-7729 type II or III" and replace with "TT-E-489, type I, Class B."

3.4 lines 2 and 3 delete "in accordance with standard MIL-STD-130" and replace with "as specified".

3.6 line 5 delete "MIL-D-70327" and replace with "DOD-D-1000".

PAGE 8

5.2.1 lines 5, 6 and 7 delete "Plywood, when used, shall be type I or II, Class 2 of Specification NN-P-515."

5.3 lines 2, 3 and 6 delete "JAN-P-100" and replace with "MIL-STD-1186".

5.4 lines 2 and 3 delete "in accordance with the requirements of Standard MIL-STD-129" and replace with "as specified".

CUSTODIAN:
Navy - AS

Air Force - 99

PREPARING ACTIVITY:
Air Force - 84

Project Number:
4510-0181

Source: https://assist.dla.mil -- Downloaded: 2026-02-20T03:57Z
Check the source to verify that this is the current version before use.