UU-B-838D
January 25, 1972
SUPERSEDING
Int. Fed. Spec. UU-B-00838C(GSA-FSS)
November 27, 1970 and
Fed. Spec. UU-B-838B
June 20, 1962

FEDERAL SPECIFICATION

BUTTER CHIP, PAPER

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers square and round butter chips.

1.2 Classification.

1.2.1 Grades and types. Butterh chips covered by this specification shall be of the following grades and types, as specified (see 6.1):

Grade A - Paper, uncoated.
Grade B - Paper, coated with polyethylene.

Type I - Square
2-1/4 by 2-1/4 inches, minimum.
Type II - Round
2-5/8 inches in diameter, minimum.

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

Federal Specifications:

UU-P-31 - Paper; General Specifications and Methods of Testing.
PPP-B-566 - Boxes, Folding, Paperboard.
PPP-B-636 - Box, Fiberboard.
PPP-B-665 - Boxes; Paperboard, Metal Stayed (Including Stay Material).
PPP-B-676 - Boxes, Setup.

Federal Standard:

Fed. Std. No. 123 - Marking for Domestic Shipment (Civil Agencies).

(Activities outside the Federal Government may obtain copies of Federal Specifications, Standards, and Handbooks as outlined under General Information in the Index of Federal Specifications and Standards and at the prices indicated in the Index. The Index, which includes cumulative monthly supplements as issued, is for sale on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.

(Single copies of this specification and other Federal Specifications required by activities outside the Federal Government for bidding purposes are available without charge from Business Service Centers at the General Services Administration Regional Offices in Boston, New York, Washington, DC, Atlanta, Chicago, Kansas City, MO, Fort Worth, Denver, San Francisco, Los Angeles, and Seattle, WA.

(Federal Government activities may obtain copies of Federal Specifications, Standards, and Handbooks and the Index of Federal Specifications and Standards from established distribution points in their agencies.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:21Z
Check the source to verify that this is the current version before use.

Military Standards:

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of Military Specifications and Standards required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

Laws and Regulations:

21 CFR 21 - Federal Food, Drug, and Cosmestics Act; Food Additivies.

(The Code of Federal Regulations (CFR) and the Federal Register (FR) are for sale on a subscription basis by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402. When indicated, reprints of certain regulations may be obtained from the Federal agency responsible for issuance thereof.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on date of invitation for bids or request for proposal shall apply.

National Motor Freight Traffic Association, Inc., Agent:

National Motor Freight Classification.

(Application for copies shall be addressed to the American Trucking Association, Inc., Tariff Order Section, 1616 P Street, N.W., Washington, DC 20036.)

Uniform Classification Committee, Agent:

Uniform Freight Classification.

(Application for copies should be addressed to the Uniform Classification Committee, Room 202 Union Station, 516 W. Jackson Blvd., Chicago, IL 60606.)

(Technical society and technical association specifications and standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

3. REQUIREMENTS

3.1 Material. The paper used in either grade of butter chip shall have a top surface white in color. Reclained fiber in any percentage is permitted, provided that the other requirements of this specification are met. Reclaimed fiber is fiber collected from solid waste, or waste collected as a result of an agricultural or manufacturing process. Material generated from and re-used within a plant as part of its own papermaking process shall not be construed as reclaimed fiber. The papermaking process is the manufacturing process of producing paper up to and including the cutting and trimming of the paper-machine reel into smaller rolls or rough sheets. The butter chips shall be free from disagreeable ordor and shall not impart objectionable taste to the contents (see 4.4.1). The butter chips shall not contain toxic or other harmful ingredients, and shall comply with the applicable provisions of 21 CFR 21 of Title 21, Code of Federal Regulations, the Federal Food, Drug, and Cosmetic Act, Food Additive Amendment, for contact with food.

3.1.1 Basis weight. The basis weight of the paper, on a basis of 24 x 36-500, shall be not less than 150 pounds when tested in accordance with 4.4.3.

3.1.2 Thickness. The thickness of the paper shall be not less than 0.011 inch and not more than 0.018 inch when tested in accordance with 4.4.3.

3.1.3 Bursting strength. The dry bursting strength of the paper shall be not less than 82 points when tested in accordance with 4.4.3.

3.2 Construction. The butter chips shall have smooth, evenly upturned edges not less than 1/4 inch in width and shall have a flat base. The corners of the square chip shall be slightly rounded. The chips shall be readily separable.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:21Z
Check the source to verify that this is the current version before use.

3.3 Oil penetration. Using U.S.P. cotton-seed oil in lieu of U.S.P. castor oil, the receptivity of the uncoated paper shall be not less than 80 seconds and the receptivity of the polyethylene coated paper shall be not less than 60 minutes when tested in accordance with 4.4.3.

3.4 Water absorption. The water absorption of the butter chips shall be not more than 33 percent when tested in accordance with 4.4.2.

3.5 Workmanship. The butter chips shall be free of shives, cracks, or wrinkles or other defects which affect their appearance or which may impair their serviceability. Inner boxes shall contain no shavings, cuttings, or paper dust particles and chips shall be in clean, sanitary containers.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own facilities or any commercial laboratory acceptable to the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

4.2 Lot. A lot shall consist of all butter chips offered for inspection at one time.

4.3 Sampling for examination and tests.

4.3.1 Sampling for defects of packaging, packing, and marking. The sample unit shall be 1 shipping container. The lot size shall be the number of shipping containers in the lot. The sample size shall be in accordance with MIL-STD-105. The acceptacle quality level (AQL) shall be 4 percent defective. The sample of containers shall be examined for the defects defined in table I, item 1.

4.3.2 Sampling for defects of workmanship in butter chips. Sample butter chips shall be taken from one package of each container in accordance with 4.3.1. The sample unit shall be one butter chip. The sample size shall be in accordance with MIL-STD-105, inspection level S-4. The acceptable quality level (AQL) shall be 1.5 defective. The sample shall be examined for the defects defined in table I, item 2.

4.3.3 Sampling for tests. The sample unit for tests shall be 10 butter chips. A test sample unit shall be taken from each package opened for examination of 4.3.2. The butter chips and paper stock shall be tested for compliance with the chemical and physical requirements of this specification using the methods of UU-P-31.

TABLE I

Examine	Defects
1. Packing, packaging and marking	Shipping containers: Missing, illegible, incorrect marking. Wrong construction. Closure not as specified. Closure permits entrance of water, dirt, and insects. Packages: Not properly labeled. Not cardboard. Closure not sufficiently secure to prevent accidental spillage of contents.
2. Butter chips	Not grade ordered. Not type ordered. Top surface not white in color. Base not flat. Upturned edges not smooth, less than 1/4 inch. Dirty, stained. Dog-eared, torn, cracked. Paper dust or fragments present in butter chips or cartons.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:21Z
Check the source to verify that this is the current version before use.

4.4 Tests.

4.4.1 Objectionable taste. The sample butter chips shall be filled with 25 drops of water at 68° to 70°F. temperature, allow to strand for 5 minutes, then taste the water. No objectionable taste shall be perceptible (see 3.1).

4.4.2 Water absorption. Weigh butter chips, after conditioning in accordance with method 102 of UU-P-31. Float the conditioned butter chip on distilled water for 4 hours, re-weigh and determine the amount of water absorbed by weight. The amount of water absorbed by weight should then be calculated into a percentage increase. The test report shall be the average of the results obtained from testing not less than five butter chips (see 3.4).

4.4.3 Other tests. The following tests shall be made in accordance with the methods described in UU-P-31.

Tests	Methods
Basis weight (see 3.1.1).....	110
Bursting strength (see 3.1.3).....	112
Oil penetration (see 3.3).....	150
Thickness (see 3.1.2).....	173
Fiber identification and quantitative determination (see 3.1).....	300

5. PREPARATION FOR DELIVERY

5.1 Packaging. Packaging, shall be level A, B, or C as specified (see 6.1).

5.1.1 Level A and B. One thousand (1000) butter chips of one grade and type only shall be packaged in a box conforming to PPP-B-566, PPP-B-665, or PPP-B-676. Each box shall be closed in accordance with the box specification or appendix thereto.

5.1.2 Level C. Butter chips shall be packaged in accordance with supplier's commercial practice.

5.2 Packing. Packaging shall be level A, B or C as specified (see 6.1).

5.2.1 Level A. Ten thousand (10,000) butter chips, of one grade and type only, packaged as specified in 5.1, shall be packed in a close fitting box conforming to PPP-B-636, V3c or V3s. Each box shall be closed, waterproofed, and strapped in accordance with the appendix to PPP-B-636.

5.2.2 Level B. Ten thousand (10,000) butter chips shall be packed as specified in 5.2.1 except the box shall be class domestic and the waterproofing and strapping is not required.

5.2.3 Level C. The butter chips, packaged as specified in 5.1, shall be packed in containers to assure carrier acceptance and safe arrival at destination in compliance with the National Motor Freight Classification or Uniform Freight Classification.

5.2 Marking. In addition to any special marking required by the contract or order, marking shall be in accordance with MIL-STD-129 or Fed. Std. No. 123, as applicable.

6. NOTES

6.1 Intended use. Butter chips covered by this specification are intended for serving butter when a disposable butter chip is required.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:21Z
Check the source to verify that this is the current version before use.

6.2 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

(a) Title, number, and date of this specification.
(b) Grade and type (see 1.2.1).
(c) Levels of packaging, packing, and marking required (see 5.1, 5.2, and 5.3).

MILITARY CUSTODIANS:

Army - GL
Navy - SA
Air Force - 84

Review activities:

Army - MD
Navy - MS

User activities:

Navy - CG, MC

Preparing activity:

GSA-FSS

CIVIL AGENCIES INTEREST:

GSA
FSS
HEW
NIH
VA
DMS

Orders for this publication are to be placed with the General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein. Price 10 cents each.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:21Z
Check the source to verify that this is the current version before use.