MILITARY STANDARD

AUTOMATED ENGINEERING

DOCUMENT PREPARATION SYSTEM

SWITCHES, PRESSURE

TO ALL HOLDERS OF DOD-STD-35-117(MI):

1. THE FOLLOWING PAGES OF DOD-STD-35-117(MI) HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED.

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
COVER	31 AUGUST 1987	COVER	16 JUNE 1978
ii	31 AUGUST 1987	ii	16 JUNE 1978
v	31 AUGUST 1987	v	16 JUNE 1978
1	31 AUGUST 1987	1	16 JUNE 1978
2	31 AUGUST 1987	2	16 JUNE 1978
3	31 AUGUST 1987	3	16 JUNE 1978
4	31 AUGUST 1987	4	16 JUNE 1978
5	31 AUGUST 1987	5	16 JUNE 1978
6	16 JUNE 1978	(REPRINTED WITHOUT CHANGE)	
13	31 AUGUST 1987	13	16 JUNE 1978
14	31 AUGUST 198.7	14	16 JUNE 1978
15	31 AUGUST 1987	15	16 JUNE 1978
16	31 AUGUST 1987	16	16 JUNE 1978
17	31 AUGUST 1987	17	16 JUNE 1978
18	16 JUNE 1978	(REPRINTED WITHOUT CHANGE)	
19	31 AUGUST 1987	19	16 JUNE 1978
20	16 JUNE 1978	(REPRINTED WITHOUT CHANGE)	
27	31 AUGUST 1987	27	16 JUNE 1978
28	31 AUGUST 1987	28	16 JUNE 1978
29	31 AUGUST 1987	29	16 JUNE 1978
30	31 AUGUST 1987	30	16 JUNE 1978
169	16 JUNE 1978	(REPRINTED WITHOUT CHANGE)	
170	31 AUGUST 1987	170	16 JUNE 1978
170a	31 AUGUST 1987		
170b	31 AUGUST 1987		
170c	31 AUGUST 1987		
170d	31 AUGUST 1987		
170e	31 AUGUST 1987		
170f	31 AUGUST 1987		

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
173	16 JUNE 1978	173	16 JUNE 1978
173a	31 AUGUST 1987		
173b	31 AUGUST 1987		
173c	31 AUGUST 1987		
173d	31 AUGUST 1987		
174	31 AUGUST 1987	174	16 JUNE 1978
177	31 AUGUST 1987	177	16 JUNE 1978
178	31 AUGUST 1987	178	16 JUNE 1978
179	31 AUGUST 1987	179	16 JUNE 1978
180	31 AUGUST 1987	180	16 JUNE 1978
181	31 AUGUST 1987	181	16 JUNE 1978
182	31 AUGUST 1987	182	16 JUNE 1978
183	31 AUGUST 1987	183	16 JUNE 1978

2. RETAIN THIS NOTICE PAGE AND INSERT BEFORE THE TABLE OF CONTENTS.

3. Holders of DOD-STD-35-117(MI) will verify the page changes indicated above have been entered. The notice page will be retained as a check sheet. This issuance, together with append pages is a separate publication. Each notice is to be retained by stocking points until the Military Standard is completely revised or cancelled.

Custodian:
Army-MI

Review activities:
Army -AT
Army-AV
Army-ER
Army-ME
Army-MR
Army-SG
Army-CR

User activity:
Army-AR

Preparing activity:
Army-MI

(Project EDS-A378)

AREA EDS

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

DOD-STD-35-117(MI)
16 JUNE 1978

MILITARY STANDARD

AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM

SWITCHES, PRESSURE

AREA EDS

NO DELIVERABLE DATA REQUIRED BY THIS DOCUMENT

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

DEPARTMENT OF THE ARMY
U.S. ARMY MATERIEL COMMAND
ALEXANDRIA, VA 22333

Switches, Pressure
Automated Engineering
Document Preparation System

DOD-STD-35-117(MI)

1. This Military Standard is approved for use by AMC, Department of the Army and is available for use by all Departments and Agencies of the Department of Defense.

2. Beneficial comments (recommendations, additions, deletions) and any pertinent data, which may be of use in improving this document, should be addressed to Commander, U.S. Army Missile Command, ATTN: AMSMI-RD-SE-TD-ST, Redstone Arsenal, Alabama 35898-5270, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

CONTENTS

			Page
Paragraph	1.	SCOPE	1
	1.1	General	1
	1.2	Purpose	1
	1.3	Utilization	1
	1.4	Military Specification Exception Title Index	1
	2.	REFERENCED DOCUMENTS	5
	2.1	Government Documents	5
	2.1.1	Specifications and Standards	5
	2.2	Other Publications	6
	2.3	Order of Precedence	6
	3.	DEFINITIONS	7
	4.	GENERAL REQUIREMENTS	9
	4.1	Introduction	9
	4.2	Specification Requirement Sheet (SRS)	9
	4.3	Configuration	9
	4.3.1	Dimensions	9
	4.3.2	Illustrations	9
	4.4	Units of Measure	9
	5.	DETAILED REQUIREMENTS	11
	5.1	Introduction	11
	5.2	MSE Formats	11
	5.3	Referenced Documents	11
	5.4	Test Matrix	11
	5.5	Tabulation	12
	5.6	Keyword Code Index (KCI) and Standard paragraphs	15
	5.6.1	Interrelationship of Codes	15
	5.6.2	Automatic MSE Data	15
	5.6.3	DOD-STD-35 Tables	15

TABLES

Table	I.	Title Index	2
	II.	Test Matrix	12
	III.	Tabulation Candidates	13

APPENDICES

APPENDIX	A.	Illustrations	167
	B.	Characteristic Code Index	175
		Index	185

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

1. SCOPE

1.1 General. This dash-numbered part of the Automated Engineering Document Preparation System (AEDPS), provides detailed requirements for the preparation of Military Specification Exception (MSE) documentation for Switches, Pressure.

1.2 Purpose. This military standard provides the necessary information to prepare a Specification Requirement Sheet (SRS) which will be used to generate a MSE by automated data processing.

1.3 Utilization. General instructions, quality assurance provisions, packaging, and notes, applicable to all AEDPS dash-numbered parts, have been included in the basic document (DOD-STD-35) to avoid redundancy. Unless otherwise specified in this dash-numbered part, the following list contains additional subjects applicable to all AEDPS dash-numbered parts and are included in DOD-STD-35:

a. Writing Methodology
b. Document and Part Numbering
c. Applicable Documents
d. Single and Multi-item Specification (Tabulation)
e. Keyword Code Index (KCI)
f. General Requirements of AEDPS

1.4 Military Specification Exception Title Index. The title code for a MSE shall be selected from one of the MSE titles listed in the Title Index (see table I). Data bases have been established for the generation of MSEs for the MSE titles indicated. If a suitable title code is not contained in the Title Index, leave the title code spaces on the SRS blank, and attach a request for assignment of a title code. Include in the request the desired title and the base document identifier. A code will be assigned and the code, title, and base document will be made a part of the Title Index.

One of the six-digit codes listed in the Title Index and entered on a SRS, specifies that the title of the MSE will be the title shown in the Title Index.

Each MSE title, listed in the Title Index, is compatible with the document(s) listed with that title under base document. The list of base documents may or may not be a complete listing. The information shown under coverage is intended for the user's reference. When more than one document is listed for a MSE title, this information will be useful in determining which of the documents is most suitable for use as the base document.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

The MSE title may or may not be the same as the title used in DODISS, FIIG, or the base document. In general, the MSE title uses the basic federal item name listed in Cataloging Handbook H6. However, titles with additional modifying and identifying words are provided to assist in defining the scope of the MSE. Also, less restrictive titles are provided to prevent exclusion of items.

TABLE I. TITLE INDEX

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
SWITCH, PRESSURE	016001	MIL-S-8932	AIRCRAFT
		MS25275	ENGINE MOUNTED
		MS25276	BULKHEAD MTD
		MIL-S-9395	ABSOLUTE, GAGE DIFFERENTIAL
		MIL-S-12211	AUTOMOTIVE
		MS27152	60 PSI
		MS75062	AIR BRAKE
		MS75063	HYDRAULIC BRAKE
		MS90530	24 VOLT DC
		MIL-S-21919	UNDERWATER MINE
		MIL-S-21920	UNDERWATER MINE
		MIL-S-23772	UNDERWATER MINE
		MIL-S-45869	ABSOLUTE PRESSURE, MISSILE TEST SET
		MIL-B-48803	BAROMETRIC MISSILE
		MIL-B-48817	BAROMETRIC MISSILE
		MIL-S-62300	TANK WARNING
		MIL-S-81039	UNDERWATER MINE
		MIL-S-82517	DEPTH CHARGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

THIS PAGE DELETED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

THIS PAGE INTENTIONALLY LEFT BLANK

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

2. REFERENCED DOCUMENTS

2.1 Government Documents.

2.1.1 Specifications and Standards. Unless otherwise specified, the following specifications and standards, of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation, form a part of this standard to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-S-8932	Switches, Pressure, Aircraft, General Specification for
MIL-S-9395	Switches, Pressure (Absolute, Gauge and Differential), General Specification For
MIL-S-12211	Switch, Pressure
MIL-E-13856	Electrical Components for Automotive Vehicles; Waterproofness Tests
MIL-F-13927	Fungus Resistance Test; Automotive Components
MIL-S-45869	Switch, Pressure, For T4016 (T310) Test Set

STANDARDS

MILITARY

DOD-STD-35	Automated Engineering Document Preparation System
MIL-STD-130	Identification Marking of US Military Property
MIL-STD-202	Test Methods for Electronic and Electrical Component Parts

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

MIL-STD-810	Environmental Test Methods and Engineering Guidelines
MIL-STD-1285	Marking of Electrical and Electronic Parts
MIL-STD-1523	Age Control of Age-Sensitive Elastomeric Materials
MS33540	Safety Wiring and Cotter Pinning, General Practices for

(Copies of specifications, standards, drawings, and publications required by contractors, in connection with specific procurement functions, should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other Publications. The following documents form a part of this standard to the extent specified herein. The issues of the documents which are indicated as DoD adopted shall be the issue listed in the issue of the DoDISS specified in the solicitation. The issues of documents which have not been adopted shall be those in effect on the date of the cited DoDISS.

ASTME380	Metric Practice Guide

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race St., Philadelphia, PA 19103.)

(Nongovernment standards are qenerally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

2.3 Order of Precedence. In the event of conflict between the text of this standard and the references cited herein, the text of this standard shall take precedence.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

TABLE III. TABULATION CANDIDATES

CODE	COLUMN HEADING	CODE	COLUMN HEADING	CODE	COLUMN HEADING
1620	PORT 1 DOCUMENT DOC DES	1630	PORT 1 THREAD DES	1632	PORT 2 DOCUMENT DOC DES
1642	PORT 2 THREAD DES	2501	TERMINAL CONFIG	4030	ACTUATION PRESSURE
4033	DEACTG PRESSURE	4036	PROOF PRESSURE	4039	BURST PRESSURE
4042	SYSTEM PRESSURE	4045	DEAD BAND	4048	ADJUSTMENT RANGE MINIMUM
4049	ADJUSTMENT RANGE MAXIMUM				

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

THIS PAGE INTENTIONALLY LEFT BLANK

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

5.6 Keyword Code Index (KCI) and Standard Paragraphs. The KCI provides codes, to be entered on a SRS, that are unique for the type part covered by this dash-numbered part of DOD-STD-35. The left-hand page presents the information in outline form using keywords and codes. The right-hand page presents the words that will appear in the MSE. To find the code to be entered on the SRS, find the subject in the index at the back of this dash-numbered part. Find the keyword on the KCI and it's associated code. Enter, on the SRS, the code and the characteristic value required. After the part's unique characteristics have been specified, refer to DOD-STD-35 when exceptions are required to Quality Assurance, Packaging, Notes, etc. Instructions are in DOD-STD-35 on how to enter any type characteristic value. Appendix B, Characteristic Code Index, provides a numerical list of codes used in this dash-numbered part. This index identifies the location of codes by page number.

5.6.1 Interrelationship of codes. The interrelationship of the codes is shown by the indentation level of characteristic names on the KCI. The kind of characteristic value is shown by a colon, parentheses, period or underline. The standard paragraph, of which the code is a part, is shown adjacent to the code on the right-hand page. When a characteristic value, entered with a code, becomes part of the paragraph, the code is shown in the paragraph where the characteristic value will print. The MSE will contain the exact characteristic value entry, as supplied with the code, except for "X" entries.

5.6.2 Automatic MSE Data. Some statements, such as Altitude and Temperature , will appear in the printed MSE without making additional entries. These statements are linked by data base logic to characteristic codes listed under them and will print when one of the codes listed is used. Other statements may print automatically depending on the type MSE selected. Explanations are noted on the KCI as required.

5.6.3 DOD-STD-35 Tables. The KCI of this document contains references to tables in DOD-STD-35. Refer to DOD-STD-35 for general explanation in the generation of tables.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
*REQUESTER'S NAME	0101
*COMPANY NAME/COMMAND	0102
*STREET/BUILDING	0103
*CITY, STATE, ZIP	0104
*PHONE NUMBER, INCLUDE AREA CODE, AUTOVON IF APPLICABLE	0105
*REQUESTER'S FSCM	1004
*CONTRACT NUMBER/OFFICE SYMBOL	1005
*BASE DOCUMENT	1006
*SYSTEM APPLICATION	1008
*GOVERNMENT DESIGN ACTIVITY FSCM	6369
*FORMAT (SELECT ONE)	
SIX SECTION DOCUMENT.	0700
ONE SECTION DOCUMENT.	0800
*CONTROL (SELECT ONE)	
SOURCE .	6873

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
0101	0101.
0102	0102.
0103	0103.
0104	0104.
0105	0105.
1004	USER(S) FSCM(S) 1004.
1005	CONTRACT NUMBER OR OFFICE SYMBOL 1005.
1006	THE COMPLETE REQUIREMENTS FOR PROCURING THE ITEM(S) DESCRIBED HEREIN SHALL BE IN ACCORDANCE WITH THE BASE DOCUMENT(S), 1006, EXCEPT AS SPECIFIED IN THIS DOCUMENT. IN THE EVENT OF CONFLICT, THIS DOCUMENT SHALL GOVERN.
1008	SYSTEM APPLICATION 1008.
6369	GOVERNMENT DESIGN ACTIVITY FSCM 6369.
0700	
0800	
	SOURCE(S).
6873	THE FOLLOWING SOURCE(S) SHOWN WITH THE PART NUMBER(S) IS/ARE THE ONLY APPROVED SOURCE(S) FOR THE ITEM(S) DESCRIBED BY THIS DOCUMENT. IDENTIFICATION OF THE APPROVED SOURCE(S) HEREIN IS NOT TO BE CONSTRUED AS A GUARANTEE OF PRESENT OR CONTINUED AVAILABILITY AS A SOURCE OF SUPPLY FOR THE ITEM DESCRIBED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
CONTROL (CONT)	
SPECIFICATION.	6874
*SOURCE TABLE	
NOTE: REFER TO TABLE V OF DOD-STD-35.	
APERTURE CARDS REQUIRED.	0107
REVISION OF AEDPS DOCUMENT (NUMBER)	0108
SCOPE	
NOTE: THIS ENTRY IS AUTOMATIC AND DETERMINED BY THE TITLE CODE USED .	
PART NUMBER	
NOTE: AUTOMATIC WITH A SINGLE ITEM MSE.	
NOTE: AUTOMATIC WITH A MULTI-ITEM MSE.	
UNITS OF MEASURE (SELECT ONE)	
U.S.	6941
SI.	6942

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
6874	THE FOLLOWING SUGGESTED SOURCE(S) SHOWN WITH THEIR PART NUMBER(S) HAVE BEEN KNOWN TO MEET THE REQUIREMENT(S) OF THIS DOCUMENT. IDENTIFICATION OF THE 'SUGGESTED SOURCE(S) OF SUPPLY' HEREIN IS NOT TO BE CONSTRUED AS A GUARANTEE OF PRESENT OR CONTINUED AVAILABILITY AS A SOURCE OF SUPPLY FOR THE ITEM(S).
0107	
0108	0108. SCOPE. SCOPE. THIS DOCUMENT COVERS THE DETAILED REQUIREMENTS FOR TITLE CODE.
	PART NUMBER. THE PART NUMBER FOR THE ITEM IS SUPPLIED BY COMPUTER.
	PART NUMBER. THE PART NUMBER FOR THE ITEMS IS (THE SAME AS THE NUMBER OF THIS DOCUMENT) PLUS THE SUFFIX NUMBER FROM THE TABULATED CHARACTERISTIC TABLE. REVISION AND ACTIVITY SYMBOLS ARE NOT INCLUDED IN THE PART NUMBER.
6941	UNIT OF MEASURE. ALL UNITS OF MEASURE ARE IN INCH-POUND UNITS (U.S.) OR DEGREES UNLESS OTHERWISE SPECIFIED.
6942	UNIT OF MEASURE. ALL UNITS OF MEASURE ARE IN INTERNATIONAL SYSTEM OF UNITS (SI) OR DEGREES UNLESS OTHERWISE SPECIFIED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
PROOF PRESSURE RATING	
MINIMUM PROOF PRESSURE (SELECT ONE)	
(POUNDS PER SQUARE INCH)	7587
(KILOPASCALS)	7588
BURST PRESSURE RATING	
MINIMUM BURST PRESSURE (SELECT ONE)	
(POUNDS PER SQUARE INCH)	7589
(KILOPASCALS)	7590
TEMPERATURE RATING	
MAXIMUM OPERATING (DEGREES CELSIUS)	5069
MAXIMUM NONOPERATING (DEGREES CELSIUS)	5071
MINIMUM OPERATING (DEGREES CELSIUIS)	5068
MINIMUM NONOPERATING (DEGREES CELSIUS)	5070
NOMINAL OPERATING (DEGREES CELSIUS)	5046
NOMINAL NONOPERATING (DEGREES CELSIUS)	5047

REPRINTED WITHOUT CHANGE
Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

CHAR CODE STANDARD PARAGRAPH

RATED LOAD (MAKE AND BREAK CAPACITY). THE RATED LOAD (MAKE AND BREAK CAPACITY) OF THE ITEM(S) SHALL BE IN ACCORDANCE WITH THE RATED LOAD TABLE (MAKE AND BREAK CAPACITY).

RATED LOAD TABLE (MAKE AND BREAK CAPACITY)

	DC		AC			PRESSURE
LOAD TYPE	VOLTS	AMPERES	VOLTS RMS	FREQ. HERTZ	AMPERES	MILLIMETERS OF MERCURY
RESISTIVE	4300	4301	4302	4303	4304	4305
RESISTIVE	4306	4307	4308	4309	4310	4311
RESISTIVE	4312	4313	4314	4315	4316	4317
RESISTIVE	4318	4319	4320	4321	4322	4323
INDUCTIVE	4324	4325	4326	4327	4328	4329
INDUCTIVE	4330	4331	4332	4333	4334	4335
INDUCTIVE	4336	4337	4338	4339	4340	4341
INDUCTIVE	4342	4343	4344	4345	4346	4347
MOTOR	4348	4349	4350	4351	4352	4353
MOTOR	4354	4355	4356	4357	4358	4359
MOTOR	4360	4361	4362	4363	4364	4365
MOTOR	4366	4367	4368	4369	4370	4371
LAM P	4372	4373	4374	4375	4376	4377
LAM P	4378	4379	4380	4381	4382	4383
LAM P	4384	4385	4386	4387	4388	4389
LAM P	4390	4391	4392	4393	4394	4395
LOW-LEVEL (DRY CKT)	4396	4397	4398	4399	4400	4401
LOW-LEVEL (DRY CKT)	4402	4403	4404	4405	4406	4407
LOW-LEVEL (DRY CKT)	4408	4409	4410	4411	4412	4413
LOW-LEVEL (DRY CKT)	4414	4415	4416	4417	4418	4419
3050	3051	3052	3053	3054	3055	3056
3057	3058	3059	3060	3061	3062	3063
3064	3065	3066	3067	3068	3069	3070
3071	3072	3073	3074	3075	3076	3077

NOTE: A 3078
B 3079
C 3080
D 3081
E 3082

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
CONFIGURATION	
(ILLUSTRATION NUMBER), SEE APPENDIX A	1009
DIMENSION TABLE, (SEE TABLE III, DOD-STD-35)	
*UNITS (SELECT ONE)	
INCHES.	7572
MILLIMETERS.	7577
ILLUSTRATIONS	
(NUMBER), SEE APPENDIX A	4950
NOTE: THIS CODE IS USED TO ENTER APPLICABLE ILLUSTRATIONS WHICH DO NOT HAVE DIMENSIONS.	
TABULATED CHARACTERISTICS (SEE TABLE IV, DOD-STD-35)	
MATERIALS (SEE TABLE VI, DOD-STD-35)	
NOTE: AUTOMATIC WHEN TABLE VI IS USED.	
FINISHES (SEE TABLE VII, DOD-STD-35)	
NOTE: AUTOMATIC WHEN TABLE VII IS USED.	

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.


CHAR CODE	STANDARD PARAGRAPH
	CONFIGURATION.
1009	CONFIGURATION ILLUSTRATION(S). THE CONFIGURATION SHALL BE AS SHOWN IN ILLUSTRATION(S) 1009.
7572	ALL DIMENSIONS, UNLESS OTHERWISE SPECIFIED, SHALL BE IN INCHES OR DEGREES.
7577	ALL DIMENSIONS, UNLESS OTHERWISE SPECIFIED, SHALL BE IN MILLIMETERS OR DEGREES.
4950	ILLUSTRATION(S). ILLUSTRATION(S) 4950 SHALL APPLY TO AID IN THE DEFINITION OF PARAMETERS.
	MATERIAL(S). MATERIAL(S) SHALL BE AS SPECIFIED IN THE MATERIAL TABLE. (NOTE: THE COMPONENT REFERENCE NUMBER(S) ARE ONLY TO REFERENCE THE SAME COMPONENT WHEN TABLE CONTINUATION IS NECESSARY.
	FINISH(S). FINISH(S) SHALL BE AS SPECIFIED IN THE FINISH TABLE . (NOTE: THE COMPONENT REFERENCE NUMBER(S) ARE TO REFERENCE THE SAME COMPONENT WHEN TABLE CONTINUATION IS NECESSARY.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.


KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
DESIGN AND CONSTRUCTION	
CASE DESIGN (SELECT ONE)	
UNSEALED.	1562
WATERTIGHT.	1564
HERMETICALLY SEALED.	1566
ELECTRICAL CHAMBER DESIGN (SELECT ONE)	
UNSEALED.	1568
WATERTIGHT.	1570
HERMETICALLY SEALED.	1572
PRESSURE CHAMBER DESIGN (SELECT ONE)	
UNSEALED.	1574
WATERTIGHT.	1576
HERMETICALLY SEALED.	1578
REFERENCE CHAMBER DESIGN (SELECT ONE)	
UNSEALED.	1580
WATERTIGHT.	1582
HERMETICALLY SEALED.	1584

REPRINTED WITHOUT CHANGE
Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.




Ø16-Ø1-3




Ø16-Ø1-4

REPRINTED WITHOUT CHANGE
Source: https://assist.dla.mil -- Downloaded: 2026Ø1Ø-23T21:03Z
Check the source to verify that this is the current version before use.




016-01-5




016-01-6

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.




016-01-7



016-01-8

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.



016-01-9

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.



016-01-10

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.



016-01-11

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.



016-01-12

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.




016-01-13

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.




Ø16-Ø2-5




Ø16-Ø2-6


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.



Ø16-Ø2-7




Ø16-Ø2-8



Ø16-Ø2-9

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026Ø1Ø-23T21:03Z
Check the source to verify that this is the current version before use.



016-02-10

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.




SHOCK SPECTRUM

016-03-1

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.



016-03-2

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.



PYROTECHNIC PULSE SHOCK

016-03-3

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
0101	16	1402	156	1464	124	1538	152
0102	16	1404	100	1466	150	1539	118
0103	16	1406	100	1467	150	1547	48
0104	16	1407	90	1468	124	1548	52
0105	16	1410	140	1469	144	1549	52
0107	18	1411	140	1470	150	1550	124
0108	18	1412	142	1471	128	1551	126
0700	16	1413	142	1473	144	1552	144
0800	16	1414	142	1475	148	1553	148
1004	16	1416	142	1476	148	1557	50
1005	16	1418	140	1478	124	1558	50
1006	16	1419	140	1479	126	1562	30
1008	16	1420	142	1480	148	1564	30
1009	28	1421	142	1482	124	1566	30
1204	128	1426	154	1486	124	1568	30
1306	132	1427	154	1487	126	1570	30
1310	132	1428	154	1488	124	1572	30
1371	92	1429	100	1490	148	1574	30
1372	94	1430	156	1491	150	1576	30
1373	92	1431	154	1492	150	1578	30
1374	152	1432	100	1494	122	1580	30
1375	140	1433	140	1495	122	1582	30
1376	92	1435	152	1497	92	1584	30
1377	92	1436	152	1498	92	1600	32
1378	92	1438	154	1499	130	1602	32
1380	90	1439	256	1500	128	1610	32
1381	94	1442	146	1502	128	1616	32
1382	156	1444	146	1503	130	1620	32
1383	94	1446	146	1508	126	1622	32
1384	90	1447	146	1509	126	1624	32
1386	90	1448	146	1511	92	1626	32
1387	90	1449	102	1520	94	1628	32
1388	90	1451	124	1522	92	1630	32
1391	100	1452	154	1523	92	1632	34
1394	100	1453	154	1524	94	1634	34
1395	102	1455	144	1533	146	1636	34
1396	100	1456	144	1534	146	1638	34
1397	100	1457	152	1535	150	1640	34
1398	100	1459	154	1536	150	1642	34
1400	100	1462	156	1537	150	1644	34

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
1646	34	1732	46	1860	78	1946	60
1648	34	1734	46	1862	78	1948	60
1650	34	1740	46	1864	78	1950	60
1652	34	1742	46	1866	78	1952	60
1654	34	1744	46	1868	78	1962	58
1656	38	1752	52	1870	78	1964	60
1658	38	1754	52	1872	78	1972	62
1660	38	1757	54	1874	78	1974	62
1662	38	1759	54	1876	78	1976	62
1664	38	1762	62	1878	78	1978	62
1666	38	1764	62	1882	76	1982	62
1670	36	1772	62	1883	76	1984	62
1672	36	1774	62	1884	76	1986	62
1674	36	1782	64	1886	76	2001	82
1680	36	1784	64	1888	76	2002	80
1682	36	1786	64	1890	144	2003	82
1684	36	1788	64	1891	148	2004	80
1686	36	1790	64	1892	152	2005	82
1688	36	1792	64	1893	152	2006	80
1690	36	1794	64	1894	148	2007	82
1692	36	1796	64	1895	144	2008	80
1694	36	1802	64	1896	128	2010	80
1696	36	1804	64	1897	124	2012	80
1698	40	1812	74	1902	56	2013	80
1700	46	1814	76	1904	56	2014	80
1702	46	1816	76	1906	56	2015	82
1704	48	1820	76	1908	56	2016	82
1706	48	1822	76	1910	56	2017	82
1708	42	1824	76	1912	56	2018	82
1710	44	1826	76	1914	56	2019	82
1712	44	1828	76	1916	58	2021	82
1714	44	1832	74	1918	58	2023	80
1716	44	1833	74	1920	58	2024	80
1718	44	1834	74	1922	58	2026	80
1720	44	1836	74	1932	54	2032	84
1722	44	1838	74	1933	54	2034	84
1724	44	1852	76	1934	54	2036	84
1726	44	1854	78	1936	54	2038	84
1728	44	1856	78	1942	60	2040	84
1730	44	1858	78	1944	60	2042	84

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
2044	86	2162	140	2254	112	2370	158
2046	86	2164	140	2256	112	2372	158
2052	82	2168	138	2262	108	2374	158
2053	84	2172	104	2263	108	2376	158
2054	82	2174	104	2264	108	2378	160
2056	84	2176	104	2266	108	2380	160
2058	84	2178	106	2268	108	2382	160
2060	84	2180	106	2272	104	2384	160
2070	88	2182	106	2274	104	2386	160
2072	88	2184	106	2276	104	2388	160
2074	88	2186	106	2278	104	2392	158
2076	88	2188	106	2280	104	2393	158
2078	88	2190	106	2292	102	2394	158
2080	88	2192	106	2294	102	2396	158
2090	86	2194	106	2302	132	2398	158
2102	96	2196	108	2304	132	2500	38
2104	96	2198	108	2308	132	2502	38
2106	96	2202	108	2312	132	2504	38
2108	96	2204	108	2314	132	2506	38
2110	96	2206	108	2322	130	3000	25
2112	98	2212	104	2324	130	3001	25
2114	98	2213	104	2326	130	3002	25
2116	98	2214	104	2332	114	3003	25
2118	98	2216	104	2334	114	3004	25
2120	98	2222	110	2336	114	3005	25
2122	98	2224	110	2342	114	3006	25
2124	98	2226	110	2344	114	3007	25
2126	98	2228	110	2350	94	3008	25
2128	98	2230	110	2351	94	3009	25
2130	98	2232	110	2353	116	3010	25
2134	94	2234	110	2354	128	3011	25
2135	94	2236	110	2355	126	3012	25
2136	94	2238	110	2356	126	3013	25
2138	96	2240	112	2357	124	3014	25
2140	96	2242	112	2358	130	3015	25
2150	136	2244	112	2359	130	3016	25
2152	136	2246	112	2362	158	3017	25
2154	136	2248	112	2364	158	3018	25
2158	136	2250	112	2366	158	3019	25
2160	140	2252	112	2368	158	3020	25

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
3021	25	3079	27	4047	43	4097	25
3022	25	3080	27	4048	43	4098	25
3023	25	3081	27	4049	43	4099	25
3024	25	3082	27	4060	25	4100	25
3025	25	4000	39	4061	25	4101	25
3026	25	4001	39	4062	25	4102	25
3027	25	4002	39	4063	25	4103	25
3028	25	4003	39	4064	25	4104	25
3029	25	4004	39	4065	25	4105	25
3030	25	4005	39	4066	25	4106	25
3031	25	4006	39	4067	25	4107	25
3032	25	4007	39	4068	25	4108	25
3050	27	4008	39	4069	25	4109	25
3051	27	4009	39	4070	25	4110	25
3052	27	4010	39	4071	25	4111	25
3053	27	4011	39	4072	25	4112	25
3054	27	4012	39	4073	25	4113	25
3055	27	4013	39	4074	25	4114	25
3056	27	4014	39	4075	25	4115	25
3058	27	4015	39	4076	25	4116	25
3059	27	4016	39	4077	25	4117	25
3060	27	4017	39	4078	25	4118	25
3061	27	4018	39	4079	25	4119	25
3062	27	4030	43	4080	25	4120	25
3063	27	4031	43	4081	25	4121	25
3064	27	4032	43	4082	25	4122	25
3065	27	4033	43	4083	25	4123	25
3066	27	4034	43	4084	25	4124	25
3067	27	4035	43	4085	25	4125	25
3068	2-7	4036	43	4086	25	4126	25
3069	27	4037	43	4087	25	4127	25
3070	27	4038	43	4088	25	4128	25
3071	27	4039	43	4089	25	4129	25
3072	27	4040	43	4090	25	4130	25
3073	27	4041	43	4091	25	4131	25
3074	27	4042	43	4092	25	4132	25
3075	27	4043	43	4093	25	4133	25
3076	27	4044	43	4094	25	4134	25
3077	27	4045	43	4095	25	4135	25
3078	27	4046	43	4096	25	4136	25

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
4137	25	4177	25	4318	27	4358	27
4138	25	4178	25	4319	27	4359	27
4139	25	4179	28	4320	27	4360	27
4140	25	4201	41	4321	27	4361	27
4141	25	4202	41	4322	27	4362	27
4142	25	4203	41	4323	27	4363	27
4143	25	4204	41	4324	27	4364	27
4144	25	4205	41	4325	27	4365	27
4145	25	4206	41	4326	27	4366	27
4146	25	4207	41	4327	27	4367	27
4147	25	4208	41	4328	27	4368	27
4148	25	4209	41	4329	27	4369	27
4149	25	4210	41	4330	27	4370	27
4150	25	4211	41	4331	27	4371	27
4151	25	4212	41	4332	27	4372	27
4152	25	4213	41	4333	27	4373	27
4153	25	4214	41	4334	27	4374	27
4154	25	4215	41	4335	27	4375	27
4155	25	4216	41	4336	27	4376	27
4156	25	4217	41	4337	27	4377	27
4157	25	4218	41	4338	27	4378	27
4158	25	4219	41	4339	27	4379	27
4159	25	4220	41	4340	27	4380	27
4160	25	4300	27	4341	27	4381	27
4161	25	4301	27	4342	27	4382	27
4162	25	4302	27	4343	27	4383	27
4163	25	4303	27	4344	27	4384	27
4164	25	4304	27	4345	27	4385	27
4165	25	4305	27	4346	27	4386	27
4166	25	4306	27	4347	27	4387	27
4167	25	4307	27	4348	27	4388	27
4168	25	4308	27	4349	27	4389	27
4169	25	4309	27	4350	27	4390	27
4170	25	4310	27	4351	27	4391	27
4171	25	4311	27	4352	27	4392	27
4172	25	4312	27	4353	27	4393	27
4173	25	4313	27	4354	27	4394	27
4174	25	4314	27	4355	27	4395	27
4175	25	4315	27	4356	27	4396	27
4176	25	4316	27	4357	27	4397	27

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
4398	27	4708	148	4772	116	4893	50
4399	27	4709	148	4773	116	4894	66
4400	27	4713	144	4782	114	4897	74
4401	27	4714	144	4809	88	4900	68
4402	27	4715	144	4810	88	4901	66
4403	27	4717	74	4811	90	4902	70
4406	27	4719	144	4812	90	4906	66
4407	27	4722	142	4814	90	4908	66
4408	27	4723	142	4819	88	4950	28
4409	27	4726	142	4820	88	4952	116
4410	27	4729	152	4822	88	4956	118
4411	27	4730	152	4842	72	4958	116
4412	27	4731	152	4844	72	4959	116
4413	27	4732	118	4845	72	4960	118
4414	27	4734	118	4846	72	4975	156
4415	27	4735	122	4847	70	4976	156
4416	27	4736	120	4848	72	4977	156
4417	27	4737	120	4849	66	4978	150
4418	27	4738	120	4850	72	4979	150
4419	27	4739	120	4854	72	4980	102
4434	27	4740	120	4855	72	4981	102
4435	27	4741	120	4856	70	4983	102
4662	134	4742	120	4859	68	4984	102
4663	134	4745	118	4861	70	4985	102
4664	134	4746	118	4862	72	4986	102
4665	134	4748	118	4863	50	4991	102
4666	134	4749	122	4864	50	5000	72
4667	134	4750	122	4865	50	5046	20
4672	132	4751	122	4867	72	5047	20
4674	132	4752	122	4868	50	5060	22
4675	132	4754	86	4869	72	5061	22
4677	132	4755	86	4870	74	5068	20
4678	156	4756	86	4872	118	5069	20
4683	134	4760	86	4874	70	5070	20
4684	128	4761	86	4875	70	5071	20
4685	128	4762	86	4878	114	6196	140
4686	128	4765	116	4884	66	6200	146
4692	50	4766	116	4885	66	6201	150
4703	126	4770	114	4886	66	6203	126
4707	148	4771	116	4891	68	6204	130

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
6205	134	6312	68	7024	40		
6210	52	6315	138	7345	48		
6217	136	6316	138	7572	28		
6218	136	6318	138	7577	28		
6219	136	6319	138	7580	28		
6220	136	6320	120	7581	22		
6221	136	6321	120	7582	22		
6222	136	6322	120	7583	22		
6224	136	6323	120	7584	22		
6225	136	6324	120	7585	22		
6226	50	6325	120	7586	22		
6228	134	6326	120	7587	20		
6229	136	6328	122	7588	20		
6231	138	6329	122	7589	20		
6232	138	6330	122	7590	20		
6233	50	6331	122	7629	162		
6234	138	6332	122	7630	162		
6235	138	6333	122				
6236	138	6359	90				
6237	138	6369	16				
6238	138	6370	118				
6239	50	6372	162				
6250	48	6870	162				
6251	50	6873	16				
6263	52	6874	18				
6264	52	6941	18				
6265	52	6942	18				
6267	74	6991	164				
6272	48	6992	164				
6273	48	6993	164				
6277	48	6994	164				
6280	68	6995	164				
6292	68	7001	162				
6293	68	7002	162				
6294	68	7003	162				
6299	118	7004	162				
6300	66	7005	162				
6308	68	7021	40				
6310	70	7022	40				
6311	68	7023	40				

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:03Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

COMMANDER
US ARMY MISSILE COMMAND
ATTN: AMSMI-RD-SE-TD-ST
REDSTONE ARSENAL, AL 35898-5270

Source: https://assist.dla.mil -- Downloaded: 202610-23T21:03Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
DOD-STD-35-117	

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

Source: https://assist.dla.mil/online/start/ 20240610-23T21:03Z
Check the source to verify that this is the current version before use.