
This military s... ard has been approved by the Department of Defense and is mandatory for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

Reviews... ser information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS (FSC listing).
AF (G) 14, 19+11, 17, 85 Army (G) MO+EL, MI, MU Navy (G) MC, CG+SH, AS, OS

FED. SUP CLASS
5935



(B) ENTIRE STANDARD REVISED

(Project 5935-1355-4)

APPROVED 2 OCT 1961 REVISED (A) 1 MAY 1964 (B) 1 JUNE 1966

P A. NAVY-SH Other Cust ARMY-EL AF-11	International Interest	TITLE ADAPTER, (STEP UP) CABLE SEALING	MILITARY STANDARD MS 17342
Procurement Specification MIL-C-22992		SUPERSEDES:	SHEET 1 OF 6

DD FORM 10 APR 64 672 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:07Z
Check the source to verify that this is the current version before use.

This military standard has been approved by the Department of Defense and is mandatory for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

Reviewer/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS (FSC listing)
AF Army Navy

ADAPT SIZE NO	SIZE	CABLE RANGE MAX DIA	CABLE RANGE MIN DIA	B +.000 -.010	C +.000 -.010	D THREAD CLASS 2B-LH	E FREE LG MAX	F ±.016	G DIA +.010 -.020	H MAX	J ±.031	K +.015 -.025	L THREAD (PLATED) CLASS 2 (A OR B)	N DIA MAX	P MAX	Q SEE REQ 5
1	12	0.530	0.436	1.000	0.812	0.7500-20UNEF	1.062	.479	0.938	4.275	1.375	1.219	0.8750-0 IP-0 2L-DS	1.094	0.765	5.00
2	12	.500	.406	0.875	.938	.7500-20UNEF	0.969		.938	3.678	1.125	0.871	.8750-0 IP-0 2L-DS	1.094		
3	12	.405	.311	1.000	.812	.7500-20UNEF	1.062		.938	4.275	1.375	1.219	.8750-0 IP-0 2L-DS	1.094		
4	14	.605	.511	1.000	1.062	.8750-20UNEF			1.062	4.177	1.375	1.121	1.0000-0 IP-0 2L-DS	1.219		
5		.625	.531	1.062	1.125					4.489	1.562	1.371				
6		.530	.436	1.000	1.062					4.177	1.375	1.121				
7	14	.405	.311	1.000	1.062	.8750-20UNEF	1.062		1.062	4.177	1.375	1.121	1.0000-0 IP-0 2L-DS	1.219	.765	
8	18	.828	.715	1.188	1.250	1.1250-18NEF	1.094		1.312	4.584	1.688	1.343	1.2500-0 IP-0 2L-DS	1.469	.980	
9	20	.750	.637	1.312	1.375	1.2500-18NEF	1.094		1.438	4.647	1.812	1.371	1.3750-0 IP-0 2L-DS	1.562		
10		1.000	.875	1.546			1.281			4.896	2.125					
11		0.900	.787	1.312			1.094			4.647	1.812					
12	20	1.055	.930	1.546	1.375	1.2500-18NEF	1.281		1.438	4.896	2.125		1.3750-0 IP-0 2L-DS	1.562		5.00
13	22	1.000	.875	1.546	1.625	1.3750-18NEF			1.562	4.896	2.125		1.5000-0 IP-0 2L-DS	1.688		6.00
14	22	1.109	.984	1.546	1.625	1.3750-18NEF			1.562	4.896	2.125	1.371	1.5000-0 IP-0 2L-DS	1.689		
15	24	1.180	1.055	1.780	1.875	1.6250-18NEF			1.812	4.959	2.469	1.372	1.7500-0 IP-0 2L-DS	1.938		
16		1.310	1.185	1.780							2.469	1.372				
17		1.230	1.105	1.780							2.469	1.372				
18	24	1.375	1.250	2.000	1.875	1.6250-18NEF			1.812	4.959	2.625	1.309	1.7500-0 IP-0 2L-DS	1.938		
19	28	1.445	1.320		2.062	1.8750-16UN			2.062	5.021		1.371	2.0000-0 IP-0 2L-DS	2.219		
20	28	1.531	1.406		2.062	1.8750-16UN			2.062	5.021		1.371	2.0000-0 IP-0 2L-DS	2.219		
21	28	1.375	1.250	2.000	2.062	1.8750-16UN			2.062	5.021	2.625	1.371	2.0000-0 IP-0 2L-DS	2.219		
22	32	1.656	1.531	2.250	2.312	2.0625-16N	1.281		2.312	5.083	2.953	1.370	2.2500-0 IP-0 2L-DS	2.469		
23		1.828	1.700	2.438			1.391			5.385	3.171	1.375				
24		1.562	1.437	2.250			1.281			5.083	2.953	1.370				
25	32	1.730	1.605	2.438	2.312	2.0625-16N	1.391		2.312	5.385	3.171	1.375	2.2500-0 IP-0 2L-DS	2.469		
26	36	1.900	1.775	2.438	2.500	2.3125-16N	1.391		2.562	5.354	3.171	1.344	2.5000-0 IP-0 2L-DS	2.719		
27	36	1.730	1.605	2.438	2.500	2.3125-16N	1.391	.479	2.562	5.354	3.171	1.344	2.5000-0 IP-0 2L-DS	2.719	.980	6.00

APPROVED 2 OCT 1961 REVISED (B) ENTIRE STANDARD REVISED

P A NAVY-SH
Other Cust ARMY-EL AF-11
Procurement Specification MIL-C-22992
International Interest

TITLE ADAPTER, (STEP UP) CABLE SEALING

SUPERSEDES

MILITARY STANDARD MS17342

SHEET 2

FED SUP CLASS 5935

DD FORM 10 APR 64 672

(Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE
Source: https://assist.dla.mil - Downloaded: 2025-10-25T14:07Z
Check the source to verify that this is the current version before use.

This military standard has been approved by the Department of Defense and is mandatory for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

Reviewer, ... information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS (FSC listing).
AF Army Navy

P A NAVY-SH

Other Cust. ARMY-EL AF-11

Procurement Specification MIL-C-22992

International Interest

SUPERSEDES:

TITLE

ADAPTER, (STEP UP) CABLE SEALING

MILITARY STANDARD

MS17342

SHEET 3

FED SUP CLASS 5935

ADAPT. SIZE NO.	SIZE	CABLE RANGE MAX DIA	CABLE RANGE MIN DIA	B +.000 -.010	C +.000 -.010	D THREAD CLASS 2B-LH	E FREE LG MAX	F ±.016	G DIA +.010 -.020	H MAX	J ±.031	K +.015 -.025	L THREAD (PLATED) CLASS 2(A OR B)	N DIA MAX	P MAX	Q SEE REQ 5
28	36	1.825	1.700	2.438	2.500	2.3125-16N	1.391	.479	2.562	5.354	3.171	1.344	2.5000-0.1P-0.2L-DS	2.719	0.980	6.00
29	36	1.984	1.859	2.438	2.500	2.3125-16N	↑	.479	2.562	5.354	3.171	1.344	2.5000-0.1P-0.2L-DS	2.719	↑	↑
30	36	2.062	1.917	2.750	2.500	2.3125-16N	↑	.479	2.562	5.385	3.375	1.375	2.5000-0.1P-0.2L-DS	2.719	↑	↑
31	40	2.375	2.230	3.000	2.812	2.6250-16UN	↑	.667	2.875	5.682	3.625	1.421	2.7500-0.1P-0.2L-DS	2.969	↑	↑
32	↑	2.250	2.105	2.875	2.625	↑	↑	↑	↑	5.682	3.500	1.421	↑	↑	↑	↑
33	↓	2.145	2.000	2.750	2.625	↓	↓	↓	↓	5.620	3.375	1.422	↓	↓	↓	↓
34	40	2.062	1.917	2.750	2.625	2.6250-16UN	1.391	.667	2.875	5.620	3.375	1.422	2.7500-0.1P-0.2L-DS	2.969	.980	6.00

DD FORM 10 APR 64 672 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE


APPROVED 2 OCT 1961 REVISED (B) ENTIRE STANDARD REVISED


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:07Z
Check the source to verify that this is the current version before use.


This military standard has been approved by the Department of Defense and is mandatory for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document. Reviewer/user information is current as of the date of this document For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS (FSC listing). Navy AF Army

FED SUP CLASS 5935

STYLE 2 ADAPTERS







APPROVED 2 OCT 1961 REVISED (B) ENTIRE STANDARD REVISED

P A NAVY-SH Other Cust ARMY-EL AF-11	International Interest	TITLE ADAPTER, (STEP UP) CABLE SEALING	MILITARY STANDARD MS17342
Procurement Specification MIL-C-22992		SUPERSEDES:	SHEET 4

DD FORM 10 APR 64 572 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:07Z
Check the source to verify that this is the current version before use.

This military standard has been approved by the Department of Defense and is mandatory for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

Reviewer user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS (FSC listing).

Navy

Army

AF

FED SUP CLASS
5935

ADAPT. SIZE NO.	SIZE	CABLE RANGE MAX.	CABLE RANGE MIN.	B ±.005	C +.000 -.010	D THREAD CLASS 2B - LH	F ±.016	G DIA. +.010 -.020	H MAX.	J MAX.	K ±.010
1	12	..521	.321	1.219	.938	0.7500-20 UNEF	.479	.938	4.000	1.320	.950
2	14	.646	.446	1.344	1.062	0.8750-20 UNEF	↑	1.062	4.100	1.420	1.075
3	16	.765	.565	1.469	1.188	1.0000-20 UNEF		1.188	4.800	1.600	1.200
4	18	.890	.690	1.625	1.312	1.1250-18 NEF		1.312	4.900	1.750	1.325
5	20	1.015	.815	1.750	1.438	1.2500-18 NEF		1.438	4.900	1.900	1.325
6	22	1.180	.980	2.000	1.562	1.3750-18 NEF		1.562	4.900	2.190	1.325
7	24	1.430	1.230	2.250	1.812	1.6250-18 NEF		1.812	5.000	2.475	1.450
8	24	1.230	1.030	2.250	1.812	1.6250-18 NEF		1.812	5.000	2.475	1.450
9	28	1.670	1.430	2.500	2.062	1.8750-18 UN		2.062	5.300	2.715	1.700
10	32	1.860	1.660	2.750	2.312	2.0625-16 N	↓	2.312	5.600	2.900	1.950
11	36	2.110	1.860	3.062	2.562	2.3125-16 N	.479	2.562	5.725	3.250	↓
12	40	2.400	2.200	3.437	2.875	2.6250-16 UN	.667	2.875	5.725	3.625	
13	40	2.200	2.000	3.437	2.875	2.6250-16 UN	.667	2.875	5.725	3.625	1.950

ADAPT. SIZE NO.	SIZE	L THREAD CLASS 2A/B	M DIA. MAX.	P MAX.	Q SEE REQ. 5 APPROX.	S ±.010	T DIA. ±.005	VV GLAND THREADS CLASS 2 - LH
1	12	0.8750-0.1P-0.2L-DS	1.094	.765	5.00	1.425	.600	1.0625-18 UNEF
2	14	1.0000-0.1P-0.2L-DS	1.219	.765	↑	1.425	.726	1.1875-18 NEF
3	16	1.1250-0.1P-0.2L-DS	1.344	.980		1.605	.845	1.3125-18 NEF
4	18	1.2500-0.1P-0.2L-DS	1.469	↑	↓	↑	.970	1.4375-18 NEF
5	20	1.3750-0.1P-0.2L-DS	1.562		5.00		1.095	1.5625-18 NEF
6	22	1.5000-0.1P-0.2L-DS	1.688		6.00		1.220	1.8125-16 N
7	24	1.7500-0.1P-0.2L-DS	1.938		↑		1.470	2.0625-16 N
8	24	1.7500-0.1P-0.2L-DS	1.938				1.470	2.0625-16 N
9	28	2.0000-0.1P-0.2L-DS	2.219				1.713	2.3125-16 N
10	32	2.2500-0.1P-0.2L-DS	2.469				1.900	2.5000-16 UN
11	36	2.5000-0.1P-0.2L-DS	2.719				2.150	2.8750-16 UN
12	40	2.7500-0.1P-0.2L-DS	2.969	↓	↓	↓	2.460	3.1250-16 UN
13	40	2.7500-0.1P-0.2L-DS	2.969	.980	6.00	1.605	2.460	3.1250-16 UN

APPROVED 2 OCT 1961 REVISED (B) ENTIRE STANDARD REVISED

PA NAVY-SH Other Cust ARMY-EL AF-11	International interest	TITLE ADAPTER, (STEP-UP) CABLE SEALING	MILITARY STANDARD MS17342
Procurement Specification MIL-C-22992		SUPERSEDES:	SHEET 5

DD FORM 10 APR 64 672 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T14:07Z
Check the source to verify that this is the current version before use.

This military standard has been approved by the Department of Defense and is mandatory for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

Reviewer/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS (FSC listing).
Navy
Army
AF

REQUIREMENTS:

1. Style 1 adapters are for use with class R and C connectors and Style 2 adapters are for use with.class R, C and J connectors. Style 1 and 2 adapters are for use with connectors MS17343.
2. Adapter finish shall be designated by the letter C (conductive) or N (non-conductive).
3. Adapter type shall be designated as A or B, Type A is for use with connector MS17344, type B is for use with connectors MS17343, MS17345 and MS17347. Adapter, Cap and chain is considered a complete assembly.
4. Part number shall include finish, adapter size number, type and style as shown in example below:



5. Chain shall be passivated stainless steel in accordance with type II, class 3, trade number 8 of RR-C-271 and shall be within one link of length specified.

NOTES:

1. For design feature purposes, this standard takes precedence over procurement documents referenced herein.
2. Referenced documents shall be of the issue in effect on date of invitations for bid.
3. All dimensions are in inches. Unless otherwise specified, tolerance is ±.016.
4. It is intended that connectors and their associated accessories be of the same finish (see requirement 4).

APPROVED 2 OCT 1961 REVISED (B) ENTIRE STANDARD REVISED

P A. NAVY-SH Other Cust ARMY-EL AF-11	International interest	TITLE ADAPTER, (STEP UP) CABLE SEALING	MILITARY STANDARD MS17342
Procurement Specification MIL-C-22992		SUPERSEDES	SHEET 6

DD FORM 10 APR 64 672 (Coordinated) previous editions of this form are obsolete

Source: https://assist.dla.mil - Downloaded: 2023-10-23T14:07Z
Check the source to verify that this is the current version before use.