
FED. SUP CLASS
6220



FINISH: LIGHT, LUSTERLESS BLACK, FED STD 595, COLOR 37038.

(C) DENOTES CHANGES

APPROVED 1 Aug 63 REVISED (A) 25 May 64 (B) 14 May 65 (C) 25 APRIL 77


Review activities: DSA-GS


This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repairitive use shall be made from this document.

P.A. Navy - AS Other Cust Army - ME	TITLE LIGHT, SIGNAL, HAND HELD, 4-1/2 INCH	MILITARY STANDARD MS28925
PROCUREMENT SPECIFICATION MIL-L-6723	SUPERSEDES: AN3069	SHEET 1 OF 5

DD FORM 1 SEP 67 672-1 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE. PROJECT NO. 6220-0259


Source: https://assist.dla.mil -- Downloaded: 20260-23T17:01Z
Check the source to verify that this is the current version before use.






(a) DIMENSION A TO BE APPROXIMATELY .375 WHEN IN PLACE IN LIGHT ASSEMBLY AND APPROX .075 WHEN OUT OF ASSEMBLY. ROLL APPROXIMATELY 4.750 OD. TRIM AND BEND TO CONFORM TO CLOSED DIMENSIONS GIVEN TO ALLOW SUFFICIENT SPRING TENSION TO SATISFACTORILY RETAIN LAMP IN HOUSING.
MATERIAL: ALUMINUM OR ALUMINUM ALLOY; STEEL.
FINISH: ALUMINUM OR ALUMINUM ALLOY, ANODIZE, MIL-A-8625 OR CHEMICAL FILM CONFORMING TO MIL-C-5541.
STEEL, CADMIUM PLATE, QQ-P-416 OR ZINC PLATE, QQ-Z-325.

RETAINER



DETAIL A
ENLARGED



MATERIAL: FELT, RUBBER SUBSTITUTE OR OTHER SUITABLE MATERIAL. COMMERCIAL GRADE.

GASKET

Review activities:
DSA - GS

APPROVED 1 Aug 63 REVISED (C) FOR CHANGES SEE SHEETS 4

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.


P.A. Navy - AS Other Cust Army - ME	TITLE LIGHT, SIGNAL, HAND HELD, 4-1/2 INCH	MILITARY STANDARD MS28925
PROCUREMENT SPECIFICATION MIL-L-6723	SUPERSEDES: AN3089	SHEET 2


DD FORM 1 SEP 67 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 202610-23T17:01Z
Check the source to verify that this is the current version before use.


FED. SUP CLASS
6220





MATERIAL: LENS: PLASTIC, CLIPS: METAL
THE DIMMING FILTER SHALL BE COLOR NON-SELECTIVE AND SHALL HAVE A TRANSMISSION OF .02 +.01.
OTHER FILTERS SHALL CONFORM TO MIL-C-7989.
THE CLIPS SHALL HOLD THE FILTER IN THE LIGHT AGAINST AN ACCELERATION OF 2 G IN ANY DIRECTION, YET SHALL PERMIT CONVENIENT INSERTION AND REMOVAL OF FILTER.

FILTER



EACH CASE SHALL ACCOMODATE 4 FILTERS MADE TO THIS STANDARD.

CASE

FINISH: FILTER CLIPS AND METAL FITTINGS OF CASE; ALUMINUM OR ALUMINUM ALLOY, ANODIZE, MIL-A-8625 OR CHEMICAL FILM CONFORMING TO MIL-C-5541.
STEEL; CADMIUM PLATE, QQ-P-416 OR ZINC PLATE QQ-Z-325.

APPROVED 1 Aug 63 REVISED (C) FOR CHANGES SEE SHEETS 4

Review activities:
DSA - GS

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.


P.A. Navy - AS Other Cust Army - ME	TITLE LIGHT, SIGNAL, HAND HELD, 4-1/2 INCH	MILITARY STANDARD MS28925
PROCUREMENT SPECIFICATION MIL-L-6723	SUPERSEDES: AN3089	SHEET 3


DD FORM 1 SEP 67 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 202610-23T17:01Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
6220





SECTION A-A

THE BRACKET SHALL BE SUITABLE FOR HOLDING THE LIGHT IN ANY ORIENTATION AGAINST AN ACCELERATION OF 4 G IN ANY DIRECTION, YET PERMIT CONVENIENT INSERTION AND REMOVAL OF THE LIGHT.
THE BRACKET SHALL BE DESIGNED SO THAT NEITHER THE BRACKET, NOR SUITABLE STANDARD ROUND-HEAD SCREWS USED FOR MOUTNING THE BRACKET, SHALL SCRATCH A FILTER INSTALLED IN THE LIGHT.

FINISH: ALUMINUM OR ALUMINUM ALLOY; ANODIZE, MIL-A-8625 OR CHEMICAL FILM CONFORMING TO MIL-C-5541.
STEEL; CADMIUM PLATE, QQ-P-416 OR ZINC PLATE QQ-Z-325.

APPROVED 1 Aug 63 REVISED (C) FOR CHANGES SEE SHEETS 4

Review activities:
DSA - GS

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A. Navy - AS Other Cust Army - ME	TITLE LIGHT, SIGNAL, HAND-HELD, 4-1/2 INCH	MILITARY STANDARD MS28925
PROCUREMENT SPECIFICATION MIL-L-6723	SUPERSEDES: AN3089	SHEET 4

DD FORM 1 SEP 67 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 202610-23T17:01Z
Check the source to verify that this is the current version before use.

DASH NO.	ITEMS		PLUG	LAMP	WEIGHT LB MAX	SUPERSEDES
-1	LIGHT	28 VOLT	MS3106-16-11P	MS25239-4501	2.0	AN3089-6
-2		13 VOLT		AN3126-4500		AN3089-5
-3		28 VOLT	HUBBEL 7542 OR EQUIVALENT	MS25239-4501		AN3089-12
-4		13 VOLT		AN3126-4500		AN3089-11
-5	ONE -1 LIGHT, ONE -20 CASE WITH FILTERS					AN3089-4
-6	ONE -2 LIGHT, ONE -20 CASE WITH FILTERS					AN3089-3
-7	ONE -1 LIGHT, ONE -20 CASE WITH FILTERS, ONE -21 BRACKET					AN3089-2
-8	ONE -2 LIGHT, ONE -20 CASE WITH FILTERS, ONE -21 BRACKET					AN3089-1
-9	ONE -3 LIGHT, ONE -20 CASE WITH FILTERS,					AN3089-10
-10	ONE -4 LIGHT, ONE -20 CASE WITH FILTERS					AN3089-9
-11	ONE -3 LIGHT, ONE -20 CASE WITH FILTERS, ONE -21 BRACKET					AN3089-8
-12	ONE -4 LIGHT, ONE -20 CASE WITH FILTERS, ONE -21 BRACKET					AN3089-7
-13	GASKET				.01	
-14	RING				.1	
-15	FILTER, GREEN				.2	
-16	FILTER, RED					
-17	FILTER, YELLOW					
-18	FILTER, DIMMING					
-19	CASE				1.0	
-20	ONE -19 CASE, ONE -15 GREEN FILTER, ONE -16 RED FILTER, ONE -17 YELLOW FILTER, ONE -18 DIMMING FILTER					
-21	BRACKET				.2	

DIMENSIONS IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES: DECIMALS ±.016, ANGLES ±1°.
STANDARD COMMERCIAL TOLERANCES SHALL APPLY TO ALL MATERIAL USED IN CONSTRUCTION OF LIGHT.

FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.

APPROVED 1 Aug 63 REVISED (C) FOR CHANGES SEE SHEETS 4

Review activities:
DSA - GS

Military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A. Navy - AS Other Cust Army - ME	TITLE LIGHT, SIGNAL, HAND HELD, 4-1/2 INCH	MILITARY STANDARD MS28925
PROCUREMENT SPECIFICATION MIL-L-6723	SUPERSEDES: AN3089	SHEET 5

DD FORM 1 SEP 67 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:01Z
Check the source to verify that this is the current version before use.