
FED. SUP CLASS
2610



1. "TYPE CLASSIFICATIONS", AS FOLLOW, ARE DEFINITIVE ONLY AND SHOULD NOT BE INTERPRETED AS LIMITING APPLICATION OF THE INNER TUBE.

PASS CAR	PASSENGER CAR
LT TRUCK	LIGHT TRUCK
TRK & BUS	TRUCK AND BUS
IND STR SD	INDUSTRIAL STRAIGHT SIDE OR INDUSTRIAL PNEUMATIC
TRACTOR	AGRICULTURAL OR INDUSTRIAL TRACTOR
IMPLEMENT	AGRICULTURAL IMPLEMENT
L PLAT TLR	LOW PLATFORM TRAILER
EARTHMOVER	EARTHMOVER
GRADER	ROAD GRADER
BICYCLE	BICYCLE
MOTORCYCLE	MOTORCYCLE
MTR SCOOTER	MOTOR SCOOTER
TRK VEH SUSP	TRACKED VEHICLE SUSPENSION

2. EXCEPT AS SPECIFIED HEREIN, ALL INNER TUBES MUST CONFORM TO THE INDICATED PROCUREMENT SPECIFICATION EVEN THOUGH THE PARTICULAR TUBE MAY NOT BE SHOWN THEREIN.
3. THE INNER TUBE PART NUMBER CONSISTS OF THE MILITARY STANDARD NUMBER PLUS THE MS DASH NUMBER. EXAMPLE: MS 35392-49.
4. FOR LONG, STRAIGHT VALVE USE MILITARY STANDARD NUMBER MS 51358, FOR 86° BENT VALVE USE MILITARY STANDARD NUMBER MS 51359. THE MS DASH NUMBER REMAINS AS SPECIFIED WITH EITHER MILITARY STANDARD NUMBER.
5. FOR SHORT, STRAIGHT VALVE USE MILITARY STANDARD NUMBER MS 51360, FOR 90° BENT VALVE USE MILITARY STANDARD MS 51362. THE MS DASH NUMBER REMAINS AS SPECIFIED WITH EITHER MILITARY STANDARD NUMBER.
6. FOR LIMITED STANDARD ITEMS REQUIRED TO SUPPORT IN-SERVICE MATERIEL, REFER TO PAGES 5 AND 6.
7. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.
8. FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.
9. VALVES NOT DEPICTED BY AN MS PART NUMBER ARE IDENTIFIED BY A TIRE AND RIM ASSOCIATION IDENTIFICATION NUMBER.
10. THIS VALVE IS TO BE SPECIFIED FOR LOW TEMPERATURE SERVICE.
11. Use procurement specification FED-STD-308 or ZZ-I-550 as applicable.

(E) CANCELLED

AFTER 5 JANUARY 1973

USE THE LATEST PROCUREMENT SPECIFICATION

REVIEW ACTIVITY: ARMY - ME

APPROVED 28 DECEMBER 1955 · REVISED (O) 17 FEBRUARY 1967 (E) 5 JANUARY 1973

This military standard is mandatory for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A. ARMY-AT Other Cust NAVY-YD AF-84	TITLE INNER TUBE: PNEUMATIC TIRE	MILITARY STANDARD MS 35392
PROCUREMENT SPECIFICATION SEE NOTE 11	SUPERSEDES:	SHEET 1 OF 6

DD FORM 1 SEP 57 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 202610-23T17:22Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
2610

SIZE DESIGNATION	6.70/7.10-15	7.00/8.20-15	7.50-10	6.00-16	6.00-16
TYPE CLASSIFICATION (1)	PASS CAR	PASS CAR	LT TRUCK	LT TRUCK	LT TRUCK
VALVE, MS PART NO.	51357-5	51357-1	51357-2	51357-2	51357-5 (10)
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550
MS DASH NO. (3)	-156	-157	-82	-81	-207
FIIN (REPLACEMENT TUBE)	555-6617	591-2865	569-0817	350-9975	900-8636

SIZE DESIGNATION	6.50-16	7.00-16	7.00-16	7.50-16	9.00-16
TYPE CLASSIFICATION (1)	LT TRUCK	LT TRUCK	LT TRUCK	LT TRUCK	LT TRUCK
VALVE, MS PART NO.	51357-5	51357-2	51357-2 (10)	51357-5	(4)-5
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550
MS DASH NO. (3)	-7	-8	-208	-9	-10
FIIN (REPLACEMENT TUBE)	269-7377	269-7332	900-8688	173-5230	051-9266

SIZE DESIGNATION	9.00-16	7.00-17	7.50-17	9.00-18	6.50-20
TYPE CLASSIFICATION (1)	LT TRUCK	TRK & BUS	TRK & BUS	TRK & BUS	TRK & BUS
VALVE, MS PART NO.	51358-5 (10)	(4)-1	(4)-1	(4)-4	(4)-1
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550
MS DASH NO. (3)	-209	-86	-87	-90	-93
FIIN (REPLACEMENT TUBE)	901-9665	051-9306	260-7346	051-9356	350-1964

SIZE DESIGNATION	7.00-20	7.50-20	7.50-20	8.25-20	9.00-20
TYPE CLASSIFICATION (1)	TRK & BUS	TRK & BUS	TRK & BUS	TRK & BUS	TRK & BUS
VALVE, MS PART NO.	(4)-1	51358-5	51359-5 (10)	(4)-2	(4)-4
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550
MS DASH NO. (3)	-94	-11	-210	-12	-13
FIIN (REPLACEMENT TUBE)	269-7346	269-7347	900-8635	051-9440	269-7383

SIZE DESIGNATION	9.00-20	9.00-24	10.00-20	11.00-20	12.00-20
TYPE CLASSIFICATION (1)	TRK & BUS	TRK & BUS	TRK & BUS	TRK & BUS	TRK & BUS
VALVE, MS PART NO.	51358-4 (10)	(4)-4	(4)-3	(4)-3	(4)-3
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550
MS DASH NO. (3)	-211	-102	-14	-15	-16
FIIN (REPLACEMENT TUBE)	900-8637	051-9566	260-7345	051-9450	051-9454

SIZE DESIGNATION	14.00-20	14.00-20	10.00-22	11.00-24	12.00-24
TYPE CLASSIFICATION (1)	TRK & BUS	TRK & BUS	TRK & BUS	TRK & BUS	TRK & BUS
VALVE, MS PART NO.	(4)-6	51358-6 (10)	(4)-3	(4)-3	(4)-3
PROCUREMENT SPEC. (2)	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550
MS DASH NO. (3)	-18	-212	-97	-104	-105
FIIN (REPLACEMENT TUBE)	051-9464	900-8639	260-7342	051-9578	269-7390

SIZE DESIGNATION	14.00-24	14.00-24	4.80/4.00-4	4.10/3.50-6	3.40/3.00-7
TYPE CLASSIFICATION (1)	TRK & BUS	TRK & BUS	IND STR SD	IND STR SD	IND STR SD
VALVE, MS PART NO.	(4)-6	51358-6 (10)	(5)-1	(5)-1	(5)-1
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550
MS DASH NO. (3)	-20	-213	-109	-48	-112
FIIN (REPLACEMENT TUBE)	051-9602	900-8640	528-7786	051-9114	051-9120

REVIEW ACTIVITIES: ARMY-ME

This military standard is mandatory for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

APPROVED 28 DECEMBER 1955 REVISED (D) 17 FEBRUARY 1967 (E) FOR CHANGE SEE SHEET 1

P.A. ARMY-AT
Other Cust
NAVY-YD
AF-84

TITLE
INNER TUBE: PNEUMATIC TIRE

MILITARY STANDARD
MS 35392

PROCUREMENT SPECIFICATION
SEE NOTE II

SUPERSEDES:

SHEET 2

DD FORM SEP 67 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 202610-23T17:22Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
2610

SIZE DESIGNATION	4.80/4.00-7	5.30/4.50-7	4.80/4.00-8	4.80/4.00-9	6.90/6.00-9
TYPE CLASSIFICATION (1)	IND STR SD	IND STR SD	IND STR SD	IND STR SD	IND STR SD
VALVE, MS PART NO.	(5)-1	(5)-1	51357-1	51357-1	51357-4
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550
MS DASH NO. (3)	-49	-115	-50	-116	-52
FIIN (REPLACEMENT TUBE)	051-9126	051-9130	051-9138	051-9148	269-7354

SIZE DESIGNATION	6.50-10	7.50-10	4.80/4.00-12	5.30/4.50-12	7.00-12
TYPE CLASSIFICATION (1)	IND STR SD	IND STR SD	IND STR SD	IND STR SD	IND STR SD
VALVE, MS PART NO.	51357-2	51363-3	51357-2	51357-2	(4)-1
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550
MS DASH NO. (3)	-117	-53	-51	-119	-159
FIIN (REPLACEMENT TUBE)	350-9974	262-1948	260-7337	528-7796	528-7782

SIZE DESIGNATION	9.00-10	4.00-15	5.00-15	6.00-16	6.50-16
TYPE CLASSIFICATION (1)	TRACTOR	TRACTOR	TRACTOR	TRACTOR	TRACTOR
VALVE, MS PART NO.	51363-2	51363-2	51363-2	51363-2	51363-2
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550
MS DASH NO. (3)	-54	-160	-56	-161	-162
FIIN (REPLACEMENT TUBE)	269-7335	269-7403	269-7757	269-7339	269-7340

SIZE DESIGNATION	7.50-18	7.50-20	8.3/8-24	9.5/9-24	11.2/10-24
TYPE CLASSIFICATION (1)	TRACTOR	TRACTOR	TRACTOR	TRACTOR	TRACTOR
VALVE, MS PART NO.	51363-2	51363-2	51364-1	51364-1	51364-1
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550
MS DASH NO (3)	-59	-60	-61	-62	-63
FIIN (REPLACEMENT TUBE)	269-7350	227-0354	260-7361	260-7358	051-9572

SIZE DESIGNATION	12.4/11-24	12.4/11-28	16.9/14-30	9.5/9-38	12.4/11-38
TYPE CLASSIFICATION (1)	TRACTOR	TRACTOR	TRACTOR	TRACTOR	TRACTOR
VALVE, MS PART NO.	51364-1	51364-1	51364-1	51364-1	51364-1
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550
MS DASH NO. (3)	-64	-68	-69	-70	-72
FIIN (REPLACEMENT TUBE)	555-5674	269-7338	051-9676	269-7416	204-3195

SIZE DESIGNATION	13.6/12-38	5.90-15	7.50-16	9.00-24	7.50-15
TYPE CLASSIFICATION (1)	TRACTOR	IMPLEMENT	IMPLEMENT	IMPLEMENT	L PLAT TLR
VALVE, MS PART NO.	51364-1	51363-2	51363-2	51364-1	(4)-5
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550
MS DASH NO. (3)	-73	-163	-164	-132	-22
FIIN (REPLACEMENT TUBE)	294-7639	528-7758	269-7760	555-5669	269-7329

SIZE DESIGNATION	8.25-15	9.00-15	10.00-15	11.00-15	16.00-25
TYPE CLASSIFICATION (1)	L PLAT TLR	L PLAT TLR	L PLAT TLR	L PLAT TLR	EARTHMOVER
VALVE, MS PART NO	(4)-2	(4)-4	(4)-3	(4)-3	51374-1
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550
MS DASH NO. (3)	-23	-24	-25	-26	-165
FIIN (REPLACEMENT TUBE)	260-7347	051-9216	260-7354	555-5678	051-9626

REVIEW ACTIVITIES: ARMY ME

APPROVED 28 DECEMBER 1955 REVISED (D) 17 FEBRUARY 1967 (E) FOR CHANGE SEE SHEET 1

This military standard is mandatory for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A. ARMY-AT Other Cust NAVY-YD AF-84	TITLE INNER TUBE: PNEUMATIC TIRE	MILITARY STANDARD MS 35392
SEE NOTE II N	SUPERSEDES:	SHEET 3

DD FORM SEP 67 672-1 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 202610-23T17:22Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
2610

SIZE DESIGNATON	18.00-25	21.00-25	24.00-25	21.00-29	24.00-29
TYPE CLASSIFICATION (1)	EARTHMOVER	EARTHMOVER	EARTHMOVER	EARTHMOVER	EARTHMOVER
VALVE, MS PART NO.	51374-1	51374-1	51374-1	51374-1	51374-1
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550
MS DASH NO. (3)	-166	-167	-175	-176	-177
FIIN (REPLACEMENT TUBE)	051-9628	204-3617	828-9402	828-9403	828-9404

SIZE DESIGNATION	24.00-33	27.00-33	30.00-33	36.00-41	65 INCH
TYPE CLASSIFICATION (1)	EARTHMOVER	EARTHMOVER	EARTHMOVER	EARTHMOVER	EARTHMOVER
VALVE, MS PART NO.	51374-1	51374-1	51374-1	51374-1	51374-1
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550
MS DASH NO. (3)	-178	-179	-168	-181	-169
FIIN (REPLACEMENT TUBE)	828-9405	828-9406	828-8243	828-9408	828-9401

SIZE DESIGNATION	14.00-20	7.50-24	10.00-24	12.00-24	13.00-24
TYPE CLASSIFICATION (1)	GRADER	GRADER	GRADER	GRADER	GRADER
VALVE, MS PART NO.	51364-2	(4)-5	51364-1	51364-1	51364-2
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550
MS DASH NO.	-170	-171	-172	-173	-174
FIIN (REPLACEMENT TUBE)	051-9482	260-7364	051-9574	260-7363	051-9596

SIZE DESIGNATION	14.00-24	26X2.125	W18/19
TYPE CLASSIFICATION (1)	GRADER	BICYCLE	MOTORCYCLE
VALVE, MS PART NO.	51364-2	STD	51357-1
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-T-401	ZZ-I-550
MS DASH NO.	-57	-75	-74
FIIN (REPLACEMENT TUBE)	260-7351	591-2857	051-9334

REVIEW ACTIVITIES: ARMY-ME

APPROVED 28DECEMBER 1955 REVISED (D) 17 FEBRUARY 1967 (E) FOR CHANGE SEE SHEET 1

This military standard is mandatory for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A. ARMY-AT Other Cust NAVY-YD AF-84	TITLE INNER TUBE: PNEUMATIC TIRE	MILITARY STANDARD MS 35392
PROCUREMENT SPECIFICATION SEE NOTE II	SUPERSEDES:	SHEET 4

DD FORM SEP 67 672-1 (Coordinated by DSA-DSS)

Source: https://assist.dla.mil - Downloaded: 2026-10-23T17:22Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
2610

SIZE DESIGNATION	6.50-13	7.00/7.50-14	8.00/8.50-14	9.00/9.50-14	8.90-15
TYPE CLASSIFICATION (1)	PASS CAR	PASS CAR	PASS CAR	PASS CAR	PASS CAR
VALVE, MS PART NO.	51357-1	51357-1	51357-1	51357-1	51357-1
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550
MS DASH NO. (3)	-182	-183	-184	-185	-6
FIIN (REPLACEMENT TUBE)	729-4589	729-4590	729-4574	729-4571	266-6650

SIZE DESIGNATION	5.50/5.75-16	6.00-16	6.50/7.60-16	7.00-15	7.50-15
TYPE CLASSIFICATION (1)	PASS CAR	PASS CAR	PASS CAR	LT TRUCK	LT TRUCK
VALVE, MS PART NO.	51357-2	51357-2	51357-2	51357-5	51357-5
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550
MS DASH NO. (3)	-221	-100	-78	-186	-187
FIIN (REPLACEMENT TUBE)	275-7319	262-1950	555-6614	051-9224	288-3927

SIZE DESIGNATION	6-17.5	7.50-18	11.00-18	6.00-20	13.00-20
TYPE CLASSIFICATION (1)	LT TRUCK	TRK & BUS	TRK & BUS	TRK & BUS	TRK & BUS
VALVE, MS PART NO.	(10) TR-300	51358-5	51358-3	51358-1	51358-6
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550
MS DASH NO. (3)	-188	-89	-91	-92	-95
FIIN (REPLACEMENT TUBE)	729-4580	269-7344	051-9362	269-7380	051-9460

SIZE DESIGNATION	11.00-22	8-22.5	9-22.5	10-22.5	11-22.5
TYPE CLASSIFICATION (1)	TRK & BUS	TRK & BUS	TRK & BUS	TRK & BUS	TRK & BUS
VALVE, MS PART NO.	51358-3	(10) TR-300	(10) TR-300	(10) TR-300	(10) TR-300
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550
MS DASH NO. (3)	-98	-189	-190	-191	-192
FIIN (REPLACEMENT TUBE)	269-7386	729-4576	729-4577	729-4578	729-4585

SIZE DESIGNATION	9.00-24	10.00-24	12.00-24	13.00-24	8X3.00-4
TYPE CLASSIFICATION (1)	TRK & BUS	TRK & BUS	TRK & BUS	TRK & BUS	IND STR SD
VALVE, MS PART NO.	(4)-4	51358-3	(4)-3	51358-6	51360-1
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-T-410
MS DASH NO. (3)	-102	-103	-105	-106	-193
FIIN(REPLACEMENT TUBE)	051-9566	260-7341	269-7390	051-9594	262-1952

SIZE DESIGNATION	10X3.50-4	5.70/5.00-4	3.40/3.00-5	12X4.00-6	14X4.50-6
TYPE CLASSIFICATION (1)	IND STR SD	IND STR SD	IND STR SD	IND STR SD	IND STR SD
VALVE, MS PART NO.	51360-1	51360-1	51360-1	51360-1	51360-1
PROCUREMENT SPEC (2)	ZZ-T-410	ZZ-T-410	ZZ-I-550	ZZ-T-410	ZZ-T-410
MS DASH NO. (3)	-121	-110	-111	-194	-122
FIIN (REPLACEMENT TUBE)	174-1792	269-7430	051-9110	260-7334	262-1951

SIZE DESIGNATION	16X5.00-8	18X5.50-8	6.00-12	6.50-16	14.9/13-24
TYPE CLASSIFICATION (1)	IND STR SD	IND STR SD	TRACTOR	TRACTOR	TRACTOR
VALVE, MS PART NO.	51357-1	TR-15	51363-2	51357-2	51364-1
PROCUREMENT SPEC (2)	ZZ-T-410	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550
MS DASH NO. (3)	-123	-237	-130	-222	-134
FIIN (REPLACEMENT TUBE)	174-1791	051-9142	269-7402	277-2914	051-9600

ALL ITEMS ON THIS SHEET ARE INACTIVE FOR NEW DESIGN.

AUTHORIZED FOR PROCUREMENT ONLY FOR SUPPORT OF IN-SERVICE MATERIAL

REVIEW ACTIVITIES: ARMY-ME

APPROVED 28 DECEMBER 1955 REVISED (D) 17 FEBRUARY 1967 (E) FOR CHANGE SEE SHEET 1

This military standard is mandatory for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A. ARMY-AT Other Cust NAVY-YD AF-84	TITLE INNER TUBE: PNEUMATIC TIRE	MILITARY STANDARD MS 35392
PROCUREMENT SPECIFICATION SEE NOTE II	SUPERSEDES:	SHEET 5

DD FORM 672-1 (Consolidated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:22Z
Check the source to verify that this is the current version before use.

SIZE DESIGNATION	16.9/14-24	18.4/15-24	11.2/10-26	12.4/11-26	14.9/13-28
TYPE CLASSIFICATION (1)	TRACTOR	TRACTOR	TRACTOR	TRACTOR	TRACTOR
VALVE, MS PART NO.	51364-1	51364-1	51364-1	51364-1	51364-1
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550
MS DASH NO. (3)	-135	-136	-137	-138	-139
FIIN (REPLACEMENT TUBE)	051-9608	269-7392	051-9630	051-9632	269-7332

SIZE DESIGNATION	16.9/14-28	18.4/15-28	9.5/9-32	16.9/14-32	11.2/10-34
TYPE CLASSIFICATION (1)	TRACTOR	TRACTOR	TRACTOR	TRACTOR	TRACTOR
VALVE, MS PART NO.	51364-1	51364-1	51364-1	51364-1	51364-1
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550
MS DASH NO. (3)	-140	-141	-142	-195	-196
FIIN (REPLACEMENT TUBE)	269-7408	269-7411	528-7645	528-7695	528-7057

SIZE DESIGNATION	12.4/11-36	13.6/12-36	14.9/13-26	14.9/13-36	14.9/13-38
TYPE CLASSIFICATION (1)	TRACTOR	TRACTOR	TRACTOR	TRACTOR	TRACTOR
VALVE, MS PART NO.	51364-1	51364-1	51364-1	51364-1	51364-1
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550
MS DASH NO. (3)	-144	-145	-236	-146	-235
FIIN (REPLACEMENT TUBE)	555-5673	269-7415	528-7687	269-7361	528-7691

SIZE DESIGNATION	10 X 24	13 X 30	6.40-15	9.00-16	4.00-18
TYPE CLASSIFICATION (1)	TRACTOR	TRACTOR	IMPLEMENT	IMPLEMENT	IMPLEMENT
VALVE, MS PART NO.	(10) TR-215 C	51364-1	51363-2	51363-2	51362-2
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550
MS DASH NO. (3)	-224	-225	-226	-227	-197
FIIN (REPLACEMENT TUBE)	555-6194	227-0356	528-7760	051-9268	269-7759

SIZE DESIGNATION	7.50-36	16.00-24	29.5-29	7.00-24	8.25-24
TYPE CLASSIFICATION (1)	IMPLEMENT	EARTHMOVER	EARTMOVER	GRADER	GRADER
VALVE, MS PART NO.	51364-1	(4)-4	51374-1	51358-1	51358-2
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550	ZZ-I-550
MS DASH NO. (3)	-229	-231	-198	-199	-200
FIIN (REPLACEMENT TUBE)	818-3621	051-9618	585-4791	051-9552	260-7335

SIZE DESIGNATION	14.00-28	26X 1.375	20X2.125	5.00-16	V18/19
TYPE CLASSIFICATION (1)	GRADER	BICYCLE	BICYCLE	MOTORCYCLE	MOTORCYCLE
VALVE, MS PART NO.	51364-1	STD	STD	51357-2	51357-1
PROCUREMENT SPEC (2)	ZZ-I-550	ZZ-T-401	ZZ-T-401	ZZ-I-550	ZZ-I-550
MS DASH NO. (3)	-128	-150	-148	-147	-201
FIIN (REPLACEMENT TUBE)	260-7366	051-9032	051-9022	051-9234	051-9330

SIZE DESIGNATION	4.75-7.75	7.50-12	6.6X15	30.00-41
TYPE CLASSIFICATION (1)	MTR SCOOTER	TRK VEH SUSP	TRK VEH SUSP	EARTHMOVER
VALVE, MS PART NO.	51357-1	51357-5	51357-2	51374-1
PROCUREMENT SPEC (2)	ZZ-I-550	MIL-T-45315	ZZ-I-550	ZZ-I-550
MS DASH NO. (3)	-202	-203	-204	-180
FIIN (REPLACEMENT TUBE)	277-8086	571-6698	051-9310	828-9407

ALL ITEMS ON THIS SHEET ARE INACTIVE FOR NEW DESIGN

AUTHORIZED FOR PROCUREMENT ONLY FOR SUPPORT OF IN-SERVICE MATERIEL

APPROVED 28 DECEMBER 1955 REVISED (D) 17 FEBRUARY 1967 (E) FOR CHANGE SEE SHEET 1

This military standard is mandatory for use by all Departments and Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

REVIEW ACTIVITIES: ARMY-ME

P.A. ARMY-AT
Other Cust
NAVY-YD
AF-84

TITLE
INNER TUBE: PNEUMATIC TIRE

MILITARY STANDARD
MS 35392

PROCUREMENT SPECIFICATION
SEE NOTE II

SUPERSEDES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:22
Check the source to verify that this is the current version before use.

DD FORM SEP 87 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.