INCH-POUND

MS35691F(AT)
17 May 2022
SUPERSEDING
MS35691E
23 March 2005

# DETAIL SPECIFICATION SHEET

## NUT, PLAIN, HEXAGON (JAM) UNC-2B AND UNF-2B

Inactive for new design after 17 May 2022.


For new design, use hexagon jam nuts as specified per ASME B18.24, "Part Identifying Number (PIN) Code System Standard for B18 Fastener.

This specification sheet is approved for use by all Departments and Agencies of the Department of Defense.

The information to specify the nut size, material, grade, and finish are found in ASME B18.24. The following information is provided to assist in building an ASME PIN code per the 2020 revision:

a. "AEN05" is the prefix for ASME B18.2.2 hex jam nuts.
b. "AZ5" is the material code for Grade B nuts per ASTM A563/A563M
c. "AZ9" is the material code for Grade C nuts per ASTM A563/A563M
d. There are multiple codes in Table 5-1 for stainless steel and non-ferrous material options
e. "QW" or "QX" are the preferred finish codes for Zinc Nickel Electroplating of carbon and alloy steel nuts. (see Table II footnote 3)

The requirements for acquiring the product described herein shall consist of this specification sheet and FF-N-836.




OPTIONAL DESIGNS

Comments, suggestions, or questions on this document should be addressed to U.S. Army DEVCOM Ground Vehicle Systems Center, ATTN: Standardization, FCDD-GVS-SAT, MS #268, 6501 E. 11 Mile Road, Warren, MI 48397-5000 or send email to usarmy.detroit.devcom-gvsc.mbx.standardization@army.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil.

AMSC N/A FSC 5310

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:26Z
Check the source to verify that this is the current version before use.

TABLE I. DESIGN CONFIGURATIONS.

| NOMINAL SIZE OR BASIC MAJOR DIAMETER OF THREAD | WIDTH ACROSS FLATS P | | WIDTH ACROSS CORNERS G | | THICKNESS H | |
|---|---|---|---|---|---|---|
| | MAX | MIN | MAX | MIN | MAX | MIN |
| 1/4 - .2500 | .4375 | .428 | .505 | .488 | .163 | .150 |
| 5/16 - .3125 | .5000 | .489 | .577 | .557 | .195 | .180 |
| 3/8 - .3750 | .5625 | .551 | .650 | .628 | .227 | .210 |
| 7/16 - .4375 | .6875 | .675 | .794 | .768 | .260 | .240 |
| 1/2 - .5000 | .7500 | .736 | .866 | .840 | .323 | .302 |
| 9/16 - .5625 | .8750 | .861 | 1.010 | .982 | .324 | .301 |
| 5/8 - .6250 | .9375 | .922 | 1.083 | 1.051 | .387 | .363 |
| 3/4 - .7500 | 1.1250 | 1.088 | 1.299 | 1.240 | .446 | .398 |
| 7/8 - .8750 | 1.3125 | 1.269 | 1.516 | 1.447 | .510 | .458 |
| 1 - 1.0000 | 1.5000 | 1.450 | 1.732 | 1.653 | .575 | .519 |
| 1 1/8 - 1.1250 | 1.6875 | 1.631 | 1.949 | 1.859 | .639 | .579 |
| 1 1/4 - 1.2500 | 1.8750 | 1.812 | 2.165 | 2.066 | .751 | .687 |
| 1 3/8 - 1.3750 | 2.0625 | 1.994 | 2.382 | 2.273 | .815 | .747 |
| 1 1/2 - 1.5000 | 2.2500 | 2.175 | 2.598 | 2.480 | .880 | .808 |
| 1 3/4 - 1.7500 | 2.6250 | 2.538 | 3.031 | 2.893 | 1.009 | .929 |
| 2 - 2.0000 | 3.0000 | 2.900 | 3.464 | 3.306 | 1.138 | 1.050 |
| 2 1/4 - 2.2500 | 3.3750 | 3.262 | 3.897 | 3.719 | 1.251 | 1.155 |
| 2 1/2 - 2.5000 | 3.7500 | 3.625 | 4.330 | 4.133 | 1.505 | 1.401 |
| 2 3/4 - 2.7500 | 4.1250 | 3.988 | 4.763 | 4.546 | 1.634 | 1.522 |
| 3 - 3.0000 | 4.5000 | 4.350 | 5.196 | 4.959 | 1.763 | 1.643 |



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:26Z
Check the source to verify that this is the current version before use.

## INACTIVE FOR NEW DESIGN

THE PART NUMBERS IN TABLE II WILL ONLY BE USED FOR DESIGN AND ENGINEERING.

TABLE II. DASH NUMBERS.

| THREAD SIZE | .2500-20UNC-2B | .2500-28UNF-2B | .3125-18UNC-2B | .3125-24UNF-2B |
|---|---|---|---|---|
| MATERIAL | DASH NO | DASH NO | DASH NO | DASH NO |
| STEEL, CARBON, GRADE B, CADMIUM PLATE 3/ | 1 | 5 | 9 | 13 |
| STEEL, CARBON, GRADE C, CADMIUM PLATE 3/ | 2 | 6 | 10 | 14 |
| STEEL, CARBON, GRADE B, PHOSPHATE COATED | 406 | 426 | 506 | 526 |
| CRES, 300 SERIES, PASSIVATED 1/ | 3 | 7 | 11 | 15 |
| BRASS, BLACK OXIDE 2/ | 4 | 8 | 12 | 16 |
| THREAD SIZE | .3750-16UNC-2B | .3750-24UNF-2B | .4375-14UNC-2B | .4375-20UNF-2B |
| MATERIAL | DASH NO | DASH NO | DASH NO | DASH NO |
| STEEL, CARBON, GRADE B, CADMIUM PLATE 3/ | 17 | 21 | 25 | 29 |
| STEEL, CARBON, GRADE C, CADMIUM PLATE 3/ | 18 | 22 | 26 | 30 |
| STEEL, CARBON, GRADE B, PHOSPHATE COATED | 606 | 626 | 706 | 726 |
| CRES, 300 SERIES, PASSIVATED 1/ | 19 | 23 | 27 | 31 |
| BRASS, BLACK OXIDE 2/ | 20 | 24 | 28 | 32 |
| THREAD SIZE | .5000-13UNC-2B | .5000-20UNF-2B | .5625-12UNC-2B | .5625-18UNF-2B |
| MATERIAL | DASH NO | DASH NO | DASH NO | DASH NO |
| STEEL, CARBON, GRADE B, CADMIUM PLATE 3/ | 33 | 37 | 41 | 45 |
| STEEL, CARBON, GRADE C, CADMIUM PLATE 3/ | 34 | 38 | 42 | 46 |
| STEEL, CARBON, GRADE B, PHOSPHATE COATED | 806 | 826 | - | - |
| CRES, 300 SERIES, PASSIVATED 1/ | 35 | 39 | 43 | 47 |
| BRASS, BLACK OXIDE 2/ | 36 | 40 | 44 | 48 |
| THREAD SIZE | .6250-11UNC-2B | .6250-18UNF-2B | .7500-10UNC-2B | .7500-16UNF-2B |
| MATERIAL | DASH NO | DASH NO | DASH NO | DASH NO |
| STEEL, CARBON, GRADE B, CADMIUM PLATE 3/ | 49 | 53 | 57 | 61 |
| STEEL, CARBON, GRADE C, CADMIUM PLATE 3/ | 50 | 54 | 58 | 62 |
| STEEL, CARBON, GRADE B, PHOSPHATE COATED | 1006 | 1026 | 1206 | 1226 |
| CRES, 300 SERIES, PASSIVATED 1/ | 51 | 55 | 59 | 63 |
| BRASS, BLACK OXIDE 2/ | 52 | 56 | 60 | 64 |
| THREAD SIZE | .8750-9UNC-2B | .8750-14-UNF-2B | 1.0000-8UNC-2B | 1.0000-12UNF-2B |
| MATERIAL | DASH NO | DASH NO | DASH NO | DASH NO |
| STEEL, CARBON, GRADE B, CADMIUM PLATE 3/ | 65 | 69 | 73 | 77 |
| STEEL, CARBON, GRADE C, CADMIUM PLATE 3/ | 66 | 70 | 74 | 78 |
| CRES, 300 SERIES, PASSIVATED 1/ | 67 | 71 | 75 | 79 |
| BRASS, BLACK OXIDE 2/ | 68 | 72 | 76 | 80 |



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:26Z
Check the source to verify that this is the current version before use.

## INACTIVE FOR NEW DESIGN

THE PART NUMBERS IN TABLE II WILL ONLY BE USED FOR DESIGN AND ENGINEERING.

TABLE II. DASH NUMBERS – CONTINUED.

| THREAD SIZE | 1.12500-7UNC-2B | 1.12500-12UNF-2B | 1.2500-7UNC-2B | 1.2500-12UNF-2B |
|---|---|---|---|---|
| MATERIAL | DASH NO | DASH NO | DASH NO | DASH NO |
| STEEL, CARBON, GRADE B, CADMIUM PLATE 3/ | 81 | 85 | 89 | 93 |
| STEEL, CARBON, GRADE C, CADMIUM PLATE 3/ | 82 | 86 | 90 | 94 |
| CRES, 300 SERIES, PASSIVATED 1/ | 83 | 87 | 91 | 95 |
| BRASS, BLACK OXIDE 2/ | 84 | 88 | 92 | 96 |
| THREAD SIZE | 1.3750-6UNC-2B | 1.3750-12UNF-2B | 1.5000-6UNC-2B | 1.5000-12UNF-2B |
| MATERIAL | DASH NO | DASH NO | DASH NO | DASH NO |
| STEEL, CARBON, GRADE B, CADMIUM PLATE 3/ | 97 | 101 | 105 | 109 |
| STEEL, CARBON, GRADE C, CADMIUM PLATE 3/ | 98 | 102 | 106 | 110 |
| CRES, 300 SERIES, PASSIVATED 1/ | 99 | 103 | 107 | 111 |
| BRASS, BLACK OXIDE 2/ | 100 | 104 | 108 | 112 |
| THREAD SIZE | 1.7500-5UNC-2B | 2.0000-4-1/2UNC-2B | 2.2500-4-1/2UNC-2B | 2.5000-4UNC-2B |
| MATERIAL | DASH NO | DASH NO | DASH NO | DASH NO |
| STEEL, CARBON, GRADE B, CADMIUM PLATE 3/ | 113 | 117 | 121 | 125 |
| STEEL, CARBON, GRADE C, CADMIUM PLATE 3/ | 114 | 118 | 122 | 126 |
| CRES, 300 SERIES, PASSIVATED 1/ | 115 | 119 | 123 | 127 |
| BRASS, BLACK OXIDE 2/ | 116 | 120 | 124 | 128 |
| THREAD SIZE | 2.7500-4UNC-2B | 3.0000-4UNC-2B | | |
| MATERIAL | DASH NO | DASH NO | | |
| STEEL, CARBON, GRADE B, CADMIUM PLATE 3/ | 129 | 133 | | |
| STEEL, CARBON, GRADE C, CADMIUM PLATE 3/ | 130 | 134 | | |
| CRES, 300 SERIES, PASSIVATED 1/ | 131 | 135 | | |
| BRASS, BLACK OXIDE 2/ | 132 | 136 | | |

1/ SEE REQUIREMENT 5

2/ SEE REQUIREMENT 5

3/ CADMIUM IS AN R1, R2, AND D1 HAZARDOUS SUBSTANCE IN THE AEROSPACE AND DEFENSE DECLARABLE SUBSTANCE LIST. ZINC-NICKEL PLATE PER MIL-PRF-32647, TYPE K16 IS THE PREFERRED REPLACEMENT PLATING. THE ASME B18.24 FINISH CODE IS QX.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:26Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. MATERIAL: STEEL, CARBON, GRADES B AND C, IN ACCORDANCE WITH PROCUREMENT SPECIFICATION.
   STEEL, CORROSION RESISTANT, 300 SERIES, IN ACCORDANCE WITH PROCUREMENT SPECIFICATION.
   BRASS, IN ACCORDANCE WITH PROCUREMENT SPECIFICATION.


2. PROTECTIVE COATING AND TREATMENT:
   CADMIUM PLATED, BLACK OXIDE OR PHOSPHATE COATING, IN ACCORDANCE WITH PROCUREMENT SPECIFICATION.
   CLEANED, DESCALED AND PASSIVATED, IN ACCORDANCE WITH ASTM A380/A380M.
   NICKEL PLATED, IN ACCORDANCE WITH PROCUREMENT SPECIFICATION.

3. MAGNETIC PERMEABILITY. CORROSION RESISTANT STEEL FASTENERS SHALL HAVE A MAGNETIC PERMEABILITY OF 2.0 MAXIMUM (AIR = 1.0) AT A FIELD STRENGTH OF H = 200 OERSTEDS USING A MAGNETIC INDICATOR PER ASTM A342/A342M.

4. THREADS. THREADS SHALL BE IN ACCORDANCE WITH FED-STD-H28/2. ACCEPTABILITY OF SCREW THREADS SHALL BE IN ACCORDANCE WITH FED-STD-H28/20, SYSTEM 21.

5. PART NUMBER. (THE FOLLOWING EXAMPLES ARE INACTIVE FOR NEW DESIGN. USE ASME B18.24 FOR NEW DESIGN.) THE PART NUMBER CONSISTS OF THE BASIC MS SHEET NUMBER, FOLLOWED BY A DASH NUMBER TAKEN FROM TABLE II.


EXAMPLE: MS35691 – 1




MS35691 – 1 INDICATES – NUT, PLAIN, HEXAGON (JAM) THREAD SIZE, 0.2500-20UNC-2B, STEEL, CARBON, GRADE B,CADMIUM PLATED.


1/ ADD “B” BEFORE DASH NUMBER FOR CORROSION RESISTANT STEEL NUTS WITH BLACKOXIDE COATING, CLASS 4, IN ACCORDANCE WITH MIL-DTL-13924.

EXAMPLE: MS35691 – B 3




2/ ADD “N” BEFORE DASH NUMBER FOR BRASS NUTS WITH NICKEL PLATING, IN ACCORDANCE WITH PROCUREMENT SPECIFICATION.

EXAMPLE: MS35691 – N 4






Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:26Z
Check the source to verify that this is the current version before use.

NOTES:

1. DIMENSIONS ARE IN INCHES.
2. FOR CANCELLED PART NUMBERS, SEE TABLE III.
3. FOR MAINTENANCE, USE INACTIVE PART NUMBERS OF TABLE IV.
4. FOR INTERCHANGEABILITY BETWEEN THE CANCELLED (GRADE “A”, UNCOATED) NUTS AND SUPERSEDING INACTIVATED (GRADE”B”, UNCOATED) NUTS, SEE TABLE V.
5. FOR INTERCHANGEABILITY OF CANCELLED OR INACTIVATED AND NEW PART NUMBERS, SEE TABLE VI AND TABLE VII.
6. FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.
7. CHANGES FROM PREVIOUS ISSUE. MARGINAL NOTATIONS ARE NOT USED IN THIS REVISION TO IDENTIFY CHANGES WITH RESPECT TO THE PREVIOUS ISSUE DUE TO THE EXTENT OF THE CHANGES.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:26Z
Check the source to verify that this is the current version before use.

THE FOLLOWING PART NUMBERS ARE CANCELLED AFTER 21 MAR 1966

TABLE III. CANCELLED PART NUMBERS.

| THREAD SIZE | .2500-20UNC-2B | .2500-28UNF-2B | .3125-18UNC-2B | .3125-24UNF-2B |
|---|---|---|---|---|
| MATERIAL | DASH NO | DASH NO | DASH NO | DASH NO |
| STEEL, CARBON,GRADE A, | | | | |
| UNCOATED | 401 | 421 | 501 | 521 |
| CAD OR ZINC OPTIONAL | 402 | 422 | 502 | 522 |
| PHOSPHATE | 403 | 423 | 503 | 523 |
| STEEL, CARBON, GRADE B, | | | | |
| CAD OR ZINC OPTIONAL | 405 | 425 | 505 | 525 |
| STEEL,CARBON, GRADE C, | | | | |
| CAD OR ZINC OPTIONAL | 408 | 428 | 508 | 528 |
| PHOSPHATE | 409 | 429 | 509 | 529 |
| CRES, 300-400 SERIES, | | | | |
| PASSIVATED | 410 | 430 | 510 | 530 |
| BRASS, | | | | |
| UNCOATED | 411 | 431 | 511 | 531 |
| TIN PLATED | 412 | 432 | 512 | 532 |
| THREAD SIZE | .3750-16UNC-2B | .3750-24UNF-2B | .4375-14UNC-2B | .4375-20UNF-2B |
| MATERIAL | DASH NO | DASH NO | DASH NO | DASH NO |
| STEEL, CARBON, GRADE A, | | | | |
| UNCOATED | 601 | 621 | 701 | 721 |
| CAD OR ZINC OPTIONAL | 602 | 622 | 702 | 722 |
| PHOSPHATE | 603 | 623 | 703 | 723 |
| STEEL, CARBON, GRADE B, | | | | |
| CAD OR ZINC OPTIONAL | 605 | 625 | 705 | 725 |
| STEEL, CARBON, GRADE C, | | | | |
| CAD OR ZINC OPTIONAL | 608 | 628 | 708 | 728 |
| PHOSPHATE | 609 | 629 | 709 | 729 |
| CRES, 300-400 SERIES | | | | |
| PASSIVATED | 610 | 630 | 710 | 730 |
| BRASS, | | | | |
| UNCOATED | 611 | 631 | 711 | 731 |
| TIN PLATED | 612 | 632 | - | - |
| THREAD SIZE | .5000-13UNC-2B | .5000-20UNF-2B | .5625-12UNC-2B | .5625-18UNF-2B |
| MATERIAL | DASH NO | DASH NO | DASH NO | DASH NO |
| STEEL, CARBON, GRADE A, | | | | |
| UNCOATED | 801 | 821 | 901 | 921 |
| CAD OR ZINC OPTIONAL | 802 | 822 | 902 | 922 |
| PHOSPHATE | 803 | 823 | 903 | 923 |
| STEEL, CARBON, GRADE B, | | | | |
| CAD OR ZINC OPTIONAL | 805 | 825 | 905 | 925 |
| PHOSPHATE | - | - | 906 | 926 |
| STEEL CARBON, GRADE C, | | | | |
| CAD OR ZINC OPTIONAL | 808 | 828 | 908 | 928 |
| PHOSPHATE | 809 | 829 | 909 | 929 |
| CRES, 300-400 SERIES, | | | | |
| PASSIVATED | 810 | 830 | 910 | 930 |
| BRASS, | | | | |
| UNCOATED | 811 | 831 | 911 | 931 |



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:26Z
Check the source to verify that this is the current version before use.

THE FOLLOWING PART NUMBERS ARE CANCELLED AFTER 21 MAR 1966

TABLE III. CANCELLED PART NUMBERS – CONTINUED.

| THREAD SIZE | .6250-11UNC-2B | .6250-18UNF-2B | .7500-10UNC-2B | .7500-16UNF-2B |
|---|---|---|---|---|
| MATERIAL | DASH NO | DASH NO | DASH NO | DASH NO |
| STEEL, CARBON,GRADE A, UNCOATED<br>CAD OR ZINC OPTIONAL<br>PHOSPHATE | 1001<br>1002<br>1003 | 1021<br>1022<br>1023 | 1201<br>1202<br>1203 | 1221<br>1222<br>1223 |
| STEEL, CARBON, GRADE B, CAD OR ZINC OPTIONAL | 1005 | 1025 | 1205 | 1225 |
| STEEL,CARBON, GRADE C, CAD OR ZINC OPTIONAL<br>PHOSPHATE | 1008<br>1009 | 1028<br>1029 | 1208<br>1209 | 1228<br>1229 |
| CRES, 300-400 SERIES, PASSIVATED | 1010 | 1030 | 1210 | 1230 |
| BRASS, UNCOATED | 1011 | 1031 | 1211 | 1231 |
| THREAD SIZE | .8750-9UNC-2B | .8750-14UNF-2B | 1.0000-8UNC-2B | 1.0000-12UNF-2B |
| MATERIAL | DASH NO | DASH NO | DASH NO | DASH NO |
| STEEL, CARBON, GRADE A, UNCOATED<br>CAD OR ZINC OPTIONAL<br>PHOSPHATE | 1401<br>1402<br>1403 | 1421<br>1422<br>1423 | 1601<br>1602<br>1603 | 1621<br>1622<br>1623 |
| STEEL, CARBON, GRADE B, CAD OR ZINC OPTIONAL<br>PHOSPHATE | 1405<br>1406 | 1425<br>1426 | 1605<br>1606 | 1625<br>1626 |
| STEEL, CARBON, GRADE C, CAD OR ZINC OPTIONAL<br>PHOSPHATE | 1408<br>1409 | 1428<br>1429 | 1608<br>1609 | 1628<br>1629 |
| CRES, 300-400 SERIES PASSIVATED | 1410 | 1430 | 1610 | 1630 |
| BRASS, UNCOATED | 1411 | 1431 | 1611 | 1631 |
| THREAD SIZE | 1.1250-7UNC-2B | 1.1250-12UNF-2B | 1.2500-7UNC-2B | 1.2500-12UNF-2B |
| MATERIAL | DASH NO | DASH NO | DASH NO | DASH NO |
| STEEL, CARBON, GRADE A, UNCOATED<br>CAD OR ZINC OPTIONAL<br>PHOSPHATE | 1801<br>1802<br>1803 | 1821<br>1822<br>1823 | 2001<br>2002<br>2003 | 2021<br>2022<br>2023 |
| STEEL, CARBON, GRADE B, CAD OR ZINC OPTIONAL<br>PHOSPHATE | 1805<br>1806 | 1825<br>1826 | 2005<br>2006 | 2025<br>2026 |
| STEEL CARBON, GRADE C, CAD OR ZINC OPTIONAL<br>PHOSPHATE | 1808<br>1809 | 1828<br>1829 | 2008<br>2009 | 2028<br>2029 |
| CRES, 300-400 SERIES, PASSIVATED | 1810 | 1830 | 2010 | 2030 |
| BRASS, UNCOATED | 1811 | 1831 | 2011 | 2031 |



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:26Z
Check the source to verify that this is the current version before use.

THE FOLLOWING PART NUMBERS ARE CANCELLED AFTER 21 MAR 1966

TABLE III. CANCELLED PART NUMBERS – CONTINUED.

| THREAD SIZE | 1.3750-6UNC-2B | 1.3750-12UNF-2B | 1.5000-6UNC-2B | 1.5000-12UNF-2B |
|---|---|---|---|---|
| MATERIAL | DASH NO | DASH NO | DASH NO | DASH NO |
| STEEL, CARBON,GRADE A, UNCOATED<br>CAD OR ZINC OPTIONAL<br>PHOSPHATE | 2201<br>2202<br>2203 | 2221<br>2222<br>2223 | 2401<br>2402<br>2403 | 2421<br>2422<br>2423 |
| STEEL, CARBON, GRADE B, CAD OR ZINC OPTIONAL<br>PHOSPHATE | 2205<br>2206 | 2225<br>2226 | 2405<br>2406 | 2425<br>2426 |
| STEEL,CARBON, GRADE C, CAD OR ZINC OPTIONAL<br>PHOSPHATE | 2208<br>2209 | 2228<br>2229 | 2408<br>2409 | 2428<br>2429 |
| CRES, 300-400 SERIES, PASSIVATED | 2210 | 2230 | 2410 | 2430 |
| BRASS, UNCOATED | 2211 | 2231 | 2411 | 2431 |
| THREAD SIZE | 1.7500-5UNC-2B | 2.0000-4-1/2UNC-2B | 2.2500-4-1/2UNC-2B | 2.5000-4UNC-2B |
| MATERIAL | DASH NO | DASH NO | DASH NO | DASH NO |
| STEEL, CARBON, GRADE A, UNCOATED<br>CAD OR ZINC OPTIONAL<br>PHOSPHATE | 2801<br>2802<br>2803 | 3201<br>3202<br>3203 | 3601<br>3602<br>3603 | 4001<br>4002<br>4003 |
| STEEL, CARBON, GRADE B, CAD OR ZINC OPTIONAL<br>PHOSPHATE | 2805<br>2806 | 3205<br>3206 | 3605<br>3606 | 4005<br>4006 |
| STEEL, CARBON, GRADE C, CAD OR ZINC OPTIONAL<br>PHOSPHATE | 2808<br>2809 | 3208<br>3209 | 3608<br>3609 | 4008<br>4009 |
| CRES, 300-400 SERIES PASSIVATED | 2810 | 3210 | 3610 | 4010 |
| BRASS, UNCOATED | 2811 | 3211 | 3611 | 4011 |
| THREAD SIZE | 2.7500-4UNC-2B | 3.0000-4UNC-2B | | |
| MATERIAL | DASH NO | DASH NO | | |
| STEEL, CARBON, GRADE A, UNCOATED<br>CAD OR ZINC OPTIONAL<br>PHOSPHATE | 4401<br>4402<br>4403 | 4801<br>4802<br>4803 | | |
| STEEL, CARBON, GRADE B, CAD OR ZINC OPTIONAL<br>PHOSPHATE | 4405<br>4406 | 4805<br>4806 | | |
| STEEL CARBON, GRADE C, CAD OR ZINC OPTIONAL<br>PHOSPHATE | 4408<br>4409 | 4808<br>4809 | | |
| CRES, 300-400 SERIES, PASSIVATED | 4410 | 4810 | | |
| BRASS, UNCOATED | 4411 | 4811 | | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:26Z
Check the source to verify that this is the current version before use.

THE FOLLOWING PART NUMBERS IN TABLE IV ARE INACTIVE FOR NEW DESIGN AFTER 21 MAR 1966. USE FOR MAINTENANCE PURPOSES ONLY.

TABLE IV. INACTIVE PART NUMBERS FOR NEW DESIGN.

| THREAD SIZE | .2500-20UNC-2B | .2500-28UNF-2B | .3125-18UNC-2B | .3125-24UNF-2B |
|---|---|---|---|---|
| MATERIAL | DASH NO | DASH NO | DASH NO | DASH NO |
| STEEL, CARBON,GRADE B, UNCOATED | 404 | 424 | 504 | 524 |
| STEEL, CARBON, GRADE C, UNCOATED | 407 | 427 | 507 | 527 |
| THREAD SIZE | .3750-16UNC-2B | .3750-24UNF-2B | .4375-14UNC-2B | .4375-20UNF-2B |
| MATERIAL | DASH NO | DASH NO | DASH NO | DASH NO |
| STEEL, CARBON, GRADE B, UNCOATED | 604 | 624 | 704 | 724 |
| STEEL, CARBON, GRADE C, UNCOATED | 607 | 627 | 707 | 727 |
| THREAD SIZE | .5000-13UNC-2B | .5000-20UNF-2B | .5625-12UNC-2B | .5625-18UNF-2B |
| MATERIAL | DASH NO | DASH NO | DASH NO | DASH NO |
| STEEL, CARBON, GRADE B, UNCOATED | 804 | 824 | 904 | 924 |
| STEEL, CARBON, GRADE C, UNCOATED | 807 | 827 | 907 | 927 |
| THREAD SIZE | .6250-11UNC-2B | .6250-18UNF-2B | .7500-10UNC-2B | .7500-16UNF-2B |
| MATERIAL | DASH NO | DASH NO | DASH NO | DASH NO |
| STEEL, CARBON, GRADE B, UNCOATED | 1004 | 1024 | 1204 | 1224 |
| STEEL, CARBON, GRADE C, UNCOATED | 1007 | 1027 | 1207 | 1227 |
| THREAD SIZE | .8750-9UNC-2B | .8750-14UNF-2B | 1.0000-8UNC-2B | 1.0000-12UNF-2B |
| MATERIAL | DASH NO | DASH NO | DASH NO | DASH NO |
| STEEL, CARBON, GRADE B, UNCOATED | 1404 | 1424 | 1604 | 1624 |
| STEEL, CARBON, GRADE B, UNCOATED | 1407 | 1427 | 1607 | 1627 |
| THREAD SIZE | 1.1250-7UNC-2B | 1.1250-12UNF-2B | 1.2500-7UNC-2B | 1.2500-12UNF-2B |
| MATERIAL | DASH NO | DASH NO | DASH NO | DASH NO |
| STEEL CARBON, GRADE B, UNCOATED | 1804 | 1824 | 2004 | 2024 |
| STEEL, CARBON, GRADE C, UNCOATED | 1807 | 1827 | 2007 | 2027 |
| THREAD SIZE | 1.3750-6UNC-2B | 1.3750-12UNF-2B | 1.5000-6UNC-2B | 1.5000-12UNF-2B |
| MATERIAL | DASH NO | DASH NO | DASH NO | DASH NO |
| STEEL, CARBON, GRADE B, UNCOATED | 2204 | 2224 | 2404 | 2424 |
| STEEL, CARBON, GRADE C, UNCOATED | 2207 | 2227 | 2407 | 2427 |



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:26Z
Check the source to verify that this is the current version before use.

THE FOLLOWING PART NUMBERS IN TABLE IV ARE INACTIVE FOR NEW DESIGN AFTER 21 MAR 1966. USE FOR MAINTENANCE PURPOSES ONLY.

TABLE IV. INACTIVE PART NUMBERS FOR NEW DESIGN - CONTINUED.

| THREAD SIZE | 1.7500-5UNC-2B | 2.0000-4-1/4UNC-2B | 2.2500-4-1/2UNC-2B | 2.5000-4UNC-2B |
|---|---|---|---|---|
| MATERIAL | DASH NO | DASH NO | DASH NO | DASH NO |
| STEEL, CARBON,GRADE B, UNCOATED | 2804 | 3204 | 3604 | 4004 |
| STEEL, CARBON, GRADE C, UNCOATED | 2807 | 3207 | 3607 | 4007 |
| THREAD SIZE | 2.7500-4UNC-2B | 3.0000-4UNC-2B | | |
| MATERIAL | DASH NO | DASH NO | | |
| STEEL, CARBON, GRADE B, UNCOATED | 4404 | 4804 | | |
| STEEL, CARBON, GRADE C, UNCOATED | 4407 | 4807 | | |

FOR INTERCHANGEABILITY BETWEEN THE CANCELLED (GRADE “A” UNCOATED) NUT AND THE SUPERSEDING INACTIVATED (GRADED “B” UNCOATED) NUTS, SEE TABLE V.

TABLE V. INTERCHANGEABILITY TABLE OF CANCELLED OR INACTIVATED AND SUPERSEDING PART NUMBERS.

| PART NUMBERS | | PART NUMBERS | | PART NUMBERS | | PART NUMBERS | |
|---|---|---|---|---|---|---|---|
| CANCELLED | SUPERSEDING INACTIVATED | CANCELLED | SUPERSEDING INACTIVATED | CANCELLED | SUPERSEDING INACTIVATED | CANCELLED | SUPERSEDING INACTIVATED |
| MS35691-401 | MS35691- 404 | MS35691- 801 | MS35691- 804 | MS35691-1401 | MS35691-1404 | MS35691-2201 | MS35691-2204 |
| 421 | 424 | 821 | 824 | 1421 | 1424 | 2221 | 2224 |
| 501 | 504 | 901 | 904 | 1601 | 1604 | 2401 | 2404 |
| 521 | 524 | 921 | 924 | 1621 | 1624 | 2421 | 2424 |
| 601 | 604 | 1001 | 1004 | 1801 | 1804 | 2801 | 2804 |
| 621 | 624 | 1021 | 1024 | 1821 | 1824 | 3201 | 3204 |
| 701 | 704 | 1201 | 1204 | 2001 | 2004 | 3601 | 3604 |
| 721 | 724 | 1221 | 1224 | 2021 | 2024 | 4001 | 4004 |
| | | | | | | 4401 | 4404 |
| | | | | | | 4801 | 4804 |



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:26Z
Check the source to verify that this is the current version before use.

THE NUTS COVERED BY THE DASH NUMBERS GIVEN IN THE ORIGINAL ISSUE OF THIS STANDARD ARE CANCELLED OR INACTIVATED 1/ AFTER 21 MAR 1966. THE CANCELLED NUTS SHOULD BE USED FOR MAINTENANCE PURPOSE UNTIL EXISTING STOCK IS DEPLETED. USE ONLY THE SUPERSEDING NUTS FOR DESIGN.

TABLE VI. INTERCHANGEABILITY TABLE OF CANCELLED OR INACTIVATED AND SUPERSEDING PART NUMBERS.

| PART NUMBERS | | PART NUMBERS | | PART NUMBERS | | PART NUMBERS | |
|---|---|---|---|---|---|---|---|
| CANCELLED OR INACTIVATED | SUPERSEDING | CANCELLED OR INACTIVATED | SUPERSEDING | CANCELLED OR INACTIVATED | SUPERSEDING | CANCELLED OR INACTIVATED | SUPERSEDING |
| MS35691-401 | MS35691 - 1 | MS35691 - 605 | MS35691 - 17 | MS35691 - 821 | MS35691 - 37 | MS35691 - 1028 | MS35691 - 54 |
| 402 | 1 | 1/ 607 | 18 | 822 | 37 | 1029 | 54 |
| 403 | 1 | 608 | 18 | 823 | 37 | 1030 | 55 |
| 1/ 404 | 1 | 609 | 18 | 1/ 824 | 37 | 1031 | 56 |
| 405 | 1 | 610 | 19 | 825 | 37 | 1201 | 57 |
| 1/ 407 | 2 | 611 | 20 | 1/ 827 | 38 | 1202 | 57 |
| 408 | 2 | 612 | 20 | 828 | 38 | 1203 | 57 |
| 409 | 2 | 621 | 21 | 829 | 38 | 1/ 1204 | 57 |
| 410 | 3 | 622 | 21 | 830 | 39 | 1205 | 57 |
| 411 | 4 | 623 | 21 | 831 | 40 | 1/ 1207 | 58 |
| 412 | 4 | 1/ 624 | 21 | 901 | 41 | 1208 | 58 |
| 421 | 5 | 625 | 21 | 902 | 41 | 1209 | 58 |
| 422 | 5 | 1/ 627 | 22 | 903 | 41 | 1210 | 59 |
| 423 | 5 | 628 | 22 | 1/ 904 | 41 | 1211 | 60 |
| 1/ 424 | 5 | 629 | 22 | 905 | 41 | 1221 | 61 |
| 425 | 5 | 630 | 23 | 906 | 41 | 1222 | 61 |
| 1/ 427 | 6 | 631 | 24 | 1/ 907 | 42 | 1223 | 61 |
| 428 | 6 | 632 | 24 | 908 | 42 | 1/ 1224 | 61 |
| 429 | 6 | 701 | 25 | 909 | 42 | 1225 | 61 |
| 430 | 7 | 702 | 25 | 910 | 43 | 1/ 1227 | 62 |
| 431 | 8 | 703 | 25 | 911 | 44 | 1228 | 62 |
| 432 | 8 | 1/ 704 | 25 | 921 | 45 | 1229 | 62 |
| 501 | 9 | 705 | 25 | 922 | 45 | 1230 | 63 |
| 502 | 9 | 1/ 707 | 26 | 923 | 45 | 1231 | 64 |
| 503 | 9 | 708 | 26 | 1/ 924 | 45 | 1401 | 65 |
| 1/ 504 | 9 | 709 | 26 | 925 | 45 | 1402 | 65 |
| 505 | 9 | 710 | 27 | 926 | 45 | 1403 | 65 |
| 1/ 507 | 10 | 711 | 28 | 1/ 927 | 46 | 1/ 1404 | 65 |
| 508 | 10 | 721 | 29 | 928 | 46 | 1405 | 65 |
| 509 | 10 | 722 | 29 | 929 | 46 | 1406 | 65 |
| 510 | 11 | 723 | 29 | 930 | 47 | 1/ 1407 | 66 |
| 511 | 12 | 1/ 724 | 29 | 931 | 48 | 1408 | 66 |
| 512 | 12 | 725 | 29 | 1001 | 49 | 1409 | 66 |
| 521 | 13 | 1/ 727 | 30 | 1002 | 49 | 1410 | 67 |
| 522 | 13 | 728 | 30 | 1003 | 49 | 1411 | 68 |
| 523 | 13 | 729 | 30 | 1/ 1004 | 49 | 1421 | 69 |
| 1/ 524 | 13 | 730 | 31 | 1005 | 49 | 1422 | 69 |
| 525 | 13 | 731 | 32 | 1/ 1007 | 50 | 1423 | 69 |
| 1/ 527 | 14 | 801 | 33 | 1008 | 50 | 1/ 1424 | 69 |
| 528 | 14 | 802 | 33 | 1009 | 50 | 1425 | 69 |
| 529 | 14 | 803 | 33 | 1010 | 51 | 1426 | 69 |
| 530 | 15 | 1/ 804 | 33 | 1011 | 52 | 1/ 1427 | 70 |
| 531 | 16 | 805 | 33 | 1021 | 53 | 1428 | 70 |
| 532 | 16 | 1/ 807 | 34 | 1022 | 53 | 1429 | 70 |
| 601 | 17 | 808 | 34 | 1023 | 53 | 1430 | 71 |
| 602 | 17 | 809 | 34 | 1/ 1024 | 53 | 1431 | 72 |
| 603 | 17 | 810 | 35 | 1025 | 53 | 1601 | 73 |
| 1/ 604 | 17 | 811 | 36 | 1/ 1027 | 54 | 1602 | 73 |



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:26Z
Check the source to verify that this is the current version before use.

THE NUTS COVERED BY THE DASH NUMBERS GIVEN IN THE ORIGINAL ISSUE OF THIS STANDARD ARE CANCELLED OR INACTIVATED 1/ AFTER 21 MAR 1966. THE CANCELLED NUTS SHOULD BE USED FOR MAINTENANCE PURPOSE UNTIL EXISTING STOCK IS DEPLETED. USE ONLY THE SUPERSEDING NUTS FOR DESIGN.

TABLE VI. INTERCHANGEABILITY TABLE OF CANCELLED OR INACTIVATED AND SUPERSEDING PART NUMBERS - CONTINUED.

| PART NUMBERS | | PART NUMBERS | | PART NUMBERS | | PART NUMBERS | |
|---|---|---|---|---|---|---|---|
| CANCELLED OR INACTIVATED | SUPERSEDING | CANCELLED OR INACTIVATED | SUPERSEDING | CANCELLED OR INACTIVATED | SUPERSEDING | CANCELLED OR INACTIVATED | SUPERSEDING |
| MS35691 - 1603 | MS35691 - 73 | 1/ MS35691 - 2004 | MS35691 - 89 | MS35691 - 2405 | MS35691 - 105 | MS35691 - 3606 | MS35691 - 121 |
| 1/ 1604 | 73 | 2005 | 89 | 2406 | 105 | 3607 | 122 |
| 1605 | 73 | 2006 | 89 | 1/ 2407 | 106 | 3608 | 122 |
| 1606 | 73 | 1/ 2007 | 90 | 2408 | 106 | 3609 | 122 |
| 1/ 1607 | 74 | 2008 | 90 | 2409 | 106 | 3610 | 123 |
| 1608 | 74 | 2009 | 90 | 2410 | 107 | 3611 | 124 |
| 1609 | 74 | 2010 | 91 | 2411 | 108 | 4001 | 125 |
| 1610 | 75 | 2011 | 92 | 2421 | 109 | 4002 | 125 |
| 1611 | 76 | 2021 | 93 | 2422 | 109 | 4003 | 125 |
| 1621 | 77 | 2022 | 93 | 2423 | 109 | 1/ 4004 | 125 |
| 1622 | 77 | 2023 | 93 | 1/ 2424 | 109 | 4005 | 125 |
| 1623 | 77 | 1/ 2024 | 93 | 2425 | 109 | 4006 | 125 |
| 1/ 1624 | 77 | 2025 | 93 | 2426 | 109 | 1/ 4007 | 126 |
| 1625 | 77 | 2026 | 93 | 1/ 2427 | 110 | 4008 | 126 |
| 1626 | 77 | 1/ 2027 | 94 | 2428 | 110 | 4009 | 126 |
| 1/ 1627 | 78 | 2028 | 94 | 2429 | 110 | 4010 | 127 |
| 1628 | 78 | 2029 | 94 | 2430 | 111 | 4011 | 128 |
| 1629 | 78 | 2030 | 95 | 2431 | 112 | 4401 | 129 |
| 1630 | 79 | 2031 | 96 | 2801 | 113 | 4402 | 129 |
| 1631 | 80 | 2201 | 97 | 2802 | 113 | 4403 | 129 |
| 1801 | 81 | 2202 | 97 | 2803 | 113 | 1/ 4404 | 129 |
| 1802 | 81 | 2203 | 97 | 1/ 2804 | 113 | 4405 | 129 |
| 1803 | 81 | 1/ 2204 | 97 | 2805 | 113 | 4406 | 129 |
| 1/ 1804 | 81 | 2205 | 97 | 2806 | 113 | 1/ 4407 | 130 |
| 1805 | 81 | 2206 | 97 | 1/ 2807 | 114 | 4408 | 130 |
| 1806 | 81 | 1/ 2207 | 98 | 2808 | 114 | 4409 | 130 |
| 1/ 1807 | 82 | 2208 | 98 | 2809 | 114 | 4410 | 131 |
| 1808 | 82 | 2209 | 98 | 2810 | 115 | 4411 | 132 |
| 1809 | 82 | 2210 | 99 | 2811 | 116 | 4801 | 133 |
| 1810 | 83 | 2211 | 100 | 3201 | 117 | 4802 | 133 |
| 1811 | 84 | 2221 | 101 | 3202 | 117 | 4803 | 133 |
| 1821 | 85 | 2222 | 101 | 3203 | 117 | 1/ 4804 | 133 |
| 1822 | 85 | 2223 | 101 | 1/ 3204 | 117 | 4805 | 133 |
| 1823 | 85 | 1/ 2224 | 101 | 3205 | 117 | 4806 | 133 |
| 1/ 1824 | 85 | 2225 | 101 | 3206 | 117 | 1/ 4807 | 134 |
| 1825 | 85 | 2226 | 101 | 1/ 3207 | 118 | 4808 | 134 |
| 1826 | 85 | 1/ 2227 | 102 | 3208 | 118 | 4809 | 134 |
| 1/ 1827 | 86 | 2228 | 102 | 3209 | 118 | 4810 | 135 |
| 1828 | 86 | 2229 | 102 | 3210 | 119 | 4811 | 136 |
| 1829 | 86 | 2230 | 103 | 3211 | 120 | | |
| 1830 | 87 | 2231 | 104 | 3601 | 121 | | |
| 1831 | 88 | 2401 | 105 | 3602 | 121 | | |
| 2001 | 89 | 2402 | 105 | 3603 | 121 | | |
| 2002 | 89 | 2403 | 105 | 1/ 3604 | 121 | | |
| 2003 | 89 | 1/ 2404 | 105 | 3605 | 121 | | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:26Z
Check the source to verify that this is the current version before use.

THE FOLLOWING NUTS COVERED BY DASH NUMBERS GIVEN IN MS16203 (SHIPS) ARE CANCELLED AFTER THE DATE INDICATED ON THE CANCELLED DOCUMENT. USE THE DASH NUMBERS GIVEN IN TABLE II. THE CANCELLED NUTS CANNOT ALWAYS REPLACE THE NEW NUTS AND SHOULD BE USED UNTIL EXISISTING STOCKS ARE DEPLETED. USE ONLY THE NEW NUTS FOR NEW DESIGN AND REPLACEMENT. REPLACEMENT SHALL BE IN ACCORDANCE WITH TABLES VI AND VII. INTERCHANGEABILITY INFORMATION REGARDING PART NUMBERS ON THE SUPERSEDED DRAWING IS ALSO CONTAINED IN THIS TABLE.

TABLE VII. INTERCHANGEABILITY TABLE OF CANCELLED AND SUPERSEDING PART NUMBERS.

| DASH NUMBERS | | DASH NUMBERS | | DASH NUMBERS | |
|---|---|---|---|---|---|
| CANCELLED MS16203 (SHIPS) | SUPERSEDED BY MS35691 | CANCELLED MS16203 (SHIPS) | SUPERSEDED BY MS35691 | CANCELLED MS16203 (SHIPS) | SUPERSEDED BY MS35691 |
| -13 | -3 | -17 | -35 | -21 | -75 |
| -14 | -11 | -18 | -51 | -22 | -83 |
| -15 | -19 | -19 | -59 | -23 | -91 |
| -16 | -27 | -20 | -67 | -24 | -107 |

Custodians:
Army – AT

Preparing activity:
Army – AT

(Project 5310-2022-024)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil/.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:26Z
Check the source to verify that this is the current version before use.