
FED. SUP CLASS
2990



NOTE

MINIMUM SPEED POSITION. SPRING AXIS MUST COME WITHIN .62 OF CENTER OF ROCKET SHAFT HUB WITHOUT TOUCHING AT WIDE-OPEN-THROTTLE. ROTATIONAL FORCE ON SPEED CONTROL LEVER DUE TO SPRING MUST NOT REVERSE AT NO LOAD. LOW SPEED STOP SCREW LUG MUST HAVE 1/16 INCH ADJUSTMENT REMAINING.

GOVERNOR DRIVE SPEED RANGES

SIZE IIA	1200 to 2000
SIZE IIB	1700 to 2800
SIZE IIC	2400 to 4000

APPROVED 3 January 1961 REVISED

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.


P.A. CE Other Cust NAVY - DOCKS AF - ARDC	TITLE GOVERNOR, GASOLINE ENGINE, CENTRIFUGAL TYPE, SIZE II, FOR USE ON INDUSTRIAL ENGINES	MILITARY STANDARD MS35899 .
PROCUREMENT SPECIFICATION	SUPERSEDES:	SHEET 1 OF 5

DD FORM 1 SEP 57 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:30Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
2990



NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

APPROVED 3 January 1961 REVISED


P.A. CE Other Cust NAVY - DOCKS AF - ARDC	TITLE GOVERNOR, GASOLINE ENGINE, CENTRIFUGAL TYPE, SIZE II, FOR USE ON INDUSTRIAL ENGINES	MILITARY STANDARD MS35899.
PROCUREMENT SPECIFICATION	SUPERSEDES:	SHEET 2

DD FORM 1 SEP 57 672-1 (Coordinated)


PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:30Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
2990



SECTION A - A



SECTION BB

SECTION CC

APPROVED 3 January 1961 REVISED

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.


P.A. CE Other Cust NAVY - DOCKS AF - ARDC	TITLE GOVERNOR, GASOLINE ENGINE, CENTRIFUGAL TYPE, SIZE II, FOR USE ON INDUSTRIAL ENGINES	MILITARY STANDARD MS35899
PROCUREMENT SPECIFICATION	SUPERSEDES:	SHEET 3


DD FORM 1 SEP 57 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:30Z
Check the source to verify that this is the current version before use.

FED. SUP CLASS
2990





NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use should be made from this document.

APPROVED 3 January 1961 REVISED

P.A. CE Other Cust NAVY - DOCKS AF - ARDC	TITLE GOVERNOR, GASOLINE ENGINE, CENTRIFUGAL TYPE, SIZE II, FOR USE ON INDUSTRIAL ENGINES	MILITARY STANDARD MS 35899
PROCUREMENT SPECIFICATION	SUPERSEDES:	SHEET 4

DD FORM 1 SEP 57 672-1 (Coordinated)


PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:30Z
Check the source to verify that this is the current version before use.

NOTICE—When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.


This military standard is approved by the Department of Defense and is mandatory on all activities. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

FED. SUP CLASS
2990






THROTTLE LEVER SPRING
SUGGESTED DATA:
DIA. OF WIRE---.0468
O.D. OF SPRING--.359
MATERIAL--MUSIC WIRE
NUMBER OF COILS---11
APPROX. RATE-15 LB/IN





GOVERNOR SPRING SCREW


GOVERNOR SPRING - SUGGESTED DATA:
DIAMETER OF WIRE----------.138
O.D. OF SPRING----------.875
MATERIAL----------MUSIC WIRE
NUMBER OF COILS----------8-3/4
APPROX. RATE----------150 LB/IN
FREE LENGTH-INSIDE HOOKS----2.5"




GEAR WASHERS








CROSS SHAFT ARM





THIS SURFACE TO CONTACT INNER RACE OF BEARING WHEN ASSEMBLED TO SHAFT.

DRIVING GEAR
(NOT PART OF GOVERNOR ASSEMBLY)

GEAR SPLINE DATA:
(S.A.E. STANDARD INVOLUTE FLAT-ROOT SPLINE.)

DIAMETRIAL PITCH----------20/40
NO. OF TEETH----------12
PRESSURE ANGLE----------30°
PITCH DIAMETER----------.600
MAJOR DIAMETER---------.6500-.6507
MINOR DIAMETER---------.5500-.5525
SPACE WIDTH----------.0810/.0785
T.I.F. DIAMETER----------.643 MIN.

NOTES:

1. "THIS STANDARD TAKES PRECEDENCE OVER DOCUMENTS REFERENCED HEREIN."
2. "REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID."
3. UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES.
4. ALL THREADS MUST BE IN ACCORDANCE WITH SCREW THREAD STANDARDS FOR FEDERAL SERVICES, HANDBOOK H-28.
5. TOLERANCE: PLUS OR MINUS 0.010 ON DECIMALS, PLUS OR MINUS 1/32 ON FRACTIONS, PLUS OR MINUS 1° ON ANGLES.

"THIS DOCUMENT HAS BEEN PROMULGATED BY THE DEPARTMENT OF DEFENSE AS THE MILITARY STANDARD TO LIMIT THE SELECTION OF THE ITEM, PRODUCT, OR DESIGN COVERED HEREIN IN ENGINEERING, DESIGN, AND PROCUREMENT. THIS STANDARD SHALL BECOME EFFECTIVE NOT LATER THAN 90 DAYS AFTER THE LATEST DATE OF APPROVAL SHOWN."

APPROVED 3 January 1961 REVISED

P.A. CE Other Cust NAVY - DOCKS AF - ARDC	TITLE GOVERNOR, GASOLINE ENGINE, CENTRIFUGAL TYPE, SIZE II, FOR USE ON INDUSTRIAL ENGINES	MILITARY STANDARD MS 35899
PROCUREMENT SPECIFICATION	SUPERSEDES:	SHEET 5

DD FORM 1 SEP 57 672-1 (Coordinated)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:30Z
Check the source to verify that this is the current version before use.