MIL-A-43820A(GL)
AMENDMENT-1
24 July 1978

MILITARY SPECIFICATION

AIR LOCK (MUST)

This amendment forms part of Military Specification MIL-A-43820A(GL), dated 7 March 1975, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 4

2.1, under "DRAWINGS" delete: "5-4-1604 and 5-4-1608" and substitute:

"5-4-1587 - Bow Assembly
5-4-1682 - Door Blackout Curtain Assembly
5-4-1759 - Light Assembly "B"

2.2 Under "Aerospace Material Specification (AMS)" Delete:

"AMS 3195 - Silicone Rubber-Sponge, Close Cell-Medium"

PAGE 5

Under "National Motor Freight Traffic Association, Inc., Agent". 4th line delete: "Tariff Order Section" and substitute "Traffic Department"

3.4 Materials and components. Add "(See 6.9)"

PAGE 9

3.5.8 Delete in entirety.

PAGE 11

3.5.10, line 2. Delete "The length of cord required shall be as specified (see 6.2 and 6.8)" and substitute "or 5-4-1759 (see 6.2 and 6.8)."

PAGE 14

4.6.2, subparagraph e. Add at end "or 5-4-1759."

PAGE 15

4.6.2, subparagraph o. Delete in entirety.

Table I, under Defect column, first defect. Delete "teat" and substitute "tear".

FSC 5410

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T22:27Z
Check the source to verify that this is the current version before use.

5/5

PAGE 18

Table I Add to "Stitch margin" Defect column:

"Less than specified:
- for more than 1 inch but not more than 4 inches in length — Minor B
- for more than 4 inches in length — Minor A"

PAGE 20

Table II Delete 3rd thru 6th defects in entirety.

PAGE 23

4.8, line 1. Delete "fo" and substitute "of"

PAGE 26

6.2, subparagraph e. Delete and substitute:

"e. Whether the light assembly, conforming to Drawing 5-4-1605 or 5-4-1759, is required."

PAGE 27

6.8 Delete and substitute:

"6.8 Light assembly, air lock. The light assembly, in accordance with Drawing 5-4-1605, is for use when the air lock is to be supplied with the Inflatable Shelter, and in accordance with Drawing 5-4-1759 for use when the air lock is to be supplied with the Expandable Shelter."

Add new paragraph:

"6.9 Recycled material. It is encouraged that recycled material be used when practical as long as it meets the requirements of the specification (see 3.4)."

PAGE 32

Figure 5 - Delete.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T22:27Z
Check the source to verify that this is the current version before use.

Custodians:

Army - GL

Review activity:

Army - MD

Preparing activity:

Army - GL

Project No. 5410-A205

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T22:27Z
Check the source to verify that this is the current version before use.