MILITARY STANDARD

AUTOMATED ENGINEERING

DOCUMENT PREPARATION SYSTEM

FANS AND IMPELLERS

TO ALL HOLDERS OF DOD-STD-35-85A(MI):

1. THE FOLLOWING PAGES OF DOD-STD-35-85A(MI) HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED.

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
COVER	31 AUGUST 1987	COVER	1 DECEMBER 1978
ii	31 AUGUST 1987	ii	1 DECEMBER 1978
v	31 AUGUST 1987	v	1 DECEMBER 1978
1	31 AUGUST 1987	1	1 DECEMBER 1978
2	31 AUGUST 1987	2	1 DECEMBER 1978
3	31 AUGUST 1987	3	1 DECEMBER 1978
4	31 AUGUST 1987	4	1 DECEMBER 1978
5	31 AUGUST 1987	5	1 DECEMBER 1978
6	1 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	
9	31 AUGUST 1987	9	1 DECEMBER 1978
10	31 AUGUST 1987	10	1 DECEMBER 1978
11	1 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	
12	31 AUGUST 1987	12	1 DECEMBER 1978
13	31 AUGUST 1987	13	1 DECEMBER 1978
14	1 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	
15	31 AUGUST 1987	15	1 DECEMBER 1978
16	1 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	
29	1 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	
30	31 AUGUST 1987	30	1 DECEMBER 1978
127	31 AUGUST 1987	127	1 DECEMBER 1978
127a	31 AUGUST 1987		
127b	31 AUGUST 1987		
128	1 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	
135	1 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	
135a	31 AUGUST 1987		
135b	31 AUGUST 1987		
135C	31 AUGUST 1987		
135d	31 AUGUST 1987		
136	1 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

DOD-STD-35-85A(MI)
NOTICE 2

EW PAGE	DATE	SUPERSEDED PAGE (REPRINTED WITHOUT CHANGE)	DATE
141	1 DECEMBER 1978		
141a	31 AUGUST 1987		
141b	31 AUGUST 1987		
141c	31 AUGUST 1987		
141d	31 AUGUST 1987		
142	31 AUGUST 1987	142	1 DECEMBER 1978
143	31 AUGUST 1987	143	1 DECEMBER 1978
144	31 AUGUST 1987	144	1 DECEMBER 1978
145	31 AUGUST 1987	145	1 DECEMBER 1978
146	31 AUGUST 1987	146	1 DECEMBER 1978
147	31 AUGUST 1987	147	1 DECEMBER 1978

2. RETAIN THIS NOTICE PAGE AND INSERT BEFORE THE TABLE OF CONTENTS.

3. Holders of DOD-STD-35-85A(MI) will verify the page changes indicated above have been entered. The notice page will be retained as a check sheet. This issuance, together with append pages is a separate publication. Each notice is to be retained by stocking points until the Military Standard is completely revised or cancelled.

Custodian:
Army-MI

Review activities:
Army-AT
Army-AV
Army-ER
Army-ME
Army-MR
Army-SG
Army-CR

User activity:
Army-AR

Preparing activity:
Army-MI

(Project EDs-A376)

AREA EDS

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

DOD-STD-35-85A(MI)

1 DECEMBER 1978

SUPERSEDING
MIL-STD-35-85 (MI)
30 JANUARY 1975

MILITARY STANDARD

AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM

FANS AND IMPELLERS

AREA EDS

NO DELIVERABLE DATA REQUIRED BY THIS DOCUMENT

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

SUPERSEDES COVER OF 1 DECEMBER 1978

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

DEPARTMENT OF THE ARMY
U.S. ARMY MATERIEL COMMAND
ALEXANDRIA, VA 22333

Fans and Impellers
Automated Engineering
Document Preparation System

DOD-STD-35-85A(MI)

1. This Military Standard is approved for use by AMC, Department of the Army and is available for use by all Departments and Agencies of the Department of Defense.

2. Beneficial comments (recommendations, additions, deletions) and any pertinent data, which may be of use in improving this document should be addressed to Commander, U.S. Army Missile Command, ATTN: AMSMI-RD-SE-TD-ST, Redstone Arsenal, Alabama 35898-5270, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

CONTENTS

			Page
Paragraph	1.	SCOPE	1
	1.1	General	1
	1.2	Purpose	1
	1.3	Utilization	1
	1.4	Military Specification Exception Title Index	1
	2.	REFERENCED DOCUMENTS	4
	2.1	Government Documents	4
	2.1.1	Specifications and Standards	4
	2.2	Other Publications	5
	2.3	Order of Precedence	5
	3.	DEFINITIONS	6
	4.	GENERAL REQUIREMENTS	7
	4.1	Introduction	7
	4.2	Specification Requirement Sheet (SRS)	7
	4.3	Configuration	7
	4.3.1	Dimensions	7
	4.3.2	Illustrations	7
	4.4	Units of Measure	7
	5.	DETAILED REQUIREMENTS	8
	5.1	Introduction	8
	5.2	MSE Formats	8
	5.3	Referenced Documents	8
	5.4	Test Matrix	8
	5.5	Tabulation	10
	5.6	Keyword Code Index (KCI) and Standard Paragraphs	11
	5.6.1	Interrelationship of Codes	11
	5.6.2	Automatic MSE Data	11
	5.6.3	DOD-STD-35 Tables	11

TABLES

Table	I.	Title Index	2
	II.	Test Matrix	9
	III.	Tabulation Candidates	10

APPENDICES

APPENDIX	A.	Illustrations	120
	B.	Characteristic Code Index	142
		Index	149

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

1. SCOPE

1.1 General. This dash-numbered part of the Automated Engineering Document Preparation System (AEDPS), provides detailed requirements for the preparation of Military Specification Exception (MSE) documentation for Fans and Impellers.

1.2 Purpose. This military standard provides the necessary information to prepare a Specification Requirement Sheet (SRS) which will be used to generate a MSE by automated data processing.

1.3 Utilization. General instructions, quality assurance provisions, packaging, and notes, applicable to all AEDPS dash-numbered parts, have been included in the basic document (DOD-STD-35) to avoid redundancy. Unless otherwise specified in this dash-numbered part, the following list contains additional subjects applicable to all AEDPS dash-numbered parts and are included in DOD-STD-35:

a. Writing Methodology
b. Document and Part Numbering
c. Applicable Documents
d. Single and Multi-item Specification (Tabulation)
e. Keyword Code Index (KCI)
f. General Requirements of AEDPS

1.4 Military Specification Exception Title Index. The title code for a MSE shall be selected from one of the MSE titles listed in the Title Index (see table I). Data bases have been established for the generation of MSES for the MSE titles indicated. If a suitable title code is not contained in the Title Index, leave the title code spaces on the SRS blank, and attach a request for assignment of a title code. Include in the request the desired title and the base document identifier. A code will be assigned and the code, title, and base document will be made a part of the Title Index.

One of the six-digit codes listed in the Title Index and entered on a SRS, specifies that the title of the MSE will be the title shown in the Title Index.

Each MSE title, listed in the Title Index, is compatible with the document(s) listed with that title under base document. The list of base documents may or may not be a complete listing. The information shown under coverage is intended for the user's reference. When more than one document is listed for a MSE title, this information will be useful in determining which of the documents is most suitable for use as the base document.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

The MSE title may or may not be the same as the title used in DODISS, FIIG, or the base document. In general, the MSE title uses the basic federal item name listed in Cataloging Handbook H6. However, titles with additional modifying and identifying words are provided to assist in defining the scope of the MSE. Also, less restrictive titles are provided to prevent exclusion of items.

TABLE I. TITLE INDEX

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
BLOWER	316007	00-B-1620	AIR BARRIER
		MIL-B-1947	SOOT
		MIL-B-3402	GASOLINE DRIVEN VENTILATING
		MIL-B-7619	EXPLOSION PROOF EXHAUST
		MIL-B-23071	ELECTRONIC EQUIPMENT
		MIL-B-23072	SUIT VENT
		MIL-B-26793	GASOLINE DRIVEN
		MIL-B-28873	BRUSHLESS DC ELECT EQUIPMENT
		MIL-B-62062	GENERATOR COOL
		MIL-B-62284	AIR CLEANER
		MIL-B-81565	SUIT VENT
		MS17269	SUIT VENT
		MS22053	GARMENT VENT
FAN	316009	A-A-1939	OSCILLATING
		A-A-1943	MULTIPURPOSE HIGH VELOCITY
		A-A-50032	VENTILATING
		A-A-50506	MINIATURE, ELECT EQUIP.
		W-F-95	CIRCULATING RADIAL DISCHARGE
		W-F-97	CIRCULATING COLUMN, NONOSCILLATING
		W-F-101	CIRCULATING, DESK

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
FAN (CONT)	316009 (CONT)	MIL-F-68	CIRCULATING BRACKET NONOSCILLATING
		MIL-F-151	CIRCULATING CEILING
		MIL-F-16081	VENTILATING PROPELLER
		MIL-F-16716	CENTRIFUGAL INDUSTRIAL
		MIL-F-18523	CENTRIFUGAL DRAFT
		MIL-F-18602	VANEAXIAL, DRAFT STEAM DRIVEN
		MIL-F-18953	VANEAXIAL AND TUBEAXIAL VENT
		MIL-F-19004	CENTRIFUGAL VENT
		MIL-F-43320	TUBEAXIAL TENTS
		MIL-F-46851	GROUND SUPPORT EQUIPMENT
		MIL-F-47194	TUBEAXIAL INVERTER EXCITED
		MIL-F-50084	CENTRIFUGAL 12CFM
		MIL-F-51228	VANEAXIAL 300 CFM
		MIL-F-52925	CIRCULATING CEILING,PROP
		MIL-F-53026	CIRCULATING
		FED-STD-49	CIRCULATING NONOSCILLATING
		FED-STD-50	CIRCULATING DESK
		FED-STD-65	CIRCULATING RADIAL DISCHARGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

2. REFERENCED DOCUMENTS

2.1 Government Documents.

2.1.1 Specifications and Standards. Unless otherwise specified, the following specifications and standards, of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation, form a part of this standard to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-S-901	Shock Tests, H.I. (High Impact); Shipboard Machinery, Equipment and Systems, Requirements
MIL-F-16081	Fans, Ventilating, Propeller
MIL-I-17214	Indicator, Permeability, Low-Mu (Go-No-go)

STANDARDS

FEDERAL

FED-STD-406	Plastics: Methods of Testing

MILITARY

DOD-STD-35	Automated Engineering Document Preparation System
MIL-STD-130	Identification Marking of US Military Property
MIL-STD-167	Mechanical Vibrations of Shipboard Equipment
MIL-STD-202	Test Methods for Electronic and Electrical Component Parts

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

MIL-STD-461	Electromagnetic Interference Characteristics, Requirements for Equipment
MIL-STD-462	Electromagnetic Interference Characteristics, Measurements of
MIL-STD-740	Airborne and Structureborne Noise Measurements and Acceptance Criteria of Shipboard Equipment
MIL-STD-81O	Environmental Test Methods and Engineering Guidelines
MIL-STD-1285	Marking of Electrical and Electronic Parts

(Copies of specifications, standards, drawings, and publications required by contractors, in connection with specific procurement functions, should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other Publications. The following documents form a part of this standard to the extent specified herein. The issues of the documents which are indicated as DoD adopted shall be the issue listed in the issue of the DoDISS specified in the solicitation. The issues of documents which have not been adopted shall be those in effect on the date of the cited DoDISS.

ASTME380	Metric Practice Guide

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race St., Philadelphia, PA 19103.)

(Nongovernment standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

2.3 Order of Precedence. In the event of conflict between the text of this standard and the references cited herein, the text of this standard shall take precedence.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

3. DEFINITIONS

Definitions contained in DOD-STD-35 are applicable to Fans and Impellers.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

TABLE II. TEST MATRIX

DOCUMENT	CODE	TEST: 1904 Balance/Vibration	1924 Cold Start	1964 Endurance	2114 Overspeed
W-F-95					X
W-F-97		X			X
W-F-101		X			X
MIL-F-68				X	
MIL-F-151				X	
MIL-F-18602				X	
MIL-F-18953		X			
MIL-F-19004		X			
MIL-F-23071			X	X	
MIL-F-46851				X	

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

5.5 Tabulation. Instructions for tabulation are provided in DOD-STD-35. Table III provides codes for column headings which may be used for Fans and Impellers characteristics. When different units of measure are available for specifying a characteristic, only one of the units may be tabulated; e.g. either ounces or pounds.

TABLE III. TABULATION CANDIDATES

CODE	COLUMN HEADING	CODE	COLUMN HEADING	CODE	COLUMN HEADING
1562	OPERATING MEDIA	1563	FAN DRIVER INPUT WATTS	1578	FAN OUTPUT STANDARD CUBIC FEET PER MINUTE
1582	FAN OUTPUT CUBIC FEET PER MINUTE	1586	FAN OUTPUT CUBIC METERS PER MINUTE	1600	ELECTRIC MOTOR INPUT VOLTS AC
1606	ELECTRIC MOTOR INPUT VOLTS DC	1603	MOTOR FREQUENCY HERTZ	1612	MOTOR SPEED RPM
5060	OPERATING ALTITUDE FEET	5061	OPERATING ALTITUDE METERS		

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

5.6 Keyword Code Index (KCI) and Standard Paragraphs. The KCI provides codes, to be entered on a SRS, that are unique for the type part covered by this dash-numbered part of DOD-STD-35. The left-hand page presents the information in outline form using keywords and codes. The right-hand page presents the words that will appear in the MSE. To find the code to be entered on the SRS, find the subject in the index at the back of this dash-numbered part. Find the keyword on the KCI and it's associated code. Enter, on the SRS, the code and the characteristic value required. After the part's unique characteristics have been specified, refer to DOD-STD-35 when exceptions are required to Quality Assurance, Packaging, Notes, etc. Instructions are in DOD-STD-35 on how to enter any type characteristic value. Appendix B, Characteristic Code Index, provides a numerical list of codes used in this dash-numbered part. This index identifies the location of codes by page number.

5.6.1 Interrelationship of Codes. The interrelationship of the codes is shown by the indentation level of characteristic names on the KCI. The kind of characteristic value is shown by a colon, parentheses, period or underline. The standard paragraph, of which the code is a part, is shown adjacent to the code on the right-hand page. When a characteristic value, entered with a code, becomes part of the paragraph, the code is shown in the paragraph where the characteristic value will print. The MSE will contain the exact characteristic value entry, as supplied with the code, except for "X" entries.

5.6.2 Automatic MSE Data. Some statements, such as Altitude and Temperature, will appear in the printed MSE without making additional entries. These statements are linked by data base logic to characteristic codes listed under them and will print when one of the codes listed is used. Other statements may print automatically depending on the type MSE selected. Explanations are noted on the KCI as required.

5.6.3 DOD-STD-35 Tables. The KCI of this document contains references to tables in DOD-STD-35. Refer to DOD-STD-35 for general explanation in the generation of tables.

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
*REQUESTER'S NAME	0101
*COMPANY NAME/COMMAND	0102
*STREET/BUILDING	0103
*CITY, STATE, ZIP	0104
*PHONE NUMBER, INCLUDE AREA CODE, AUTOVON IF APPLICABLE	0105
*REQUESTER% FSCM	1004
*CONTRACT NUMBER/OFFICE SYMBOL	1005
*BASE DOCUMENT	1006
*SYSTEM APPLICATION	1008
*GOVERNMENT DESIGN ACTIVITY FSCM	6369
*FORMAT (SELECT ONE)	
SIX SECTION DOCUMENT.	0700
ONE SECTION DOCUMENT.	0800
*CONTROL (SELECT ONE)	
SOURCE.	6873

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
0101	0101.
0102	0102.
0103	0103.
0104	0104.
0105	0105.
1004	USER(S) FSCM(S) 1004.
1005	CONTRACT NUMBER OR OFFICE SYMBOL 1005.
1006	THE COMPLETE REQUIREMENTS FOR PROCURING THE ITEM(S) DESCRIBED HEREIN SHALL BE IN ACCORDANCE WITH THE BASE DOCUMENT(S), 1006, EXCEPT AS SPECIFIED IN THIS DOCUMENT. IN THE EVENT OF CONFLICT, THIS DOCUMENT SHALL GOVERN.
1008	SYSTEM APPLICATION 1008.
6369	GOVERNMENT DESIGN ACTIVITY FSCM 6369.
0700	
0800	
	SOURCE(S).
6873	THE FOLLOWING SOURCE(S) SHOWN WITH THE PART NUMBER(S) IS/ARE THE ONLY APPROVED SOURCE(S) FOR THE ITEM(S) DESCRIBED BY THIS DOCUMENT. IDENTIFICATION OF THE APPROVED SOURCE(S) HEREIN IS NOT T0 BE CONSTRUED AS A GUARANTEE OF PRESENT OR CONTINUED AVAILABILITY AS A SOURCE OF SUPPLY FOR THE ITEM DESCRIBED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
CONTROL (CONT)	
SPECIFICATION.	6874
*sOURCE TABLE	
NOTE: REFER TO TABLE V OF DOD-STD-35.	
APERTURE CARDS REQUIRED.	0107
REVISION OF AEDPS DOCUMENT (NUMBER)	0108
SCOPE	
NOTE: THIS ENTRY IS AUTOMATIC AND DETERMINED BY THE TITLE CODE USED.	
PART NUMBER	
NOTE: AUTOMATIC WITH A SINGLE ITEM MSE.	
NOTE: AUTOMATIC WITH A MULTI-ITEM MSE.	
UNITS OF MEASURE (SELECT ONE)	
U.S.	6941
SI.	6942

REPRINTED WITHOUT CHANGE
Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
6874	THE FOLLOWING SUGGESTED SOURCE(S) SHOWN WITH THEIR PART NUMBER(S) HAVE BEEN KNOWN TO MEET THE REQUIREMENT(S) OF THIS DOCUMENT. IDENTIFICATION OF THE 'SUGGESTED SOURCE(S) OF SUPPLY' HEREIN IS NOT TO BE CONSTRUED AS A GUARANTEE OF PRESENT OR CONTINUED AVAILABILITY AS A SOURCE OF SUPPLY FOR THE ITEM(S).
0107	
0108	0108. SCOPE. SCOPE. THIS DOCUMENT COVERS THE DETAILED REQUIREMENTS FOR TITLE CODE.
	PART NUMBER. THE PART NUMBER FOR THE ITEM IS SUPPLIED BY COMPUTER.
	PART NUMBER. THE PART NUMBER FOR THE ITEMS IS (THE SAME AS THE NUMBER OF THIS DOCUMENT) PLUS THE SUFFIX NUMBER FROM THE TABULATED CHARACTERISTIC TABLE. REVISION AND ACTIVITY SYMBOLS ARE NOT INCLUDED IN THE PART NUMBER.
6941	UNIT OF MEASURE. ALL UNITS OF MEASURE ARE IN INCH-POUND UNITS (U.S.) OR DEGREES UNLESS OTHERWISE SPECIFIED.
6942	UNIT OF MEASURE. ALL UNITS OF MEASURE ARE IN INTERNATIONAL SYSTEM OF UNITS (SI) OR DEGREES UNLESS OTHERWISE SPECIFIED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
TEMPERATURE RATING	
MAXIMUM OPERATING (DEGREES CELSIUS)	5069
MAXIMUM NONOPERATING (DEGREES CELSIUS)	5071
MAXIMUM STORAGE (DEGREES CELSIUS)	7302
MINIMUM OPERATING (DEGREES CELSIUS)	5068
MINIMUM NONOPERATING (DEGREES CELSIUS)	5070
MINIMUM STORAGE (DEGREES CELSIUS)	7301
ALTITUDE RATING	
OPERATING (SELECT ONE)	
SEA LEVEL TO (FEET)	5060
SEA LEVEL TO (METERS)	5061
NONOPERATING (SELECT ONE)	
SEA LEVEL TO (FEET)	5062
SEA LEVEL TO (METERS)	5063

REPRINTED WITHOUT CHANGE
Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
1616	THE LOCKED ROTOR CURRENT OF THE MOTOR SHALL BE NOT GREATER THAN 1616 AMPERES.
1618	THE DUTY CYCLE OF THE ELECTRIC MOTOR SHALL BE CONTINUOUS.
1620	THE DUTY CYCLE OF THE ELECTRIC MOTOR SHALL BE INTERMITTENT.
1622	THE ELECTRIC MOTOR ENCLOSURE SHALL BE OPEN .
1624	THE ELECTRIC MOTOR ENCLOSURE SHALL BE DRIP-PROOF.
1626	THE ELECTRIC MOTOR ENCLOSURE SHALL BE SPLASH-PROOF .
1628	THE ELECTRIC MOTOR ENCLOSURE SHALL BE GUARDED.
1630	THE ELECTRIC MOTOR ENCLOSURE SHALL BE DRIP-PROOF, FULLY GUARDED.
1634	THE ELECTRIC MOTOR ENCLOSURE SHALL BE TOTALLY ENCLOSED, FAN COOLED.
1636	THE ELECTRIC MOTOR ENCLOSURE SHALL BE WATERPROOF.
1638	THE ELECTRIC MOTOR ENCLOSURE SHALL BE EXPLOSION PROOF.
1640	THE ELECTRIC MOTOR ENCLOSURE SHALL BE DUST-IGNITION PROOF.


REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.


KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
DESIGN AND CONSTRUCTION (CONT)	
ELECTRIC MOTOR FAN DRIVER (CONT)	
SPECIFICATION (DOC DES)	1650
TYPE _____	1652
CLASS _____	1654
STYLE _____	1656
STEAM TURBINE FAN DRIVER	
SPECIFICATION (DOC DES)	1660
CAPACITY (BRAKE HORSEPOWER)	1662
SPEED (REVOLUTIONS PER MINUTE)	1664
MAXIMUM STEAM RATE (POUNDS PER BRAKE HORSEPOWER PER HOUR)	1666
INLET STEAM TEMPERATURE (DEGREES CELSIUS)	1668
INLET STEAM PRESSURE (SELECT ONE)	
(POUNDS PER SQUARE INCH GAGE)	1670
(KILOPASCALS)	1672

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.




316-05-1

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.


THIS PAGE INTENTIONALLY LEFT BLANK

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.



316-06-1


REPRINTED WITHOUT CHANGE
Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.



316-06-9

REPRINTED WITHOUT CHANGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.



316-06-10

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.



316-06-11

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.




316-06-12

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.


THIS PAGE INTENTIONALLY LEFT BLANK

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.




316-07-1






316-07-2

REPRINTED WITHOUT CHANGE
Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.




316-16-1



316-16-2


REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.



CCW ROTATION VIEWED FROM SHAFT END


316-10-3




316-10-4

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.



316-10-5




316-10-6

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

TRANSPORTATION- NON OPERATING

VERTICAL (2 HOURS)




TRANSVERSE, LONGITUDINAL (1 HR/AXIS)



MISSILE LAUNCHES (CUMULATIVE) -NON OPERATING

1 MINUTE



RANDOM VIBRATION

316-11-1

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

THIS PAGE INTENTIONALLY LEFT BLANK

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

APPENDIX B

CHARACTERISTIC CODE INDEX

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO 1	CHAR CODE	PAGE NO 1
0101	12	1412	102	1486	90	1574	18
0102	12	1413	102	1488	90	1575	18
0103	12	1414	102	1490	108	1578	18
0104	12	1416	102	1494	88	1580	18
0105	12	1418	100	1495	88	1582	20
0107	14	1419	102	1499	88	1584	20
0108	14	1420	102	1500	94	1586	20
0700	12	1421	102	1502	92	1587	22
0800	12	1426	112	1503	88	1588	20
1004	12	1427	112	1504	94	1589	22
1005	12	1428	112	1505	104	1590	20
1006	12	1429	74	1508	90	1591	22
1008	12	1430	114	1509	92	1592	20
1009	22	1431	112	1510	54	1594	20
1371	70	1432	74	1511	70	1596	20
1372	72	1433	100	1514	104	1598	20
1373	70	1435	112	1518	104	1600	26
1375	100	1436	112	1520	72	1601	26
1376	70	1438	112	1522	72	1603	26
1377	72	1439	114	1523	72	1604	26
1378	70	1446	106	1524	72	1606	26
1380	68	1447	106	1525	104	1607	26
1381	72	1448	106	1533	106	1609	26
1383	72	1449	78	1535	110	1610	26
1384	70	1452	112	1536	110	1612	26
1386	70	1453	112	1537	110	1614	26
1387	70	1455	106	1538	112	1616	28
1388	70	1456	106	1539	54	1618	28
1391	76	1459	112	1554	66	1620	28
1394	74	1462	114	1555	66	1622	28
1395	76	1464	88	1556	66	1624	28
1396	74	1466	108	1562	20	1626	28
1397	76	1467	110	1563	18	1628	28
1398	74	1468	90	1564	18	1630	28
1400	72	1470	110	1565	18	1634	28
1404	74	1475	108	1566	18	1636	28
1406	74	1476	108	1567	18	1638	28
1407	70	1478	90	1568	18	1640	28
1410	100	1480	108	1570	18	1650	30
1411	102	1482	90	1572	18	1652	30

Source: https://assist.dla.mil -- Downloaded: 202610-23T21:00Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
1654	30	1796	36	1974	56	2210	90
1656	30	1800	38	1982	58	2232	94
1660	30	1802	38	1984	58	2233	96
1662	30	1804	38	1985	58	2234	96
1664	30	1810	40	1986	58	2236	96
1666	30	1812	40	1992	58	2238	96
1668	30	1814	40	1993	58	2240	96
1670	30	1820	38	1994	58	2242	96
1672	30	1821	38	2022	62	2252	94
1674	32	1822	38	2024	62	2253	94
1676	32	1824	38	2026	62	2254	94
1678	32	1825	38	2028	62	2256	94
1690	32	1828	38	2030	62	2280	106
1692	32	1829	38	2036	60	2302	116
1710	32	1840	40	2037	62	2304	116
1712	32	1850	38	2038	62	2312	114
1714	32	1902	44	2050	62	2313	114
1716	34	1904	44	2092	78	2314	114
1718	34	1908	44	2094	78	2316	114
1720	34	1909	44	2102	78	2501	74
1730	34	1910	44	2103	78	2503	74
1732	34	1912	44	2104	78	2505	74
1734	34	1922	46	2112	80	2507	74
1736	34	1924	46	2114	82	2509	76
1738	34	1926	46	2116	82	2511	76
1740	34	1930	44	2122	80	2513	76
1750	36	1931	46	2123	80	2515	76
1752	36	1932	46	2124	80	2517	92
1754	36	1934	46	2126	80	2519	92
1756	36	1942	56	2132	82	2521	92
1758	36	1944	56	2134	82	2523	92
1770	36	1950	56	2142	82	2525	92
1772	36	1952	56	2143	82	2527	92
1774	36	1954	56	2144	82	2529	108
1780	36	1956	56	2146	82	2531	108
1782	36	1962	58	2200	90	2533	108
1786	36	1964	58	2202	90	2535	108
1788	36	1966	58	2204	90	2537	108
1790	36	1972	56	2206	90	2539	108
1794	36	1973	56	2208	90	2550	43

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
2551	43	2591	43	2631	43	2671	43
2552	43	2592	43	2632	43	2672	43
2553	43	2593	43	2633	43	2673	43
2554	43	2594	43	2634	43	2674	43
2555	43	2595	43	2635	43	2675	43
2556	43	2596	43	2636	43	2676	43
2557	43	2597	43	2637	43	2677	43
2558	43	2598	43	2638	43	2678	43
2559	43	2599	43	2639	43	2679	43
2560	43	2600	43	2640	43	2680	43
2561	43	2601	43	2641	43	2681	43
2562	43	2602	43	2642	43	2682	43
2563	43	2603	43	2643	43	2683	43
2564	43	2604	43	2644	43	2684	43
2565	43	2605	43	2645	43	2685	43
2566	43	2606	43	2646	43	2686	43
2567	43	2607	43	2647	43	2687	43
2568	43	2608	43	2648	43	2688	43
2569	43	2609	43	2649	43	2689	43
2570	43	2610	43	2650	43	2690	43
2571	43	2611	43	2651	43	2691	43
2572	43	2612	43	2652	43	2692	43
2573	43	2613	43	2653	43	2693	43
2574	43	2614	43	2654	43	2694	43
2575	43	2615	43	2655	43	2695	43
2576	43	2616	43	2656	43	2696	43
2577	43	2617	43	2657	43	2697	43
2578	43	2618	43	2658	43	2698	43
2579	43	2619	43	2659	43	2699	43
2580	43	2620	43	2660	43	2700	43
2581	43	2621	43	2661	43	2701	43
2582	43	2622	43	2662	43	2702	43
2583	43	2623	43	2663	43	2703	43
2584	43	2624	43	2664	43	2704	43
2585	43	2625	43	2665	43	2705	43
2586	43	2626	43	2666	43	2706	43
2587	43	2627	43	2667	43	2707	43
2588	43	2628	43	2668	43	2708	43
2589	43	2629	43	2669	43	2709	43
2590	43	2630	43	2670	43	2710	43

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
2711	43	3002	80	4778	64	4920	66
2712	43	3004	80	4782	84	4950	24
2713	43	3006	80	4788	64	4953	54
2714	43	3008	78	4790	66	4956	54
2715	43	4681	104	4793	66	4969	68
2716	43	4682	104	4798	62	4970	68
2717	43	4684	94	4799	62	4971	68
2718	43	4685	94	4800	64	4975	114
2719	43	4686	94	4801	54	4976	114
2720	43	4703	92	4840	54	4977	114
2721	43	4707	106	4844	52	4978	110
2722	43	4708	106	4845	52	4979	110
2723	43	4709	106	4846	52	4980	76
2724	43	4713	104	4847	50	4981	76
2725	43	4715	104	4849	48	4983	78
2726	43	4716	64	4853	66	4984	78
2727	43	4717	52	4854	52	4985	76
2728	43	4719	104	4855	52	4986	76
2729	43	4722	104	4856	50	4991	76
2730	43	4723	104	4861	52	5060	16
2731	43	4724	54	4862	52	5061	16
2732	43	4726	104	4867	52	5062	16
2733	43	4729	110	4871	64	5063	16
2734	43	4730	110	4872	54	5068	16
2735	43	4731	110	4874	50	5069	16
2736	43	4754	60	4875	50	5070	16
2737	43	4755	60	4878	84	5071	16
2738	43	4756	60	4884	48	6202	68
2739	43	4760	60	4885	48	6204	88
2740	43	4761	60	4886	48	6206	68
2741	43	4762	60	4890	66	6207	68
2742	43	4764	64	4891	50	6217	96
2743	43	4765	84	4894	48	6218	98
2744	43	4766	84	4895	54	6219	98
2745	43	4767	64	4897	52	6222	98
2746	43	4770	84	4901	48	6224	98
2747	43	4771	84	4906	48	6225	98
2748	43	4772	84	4908	46	6228	96
2749	43	4773	84	4916	66	6229	96
3000	80	4777	64	4919	66	6231	98

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
6232	98	6994	118				
6234	98	6995	118				
6235	98	7001	116				
6236	100	7002	116				
6237	100	7003	116				
6238	100	7004	116				
6267	52	7005	116				
6292	50	7021	40				
6293	50	7022	40				
6294	50	7023	40				
6296	100	7024	40				
6299	54	7301	16				
6300	48	7302	16				
6315	100	7305	86				
6316	100	7306	86				
6318	98	7307	88				
6319	98	7308	88				
6327	86	7309	88				
6334	64	7311	86				
6335	64	7312	86				
6336	64	7313	86				
6337	64	7315	84				
6338	86	7316	84				
6344	86	7317	86				
6345	86	7318	86				
6346	86	7572	22				
6347	86	7573	22				
6348	88	7574	22				
6349	88	7576	24				
6359	68	7577	24				
6369	12	7578	24				
6372	116	7580	26				
6870	116	7629	116				
6873	12	7630	116				
6874	14						
6941	14						
6942	14						
6991	118						
6992	118						
6993	118						

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

COMMANDER
US ARMY MISSILE COMMAND
ATTN: AMSMI-RD-SE-TD-ST
REDSTONE ARSENAL, AL 35898-5270

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
DOD-STD-35-85A	

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)*: _____
b. ADDRESS *(Street, City, State, ZIP Code)*	

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil – Downloaded: 2026-05-23T21:00Z
Check the source to verify that this is the current version before use.