MIL-STD-28
2 June 1958

SUPERSEDING
ANA BULLETIN 411a
4 January 1955

MILITARY STANDARD

DRAWING TITLES, APPROVED METHOD FOR ASSIGNMENT OF

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.

OFFICE OF THE ASSISTANT SECRETARY OF DEFENSE
WASHINGTON 25, D. C.

2 June 1958

Supply and Logistics

Drawing Titles, Approved Method
For Assignment of
MIL–STD–28

1. This standard has been approved by the Department of Defense and is mandatory for use by the Departments of the Army, the Navy, and the Air Force, effective 2 June 1958.

2. In accordance with established procedure, the Ordnance Corps, Bureau of Aeronautics and the Air Force, have been designated as Army-Navy-Air Force custodians of this standard.

3. Recommended corrections, additions, or deletions should be addressed to the Standardization Division, Office of the Assistant Secretary of Defense (Supply and Logistics), Washington 25, D. C.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.

CONTENTS

1. GENERAL
1.1 SCOPE
1.2 APPLICATION
2.1 REFERENCED DOCUMENTS

3. DEFINITIONS
3.1 DRAWING TITLE
3.2 ITEM NAME
3.3 TYPE DESIGNATOR
3.4 ASSEMBLY

4. GENERAL REQUIREMENTS
4.1 PROCEDURES FOR ASSIGNMENT OF DRAWING TITLES
4.2 GENERAL RULES

5. DETAIL REQUIREMENTS AND STATEMENTS
5.1 FIRST PART OF TITLE
5.2 SECOND PART OF TITLE
5.3 EXAMPLE OF DRAWING TITLE

6. SOURCES

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.

1. GENERAL

1.1 Scope. This standard establishes the procedures for creating the title block nomenclature for all drawings and for parts detailed thereon.

1.2 Application. This standard is applicable to drawings furnished to, or prepared by, the government. The requirements herein are not retroactive to existing drawings.

2. REFERENCED DOCUMENTS

2.1 The following Department of Defense publications, of the issue in effect on date of invitation for bid, form a part of this standard:

HANDBOOK

DEPARTMENT OF DEFENSE

H 6–1 — Federal Item Identification Guides for Supply Cataloging, Section A — Alphabetic Index of Names, Cataloging Handbook H 6–1.

STANDARDS

MILITARY

MIL–STD–12 — Abbreviations for Use on Drawings.

MIL–STD–280 — Definitions of Terms for Equipment Divisions.

3. DEFINITIONS

3.1 Drawing title. The drawing title shall be the name by which the part or item shall be known and will consist of a basic name, government type designator, if applicable, and sufficient modifiers to differentiate like items in the same major assembly.

3.2 Approved item name. An approved item name is a name approved by the office of Cataloging, OASD (S&L) and published in the Federal Item Identification Guides for Supply Cataloging, Section A, Cataloging Handbook H6-1 and shall be used when applicable.

3.3 Type designator. Type designators are a combination of letters and/or numbers assigned at the discretion of the government to identify a specific item.

3.4 Assembly and subassembly. The terms ASSEMBLY and SUBASSEMBLY when used as a part of the drawing title will conform to the definitions for these terms contained in MIL–STD–280.

4. GENERAL REQUIREMENTS

4.1 Procedures for creating drawing titles. Titles for drawings requiring modifiers shall be in two parts. The first part, shall be the name. The second part shall consist of those additional modifiers and government type designator necessary to complete the identification of the item. The drawing title shall be shown in upper-case letters.

4.2 General rules. The following rules apply to all drawing titles:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.

4.2.1 No abbreviation of any portion of the name (first part of the title) shall be made, except those necessarily used trademarked names and the words ASSEMBLY (ASSY), SUBASSEMBLY (SUBASSY), or INSTALLATION (INSTL). Abbreviations may be used in the second part of the title; however, they shall conform to those abbreviations listed in MIL–STD–12. In general, the use of abbreviations should be avoided.

4.2.2 Titles of detail parts shall be consistent with the titles of their next assembly drawings, except where interchangeability of such detail parts between assemblies makes consistency impractical or is prohibited by the procuring agency.

4.2.3 When a drawing is prepared to replace an existing drawing and the title of the drawing being replaced is in accordance with instructions contained herein, the same title shall be used. When the title of the drawing being replaced is not in accordance with these instructions, a new drawing title shall be developed.

4.2.4 A drawing title shall be as brief and simple as possible, shall describe the part, and shall distinguish between similar parts.

4.2.5 The names of parts detailed on a drawing shall consist of a noun or noun phrase. Modifiers may be used to distinguish between parts on the same drawing.

4.2.6 The latest edition of Webster's New International Dictionary (Unabridged) shall be the authority for spelling and definition of words. For those words with dual or multiple definitions, the Military definitions as published in the Federal Item Identification Guides for Supply Cataloging, Section A, Cataloging Handbook H 6-1 shall have precedence.

5. DETAIL REQUIREMENTS AND STATEMENTS

5.1 First part of title. The first part of the title, shall be one of the following in order of performance.

5.1.1 An approved item name selected from the Federal Item Identification Guides for Supply Cataloging, Section A, Part 1, Cataloging Handbook H 6-1.

5.1.2 Where the procedure outlined in paragraph 5.1.1 does not provide a suitable name, the following procedure shall be followed in developing a name.

5.1.2.1 The basic name shall be a noun or noun phrase. Modifiers shall be included as required by paragraph 5.1.2.2.

5.1.2.1.1 This noun or noun phrase shall establish a basic concept of an item. A compound noun or a noun phrase shall be used only when a single noun is not adequate to establish a basic concept of an item. Cataloging Handbook H 6-1 shall be used as a guide in establishing the noun or noun phrase.

5.1.2.1.2 The noun or noun phrase shall describe the part and the usage of the part, and not the material or method of fabrication. A noun or noun phrase such as "casting", "forging", "weldment", etc., shall not be used. In lieu of such a name, a noun or noun phrase shall be assigned which indicates what the item is or what it does, e.g., "BRACKET" in the title BRACKET, SUPPORT—MIXING VALVE.

5.1.2.1.3 The noun or noun phrase shall be used in singular form, except as follows:

(a) Where the only form of the noun is plural, e.g., "TONGS," "SCISSORS," "TROUSERS."

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.

(b) Multiple single items appearing on the same drawing, e. g., "FUSES," "CONNECTORS," "FASTENERS."

(c) Where the nature of the item requires the plural form, e.g., "CLIMBERS," "GLOVES."

5.1.2.1.4 The word "ASSEMBLY" shall be used in names selected from Cataloging Handbook H 6-1 exactly as published therein, e.g., CABLE ASSEMBLY, SPECIAL PURPOSE, ELECTRICAL. When no applicable name appears in Cataloging Handbook H 6-1 the word ASSEMBLY shall be used as the last word of the noun phrase, e.g., MANIFOLD ASSEMBLY, INTAKE—GASOLINE ENGINE.

5.1.2.1.5 An ambiguous noun, or one which designates several classes of items, shall not be used alone, but shall be used as part of a noun phrase. Example:

Acceptable	*Unacceptable*
RUNNING BOARD	BOARD, RUNNING
SLIDE RULE	RULE, SLIDE
SOLDERING IRON	IRON, SOLDERING

Note: One of the most difficult tasks in naming any item is the determination as to when a noun should be qualified as being ambiguous. The general rule quoted above is amplified to some extent in the succeeding paragraph. When a noun does not expressly fit under any of these rules, a guide in determining whether the selected noun is or is not ambiguous is to refer to Cataloging Handbook H 6–1 to see if it is listed. For example, if there is a question on the noun "plate" a review of the index will reveal many item names with the noun "plate" used, indicating that the noun is not considered as being ambiguous.

5.1.2.1.6 A trade-marked or copyrighted name shall not be used as the noun or noun phrase except where the technical name is extremely difficult, e.g., "FREON 12" rather than "DICHLORODIFLUORMETHANE," or where no other name is available.

5.1.2.1.7 When an item is not a container or material, but its name involves the use of a noun which ordinarily designates a container or material, a noun phrase shall be used as the basic name. Examples:

Acceptance	*Unacceptable*
JUNCTION BOX,	BOX, JUNCTION
CABLE DRUM,	DRUM, CABLE
SOLDERING IRON,	IRON, SOLDERING
BUTCHERS STEEL,	STEEL, BUTCHERS

5.1.2.1.8 The following words shall never be used alone but may be the last word of a noun phrase:

Acid	Machine
Apparatus	Mechanism
Assembly	Mix
Assortment	Mixture
Attachment	Oil
Compound	Outfit
Device	Plant
Element	Powder
Equipment	Shop
Fluid	Subassembly
Group	Tackle
Instrument	Tool
Kit	Unit
Liquid	Vehicle

Exceptions: In certain instances, some of the listed words may be used as the first word in a basic noun phrase, e.g., "MACHINE SHOP" or "TOOL KIT."

5.1.2.2 When the noun or noun phrase represents an item to which types, grades, variety, etc., are applicable, the remainder of the first part of the title shall consist of one or two modifiers:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.

5.1.2.2.1 A modifier may be a single word or a qualifying phrase. The first modifier shall serve to narrow the area of concept established by the basic name and succeeding modifiers must continue a narrowing of item concept by expressing a different type of characteristic. A word directly qualifying a modifying word shall precede the word it qualifies, thereby forming a modifying phrase, e.g., BRACKET, UTILITY LIGHT —ENGINEERS COMPARTMENT. It is to be noted the word "UTILITY" qualifies the word "LIGHT" and precedes it in the modifying phrase.

5.1.2.2.2 A modifier shall be separated from the noun or noun phrase by a comma and from any preceeding modifier by a comma. The hyphen in compound words and the dash in type designators are not punctuation marks. The first part of the title shall be separated from the second part of the title shall be separated from the second part of the title by a dash.

5.1.2.2.3 The conjunction "or" and the preposition "for" shall not be used.

5.2 **Second part of title.** The second part of the title shall consist of such additional modifiers, modifying phrases, or government type designators as are required. Modifiers indicating what an item is (its shape, structure, or form) or what the item does (its function) are preferable to modifiers indicating the application (what it is used for) or location of the item (where it is used).

Note: The phrase "ASSEMBLY OF" or "INSTALLATION OF" may be used as the last portion of the complete title on drawings depicting basic production build-up, outline and the like, e.g., "MOTOR-GENERATOR-EMERGENCY POWER, ASSEMBLY OF".

5.2.1 When two or more drawings are similar, and the parts detailed on them perform the same general function, they shall be distinguished by additional modifiers indicating their location, relative position, forms, dimensions, etc., for example: "RIB, WING SECTION, INNER—STATION 276."

5.2.2 In selecting modifiers or modifying phrases, there are certain key questions that can be applied which when answered serve to distinguish between similar items. The questions listed below are intended as guidelines to be followed, and, if more than one question is required to be answered to differentiate items, the assignment of modifiers or modifying phrases should be in the same sequence:

5.2.2.1 Government assigned type designators, if any, of the item (e.g., AN/APS–2, DY–15/ART–2).

5.2.2.2 Method of operation or operating characteristics (e.g., clockwise; counterclockwise; 23-Volt dc).

5.2.2.3 Material (not normally applicable if constructed of multi-material) (e.g., wood; aluminum alloy).

5.2.2.4 Pertinent dimensions or size, if readily determinable. (Not applicable to very irregularly shaped items). The details of the drawing will determine what dimensions are to be used.

Note: In constructing a drawing title, it is necessary to list only the dimensions that serve to distinguish two or more similar items.

5.2.2.5 Special features, if any, of the item.

5.2.2.6 Locating or positioning features, if any, which determine an item's location within an assembly (e.g., LH; RH: Upper; Station 111.9).

5.2.2.7 The second part of the name consisting of additional modifiers is not applicable to drawings of contractors standard parts, unless the contractor deems additional modifiers are necessary.

5.3 To illustrate the type of titles expected under the rules and guidelines furnished herein, a representative group of titles are contained in appendix 1 to this Standard.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.

6. SOURCES

6.1 Copies of specifications, standards, drawings, and publications required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.

6.2 Copies of this standard may be obtained for other than official use by individuals, firms, and contractors from the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C.

Preparing activity:
Air Force–HQ AMC

Other custodians:
Army—Ordnance Corps
Navy—Bureau of Aeronautics

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.

TYPICAL DRAWING TITLES WITH PARAGRAPH REFERENCES

DYNAMOTOR — (Para. 5.1.1) DY — 15/ART — 2 (Para. 5.2.2.1) 1000 VOLTS (Para. 5.2.2.2)

RANGE FINDER, FIRE CONTROL — (Para. 5.1.1) M 15 (Para. 5.2.2.1)

CAPACITOR, VARIABLE, AIR DIELECTRIC (Para. 5.1.1) NO DASH OR ADDITIONAL MODIFIERS REQUIRED, (Para. 5.2.2.7)

METER, TIME TOTALIZING — (Para. 5.1.1) 2000 HR (Para. 5.2.2.2) ASSY OF (Para. 5.2)

CATWALK , (Para. 5.1.2.1.1) NOSE FUSELAGE — (Para. 5.1.2.2.1) STATION 0 TO 111 (Para. 5.2.2.6)

GYROSCOPE (Para. 5.1.2.1.1) SUBASSEMBLY, (Para. 5.1.2.1.4 and 3.4) ELECTRIC — (Para. 5.1.2.2.1) AUTOMATIC PILOT (Para. 5.2)

HOIST ASSEMBLY— (Para. 5.1.2.1.1 and 5.1.2.1.4) AMMUNITION LOADER, (Para. 5.2.1) 20 MM (Para. 5.2.2.4)

Note: The first part of the title is separated from the second part of the title by a dash (Ref Para 5.1.2.2.2). To insure proper tabulation of nomenclature assigned to a drawing, a quick check is to read the title backwards from the last modifier to the next modifier to the name.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:51Z
Check the source to verify that this is the current version before use.