NOTICE OF
CHANGE

MIL-STD-35-81A(MI)
NOTICE 2
18 SEPTEMBER 1992

MILITARY STANDARD

AUTOMATED ENGINEERING
DOCUMENT PREPARATION SYSTEM

CONTAINERS

TO ALL HOLDERS OF MIL-STD-35-81A(MI):

1. THE FOLLOWING PAGES OF MIL-STD-35-81A(MI) HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED.

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
v	18 SEPTEMBER 1992	v	27 SEPTEMBER 1985
1	27 SEPTEMBER 1985	(Reprinted without change)	
2	18 SEPTEMBER 1992	2	27 SEPTEMBER 1985
3	18 SEPTEMBER 1992	3	27 SEPTEMBER 1985
4	18 SEPTEMBER 1992	4	27 SEPTEMBER 1985
5	18 SEPTEMBER 1992	5	27 SEPTEMBER 1985
6	18 SEPTEMBER 1992	6	27 SEPTEMBER 1985
43	27 SEPTEMBER 1985	(Reprinted without change)	
44	18 SEPTEMBER 1992	44	27 SEPTEMBER 1985
45	18 SEPTEMBER 1992	45	27 SEPTEMBER 1985
46	27 SEPTEMBER 1985	(Reprinted without change)	
65	27 SEPTEMBER 1985	(Reprinted without change)	
66	18 SEPTEMBER 1992	66	27 SEPTEMBER 1985
67	18 SEPTEMBER 1992	67	27 SEPTEMBER 1985
68	18 SEPTEMBER 1992	68	27 SEPTEMBER 1985

2. RETAIN THIS NOTICE PAGE AND INSERT BEFORE THE TABLE OF CONTENTS.

3. Holders of MIL-STD-35-81A(MI) will verify that page changes and additions indicated above have been entered. The notice page will be retained as a check sheet. This issuance, together with appended pages is a separate publication. Each notice is to be retained by stocking points until the Military Standard is completely revised or canceled.

Custodians:
Army-MI

Review activities:
Army-AT, AV, CR, ER
ME, MR, SC

User activity
Army - AR

Preparing activity:
Army - MI

(Project EGDS-A433)

AMSC N/A AREA EGDS

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:59Z
Check the source to verify that this is the current version before use.

CONTENTS

			Page
Paragraph	1.	SCOPE	1
	1.1	General	1
	1.2	Purpose	1
	1.3	Utilization	1
	1.4	Military Specification Exception Title Index	1
	2.	APPLICABLE DOCUMENTS	6
	2.1	Government documents	6
	2.2	Non-Government publications	6
	3.	DEFINITIONS	8
	3.1	DOD-STD-35 Definitions	8
	4.	GENERAL REQUIREMENTS	9
	4.1	Introduction	9
	4.2	Specification Requirement Sheet (SRS)	9
	4.3	Configuration	9
	4.3.1	Dimensions	9
	4.3.2	Illustrations	9
	4.4	Units of measure	9
	5	DETAILED REQUIREMENTS	10
	5.1	Introduction	10
	5.2	MSE Formats	10
	5.3	Referenced documents	10
	5.4	Tabulation	10
	5.5	Keyword Code Index (KCI) and Standard Paragraphs	13
	5.5.1	Interrelationship of Codes	13
	5.5.2	Automatic MSE Data	13
	5.5.3	DOD-STD-35 Tables	13

TABLES

Table	I.	Title Index	2
	III.	Tabulation Candidates	11

APPENDICES

Appendix	A.	Illustrations	128
	B.	Characteristic Code Index	185
		Index	190

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:59Z
Check the source to verify that this is the currentversion before use.

1. SCOPE

1.1 General. This dash-numbered part of the Automated Engineering Document Preparation System (AEDPS) provides detailed requirements for the preparation of Military Specification Exception (MSE) documentation for Containers.

1.2 Purpose. This military standard provides the necessary information to prepare a Specification Requirement Sheet (SRS) which will be used to generate an MSE by automated data processing.

1.3 Utilization. General instructions, quality assurance provisions, packaging, and notes, applicable to all AEDPS dash-numbered parts have been included in the basic document (DOD-STD-35) to avoid redundancy. Unless otherwise specified in this dash-numbered part, the following list contains additional subjects that are applicable to all AEDPS dash-numbered parts and are included in DOD-STD-35:

a. Writing Methodology
b. Document and Part Numbering
c. Applicable Documents
d. Single and Multi-item Specifications (Tabulation)
e. Keyword Code Index (KCI)
f. General Requirements of AEDPS

1.4 Military Specification Exception Title Index. The title code for a MSE shall be selected from one of the MSE titles listed in the Title Index (see table I). Data bases have been established for the generation of MSEs for the MSE titles indicated. If a suitable title code is not contained in the Title Index, leave the title code spaces on the SRS blank, and attach a request for the assignment of a title code. Include in the request the desired title and the base document identifier. A code will be assigned and the code, title, and base document will be made a part of the Title Index.

One of the six-digit codes listed in the Title Index, entered on an SRS, will specify that the title of the MSE will be the title shown in the Title Index.

Each MSE title listed in the Title Index is compatible with the document(s) listed with that title under base document. The list of base docuuments may or may not be a complete listing. The information shown under coverage is intended for the user's reference; when more than one document is listed for an MSE title, this information will be found useful in determining which of the documents is most suitable for use as the base document.

Source: https://assist.dla.mil -- Downloaded: 202640-23T20:59Z
Check the source to verify that this is the current version before use.

The MSE title may or may not be the same as the title used in DODISS, FIIG, or the base document. In general, the MSE title uses the basic federal item name listed in Cataloging Handbook H6. However, titles with additional modifying and identifying words are provided to assist in defining the scope of the MSE. Also, less restrictive titles are provided to prevent exclusion of items.

TABLE I. TITLE INDEX

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
BOX, FIBERBOARD	507001	MIL-B-17757	CORRUGATED, MODULAR SIZE
		MIL-P-26342	PALLET, EXP
		MS18023	SHIPPING
		MS90363	CONTENTS, 10 POUNDS OR LESS
		PPP-B-591	WOOD-CLEATED
		PPP-B-636	SHIPPING
		PPP-B-640	CORRUGATED TRIPLE-WALL
		PPP-B-1163	CORRUGATED, WEATHER RESIST
		PPP-B-1364	CORRUGATED, HI STRENGTH
		PPP-B-1672	SHIPPING, WITH CUSHIONING
BOX, PAPERBOARD	507003	PPP-B-566	FOLDING
		PPP-B-665	METAL EDGED
BOX, STORAGE	507004	MIL-B-233	REPAIR PARTS
		MIL-B-5806	HELICOPTER BLADE
BOX, WOOD	507005	MIL-B-26195	SKIDDED
		MIL-B-43666	SHIPPING, CONSOLIDATION
		MIL-B-46506	AMMUNITION PACK WIRE-BOUND
		PPP-B-576	CLEATED, PAPER OVERLAID
		PPP-B-580	HOUSEHOLD GOODS
		PPP-B-585	WIREBOUND

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:59Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
BOX, WOOD (CONT)	507005 (CONT)	PPP-B-587	WIREBOUND PALLET TYPE
		PPP-B-601	CLEATED-PLYWOOD
		PPP-B-621	NAILED AND LOCKED CORNER
CONTAINER, CARGO	507006	MIL-C-38770	STEEL, LT WEIGHT REUSABLE AIRLIFT
		MIL-C-52661	MODULAR, REUSABLE
CONTAINER, SHIPPING AND STORAGE AMMUNITION	507008	MIL-C-2439	FIBER, SPIRALLY WOUND
		MIL-C-10464	CANS, HERMETIC SEALING, METAL TEAR-STRIP TYPE
		MIL-C-63521	CANS, HEAVY ARMS 105MM CARTRIDGE
CONTAINER, SHIPPING AND STORAGE, ASSEMBLY/ COMPONENT	507009	MIL-C-14200	METAL, REUSABLE FOR ENGINES AND SIMILAR ASSY
CONTAINER, SHIPPING AND STORAGE, DRUM	507010	MIL-D-6054	METAL, EXTERNAL
		MIL-D-6055	METAL, REUSABLE
		MS24347	88 TO 50 CUBIC INCHES
		PPP-D-723	FIBER, DOMESTIC, OVERSEAS

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:59Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
CONTAINER, SHIPPING AND STORAGE, HAND PORTABLE	507012	MIL-C-23525	ALUMINUM AIRTIGHT PARTS
		MS18011	
		MS18026	
CONTAINER, SHIPPING AND STORAGE, WATER/VAPOR PROOF	507013	MIL-C-4150	CASE, EQUIP, SUPPLIES SHOCK MOUNTED
		MIL-C-5584	METAL, REUSABLE MISC COMPONENTS
		MIL-C-24465	METAL, CONT
		MIL-T-28800	TEST EQUIP SHOCK MOUNT
		MIL-C-38226	POLYURETHANE, SMALL ENGINES
CRATE	507016	MIL-C-9897	METAL, AIRFRAME COMPONENTS
CRATE, WOOD	507017	MIL-C-104	SHEATHED, NAILED AND BOLTED
		MIL-C-3774	OPEN, 12,000 AND 18,000 LB. CAP
		MIL-C-11133	OPEN, WIREBOUND
		MIL-C-11264	VEHICULAR ASSY

Source: https://assist.dla.mil -- Downloaded: 202640-23T20:59Z
Check the source to verify that this is the current version before use.

THIS PAGE DELETED

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:59Z
Check the source to verify that this is the current version before use.

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation.

SPECIFICATIONS

FEDERAL

PPP-B-566	Box, Folding, Paper Board
PPP-S-30	Sack, Shipping, Paper, Cushioned

MILITARY

MIL-C-52661	Container, Cargo

STANDARDS

FEDERAL

FED-STD-101	Test Procedures for Packaging Materials
FED-STD-191	Textile Test Methods

MILITARY

MIL-STD-202	Test Methods For Electronic and Electrical Component Parts
MIL-STD-810	Environmental Test Methods

(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Documents Order Desk, Bldg 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.)

2.2 Non-Government publications. The following document(s) form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DoD adopted are those listed in the issue of the DODISS cited in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS are the issues of the documents cited in the solicitation.

ASTM D 618	Conditioning Plastics and Electrical Insulating Materials for Testing

Source: https://assist.dla.mil - Downloaded: 2026-10-23T20:59Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
2112	CHASSIS COMPATIBILITY. THE REQUIREMENT(S) SHALL BE IN ACCORDANCE WITH THE BASE DOCUMENT, EXCEPT 2112.
2114	CHASSIS COMPATIBILITY. THE CONTAINER LOADED WITH MAXIMUM GROSS WEIGHT SHALL BE CAPABLE OF BEING TRANSPORTED ON A TRAILER CHASSIS CONFORMING TO MIL-S-62076.
2102	CHASSIS COMPATIBILITY. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH THE BASE DOCUMENT, EXCEPT 2102.
2104	CHASSIS COMPATIBILITY. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH MIL-C-52661.
2152	COMPRESSION. THE REQUIREMENT(S) SHALL BE IN ACCORDANCE WITH THE BASE DOCUMENT, EXCEPT 2152.
4450	COMPRESSION. THE REQUIREMENT(S) SHALL BE AS FOLLOWS:
2154	THERE SHALL BE NO LEAKAGE OF THE CONTENTS.
2156	THERE SHALL BE NO PERMANENT STRUCTURAL DEFORMATION.
2158	THERE SHALL BE NO EVIDENCE OF DAMAGE TO THE CONTENTS.
2159	THERE SHALL BE NO DAMAGE TO THE CONTAINER THAT WOULD DIMINISH IT'S SERVICEABILITY.

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:59Z
Check the source to verify that this is the currentversion before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
TEST METHODS (SELECT ONE)	
PER BASE DOCUMENT EXCEPT ____	2142
PER ASTM D 642	2143
PROCEDURE (LETTER)	2146
CONTENTS (SELECT ONE)	
SIMULATED CONTENTS.	2148
ACTUAL CONTENTS.	2149
COMPRESSION SET	
REQUIREMENTS (SELECT ONE)	
PER BASE DOCUMENT EXCEPT ____	2182
AS FOLLOWS:	4413
MAXIMUM COMPRESSION SET (SELECT ONE)	
(INCHES)	2184
(MILLIMETERS)	2186
TEST METHODS (SELECT ONE)	
PER BASE DOCUMENT EXCEPT ____	2162
PER (DOC DES)	2164

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:59Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
2142	COMPRESSION. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH THE BASE DOCUMENT, EXCEPT 2142.
2143	COMPRESSION. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH ASTM D 642.
2146	PROCEDURE LETTER(S) 2146 SHALL APPLY.
2148	THE CONTAINER CONTENTS DURING TESTING SHALL SIMULATE THE CONTENTS FOR WHICH CONTAINER USAGE IS INTENDED.
2149	THE CONTAINER CONTENTS DURING TESTING SHALL BE THE ACTUAL CONTENTS FOR WHICH CONTAINER USAGE IS INTENDED.
2182	COMPRESSION SET. THE REQUIREMENT(S) SHALL BE IN ACCORDANCE WITH THE BASE DOCUMENT, EXCEPT 2182.
4413	COMPRESSION SET. THE REQUIREMENT(S) SHALL BE AS FOLLOWS:
2184	THE COMPRESSION SET SHALL BE NOT GREATER THAN 2184 INCH(S).
2186	THE COMPRESSION SET SHALL BE NOT GREATER THAN 2186 MILLIMETER(S).
2162	COMPRESSION SET. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH THE BASE DOCUMENT, EXCEPT 2162.
2164	COMPRESSION SET. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH 2164.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:59Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
COMPRESSION LOAD (SELECT ONE)	
(PSI)	2166
(KILOPASCAL)	2168
SPECIMENS TESTED (QUANTITY)	2170
SPECIMEN CONDITIONING (HOURS)	2172
MAXIMUM TEMPERATURE DURING CONDITIONING (SELECT ONE)	
(DEGREES FAHRENHEIT)	3234
(DEGREES CELSIUS)	2176
MINIMUM TEMPERATURE DURING CONDITIONING (SELECT ONE)	
(DEGREES FAHRENHEIT)	3235
(DEGREES CELSIUS)	2174
MAXIMUM RELATIVE HUMIDITY (PERCENT)	2179
MINIMUM RELATIVE HUMIDITY (PERCENT)	2178

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:59Z
Check the source to verify that this is the currentversion before use.

CHAR CODE	STANDARD PARAGRAPH
2538	THE TEST DROP HEIGHT SHALL BE NOT LESS THAN 2538 MILLIMETER(S).
2542	THE TEST DROP HEIGHT SHALL BE NOT LESS THAN 2542 METER(S).
2544	THERE SHALL BE 2544 EDGE(S) TESTED.
2546	THERE SHALL BE 2546 DROP(S) PER EDGE.
2548	THE CONTAINER CONTENTS DURING TESTING SHALL SIMULATE THE CONTENTS FOR WHICH CONTAINER USAGE IS INTENDED.
2549	THE CONTAINER CONTENTS DURING TESTING SHALL BE THE ACTUAL CONTENTS FOR WHICH CONTAINER USAGE IS INTENDED.
2222	END WALL STRENGTH. THE REQUIREMENT(S) SHALL BE IN ACCORDANCE WITH THE BASE DOCUMENT, EXCEPT 2222.
4417	END WALL STRENGTH. THE REQUIREMENT(S) SHALL BE AS FOLLOWS:
2224	THERE SHALL BE NO PERMANENT STRUCTURAL DEFORMATION.
2226	THERE SHALL BE NO EVIDENCE OF DAMAGE TO THE CONTAINER.
2122	END WALL STRENGTH. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH THE BASE DOCUMENT, EXCEPT 2122.
2214	END WALL STRENGTH. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH MIL-C-52661.

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:59Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
MINIMUM TEST LOAD (SELECT ONE)	
(POUNDS)	2216
(NEWTONS)	2218
MINIMUM LOAD DURATION (MINUTES)	2219
FLAMMABILITY OF PLASTICS	
REQUIREMENTS (SELECT ONE)	
PER BASE DOCUMENT EXCEPT ___	3071
AS FOLLOWS:	3033
NO SUSTAINED COMBUSTION.	3072
NO DRIPPING, MELTING OR SOFTENING.	3074
MAXIMUM DURATION OF FLAME (SECONDS)	3076
TEST METHODS (SELECT ONE)	
PER BASE DOCUMENT EXCEPT ___	3062
PER (DOC DES)	3064
IGNITION METHOD (SELECT ONE)	
FUSE.	3066
BENZENE DROP.	3068

Source: https://assist.dla.mil -- Downloaded: 202640-23T20:59Z
Check the source to verify that this is the currenversion before use.

CHAR CODE	STANDARD PARAGRAPH
2216	THE TOTAL APPLIED TEST LOAD SHALL BE NOT LESS THAN 2216 POUND(S).
2218	THE TOTAL APPLIED TEST LOAD SHALL BE NOT LESS THAN 2218 NEWTON(S).
2219	THE APPLIED TEST LOAD SHALL BE MAINTAINED FOR A DURATION OF NOT LESS THAN 2219 MINUTE(S).
3071	FLAMMABILITY OF PLASTICS. THE REQUIREMENT(S) SHALL BE IN ACCORDANCE WITH THE BASE DOCUMENT, EXCEPT 3071.
3033	FLAMMABILITY OF PLASTICS. THE REQUIREMENT(S) SHALL BE AS FOLLOWS:
3072	THE TEST SPECIMEN SHALL NOT SUSTAIN COMBUSTION.
3074	THERE SHALL BE NO DRIPPING OF MELTED OR SOFTENED TEST MATERIAL DURING TESTING.
3076	THE DURATION OF COMBUSTION AFTER EXTINGUISHING THE SOURCE FLAME SHALL BE NOT GREATER THAN 3076 SECOND(S).
3062	FLAMMABILITY OF PLASTICS. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH THE BASE DOCUMENT, EXCEPT 3062.
3064	FLAMMABILITY OF PLASTICS. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH 3064.
3066	THE FUSE METHOD OF IGNITION SHALL BE USED.
3068	THE BENZENE DROP METHOD OF IGNITION SHALL BE USED.

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:59Z
Check the source to verify that this is the currentversion before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
FLEXURAL PROPERTIES OF PLASTICS	
REQUIREMENTS (SELECT ONE)	
PER BASE DOCUMENT EXCEPT ____	3092
AS FOLLOWS:	4445
MINIMUM FLEXURAL STRENGTH (SELECT ONE)	
(PSI)	3094
(KILOPASCAL)	3096
TEST METHODS (SELECT ONE)	
PER BASE DOCUMENT EXCEPT ____	3082
PER ASTM D 790	3084
PRETEST PER ASTM D 618, PROCEDURE (LETTER)	3086
FLOOR STRENGTH	
REQUIREMENTS (SELECT ONE)	
PER BASE DOCUMENT EXCEPT ____	2262
AS FOLLOWS:	4419

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:59Z
Check the source to verify that this is the current version before use.