
USER SYMBOLS:
REVIEWER SYMBOLS:
ARMY-AV
NAVY-AS
AIR FORCE-11
"Review/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS."
This military standard is approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

FED. SUP CLASS
1660



-1 ASSEMBLY (D)

(D) DENOTES CHANGES

APPROVED 9 MAY 63 REVISED (A) 29 SEP 66 (B) 13 AUG 69 (C) 23 JAN 75 (D) 10 SEP 82

P.A. NAVY - AS Other Cust. AF - 99 ARMY - AV	INTERNATIONAL INTEREST	TITLE **OXYGEN SYSTEM, PORTABLE, 96 CU IN. HIGH PRESSURE, AIRCRAFT**	**MILITARY STANDARD** **MS22061**
PROCUREMENT SPECIFICATION MIL-O-23678		SUPERSEDES BUWEPS DWGS 9154, 9208,USAF 60D3570 & 1225AS101	SHEET 1 OF 7


Source: https://assist.dla.mil -- Downloaded: 2026-10-25T14:45Z
Check the source to verify that this is the current version before use.


USER SYMBOLS:

REVIEWER SYMBOLS:
ARMY-AV
NAVY-AS
AIR FORCE-11

"Review/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS."

This military standard is approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.






-3 SUPPORT ASSEMBLY

APPROVED 9 MAY 63 REVISED Ⓓ FOR CHANGES SEE SHEETS 1 THRU 7


P.A. NAVY - AS Other Cust. AF - 99 ARMY - AV	INTERNATIONAL INTEREST	TITLE **OXYGEN SYSTEM, PORTABLE, 96 CU IN. HIGH PRESSURE, AIRCRAFT**	**MILITARY STANDARD** **MS22061**
PROCUREMENT SPECIFICATION MIL-O-23678		SUPERSEDES BUWEPS DWGS 9154, 9208,USAF 60D3570 & 1225AS101	SHEET 2 OF 7

Source: https://assist.dla.mil -- Downloaded: 2026-10-25T14:45Z
Check the source to verify that this is the current version before use.


USER SYMBOLS:
REVIEWER SYMBOLS:
ARMY-AV
NAVY-AS
AIR FORCE-11
"Review/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS."
This military standard is approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.




-4 RETAINER STRAP ASSEMBLY



-5 RETAINING STRAP ASSEMBLY



-6 KEEPER




-7 BUCKLE

APPROVED 9 MAY 63 REVISED (D) FOR CHANGES SEE SHEETS 1 THRU 7


P.A. NAVY - AS Other Cust. AF - 99 ARMY - AV	INTERNATIONAL INTEREST	TITLE **OXYGEN SYSTEM, PORTABLE, 96 CU IN. HIGH PRESSURE, AIRCRAFT**	**MILITARY STANDARD** **MS22061**
PROCUREMENT SPECIFICATION MIL-O-23678		SUPERSEDES BUWEPS DWGS 9154, 9208,USAF 60D3570 & 1225AS101	SHEET 3 OF 7

Source: https://assist.dla.mil -- Downloaded: 2026-10-25T14:45Z
Check the source to verify that this is the current version before use.


USER SYMBOLS:
REVIEWER SYMBOLS:
ARMY-AV
NAVY-AS
AIR FORCE-11
"Review/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS."
This military standard is approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.



-8 UPPER CLAMP



-9 LOWER CLAMP



-10 UPPER BRACKET
-11 LOWER BRACKET

APPROVED 9 MAY 63 REVISED Ⓓ FOR CHANGES SEE SHEETS 1 THRU 7

P.A. NAVY - AS Other Cust. AF - 99 ARMY - AV	INTERNATIONAL INTEREST	TITLE **OXYGEN SYSTEM, PORTABLE, 96 CU IN. HIGH PRESSURE, AIRCRAFT**	**MILITARY STANDARD** **MS22061**
PROCUREMENT SPECIFICATION MIL-O-23678		SUPERSEDES BUWEPS DWGS 9154, 9208,USAF 60D3570 & 1225AS101	SHEET 4 OF 7


Source: https://assist.dla.mil -- Downloaded: 2026-10-25T14:45Z
Check the source to verify that this is the current version before use.

USER SYMBOLS:


REVIEWER SYMBOLS:
ARMY-AV
NAVY-AS
AIR FORCE-11

"Review/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS."


This military standard is approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.




- 14 CLAMP



- 13 CONNECTOR RIB



- 19 NIPPLE (D)




-20 NUT (D)

APPROVED 9 MAY 63 REVISED (D) FOR CHANGES SEE SHEETS 1 THRU 7

P.A. NAVY - AS Other Cust. AF - 99 ARMY - AV	INTERNATIONAL INTEREST	TITLE **OXYGEN SYSTEM, PORTABLE, 96 CU IN. HIGH PRESSURE, AIRCRAFT**	**MILITARY STANDARD** **MS22061**
PROCUREMENT SPECIFICATION MIL-O-23678		SUPERSEDES BUWEPS DWGS 9154, 9208,USAF 60D3570 & 1225AS101	SHEET 5 OF 7

Source: https://assist.dla.mil -- Downloaded: 2026-10-25T14:45Z
Check the source to verify that this is the current version before use.

USER SYMBOLS:
REVIEWER SYMBOLS:
ARMY-AV
NAVY-AS
AIR FORCE-11
"Review/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS."
This military standard is approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.




-12 BOX ASSEMBLY

APPROVED 9 MAY 63 REVISED Ⓓ FOR CHANGES SEE SHEETS 1 THRU 7

P.A. NAVY - AS Other Cust. AF - 99 ARMY - AV	INTERNATIONAL INTEREST	TITLE **OXYGEN SYSTEM, PORTABLE, 96 CU IN. HIGH PRESSURE, AIRCRAFT**	**MILITARY STANDARD** **MS22061**
PROCUREMENT SPECIFICATION MIL-O-23678		SUPERSEDES BUWEPS DWGS 9154, 9208,USAF 60D3570 & 1225AS101	SHEET 6 OF 7

Source: https://assist.dla.mil -- Downloaded: 2026-10-25T14:45Z
Check the source to verify that this is the current version before use.

USER SYMBOLS:
REVIEWER SYMBOLS:
ARMY-AV
NAVY-AS
AIR FORCE-11
"Review/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS."
This military standard is approved for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.



(D) -21 CYLINDER AND VALVE ASSY (D)

NOTES:

1. MATERIALS:
   (A) KEEPER, -6; UPPER CLAMP, -8; LOWER CLAMP, -9; UPPER BRACKET, -10; LOWER BRACKET, -11; AND BOX, -12; SHEET STEEL, QQ-S-698 NO. 3 TEMPER, (QUARTER HAND), HRCQ.
   (B) BUCKLE, -7; STEEL WIRE, QQ-W-461.
   (C) CONNECTOR RIB -13, SHEET STEEL, QQ-S-698, NO. 2 TEMPER (HALF HARD) HRCQ.
   (D) CLAMP, -14; STEEL STRIP, CORROSION RESISTING, QQ-S-766.
   (E) TAPE, -15 AND -16; COTTON, MIL-T-5661, TYPE II, 1 INCH WIDE.
   (F) TREAD, NYLON, V-T-295, SIZE E, TYPE II, CLASS 1 OR 2.
   (G) NIPPLE, -19; AND NUT, -20, BRASS QQ-B-626, COMP 360 OR 377.
2. FINISH:
   (A) KEEPER, -6; UPPER CLAMP, -8; LOWER CLAMP, -9; UPPER BRACKET, -10; LOWER BRACKET, -11; CONNECTOR RIB, -13; BOX, -17; ZINC CHROMATE PRIMED PER TT-P-1757 AND PAINTED LUSTRELESS ENAMEL PER TT-E-516, COLOR BLACK (NO. 37038) PER FED-STD-595.
   (B) BUCKLE, -7; CADMIUM PLATE, QQ-P-416, CLASS A, TYPE I.
3. ALL BEND RADII .06 UNLESS OTHERWISE SPECIFIED. REMOVE ALL BURRS AND BREAK ALL SHARP EDGES.
4. DIMENSION IN INCHES. UNLESS OTHERWISE SPECIFIED, TOLERANCES: FRACTIONS ± 1/16, DECIMALS ± .010, ANGLES ± 1 ° DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH ANSI Y14.5.
5. ANGLE MOUNTING, -13; SHALL BE DZUS FASTENER CO., INC., 127 UNION ST., WEST ISLIP, N.Y. PART NO. PR3 1/2 RECEPTACLES OR EQUIVALENT.
6. VALVE OUTLET CONNECTION SHALL BE IN ACCORDANCE WITH FED-STD-H28/9, CONNECTION NO. 540 (.903-14NGO-RH-EXT.)
7. CYLINDER CLASS 15 OPTIONAL. USE CLASS 1, 2, 3, OR 4.
8. SIL-BRAZE, SILVER SOLDER SHALL BE IN ACCORDANCE WITH QQ-B-654, CLASS BAg-5.
9. CERTAIN PROVISIONS (FUNCTIONAL AND PHYSICAL INTERCHANGEABLE FEATURES) OF THIS STANDARD ARE THE SUBJECT OF INTERNATIONAL STANDARDIZATION AGREEMENT ABC AIR STANDARD 14/5, "WALK AROUND OXYGEN SETS," WHEN AMENDMENT, REVISION, OR CANCELATION OF THIS STANDARD IS PROPOSED WHICH WILL AFFECT OR VIOLATE THE INTERNATIONAL AGREEMENT CONCERNED, THE PREPARING ACTIVITY WILL TAKE APPROPRIATE RECONCILIATION ACTION THROUGH INTERNATIONAL STANDARDIZATION CHANNELS INCLUDING DEPARTMENTAL STANDARDIZATION OFFICES, IF REQUIRED.

FOR DESIGN PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID.

APPROVED 9 MAY 63 REVISED (D) FOR CHANGES SEE SHEETS 1 THRU 7

P.A. NAVY - AS Other Cust. AF - 99 ARMY - AV	INTERNATIONAL INTEREST	TITLE **OXYGEN SYSTEM, PORTABLE, 96 CU IN. HIGH PRESSURE, AIRCRAFT**	**MILITARY STANDARD** **MS22061**
PROCUREMENT SPECIFICATION MIL-O-23678		SUPERSEDES BUWEPS DWGS 9154, 9208,USAF 60D3570 & 1225AS101	SHEET 7 OF 7

Source: https://assist.dla.mil -- Downloaded: 2026-10-25T14:45Z
Check the source to verify that this is the current version before use.