INCH-POUND

MS27129E
30 November 2021
SUPERSEDING
MS27129D
20 January 2012

DETAIL SPECIFICATION SHEET

WASHER, FINISHING - COUNTERSUNK

Inactive for new design after 3 February 2000.

This specification sheet is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and procurement specification NASM45595.




FIGURE 1. Washer, Finishing-Countersunk.

Comments, suggestions, or questions on this document should be addressed to DLA Aviation VEB, 8000 Jefferson Davis Highway, Richmond, VA 23297-5616 or emailed to STDZNMGT@dla.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil.

AMSC N/A FSC 5310

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T15:16Z
Check the source to verify that this is the current version before use.

TABLE I. Dash numbers and dimensions

DASH NUMBER			NOM SIZE	A		∅B		C		D		E		F ±.003
BRASS	STEEL	CRES		MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	MAX	MIN	
1	2	3	.112	.247	.237	.385	.365	.096	.076	.036	.015	.027	.021	.012
4	5	6	.138	.303	.293	.448	.428	.102	.082	.036	.015	.031	.025	.014
7	8	9	.164	.357	.347	.541	.521	.112	.092	.036	.015	.031	.025	.014
10	11	12	.190	.437	.412	.603	.583	.122	.102	.036	.015	.040	.032	.018
13 1/	14 1/	15 1/	.216	.470	.455	.697	.677	.156	.136	.051	.031	.040	.032	.018
16	17	18	.250	.546	.526	.791	.771	.170	.150	.051	.031	.040	.032	.018
19	20	21	.3125	.678	.658	.947	.927	.222	.202	.051	.031	.044	.036	.020
22	23	24	.375	.810	.785	1.135	1.115	.260	.240	.051	.031	.055	.045	.025

1/ Inactive for new design after 20 March 1974.

Requirements:

1. Material. Brass, in accordance with ASTM B36/B36M, UNS C26000 or UNS C26800, quarter or half hard.
   Steel, in accordance with ASTM A108, grade 1018 (UNS G10180) or grade 1212 (UNS G12120) or ASTM A510, Grade 1020 (UNS G10200)
   Corrosion-resisting steel, in accordance with ASTM A666 for cold worked grades, ASTM A693 for precipitation hardening grades and ASTM A240/A240M for all other grades.

2. Protective coating. Brass-nickel plated, in accordance with SAE AMS-QQ-N-290, Class 1, or Chromium plated in accordance with SAE AMS2460, Class 1.

   Steel – cadmium plate in accordance with SAE AMS-QQ-P-416, Type II, Class 3.
   Corrosion-resistant steel, descaled and passivated in accordance with ASTM A380

3. Hardness. Washers shall be 104 HB minimum.

4. Part number. The part number shall consist of the basic MS number, followed by a dash number from Table I.

Example: MS27129 – 3

Dash number from Table 1

Basic MS number

MS27129-3 indicates - Washer, finishing countersunk; CRES, passivated, nominal size .112. .385 maximum outside diameter; .012 thickness.

Notes:

1. All dimensions in inches.

2. Remove all burrs and sharp edges before finish.

3. These washers can be used with both 82° and 100° countersunk screws.

4. In the event of a conflict between the text of this standard and the references cited herein, the text of this standard shall take precedence.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T15:16Z
Check the source to verify that this is the current version before use.

5. Referenced government (or non-government) documents of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DODISS) specified in the solicitation form a part of this standard to the extent specified herein.

6. Changes from previous issue: The margins of this specification are marked with vertical lines to indicate where changes from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the previous issue."

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T15:16Z
Check the source to verify that this is the current version before use.

APPENDIX A
3D Model for reference
only.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T15:16Z
Check the source to verify that this is the current version before use.

Custodians:
Army – AR
Navy – AS
Air Force – 99
DLA – GS

Preparing activity:
DLA – GS7

(Project 5310-2022-003)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T15:16Z
Check the source to verify that this is the current version before use.