

REVIEWER:
AIF– 84
ARMY – MO


NOTICE - REVIEW/USER INFORMATION IS CURRENT AS OF THE DATE OF THIS DOCUMENT. FOR FUTURE COORDINATION OF CHANGES TO THIS DOCUMENT, DRAFT CIRCULATION SHOULD BE BASED ON THE INFORMATION IN THE CURRENT DODISS.



VIEW SHOWING JAWS OPEN FOR LOCATING GUARDS



VIEW SHOWING JAWS CLOSED



-1 ASSEMBLY

SECTION A-A

NOTES

1. ASSEMBLY SHALL BE MANUFACTURED IN ACCORDANCE WITH MIL-R-8592/1
2. ALL PARTS ARE TO BE CADMIUM PLATED PRIOR TO ASSEMBLY. -11 SHALL BE STRESS RELIEVED PRIOR TO PLATING IN ACCORDANCE WITH QQ-P-416. -1 ASSEMBLY SHALL BE PLATED AFTER WELDING AND ASSEMBLE BELOW THE AREA MARKED. CARE SHALL BE EXERCISED TO ENSURE THAT -11 IS NOT REPLATED. FINISH SHALL BE IN ACCORDANCE WITH QQ-P-416, TYPE I, CLASS 1.
3. FINISH ALL OVER $\sqrt{125}$. SURFACE ROUGHNESS SHALL BE IN ACCORDANCE WITH MIL-STD-10.
4. BREAK ALL SHARP EDGES AND REMOVE ALL BURRS.
5. DIMENSIONS IN INCHES, UNLESS OTHERWISE SPECIFIED, TOLERANCES: DECIMALS ± .015, ANGLES ± 1/2˚, DIMENSIONING AND TOLERANCING SHALL BE IN ACCORDANCE WITH MIL-STD-8.

- CERTAIN PROVISIONS OF THIS STANDARD ARE THE SUBJECT OF INTERNATIONAL STANDARDIZATION AGREEMENT. ABC AIR STD 51/1 "THE USE OF HORSE COLLAR (STROP) TYPE HELICOPTER HOISTING GEAR" AND STANAG 3295 "HORSE COLLAR (STROP) TYPE HELICOPTER HOISTING GEAR". WHEN REVISION OR CANCELATION OF THIS STANDARD IS PROPOSED THE DEPARTMENTAL CUSTODIANS WILL INFORM THEIR DEPARTMENTAL STANDARDIZATION OFFICE SO THAT APPROPRIATE ACTION MAY BE TAKEN RESPECTING THE INTERNATIONAL AGREEMENT CONCERNED.

FOR DESIGN FEATURE PURPOSES, THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN.
REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON THE DATE OF INVITATIONS FOR BID.

APPROVED 24 June 65 REVISED

This military standard is approved by the Department of Defense and is mandatory for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.

P.A. NAVY - WP Other Cust. AF – 84 ARMY - MO	TITLE **GRIP, CABLE, RESCUE**	**MILITARY STANDARD** **MS90382**
PROCUREMENT SPECIFICATION MIL-R-8592/1	SUPERSEDES: BUWEPS DWG 60A138D1	SHEET 1 OF 3


DD FORM 1 SEP 87 672-1 (Coordinated) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:35Z
Check the source to verify that this is the current version before use.

REVIEWER:
AIF– 84
ARMY – MO


NOTICE - REVIEW/USER INFORMATION IS CURRENT AS OF THE DATE OF THIS DOCUMENT. FOR FUTURE COORDINATION OF CHANGES TO THIS DOCUMENT, DRAFT CIRCULATION SHOULD BE BASED ON THE INFORMATION IN THE CURRENT DODISS.

This military standard is approved by the Department of Defense and is mandatory for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.







SECTION B-B




-2 LOWER JAW




-3 SPRING RETAINING PLATE



-4 SPRING MOUNTING PLATE



-5 UPPER JAW



DETAIL "C"

MATERIAL: STEEL CONFORMING TO MIL-S-7952 FOR -2, -3, -4, & -5.

APPROVED 24 June 65 REVISED


P.A. NAVY - WP Other Cust. AF – 84 ARMY - MO	TITLE **GRIP, CABLE, RESCUE**	**MILITARY STANDARD** **MS90382**
PROCUREMENT SPECIFICATION MIL-R-8592/1	SUPERSEDES: BUWEPS DWG 60A138D1	SHEET 2 OF 3

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:35Z
Check the source to verify that this is the current version before use.


REVIEWER:
AIF– 84
ARMY – MO

NOTICE - REVIEW/USER INFORMATION IS CURRENT AS OF THE DATE OF THIS DOCUMENT. FOR FUTURE COORDINATION OF CHANGES TO THIS DOCUMENT, DRAFT CIRCULATION SHOULD BE BASED ON THE INFORMATION IN THE CURRENT DODISS.


This military standard is approved by the Department of Defense and is mandatory for use by all Departments & Agencies of the Department of Defense. Selection for all new engineering and design applications and for repetitive use shall be made from this document.




-6 ARM
1/4 X 1 X 4-3/4




-7 LOWER GUARD




-8 UPPER GUARD



-9 SHACKLE



-10 LINE



1-1/2 ACTIVE COILS
-11 SPRING
(SEE NOTE 2)

MATERIAL: FOR -6, -7, -8, -10, & -12 STEEL CONFORMING TO MIL-S-7952.
FOR -9, STEEL CONFORMING TO MIL-S-5675.
FOR -11, STEEL CONFORMING TO QQ-W-428, TYPE I.

APPROVED 24 June 65 REVISED

P.A. NAVY - WP Other Cust. AF – 84 ARMY - MO	TITLE **GRIP, CABLE, RESCUE**	**MILITARY STANDARD** **MS90382**
PROCUREMENT SPECIFICATION MIL-R-8592/1	SUPERSEDES: BUWEPS DWG 60A138D1	SHEET 3 OF 3

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:35Z
Check the source to verify that this is the current version before use.