INCH-POUND
2 June 1989
MIL-C-19328E
ADMENDMENT 1

MILITARY SPECIFICATION

CONVERTER, LIQUID OXYGEN,
5 LITER, MBA-5A

This amendment forms a part of MIL-C-19328E, dated 30 March 1983, and is approved for use by all Departments and Agencies of the Department of Defense.

Change Line 2 of title "5 LITER, MBA-5A" to "5 LITER, MB-5A".

PAGE 1

1.1 Line 2 delete "MBA-5A," and add: "MB-5A".

2.1.1 Delete paragraph entirely and add new: "2.1.1 Specifications and standards. The following specifications and standards form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation (see 6.2)."

Under STANDARDS, Federal, delete "L-P-378", "PPP-B-640" and add: "PPP-B-601 Boxes, Wood, Cleated Plywood".

Add boxed paragraph to bottom center of page:

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Oklahoma City Air Logistics Center/MMEOR, Tinker AFB OK 73145-5990 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

PAGE 2

Under SPECIFICATIONS, Military, delete "MIL-I-6181", "MIL-C-25516", "MIL-T-27730" and add: "MIL-C-25516 Connectors, Electrical, Miniature, Coaxial Environment Resistant Type, General Specification For" and "MIL-T-27730 Tape, Antiseize, Polytetrafluoroethylene With Dispenser".

Under STANDARDS, Military, delete"MIL-STD-143"," MIL-STD-781" and add: "MIL-STD-461 Electromagnetic Emissions And Susceptibility Requirements For The Control Of Electromagnetic Interference,""MIL-STD-462 Elecromagnetic Interference Characteristics Measurement Of" and"MIL-STD-781 Reliability Testing For Engineering Development Qualification And Production".

AMSC N/A FSC 1660
Distribution Statement A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T12:43Z
Check the source to verify that this is the current version before use.

Under STANDARDS, Military, delete "MIL-STD-810's title" and add new title "Environmental Test Methods And Engineering Guideliness." Add: "MIL-STD-970 Standards And Specifications, Order Of Preference For The Selection Of" and "MIL-STD-2073-1 DOD Material Procedures For Development And Application Of Packaging Requirements.

Delete parenthetical source statement and add new:

"(Unless otherwise indicated, copies of federal and military specifications and standards are available from the Naval Publications and Forms Center, (ATTN: NPODS), 5801 Tabor Avenue, Philadelphia, PA 19120-5099.)"

Delete "2.1.2" entirely and add new "2.1.2 Other Government documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this document to the extent specified herein. Unless otherwise specified, the issues are those cited in the solicitation. Air Force Engineering Drawing 8148650 Documents Cleaning, Inspection And Packaging Of Breathing Oxygen Equipment (Application for copies should be addressed to OC-ALC/DSTDL Tinker AFB, OK 73145-5990).

Add: "2.2 Non-Government publications. The following document (s) form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DoD adopted are those listed in the issue of the DODISS cited in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS are the issues of the documents cited in the solicitation (see 6.2).

American Society For Testing And Materials (ASTM)

ASTM D3951 Packaging, Commercial

(Application for copies should be addressed to: ASTM, 1916 Race St, Philadelphia, PA 19103.)

(Non-Government standards and other publicatons are normally available from the organizations that prepare or distribute the documents. These documents also may be available in or through libraries or other informational services.)"

Add: "2.3 Order of precedence. In the event of a conflict between the text of this document and the references cited herein (except for related associated detail specifications, specification sheets, or MS standards), the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained."

3.1 Delete paragraph entirely and add new: "Qualification. The converter furnished under this specification shall be products which are authorized by the qualifying activity for listing on the applicable qualified products list at the time of award of contract (see 4.3 and 6.3)."

3.2 Delete paragraph entirely and add new: "First article. When specified, a sample shall be subjected to first article inspection (see 6.4) in accordance with 4.4)."

3.3 Line 3 delete "MIL-STD-143" and add: "MIL-STD-970."

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T12:43Z
Check the source to verify that this is the current version before use.

PAGE 5

3.6.4 Line 9 delete "MIL-I-6181" and add: "MIL-STD-461".

PAGE 10

Add: "4.1.1 Responsibility for compliance. All items shall meet all requirements of sections 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of ensuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling inspection, as part of manufacturing operations, is an acceptable practice to ascertain conformance to requirements, however, this does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to accept defective material."

PAGE 11

Add: Under 4.3.1 "i One complete converter assembly will be submitted with the qualification test reports, if applicable."

Delete the last two sentences under 4.3.1 "Samples shall be ..... information: and Sample submitted by (name).....(see 6.3)."

PAGE 12

4.4.1 Add to the first sentence at the beginning "If required by contract and ".

PAGE 14

4.6.1 Line 1 the beginning of first sentence add: "If required by contract".

PAGE 15

4.6.2 Delete entirely and add new: "4.6.2 Applicable to the Air Force. For purchases by the Air Force, the sampling tests, examination, and acceptance criteria shall be the same as specified in 4.6.1. Approval of the quality conformance verification inspection laboratory, approval activity, and other pertinent information (see 4.6.1 for information) shall be as specified by the contracting officer (see 6.2.1, f)."

PAGE 23

Delete Section 5 in its entirety and add:

"5. Packaging.

5.1 Preservation. Preservation shall be level A, C, or Industrial, IAW MIL-STD-2073-1, as specified (see 6.2)

5.1.1 Level A.

5.1.1.1 Cleaning. Cleaning shall be accomplished in accordance with Air Force Engineering Drawing 8148650 or industry practice for liquid oxygen (LOX) service.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T12:43Z
Check the source to verify that this is the current version before use.

Petroleum derivative solvents shall not be used.

5.1.1.2 Preservation application. Preservative shall not be used.

5.1.1.3 Unit Packaging. The converter assembly shall have all threaded ports, orifices and fittings capped with metal fittings only, conforming to MIL-C-5501 or commercially equivalent. Unless otherwise specified by the contracting activity. Each converter shall be packaged in quantity unit packs of one each in accordance with Method III of MIL-P-116, Corrugated fiberboard conforming to PPP-F-320, class domestic, shall be used as dunnage in the form of pads, cells, sleeves or die-cuts to protect the converter in an individual close-fitting weather resistant container conforming to PPP-B-636. The container closure shall be accomplished in accordance with applicable procedures specified in the appendix there to.

5.1.2 Level C. The converter shall be individually packaged in a manner that will prevent physical damage or environmental deterioration during shipment from supply source to the first receiving activity. Each converter must have all threaded ports, orifices and fittings capped with metal fittings only, conforming to MIL-C-5501, or commercially equivalent.

5.2 Packing. Packing shall be level A, B, C, or Industrial as specified (see 6.2).

PAGE 24

5.2.1 Level A. The converter packaged as specified in 5.1.1 shall be packed in shipping containers conforming to PPP-B-601, Styles A or B, Class overseas, unless otherwise specified by the contracting activity. In so far as practical, exterior shipping container shall be of uniform shape, size, minimum tare and cube consistent with the protection required.

5.2.2 Level B. The converter packaged as specified in 5.1.1 shall be packed in shipping containers conforming to PPP-B-636, class weather-resistant, unless otherwise specified in 5.2.1 apply.

5.2.3 Level C. Packing shall be applied which affords adequate protection during domestic shipment from the supply source to the first receiving activity for immediate use. This level shall conform to applicable carrier rules and regulations.

5.2.4 Industrial. The packaged converter shall be packed in accordance with ASTM D3951.

5.3 Marking. Each unit and shipping containers shall be marked in accordance with MIL-STD-129. In addition, the following precautionary marking shall be required on each unit package and shipping container:

Oxygen Components - All oil, grease, shop residue, or other contaminants have been removed.

Do not open until ready for use.

PAGE 25

6.2.1.f Add to the end of the sentence "if applicable."

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T12:43Z
Check the source to verify that this is the current version before use.

Add: "6.2.1.j Issue of DODISS to be cited in the solicitation, and if required, the specific issue of individual documents referenced (see 2.1)."

6.3 Delete the last two sentences and add: "The activity responsible for the Qualified Products List (QPL) is OC-ALC/MMEOR, Tinker AFB, OK 73145-5990, and information pertaining to qualification of products may be obtained from that activity."

PAGE 27

Delete "6.7" entirely.

Custodians:
AIR FORCE - 99
NAVY -AS

Preparing Activity
AIR FORCE - 71

Project No:
1660-0592

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T12:43Z
Check the source to verify that this is the current version before use.