INCH-POUND
MIL-C-19328E
AMENDMENT 2
27 January 1995
SUPERSEDING
AMENDMENT 1
02 June 1989

MILITARY SPECIFICATION

CONVERTER LIQUID OXYGEN, 5 LITER MB-5A

This amendment forms a part of MIL-C-19328E, dated 30 March 1983, and is approved for use by all departments and Agencies of the Department of Defense.

PAGE 1

Change line 2 of title "5 LITTER, MBA-5A" to "5 LITER MB-5A".

1.1: Line 2, Delete: "MBA-5A" and add: "MB-5A".

2.1.1: Delete and substitute:

2.1.1 Specifications, standards, and handbooks. The following specifications, standard and handbooks form a part of this specification to the extent specified herein. Unless otherwise specified the issues of these documents shall be those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation.

l Under SPECIFICATIONS, FEDERAL, Delete: "L-P-378", "PPP-B-640" and add: "PPP-B-601 Boxes, Wood, Cleated Plywood", "PPP-C-1797, Cushioning Material, Resilient Low Density, Unicellular, Polypropylene Foam.

Add boxed paragraph to bottom center of page:

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Oklahoma City Air Logistics Center/TICLA. Tinker AFB OK 73145-5990 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

* Add to bottom of the page:

"AMSC N/A FSC 1660
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited."

AMSC N/A FSC 1660
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T12:43Z
Check the source to verify that this is the current version before use.

* under SPECIFICATIONS, MILITARY, delete: “MIL-I-6181”, “MIL-C-25516”, “MIL-T-27730”, “MIL-C-81302”, "MIL-T-81533”, and add: “MIL-B-121, Barrier Material, Greaseproofed, Waterproofed, Flexible", “MIL-B-131, Barrier Material, Water vaporproof, Greaseproof, Flexible, Heat-Sealable”, “MIL-C-25516 Connection Electrical, Miniature, Coaxial Environment Resistant Type, General Specification For", "MIL-P-26514, Polyurethane Foam, Rigid or Flexible, For Packaging" and “MIL-T-27730 Tape, Antiseize, Polytetrafluoroethylene With Dispenser”.

* Under STANDARDS, MILITARY, delete: “MIL-STD-143", "MIL-STD-781" and add: "MIL-STD-461 Electromagnetic Emissions And Susceptibility Requirements For The Control Of Electromagnetic Interference”, MIL-STD-462 Electromagnetic Interference Characteristics Measurement of, "MIL-STD-781 Reliability Testing For Engineering Development Qualification And Production" and “MIL-STD-2073-1, DoD Material Procedures For Development And Application Of Packaging Requirements”.

* Under STANDARDS, MILITARY, delete: “MIL-STD-810’s title” and add: “Environmental Test Methods and Engineering Guidelines". Add: “MIL-STD-970 Standards And Specification, Order Of Preference For The Selection Of, "MIL-STD-2073-1 DOD Material procedures For Development And Application Of Packaging Requirements” and “MIL-STD-1359 Cleaning And Marking Instructions For Life Support Oxygen Breathing Devices And Components”.

Parenthetical source statement: Delete and substitute:

“(Unless Otherwise indicated, copies of federal and military specications, and standards are available from the Standardiza Documents Order Desk, Building 4D, 700 Robbins Ave, Philadelphia, PA 19111-5094)”

* 2.1.2: Delete entirely.

Add:

* 2.1.2 Other Government documents. drawings, and publications. The following other Government documents, drawings, and publications form a part of this document to the extent specified herein. Unless otherwise specified the issues are those cited in the solicitation.

Air Force Engineering Drawing

8148650 Documents Cleaning, Inspection and Packaging of Breathing Oxygen Equipment

(Application for copies should be addressed to OC-ALC/DSTDL, Tinker AFB, OK 73145-5990)

Add:

“2.2 Non-Government publication. The following document forms a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DOD adopted are those listed in the issue of the DODISS cited in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS are the issues of the documents cited in the solicitation (see 6.2).

American Society For Testing And Materials (ASTM)

ASTM D5118/D5118M Standard Practice for Fabrication of Fiberboard Shipping Boxes

Source: https://assist.dla.mil -- Downloaded: 202610-18T12:43Z
Check the source to verify that this is the current version before use.

(Application for copies should readdressed to: ASTM, 1916 Race St., Philadelphia, PA 19103.)

(Nongovernment standards and other publications are normally available from the organizations which prepare or which distribute the documents. These documents also may be availabile in or through libraries or other informational services.)

2.3 Order of precedence. In the event of a conflict between the text of this document and the references cited herein (except for related associated detail specification, specification sheets, or MS standards), the text of this documents takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained."

3.1: Delete and substitute:

"3.1.1 Qualification. The converter furnished under this specification shall be a product which is qualified for listing on the applicable qualified products list at the time set for opening of bids (see 4.3 and 6.3)."

3.2: Delete and substitute:

"3.2 First article. When specified (see 6.2), a sample shall be subjected to first article inspection (see 6.4) in accordance with 4.4 and 6.4."

3.3: Line 3 delete: "MIL-STD-143" and substitute: "MIL-STD-970".

PAGE 5

3.6.4: Line 9 delete "MIL-I-6181" and substitute: "MIL-STD-461".

PAGE 9

* 3.11.1: Delete and substitute:

3.11.1 Cleaning. Prior to assembling the converter, all internal surfaces of the converter shall be cleaned in accordance with MIL-STD-1359."

PAGE 10

Add:

"4.1.1 Responsibility for compliance. All items shall meet all requirements of sections 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of ensuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling inspection as part of manufacturing operations, is an acceptable practice to ascertain conformance to requirements, however, this does not authorize submission of know defective material, either indicated or actual, nor does it commit the Government to accept defective material."

PAGE 11

4.3.1: Add:

"i. One complete converter assembly will be submitted with the qualification test reports, if applicable."

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T12:43Z
Check the source to verify that this is the current version before use.

Delete:

"Samples shall be forwarded to a test facility set forth in the letter of authorization to submit samples (see 6.3). The samples shall be plainly identified by securely attached durable tags marked with the following information:

Sample submitted by (name) (date) for qualification inspection in accordance with the requirements of MIL-C-19328 and number under authorization (reference authoring letter and number, (see 6.3))."

PAGE 12

4.4.1: Add to the beginning of first sentence: "If required by contract and".

PAGE 14

4.6.1: Add to the beginning of first sentence: "If required by contract and".

PAGE 15

4.6.2: Delete and substitute:

"4.6.2 Applicable to the Air Force. For purchases by the Air Force, the sampling tests, examination, and acceptance criteria shall be the same as specified (see 4.6.1). Approval of the quality conformance verification inspection laboratory. approval activity, and other pertinent information (see 4.6.1 for information'? shall be as specified by the contracting officer (see 6.2.1, f)."

PAGE 17

* 4.8.3.2: Add to the end of the second sentence: "Type I".

PAGE 23

Section 5: Delete and substitute:

"5. Packaging.

* 5.1 Preservation. Preservation shall be level A or C as specified.

* 5.1.1 Level A.

* 5.1.1.1 Cleaning. Cleaning shall be in accordance with Air Force Drawing 8148650.

* 5.1.1.2 Drying. Drying shall be in accordance with Air Force Drawing 8148650.

* 5.1.1.3 Preservation abdication Preservation shall not be used.

* 5.1.1.4 Unit packs. Unless otherwise specified by the contracting activity, the converter shall be packaged in Quantity Unit Pack (QUP) of one each. Each item will be provided a preservation method in accordance with MIL-P-116, Submethod LA-14. Unit container requirements shall be in accordance with ASTM D5118/D5118M, Regular Slotted (RSC/0201) as specified by the contracting activity. Unit container shall be large enough for application of sufficient wrap (MIL-B-121) and cushioning (PPP-C-1797) material between the item and unit container. Container placed in bag (MIL-B-131) heat-sealed then placed in container (ASTM D5118/D5118M, Type Weather-Resistant), shall be large enough for application of sufficient cushioning (MIL-P-26514, Type I, Class 2, Grade C).

Source: https://assist.dla.mil -- Downloaded: 202610-18T12:43Z
Check the source to verify that this is the current version before use.

* 5.1.1.5 Intermediate packs. Intermediate/shipping containers shall be large enough to allow for application of sufficient cushioning material, between the unit container and intermediate/shipping container. Cushioning material shall be of sufficient density and thickness to insure shock transmission does not exceed peak values which have been established for the item.

* 5.1.2 Level C. Except as specified herein the level C preservation for converters shall be in accordance with MIL-S-2073-1. Wrapping and cushioning materials shall be nonstatic generating and noncorrosive and shall not crumble, flake, powder or shed.

5.2 Packing. Packing shall be level A, B, or C as specified.

PAGE 24

5.2.2 Level A. Converters preserved as specified (see 5.1.1) shall be packed in shipping containers in accordance with PPP-B-601.

* 5.2.3 Level B. Converters preserved as specified (see 5.1.1) shall be packed in exterior containers in accordance with ASTM D5118/D5118M, Type weather-resistant unless otherwise specified by the contracting activity. Exterior container shall be uniform shape, size and minimum tare and cube, consistent with the protection required. Closure shall be in accordance with ASTM D1974-91, Sealing Method A, or as specified by the contracting activity.

* 5.2.4 Level C. Converters preserved as specified (see 5.1.1) shall be packed in such a manner that will afford adequate protection against physical/mechanical damage during direct domestic shipment from the supply source to the first receiving activity. These containers shall be in accordance with ASTM D5118/D5118M-90.

* 5.3 Marking. Each unit and shipping containers shall be marked in accordance with MIL-STD-129. In addition, the following precautionary marking shall be required on each unit package and shipping container:

OXYGEN COMPONENTS - ALL OIL, GREASE, SHOP RESIDUE,
OR OTHER CONTAMINANTS HAVE BEEN REMOVED.

DO NOT OPEN UNTIL READY FOR USE.”

PAGE 25

6.2.1: add: "j. Issue of DODISS to be cited in the solicitation, and if required the specific issue of individual documents referenced (see 2.l).”

6.2.1 f: At the end of the sentence add: “if applicable.”

* 6.3 Delete last two sentences and add “The activity responsible for the Qualified Products List (QPL) is OC-ALC/TICLA, Tinker AFB,OK 73145-5990, and information pertaining to qualification of products may be obtained from that activity.”

PAGE 27

6.7: Delete entirely.

The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractos are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T12:43Z
Check the source to verify that this is the current version before use.