MIL-C-17376/3
14 September 1973
SUPERSEDING
MS39218
6 January 1963


MILITARY SPECIFICATION SHEET

CAPS AND FLANGES, COMPRESSED-GAS CYLINDER:

FLANGE, HIGH PRESSURE

The complete requirements for procuring the flange described herein shall consist of this document and the issue in effect of specification MIL-C-17376.

This specification is approved for use by all Departments and Agencies of the Department of Defense.



TYPE DESIGNATION	A
CI7376/3-1	3-1/8-11 UNS-1

DIMENSIONS ARE IN INCHES

FIGURE 1. FLANGE

X-2402A

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:06Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. Material:

Steel shall have a carbon content not greater than 0.25 percent, or shall be composition AISI 4130 of FED. STD. No. 66.

2. Configuration is a representative neck ring and may be varied provided dimensions of threaded portions are as shown and the dimensions fit the configuration of the cylinder.

INTENDED USE:

The cylinder flanges covered in this specification sheet are intended to provide anchorage on the shoulders of high pressure cylinders for cylinder caps to provide protection for the cylinder valve against damage in storage, handling and shipping.

Custodians:

Army - ME
Navy - SH
Air Force - 68

Review activity:

Army - MD

User activities:

Navy - YD, MC

Preparing activity:

Army - ME

Project No. 8120-0320

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:06Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army Mobility Equipment Research & Development Command
ATTN: DRDME-DS
Fort Belvoir, VA 22060

Source: https://assist.dla.mil -- Downloaded: 202610-18T10:06Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:06Z
Check the source to verify that this is the current version before use.