INCH-POUND
MIL-M-24784/2(SH)
6 September 1994

ASSOCIATED DETAIL SPECIFICATION

MANUAL, TECHNICAL REVISION REQUIREMENTS

This specification is approved for use by the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification sheet sets forth the development requirements for revisions to technical manuals in support of modifications to weapon systems and equipments.

1.2 Classification. This specification sheet covers the following kinds of revisions classified as follows:

Kind	Title
CR	Complete revision.
UR	Updated revision.
UNR	Updated nonsuperseding revision.

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specifications, standards, and handbooks. The following specifications, standards and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation (see 6.2).

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, SEA 03R42, Naval Sea Systems Command, 2531 Jefferson Davis Hwy, Arlington, VA 22242-5160 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N6946 AREA TMSS
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T02:16Z
Check the source to verify that this is the current version before use.

SPECIFICATIONS

MILITARY

MIL-M-24784 - Manual, Technical: General Acquisition and Development Requirements.
MIL-M-24784/1 - Manual, Technical Change Package Requirements.

(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Document Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.)

2.2 Order of precedence. In the event of a conflict between the text of this document and the references cited herein (except for associated detail specifications), the text of this specification shall take precedence. When a generic requirement is in conflict with a unique requirement from the governing associated detail specification, the unique requirement shall take precedence. Nothing in this specification, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

3. REQUIREMENTS

3.1 General. When specified (see 6.2), an update or complete revision shall be developed. Each revision shall incorporate all outstanding approved changes of the previous issue, as well as approved changes proposed by the change record that creates the need for revision. When a revision is procured to cover a separate equipment model or a different system application, and the basic issue is not to be superseded, the revision shall be identified as a nonsuperseding updated revision (UNR). The nonsuperseding update revision shall be classified as "original", have a unique Government identification number on the cover and all pages, and shall not include a supersession notice. A complete revision (CR) shall supersede a basic manual when a major portion of the manual is designated inadequate because of obsolescence, method of presentation, arrangement, or any other reason detrimental to the user. Revisions shall conform to the contract requirements, applicable specification sheet and this specification. A review draft copy (RDC), shall be submitted to the Government for review prior to development of the final reproducible copy (FRC).

3.2 Revision determination. The acquiring activity will determine the type of revision. The following information shall be presented to the acquiring activity for consideration in approving the type of revision to be developed:

(a) Percent of change.
(b) Reason for revision; such as, change in equipment configuration, new technical manual specification to be complied with, and so forth.

3.3 Update revision. An update revision shall be developed when the number of pages required to supply corrected and additional information for the manual is more than 25 percent of the total pages of the manual but less than 50 percent. [This does not include previously issued change packages, but does include outstanding interim change pages.] Blank pages shall not be included as part of the basis for determining the 25 percent figure. An updated revision is required

Source: https://assist.dla.mil -- Downloaded: 20260-20T02:16Z
Check the source to verify that this is the current version before use.

when the current manual is adequate both in format and accuracy, but does not completely cover the equipment because of production or field changes or modification made to the equipment after the manual was issued. An update revision shall incorporate configuration modifications and all previous and outstanding data issued as changes to the existing manual. An update revision shall be in accordance with the size, content, and format arrangement of the basic manual. Pages shall not be changed for nontechnical reasons such as a change in equipment model or source data drawing number. Information of this type, whenever possible, shall be summarized and included in the general information pages (for example, all references to Model B apply equally to Model C). Material for the updated revision shall be in the same manner as replacement pages of MIL-M-24784/1.

3.4 Complete revision. A complete revision shall be developed when the number of pages required to correct and provide additional information for the manual exceeds 50 percent of the total pages of the manual and when the existing style and format is adequate. (This does include previously issued and outstanding interim and permanent change pages.) A complete revision shall be a completely rewritten manual incorporating all previous corrections and changes, and shall comply with all style, format, and content requirements of this specification and the associated detail specification, and the preparation details of MIL-M-24784.

3.5 Revision change symbols. When specified (see 6.2), after all previous change symbols have been eliminated, new change symbols shall be inserted to identify technical changes in text, illustrations and tables that differ in the revision from those contained in the latest previous edition of the manual.

3.6 Renumbering and removal. In a complete revision, all pages, paragraphs, illustrations and tables shall be renumbered, as necessary, to eliminate all number suffixes and to establish correct sequence. Complete revisions shall be developed to current specifications and standards. In an update revision, suffixed paragraph, illustration and table numbers shall be retained when use of the manual will not be substantially improved by renumbering. All change numbers and change dates shall be removed from pages. All partial pages, miniature pointing hands, shading, screening, vertical lines in margin and other change symbols shall be eliminated. For index numbers on illustrations and other replacement page requirements, see detail requirements of MIL-M-24784.

3.7 Supersession notice. Unless otherwise specified by the Government when a revision is issued, the following supersession notice shall be included on the title page: "This publication supersedes (Guard, Marine Corps, or Navy as applicable, volume and manual number), date (day, month, year)."

3.8 Final reproducible copy (FRC) for revisions. FRC for revisions shall be in accordance with the associated detail specification. The revision date shall be the date at which the material to be included was received (copy freeze date), see 6.3.3. FRC for update revisions shall be such that it can be reprinted in its entirety and issued as a revised manual as opposed to being assembled by the user.

3.9 Revision designator. The latest revision number shall be placed on the cover and title page as follows: "Revision No. 1" or "Revision 1".

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T02:16Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements (examinations and tests) as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in this specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Responsibility for compliance. All items shall meet all requirements of sections 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of ensuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling in quality conformance does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to accept defective material.

4.2 Quality control. Unless otherwise specified, the quality conformance inspection, Government inspection, validation, verification, technical manual quality assurance (TMQA) program reviews, technical manual evaluation records and rejection requirements shall be in accordance with MIL-M-24784.

5. PACKAGING

5.1 Packaging requirements. Unless otherwise specified (see 6.2), the packaging and preservation requirements for delivery of book plans, review draft copies, preliminary technical manuals, final reproducible copy, technical manuals, replenishment materials, changes and revisions shall be in accordance with MIL-M-24784.

6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

6.1 Intended use. Technical publication revisions in accordance with this specification are intended for use in the installation, operation, maintenance, repair, and logistics support of modified weapon equipment and systems or for accomplishment of assigned missions.

6.2 Acquisition requirements. Acquisition documents must specify the following:

(a) Title, number, and date of this specification (or any TMCR referencing this specification).
(b) The equipment or system models, configurations, and components to be covered (see 1.1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T02:16Z
Check the source to verify that this is the current version before use.

(c) Issue of DODISS to be cited in the solicitation, and if Required, the specific issue of individual documents referenced (see 2.1).
(d) When the number of change pages is estimated to exceed approximately 25 percent of the total number of pages in the manual, an update revision must be specified to support a hardware change or modification. A revision may also be specified whenever significant omissions of technical data or information has been identified. The revision must include correction of all outstanding temporary or interim changes and may include minor changes (see 3.1 and 3.3).
(e) When the total number of pages requiring change exceed approximately 50 percent of the total number of pages in the manual, a complete revision must be specified (see 3.1 and 3.4).
(f) When different revision symbols are required (see 3.5).
(g) What management data items are to be delivered in support of technical manual products (see 3.4 and 6.4).
(h) Specify the number of weeks required for Government review of technical manual deliverables.
(i) When preservation, packing, and marking are other than as specified (see Section 5. PACKAGING).
(j) For classified equipment, attach a DD Form 254 specifying the following:

(1) Security classification.
(2) Downgrading and declassification notification.
(3) Areas requiring security protection.

6.3 Definitions. The words or phrases used throughout this specification shall be as defined in MIL-M-24784 and the following.

6.3.1 Copy freeze date. The copy freeze date is a date after which no additions, deletions, or changes will be accepted to the publication material. Additions, deletions, and changes after that date will be accumulated for development of a subsequent change or revision of the publication.

6.4 Subject term (key word) listing.

Acquisition
Associated detail specification
Change package
Complete revision
Final reproducible copy
In-process review
Nonsuperseding revision
Technical manual
Update revision
Validation
Verification

Review activities:
Navy - EC

Preparing activity:
Navy - SH
(Project TMSS-N242-02)

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T02:16Z
Check the source to verify that this is the current version before use.

TM9-4931-334-14/2
C1

CHANGE
NO. 1

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D. C. 6 June 1972

Operator's Organizational, Direct Support

and General Support Maintenance Manual

TEST SET

RADAR AN/TPM-22

(4931-707-1229)

TM 9-4931-334-14/2,5 June 1970, is changed as follows:

1. Remove old pages and insert new pages as indicated below.
2. New or changed material is indicated by a vertical bar in the margin of the page.
3. Added or revised illustrations are indicated by a vertical bar adjacent to the illustration identification number.

Remove Pages	Insert Pages	Remove Pages	Insert Pages
5-13 through 5-16	5-13 through 5-16	6-113 and 6-114	6-113 and 6-114
6-1 and 6-2	6-1 and 6-2	6-151 and 6-152	6-151 and 6-152
6-23 and 6-24	6-23 and 6-24	6-167 and 6-168	6-167 and 6-168
6-25 and 6-26	6-25, 6-26 and 6-26.1	6-177 and 6-178	6-177 and 6-178
6-27 through 6-38	6-27 through 6-38	6-183 through 6-192	6-183 through 6-192
6-43 through 6-46	6-43 through 6-44.3 through 6-46	6-195 through 6-198	6-195 through 6-198.
6-51 through 6-56	6-51 through 6-56	6-199 and 6-200	6-199 and 6-200
6-75 through 6-80	6-75 through 6-80, 680.1 and 6-80.2	6-213 through 6-216	6-213 through 6-216
6-81 through 6-88	6-81 through 6-88	6-219 through 6-224	6-219 through 6-224
6-95 and 6-96	6-95 and 6-96	B3 and B4	B3 and B4

File this change sheet in front of the publication for reference purposes.

FIGURE 1-1. Change instruction sheet. (Example)

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T02:16Z
Check the source to verify that this is the current version before use.

connections between like assemblies not disconnected during normal maintenance. The outside of the fitting




FIGURE 1-2. Markings for change page. (Example)

Source: https://assist.dla.mil -- Downloaded: 202610-20T02:16Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T02:16Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the comment number and revision letter should be given.

2. The submitter of this form must complete blocks 4, 5, 6, and 7.

3. The preparing activity must provide a reply within 30 days from receipt of this form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER MIL-M-24784/2(SH)	2. DOCUMENT DATE (YYMMDD) 940906

3. DOCUMENT TITLE
MANUAL, TECHNICAL REVISION REQUIREMENTS

4. NATURE OF CHANGE (identity paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)

5. REASON FOR RECOMMENDATION

6. SUBMITTER

A. NAME (Last, First, Middle Initial)	b. ORGANIZATION	
c. ADDRESS (include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) DSN (if applicable)	7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY

A. NAME Technical Point of Contact (TPOC) MR. MICKEY ANDER, SEA 04TD3 ADDRESS ALL CORRESPONDENCE AS FOLLOWS:	b. TELEPHONE (Include Area Code) (1) Commercial: DSN: TPOC: 703-602-8701 8-332-8701
c. ADDRESS (Include Zip Code) COMMANDER, NAVAL SEA SYSTEMS COMMAND ATTN: SEA 03R42 2531 JEFFERSON DAVIS HIGHWAY ARLINGTON, VA 22242-5160	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403 Falls Church, VA 22041-3466 Telephone 703-756-2340 DSN 289-2340

Source: https://assist.dla.mil -- Downloaded: 202610-20T02:16Z
Check the source to verify that this is the current version before use.