INCH-POUND


MIL-B-55164/28B
8 April 1991
SUPERSEDING
MIL-T-55164/28A
15 December 1983

MILITARY SPECIFICATION SHEET

BUS (JUMPER) CONNECTORS
STYLES TBJA, TBJB, TBJC, TBJD
TBJE, TBJF, TBJG, TBJH, and TBJI

This specification sheet is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and the issue of the following specification listed in that issue of the Department of Defense Index of Specifications and Standards (DODISS) specified in the solicitation: MIL-T-55164




STYLE	A		B	C	D	E	F	G	H		J
	MIN	MAX							MIN	MAX	(REF)
TBJA	.60	.66	.375	.25	.12	.15 MIN .18 MAX	.04	.015	.148	.161	.090
TBJB	.69	.75	.437	.31	.15	.20	.05	.015	.158	.177	.110
TBJC	.88	.94	.562	.37	.18	.26	.07	.015	.178	.208	.140

FIGURE 1. DIMENSIONS AND CONFIGURATION.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.


Source: https://assist.dla.mil -- Downloaded: 202610-22T22:33Z
Check the source to verify that this is the current version before use.

STYLE TBJD
TERMINAL BOARD TYPES 37, 40




MAX. NO. OF SECTIONS: 22

STYLE TBJG
TERMINAL BOARD TYPES 38, 41




MAX. NO. OF SECTIONS: 22

STYLE TBJE
TERMINAL BOARD TYPES 38, 41




MAX. NO. OF SECTIONS: 23

STYLE TBJH
TERMINAL BOARD TYPES 39, 42




MAX. NO. OF SECTIONS: 23

STYLE TBJF
TERMINAL BOARD TYPES 37, 40



MAX. NO. OF SECTIONS: 22

STYLE TBJI
TERMINAL BOARD TYPES 39, 42



MAX. NO. OF SECTIONS: 23

FIGURE 1. Dimensions and Configuration (cont.)

Source: https://assist.dla.mil -- Downloaded: 202610-22T22:33Z
Check the source to verify that this is the current version before use.

NOTES:

1. Dimensions are in inches.
2. Tolerances are ±.010 (.25 mm.) on 2-place dimensions and ±.005 inch (.13 mm.) on 3-place dimensions.
3. Drawing depicts only general design characteristics and is not intended to limit specific manufacturing processes.
4. These parts are not necessarily supplied flat, however, the functioning of the parts will not be interfered with.
5. All dimensions are applicable after the bus (jumper) connector is torqued down onto the associated terminal board.
6. The thickness of styles TBJD through TBJI shall be .032 inch.

REQUIREMENTS:

Dimensions and configuration: See figure.

Material: Brass conforming to composition 11 of QQ-B-613, plated with nickel.

Type designation (for styles TBJD through TBJI): The type designation shall be in the following form.

TBJ---

The first dash shall indicate the completion of the style number. The second and third dashes shall indicate the number of rows on the associated terminal board.

Revision letters are not used to denote changes due to the extensiveness of the changes.

Custodians:
Army - ER
Navy - SH
Air Force - 85

Review Activities:
Army - MI, AR
Navy - EC, OS, AS
Air Force - 11, 99, 17

User Activities:
Army - AT, AV, ME
Navy - MC, CG
Air Force -

Preparing Activity:
Army - ER

(Project 5940-1113)

Source: https://assist.dla.mil -- Downloaded: 202610-22T22:33Z
Check the source to verify that this is the currenversion before use.