MIL-S-70437(AR)
AMENDMENT 2
2 DECEMBER 1985
SUPERSEDING
14 September 1984

MILITARY SPECIFICATION

SPITBACK LEAD ASSEMBLY
FOR
FUZE, POINT DETONATING, M759

This Amendment forms a part of Military Specification MIL-S-70437(AR), dated 15 July 1983 and is approved for use by the US Army Armament, Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 4

4.3.1: Delete "Leas Assemblies, 11834355" and substitute "Lead Assemblies 11834335".

PAGE 5

Table 1:

Delete "Load Assembly" and substitiute "Lead Assmbly".

Functioning - sensitivity and output, delete "Note 1" and substitute "Note 2".

* Change 3.5.1 to 3.3.1

* Functioning - varicomp initiation

* Change 3.5.2 to 3.3.2

* NOTE 3 delete "Table" add Table

for n = 4, a = 0, r = 9*(minimum sample)
n = 6, a = 1, r = 9
n = 8, a = 2, r = 9
n = 10, a = 3, r = 9
n = 12, a = 4, r = 9
n = 14, a = 5, r = 9
n = 16, a = 6, r = 9
n = 18, a = 7, r = 9
n = 20, a = 8, r = 9 (maximum sample)

* In this table "r=q" refers to the maximum number of rejects allowed before rejecting the lot. Less than 9 rejects allows testing to continue until the lot passes or the maximum sample (n) condition is reached.

FCS 1305

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202640-23T03:26Z
Check the source to verify that this is the currentversion before use.

PAGE 7

* 4.4.2. Delete "wtith" and substitute "with".

PAGE 9

* 4.4.2.2 Major 101 thru 107, Delete 3.2 and substitute 4.4.

* Minor 201, delete 3.2 and 3.6 and substitute 3.4.

* Add: "Minor 202 workmanship, .65, 3.4."

PAGE 8

* 4.4.2.1 Major 101 Delete: " 3.2" and substitute "4.4".

PAGE 10

* NOTES: Delete "n = 21, a = 8, r = 9 (minimum sample)" and substitute"n = 20, a = 8, r = 9 (maximum sample)".

* 4.4.2.3 Major 101, delete 3.5.1 and substitite 3.3.1.

* Major 102, delete 3.5.2 and substitute 3.3.2.

* NOTE 1 Delete "Table" add "Table"

for n = 4, a = 0, r = 9*(minimum sample)
n = 6, a = 1, r = 9
n = 8, a = 2, r = 9
n = 10, a = 3, r = 9
n = 12, a = 4, r = 9
n = 14, a = 5, r = 9
n = 16, a = 6, r = 9
n = 18, a = 7, r = 9
n = 20, a = 8, r = 9 (maximum sample)

* In this table "r=q" refers to the maximum number of rejects allowed before rejecting the lot. Less than 9 rejects allows testing to continue until the lot passes or the maximum sample (n) condition is reached.

PAGE 12

* 4.5.2.1 Delete: "indentiation" and substitute "indentation".

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:26Z
Check the source to verify that this is the current version before use.

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notation. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity
Army-AR

(Project 1305-AB50)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:26Z
Check the source to verify that this is the current version before use.