INCH-POUND


MIL-DTL-3628/218A
15 February 2008
SUPERSEDING
MIL-DTL-3628/218
27 December 2001

DETAIL SPECIFICATION SHEET


BADGE, QUALIFICATION, EXPLOSIVE ORDNANCE DISPOSAL, NAVY AND MARINE CORPS

This specification is approved for use by all Departments and Agencies of the Department of Defense.


The requirements for acquiring the product described herein shall consist of this specification sheet and the latest issue of MIL-DTL-3628.



BASIC



SENIOR



MASTER/OFFICER

DASH NO:

-1 Basic, Regular Size	-5 Basic, Miniature Size
-2 Senior, Regular Size	-6 Senior, Miniature Size
-3 Master, Regular Size	-7 Master, Miniature Size
-4 Officer, Regular Size	-8 Officer, Miniature Size

MATERIAL:
-1 thru -8: Not less than 85/15 Rich-Low Brass

FINISH:
-1 thru -3 and -5 thru -7: Nickel Plated, Silver Plated, Oxidized, Buffed Relieved, Matte Finished and shall match The Institute of Heraldry (TIOH) Metal Finish Chip Number 14.

-4 and -8: 24K Gold Plated, Mirror-like Polished and shall match TIOH Metal Finish Chip Number 6.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T20:12Z
Check the source to verify that this is the current version before use.

DIMENSIONS:

HEIGHT (overall)
-1, -2: 1 inch (REF)
-3, -4: 1-7/16 inches (REF)
-5, -6: 1/2 inch (REF)
-7, -8: 3/4 inch (REF)
WIDTH (overall):
-1 thru -4: 1-3/4 inches (REF)
-5 thru -8: 7/8 inch (REF)
THICKNESS (at thickest point):
-1: 0.095 ± 0.010 inch
-2, -3, -4: 0.140 ± 0.010 inch
-5: 0.060 ± 0.010 inch
-6, -7, -8: 0.095 ± 0.010 inch

NOTES:

1. The term (REF) refers to the measurements taken from the Government furnished hub or die.

2. Attaching device shall be prong and clutch type. Two prongs shall be located at each intersection of the horizontal center line of the badge and the center of each side of the wreath.

3. Piercing shall be as indicated.

4. Optional finishes:

Mirror-like polished rhodium of may be used as an optional finish for Navy items -1 through -3 and -5 through -7. The silver plating requirement shall not apply.

CHANGES FROM PREVIOUS ISSUE: The margins of this specification are marked with vertical lines to indicate where changes from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T20:12Z
Check the source to verify that this is the current version before use.

Custodian:
Army - IH
Navy - NU

Preparing activity:
Army - IH
(Project No. 8455-2008-120)

Review activities:
Navy - MC
DLA - CT

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at http://assist.daps.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T20:12Z
Check the source to verify that this is the current version before use.