MILITARY SPECIFICATION

MINE, APERS, PRACTICE, M68E1 (WITH ACCESSORIES) ASSEMBLING AND PACKING

This Specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers the assembling and packing for one type of Mine designated as Mine, APERS, Practice, M68E1.

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-P-116 - Preservation, Packaging, Method of.
MIL-A-48078 - Ammunition, Standard Quality Assurance Provisions, General Specification for.

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes (ABC-STD-105)
MIL-STD-1168 - Lot Numbering of Ammunition.

FSC: 1345

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:24Z
Check the source to verify that this is the current version before use.

DRAWINGS

U.S. ARMY PICATINNY ARSENAL

9289090 - Mine, APEPS, Practice, M68E1.
9287716 - Packing and Marking for Mine, APERS, Practice, M68E1.
9287717 - Box, Packing Ammunition, Wirebound.

(Copies of specifications, standards and drawings required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer).

3. REQUIREMENTS

3.1 Material. - Materials and parts shall be in accordance with applicable drawings and specifications.

3.2 Assembly. - The mine assembly, with accessories, shall comply with all requirements specified on drawing (dwg.) 9289090 and with all requirements specified in applicable specifications.

3.3 Workmanship. - All parts and assemblies shall be fabricated in a thorough workmanlike manner, and all manufacturing, processing, and assembly operations shall be correctly performed. They shall be clean and free of burrs, sharp edges, unblended radii, surface defects, chips, dirt, grease and oil (except where specifically required), holes, tears, voids, porosity, warpage, excess flash, cracks, chipped edges, blisters, corrosion products and other foreign matter. The cleaning method used shall not be injurious to any part or assembly nor shall they be contaminated by the cleaning agent. Exterior surface coatings shall be continuous except for a few light scratches not exposing base material. All required markings shall be neat and sharply defined.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for Inspection and Standard Quality Assurance Provisions. - Unless otherwise specified herein or in the contract, the provisions of MIL-A-48078 shall apply and are hereby made a part of this detail specification.

4.2 Classification of Inspections. - The following type of inspection shall be conducted on this item.

a. Quality Conformance Inspection

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:24Z
Check the source to verify that this is the current version before use.

4.3 Quality conformance inspection

4.3.1 Inspection lot formation. - Inspection lots shall comply with the lot formation provisions of MIL-A-48078. Lot numbering as required shall be in accordance with MIL-STD-1168. In addition each lot of mines shall contain:

a. Parts of one lot interfix number from one manufacturer.
b. Practice, APERS Mine Body assemblies, M33, of one lot interfix number from one manufacturer.
c. Firing devices of one lot interfix number from one manufacturer.
d. Electrical test sets of one lot interfix number from one manufacturer.
e. Practice blasting cap M10 assemblies of one lot interfix number from one manufacturer.

4.3.2 Examination. - (See MIL-A-48078). Unless otherwise specified in the classification of defects and test tables, sampling plans for major and minor defects shall be in accordance with MIL-STD-105, Inspection Level II. Equipment necessary for the performance of the inspections listed shall be in accordance with 4.3.4.

Source: https://assist.dla.mil -- Downloaded: 202610-22T19:24Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9289090
4.3.2.1	Mine, APERS, Practice, M68E1				NEXT HIGHER ASSEMBLY N/A
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical					
Major A					
101	Mine or accessory missing		0.40%	3.2	Visual
102	Mine or accessory damaged		0.40%	3.2	Visual
Major B					
131	Mine or accessory incorrectly packed		0.40%	3.2	Visual
Minor					
201	Marking misleading or unidentifiable		0.65%	3.2	Visual
202	Evidence of poor workmanship		0.65%	3.3	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:24Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9287719
4.3.2.2	Box, Fiberboard, prior to Sealing				NEXT HIGHER ASSEMBLY 9287716
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined.				
Major B					
131	Any spool or wire missing		0.40%	3.2	Visual
132	Spool block missing		0.40%	3.2	Visual
133	Any mine pack missing or incorrectly positioned in box		0.40%	3.2	Visual
134	Packing component missing		0.40%	3.2	Visual
Minor					
201	Evidence of poor workmanship		0.65%	3.3	Visual

NOTES:

5

SARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:24Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9287719
4.3.2.3	Box, Fiberboard, Sealed				NEXT HIGHER ASSEMBLY 9287716
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major B					
131	Contents move when box is shaken (insufficient filler material)		0.40%	3.2	Visual/Manual
132	Sealing tape missing		0.40%	3.2	Visual
133	Box damaged so that contents are exposed or liable to be exposed		0.40%	3.2	Visual/Manual
Minor					
201	Marking misleading or unidentifiable		0.65%	3.2	Visual
202	Evidence of poor workmanship		0.65%	3.3	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:24Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE		SHEET	DRAWING NUMBER
4.3.2.4	Bag, Barrier Sealed		1 OF 1	9287720
				NEXT HIGHER ASSEMBLY 9287716

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined.				
Major B					
131	Waterproofness destroyed by poor seal or damaged (separation of heat seal, rip, or puncture)		0.40%	3.2	Visual/Manual
Minor					
201	Heat seal incorrectly located		0.65%	3.2	Visual
202	Excess Air not removed from barrier bag		0.65%	3.2	Visual/Manual
203	Marking misleading or unidentifiable		0.65%	3.2	Visual
204	Evidence of poor workmanship		0.65%	3.3	Visual

NOTES:

7

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:24Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

MIL-M-48386 (PA)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9287717
4.3.2.5	Box, Packing, Ammunition, Wirebound, Sealed				NEXT HIGHER ASSEMBLY 9287716
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined.				
Major B					
131	Wire loose or improperly assembled		0.40%	3.2	Visual/Manual
132	Board broken		0.40%	3.2	Visual
Minor					
201	Wire loop incorrectly closed		0.65%	3.2	Visual
202	Metallic seal missing or improperly positioned		0.65%	3.2	Visual
203	Marking misleading or unidentifiable		0.65%	3.2	Visual
204	Evidence of poor workmanship		0.65%	3.3	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:24Z
Check the source to verify that this is the current version before use.

4.3.3 Testing. - There are not applicable tests.

4.3.4 Inspection Equipment. - The inspection equipment required to perform the inspections prescribed in this specification is identified in the 'Paragraph Reference/Inspection Method' column in the tables starting with paragraph 4.3.2.1. The contractor shall submit for approval, inspection equipment designs in accordance with the terms of the contract. See Section 6 of MIL-A-48078, and section 6.3 herein.

5. PREPARATION FOR DELIVERY.

5.1 Preservation and Packaging.

5.1.1 Level A. - Packaging for Mine, APERS, Practice, M68E1 with accessories dwg. 9289090 shall be in accordance with dwg. 9287716.

5.2 Packing.

5.2.1 Level A. - Packing for Mine, APERS, Practice, M68E1 shall-be in accordance with dwgs. 9287716 and 9287717.

5.3 Marking. - Marking shall be as specified on dwgs. 9287716, 9287719 and 9287720.

6. NOTES .

6.1 Intended Use. - The following items are used with the Mine, APERS, Practice, M68E1 system:

a. Firing Device, Electrical, M57E1.
b. Test Set, Electrical, M40E1.
c. Cap, Blasting, Practice, M10.
d. Bandoleer, M7.
e. Extension Line and Spool Assembly.

6.2 Ordering Data. - Procurement documents shall specify the following:

a. Title, number and date of this specification.
b. provisions of MIL-A-48078.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:24Z
Check the source to verify that this is the current version before use.

6.3 Submission of Inspection Equipment Designs for Approval (see MIL-A-48078) Submit equipment designs as required to Commander: Picatinny Arsenal, ATTN: SARPA-QA-T Dover, New Jersey 07801.

6.4 Distribution of ammunition data cards. - Distribution of data cards shall include the following: Commander, Picatinny Arsenal, ATTN: SARPA-QA-A-M Dover, New Jersey 07801.

Custodian:
Army-PA

Preparing Activity:
Army-PA

Project Number: 1345-A-086

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:24Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4 REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:24Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

COMMANDER
Picatinny Arsenal
ATTN: SARPA-QA-A
Dover, New Jersey 07801

FOLD

Source: https://assist.dla.mil -- Downloaded: 202640-22T19:24Z
Check the source to verify that this is the current version before use.