RR-C-910/1
December 11, 1980
SUPERSEDING
MS39228
February 21, 1973

FEDERAL SPECIFICATION SHEET

CYLINDERS, COMPRESSED GAS:

DOT SPECIFICATIONS 4BA, 4BW, and 4E

FOR REFRIGERANTS, FIRE-EXTINGUISHING AGENTS

AND STERILIZATION GASES

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

The complete requirements for procuring the cylinder described herein shall consist of this document and the latest issue of the specification RR-C-910.




FIGURE 1. X-3201A

FSC 8120

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:11Z
Check the source to verify that this is the current version before use.

TABLE I

Classification Number	Water Capacity lbs	Service pressure	Valve MIL-V-2	Useage	Notes	Dimensions inches D	Dimensions inches H	May Tare wt. 165
C910/1-1	8.5	240	V22-621	General purpose	1	6-3/4	11	16
C910/1-2	21.5	240	V22-621	General purpose	1	6-3/4	21	20
C910/1-3	42.0	240	V22-621	General purpose	1	8-3/16	27	30
C910/1-4	122.0	240	V22-621	General purpose	1,6	12-3/16	36	60
C910/1-5	8.5	300	V22-621	R-502	2	6-3/4	11	16
C910/1-6	21.5	300	V22-621	R-902	2	6-3/4	21	20
C910/1-7	42.0	300	V22-621	R-502	2	8-3/16	27	30
C910/1-8	122.0	300	V22-621	R-502	2	12-3/16	36	60
C910/1-9	122.0	300	V22-621	Dichlortetra Fluroethane R-114	3	10-3/16	49	55
C910/1-10	122.0	400	V22-621	Bromotriflur-omethane		12-3/16	36	68
C910/1-11	8.5	240	V22-621	Methyl chloride	4	6-3/4	11	16
C910/1-12	21.5	240	V22-621	Methyl chloride	4	6-3/4	21	20
C910/1-13	42.0	240	V22-621	Methyl chloride	4	8-3/16	27	30
C910/1-14	122.0	240	V22-621	Methyl chloride	4	12-3/16	36	60
C910/1-15	21.5	240	V24-511	Ethylene oxide	4,5	7	16	20
C910/1-16	8.5	240	V50-621	Methyl bromide	4	6-3/4	11	16
C910/1-17	21.5	240	V50-621	Methyl bromide	4	6-3/4	21	20
C910/1-18	42.0	240	V50-621	Methyl bromide	4	8-3/16	27	30
C910/1-19	122.0	240	V50-621	Methyl bromide	4	12-3/16	36	60

Notes:

1. General purpose cylinders: these cylinders shall be used for the following refrigerants; R-11 trichlorofluoromethane, R-12 dichlorodifluoromethane, R-22 Chlorodifluoromethane, R-113 trichlorotrifluoroethans, R-114 diclorotetrafluoroethane, and R-500 an azeotropic mixture of R-12 dichlorodifluoromethane and R-152 difluoroethane.
2. For refrigerants with a vapor pressure of over 300 psi at 130° F and below 375 psi at 130° F such as R-502 and azeotropic mixture of R-22 chlorodifluoromethane and R-115 chloropentafluoroethane.
3. Exclusively for Hawk missile applications.
4. Cylinders shall only be made of steel, DOT specifications 4BA and 4BW. Aluminum cylinders not allowed.
5. Brazing of cylinder not allowed. Copper and copper bearing metals not allowed.
6. For Medical Sterilization gases.
7. Dimensional tolerances; diamete ± 1/4 inch height ± 1 inch.
8. The use of cylinders already in the supply system with service pressures of 225 psi shall be restricted to the storage, transportation and distribution of

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:11Z
Check the source to verify that this is the current version before use.

service pressures of 300 psi shall be acceptable by users, where service pressure requirements are 300 psi or less.

9. Classification number. The classification numbers are made up from the letter, number, and slash number of this specification sheet, plus a dash number from table I (EX. C910/1-3).

10. Maxumim capacity for each cylinder depends upon the gas service, the cylinder water capacity, and the filling density for the specific gas as specified in the CFR Title 49.

REQUIREMENTS:

1. Footrings. Footrings shall be attached by welding and shall have a minimum of two vent holes and a minimum of two drain holes equally spaced.
2. Unit shell construction. When a concave bottom head is supplied, the resulting skirt shall be acceptable in lieu of fabricated footring.

Intended use. The compressed gas cylinders are intended for low pressure use in the storage, transportation and distribution of refrigerants fire-extinguisher agent and sterilization gases. High pressure types are contained in DOT 3AA cylinders.

MILITARY INTERESTS:

Custodians:
Army - ME
Navy - SH
Air Force - 68

Review activities:
Army - CE
Air Force - 11
DLA - GS

User activities:
Navy - YD, MC, MS

CIVIL AGENCY COORDINATING ACTIVITIES:

HEW - FDA
GSA - FSS
VA - DMS
NASA - NS

Preparing activity:
Army - ME

Project 8120-0372

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:11Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval No. 22-R255

INSTRUCTIONS. The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay or will otherwise enhance use of the document. DoD contractors, government activities, manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE: RR-C-910/1 Cylinders, Compressed Gas DOT Specifications 4BA, 4BW, & 4E For Refrigerants, Fire-Extinguishing Agents and Sterilization Gases

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes" in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:11Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
US Army Mobility Equipment Research and
Development Command
ATTN: DRDME-DE/DS
Fort Belvoir, VA 22060

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:11Z
Check the source to verify that this is the current version before use.