DATA ITEM DESCRIPTION

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, Va 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188) Washington, DC 20503.

1. TITLE	2. IDENTIFICATION NUMBER
PRODUCT DRAWINGS AND ASSOCIATED LISTS	DI-DRPR-81000A

3. DESCRIPTION/PURPOSE

3.1 Product Drawings and Associated Lists provide engineering data to support competitive procurement and maintenance for items interchangeable with the original items. These drawings represent the highest level of design disclosure.

4. APPROVAL DATE	5. OFFICE OF PRIMARY RESPONSIBILITY(OPR)	6a. DTIC REQUIRED	6b. GIDEP REQUIRED
970521	AR		

7. APPLICATION/INTERRELATIONSHIP

7.1 This Data Item Description (DID) contains the format and content preparation instructions for Product Drawings and Associated Lists resulting from the work task described in 3.6.3 of MIL-DTL-31000A.

7.2 This DID is applicable to acquisitions of military systems, equipment, and components. It is intended for acquiring drawings and associated lists at the end of the Engineering and Manufacturing Development Phase and during subsequent phases of the DoD materiel life-cycle.

(Continued on page 2)

8. APPROVAL LIMITATION	9a. APPLICABLE FORMS	9b. AMSC NUMBER
		D7274

10. PREPARATION INSTRUCTIONS

10.1 Reference Documents. The applicable issue of documents cited herein, including their approval dates and the dates of applicable amendments, notices, and revisions, shall be as cited in the contract.

10.2 General. Product drawings and associated lists shall meet the requirements of MIL-DTL-31000A. Product Drawings and Associated Lists shall provide the design disclosure information necessary to enable a manufacturer of similar products at the same or similar state of the art to produce and maintain quality control of items(s) so that the resulting physical and functional characteristics duplicate those of the specified item. These drawings shall:

a. Reflect the end-product at its current level of design maturity.

b. Provide the engineering data for Logistics Support products.

c. Provide the necessary data to permit competitive acquisition of items identical to the original item(s).

(Continued on page 2)

11. DISTRIBUTION STATEMENT

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:42Z
Check the source to verify that this is the current version before use.

Block 7, Application/Interrelationship (continued)

7.3 It is not intended that all the requirements contained herein should be applied to every program. This DID should be tailored to the minimum data requirements of the applicable contract or purchase order.

7.4 This DID supersedes DI-DRPR-81000, which superseded DI-E-7031 and DI-CMAN-80779.

7.5 This DID is related to DI-DRPR-81001A, DI-DRPR-81002A, and DI-DRPR-81003A.

7.6 A purchased item, as defined by ASME Y14.24M, an item which is sold or traded in the course of conducting normal business operations, is used by commercial industry, or is a specialized version of a supplier's general product line which he routinely customizes. Purchased items as used herein have also been referred to as vendor items or vendor-developed items.

Block 10, Preparation Instructions (Continued)

10.3 Format. Product Drawings and Associated Lists shall be in either the contractor's format or Government's format as specified on the Selection Work Sheet incorporated into the contract or purchase order.

10.4 Content. Product Drawings and Associated Lists shall conform to the requirements of ASME Y14.100M, ASME Y14.34M and, where DoD peculiar requirements must be met, MIL-STD-100. They shall document directly or by reference the following, as applicable:

a. Details of unique processes, i.e. not published or generally available to industry, when essential to design and manufacture.

b. Performance ratings.

c. Dimensional and tolerance data.

d. Critical manufacturing processes and assembly sequences.

e. Toleranced input and output characteristics.

f. Diagrams.

g. Mechanical and electrical connections.

h. Physical characteristics, including form, finishes, and protective coatings.

i. Details of material identification, including material condition, and mandatory treatments and coatings.

j. Inspection, test and evaluation criteria.

k. Equipment calibration requirements.

l. Quality assurance requirements.

m. Hardware marking requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:42Z
Check the source to verify that this is the current version before use.

Block 10, Preparation Instructions (Continued)

n. Requirements for reliability, maintainability, environmental conditioning, shock and vibration testing and other operational or functional tests.

o. Vendor substantiation data when required by the contract or purchase order.

p. Requirements for programming software into devices or assemblies including a description of the input media and the procedures for validating that the software has been installed correctly.

q. Special consideration items and processes.

10.5 Item definition. All parameters required to define each unit, assembly, subassembly, part or material shall be presented on the applicable drawing. This includes data such as:

a. All necessary mechanical dimensions to fully define fabrication, acceptance, interface or installation of the item depicted.

b. All necessary electrical parameters to fully define fabrication, acceptance, interface or installation of the item depicted.

c. All other necessary physical parameters to fully define fabrication, acceptance, interface or installation of the item depicted, i.e., weight, pressure, viscosity, etc.

d. All necessary environmental conditions which units, assemblies, subassemblies, parts and materials must meet to perform effectively in the end item, such that the end item will meet its specification requirements.

10.6 CAGE code and document numbers. Product Drawings and Associated Lists shall be identified with the contractor's CAGE code and contractor document numbers or with a Government CAGE code and document numbers as specified in the Selection Work Sheet incorporated in the contract or purchase order.

10.7 Selection of drawings. The types of drawings required will vary according to the complexity of the contract end item. The Selection Work Sheet incorporated in the contract or purchase order will specify whether the contractor or the Government is responsible for selecting the types of drawings and lists.

10.7.1 Vendor item control drawings. Vendor item control drawings shall be used to specify the requirements for purchased items (see 7.6) when such items have been approved for use in the design and are used without alteration, selection or source qualification (testing of an item prior to procurement action to ensure that it satisfies the specified requirements).

10.7.2 Source control drawings. Source control drawings shall be used to specify the requirements for purchased items (see 7.6) only when such items have been approved for use in the design and:

a. the item is for a critical application and

b. the requirements can be met by an item from one or more sources and

c. the application required source qualification (testing of an item prior to procurement action to ensure that it satisfies the specified requirements).

10.7.3 Standard Microcircuit Drawings. Standard Microcircuit Drawings (MIL-HDBK-780) shall be used to specify the requirements of microcircuits.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:42Z
Check the source to verify that this is the current version before use.