W-L-00111D
SUPPLEMENT-1
May 21, 1980

FEDERAL SPECIFICATION

LAMPS, INCANDESCENT, (ELECTRIC, MINIATURE AND SUBMINIATURE, TUNGSTEN-FILAMENT)

This supplement was approved by the Commissioner, Federal Supply Service, General Services Administration.

Index of W-L-00111 Specification Sheets

Initial Spherical Candle Power (SCP) and Spec. Sheet	Trade Number *	Volts	National Stock Number 6240-
.01 SCP			
43	331	1.35	-00-228-7130
.03 SCP			
2	327R	28.0	-00-272-8601
4	328R	6.0	-00-274-4015
15	6802	5.0	-01-015-7791
19	6803	5.0	-01-014-5597
26A	682	5.0	-00-879-4980
30	680	5.0	-00-878-1965
68	682AS15	5.0	-00-062-6174
72	680AS15	5.0	-00-965-5255
.04 SCP			
6	338	2.7	-00-542-6571
46	342	6.0	-00-643-4532
.05 SCP			
16A	6832	5.0	-00-436-5389
20	6833	5.0	-00-161-8099
27A	685	5.0	-00-752-2581
31	683	5.0	-00-060-2941
69	685AS15	5.0	-00-727-2457
73	683AS15	5.0	-00-062-6173
.08 SCP			
52A	307	10.0	-00-067-7526

FSC 6240

*The bulb size and base style are referenced on the respective specification sheets.

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:23Z
Check the source to verify that this is the current version before use.

Initial Spherical Candel Power (SCP) and Spec. Sheet	Trade Number *	Volts	National Stock Number 6240-
.09 SCP			
17	7132	5.0	-00-145-1536
21	7133	5.0	-01-014-5598
28A	714	5.0	-00-811-2777
32A	713	5.0	-01-014-5596
70	714AS15	5.0	-00-264-9652
74	713AS15	5.0	-00-935-6884
.15 SCP			
18	7152	5.0	-00-824-0924
22	7153	5.0	-00-234-5781
29A	718	5.0	-00-764-8237
33A	715	5.0	-00-080-4508
63	370	18.0	-00-940-7070
71	718AS15	5.0	-00-954-0124
75	715AS15	5.0	-00-781-9899
.2 SCP			
54	1767	2.5	-00-246-5060
56	1769	2.5	-00-151-5290
.25 SCP			
10	323	3.0	-00-155-7854
37	PR-9	2.70	-00-155-7935
.3 SCP			
7	387	28.0	-00-763-7744
.34 SCP			
1	327	28.0	-00-155-7836
3	328	5.0	-00-155-7857
45	335	28.0	-00-270-4698
59	1819	28.0	-00-155-8707
.4 SCP Approximately			
9	313R	28.0	-00-155-7919
.45 SCP			
36	PR-6	2.47	-00-155-8675
.5 SCP			
5	330	14.0	-00-851-4352
38	14	2.47	-00-797-2650

*The bulb size and base style are referenced on the respective specification sheets.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:23Z
Check the source to verify that this is the current version before use.

Initial Spherical Candel Power (SCP) and Spec. Sheet	Trade Number *	Volts	National Stock Number 6240-
.52 SCP			
40A	47	6.3	-00-155-8706
.6 SCP			
55	1768	6.0	-00-269-0964
.8 SCP			
34	PR-2	2.38	-00-155-7786
.9 SCP			
39A	44	6.3	-00-057-2887
1 SCP			
57	1829	28.0	-00-266-9940
61	53	14.4	-00-013-1282
1.50 SCP			
35	PR-3	3.57	-00-155-7916
2 SCP			
41A	57	14.0	-00-012-7934
3 SCP			
48A	1157	14.0	-00-889-1799
50	1252	28.0	-00-019-0878
58	1034	14.0	-00-295-1184
67A	63	7.0	-00-155-8720
3.5 SCP			
4.0 SCP			
60	67	13.5	-00-155-8717
6.0 SCP			
23	81	6.5	-00-014-2306
24	303	28.0	-00-155-7848
51A	1495	28.0	-00-299-4742
66A	89	13.0	-00-143-3159

* The bulb size and base style are referenced on the respective specification sheets.

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:23Z
Check the source to verify that this is the current version before use.

Initial Spherical Candel Power (SCP) and Spec. Sheet	Trade Number *	Volts	National Stock Number 6240-
10 SCP			
52	1611	5.4	-00-314-7657
15 SCP			
12	305	28.0	-00-155-7791
53	1692	28.0	-00-155-8726
21 SCP			
13	307	28.0	-00-155-7784
49	1204	28.0	-00-155-8725
32 SCP			
14	1683	28.0	-00-044-6914
44A	1073	12.8	-00-673-0991
48A	1157	12.8	-00-889-1799
58A	1034	12.8	-00-295-1184
64A	1156	12.8	-00-924-7526
65	1680	6.0	-00-870-7778
50 SCP			
42	311	28.0	-00-155-7924
105 SCP			
47	1047	26.0	-00-155-7824

*The bulb size and base style are referenced on the respective specification sheets.

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:23Z
Check the source to verify that this is the current version before use.