METRIC
MIL-PRF-89049/9A
15 December 2005
SUPERSEDING
MIL-PRF-0089049/9(NGA)
24 May 2004

PERFORMANCE SPECIFICATION SHEET
VECTOR VERTICAL OBSTRUCTION DATA (VVOD)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification sheet defines the content and format for the U.S. National Geospatial-Intelligence Agency (NGA) Vector Vertical Obstruction Data (VVOD) product. References to the VVOD specifications in this document assume use of both the general specification (MIL-PRF-89049A, dated 15 December 2005) and this specification sheet.

1.2 Purpose. The VVOD is a vector-based digital product that portrays vertical obstruction data. The VVOD also functions as a mission specific data set designed to support Geographic Information System (GIS) applications. The VVOD database contains data concerning known vertical obstructions worldwide. The vertical obstruction data stored in the database includes all of the manmade and natural vertical obstructions known by NGA projecting above the Earth's surface which are sufficiently tall so as to pose a hazard to powered flight, both manned and unmanned. This specification sheet provides a description of the content, accuracy, data format, and design of the VVOD database.

2. APPLICABLE DOCUMENTS

2.1 General. The documents listed in this section are specified in sections 3,4, or 5 of this specification. This section does not include documents cited in other sections of this specification or recommended for additional information or as examples. While every effort has been made to ensure the completeness of this list, document users are cautioned that they must meet all specified requirements documents cited in sections 3,4, or 5 of this specification, whether or not they are listed.

2.2 Government documents.

2.2.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those cited in the solicitation or contract.

Comments, suggestions or questions on this document should be addressed to The National Geospatial-Intelligence Agency's National Center for Geospatial Intelligence Standards (NCGIS), Mail Stop P-106, 12310 Sunrise Valley Drive, Reston, VA 20191-3449, or emailed to ncgis-mail&nga.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at http://assist.daps.dla.mil/.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

DEPARTMENT OF DEFENSE STANDARDS

MIL-STD-2407	Vector Product Format, 28 June 1996 Change Notice 1, 22 October 1999
MIL-STD-2414	Bar Coding for Geospatial Products

DEPARTMENT OF DEFENSE SPECIFICATIONS

MIL-PRF-89049	General Performance Specification Vector Product Format (VPF) Products

(Copies of these documents are available online at http://assist.daps.dla.mil/quicksearch/ or from the Standardization Document Order Desk, 700 Robbins Avenue, Building 4D Philadelphia, PA 19111-5094.

2.2.2 Other Government documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this document to the extent specified herein. Unless otherwise specified, the issues are those cited in the solicitation or contract.

DMA Technical Manual (DMA TM) 8358.1	Datums, Ellipsoids, Grids, and Grid Reference Systems

(Copies of the above publication are available from the National Geospatial-Intelligence Agency, Geospatial Sciences Division at http://earth-info.nima.mil/GandG/pubs.html)

DMA Technical Manual (DMA TM) 8321.1	DMA Vertical Obstruction File (DVOF)

(Copies of the above publication are available from the National Geospatial-Intelligence Agency, Targeting and Navigation Division at http://www.nga.mil.)

Digital Information Geographic Exchange Standard (DIGEST), Part 4, Feature and Attribute Coding Catalogue (FACC).

(Copies of the above publication are available http://www.digest.org.)

National Imagery and Mapping Agency (NIMA) Profile of the DIGEST Feature and Attribute Coding Catalogue (FACC)

Copies of the above publications are available from the National Geospatial-Intelligence Agency, National Center for Geospatial Intelligence Standards (NCGIS), Mail Stop P-106, 12310 Sunrise Valley Drive, Reston, VA 20191-3449, or request can be e-mailed to ncgis-mail@nga.mil.)

2.3 Non-Government publications. The following documents form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents are those cited in the solicitation or contract.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

ISO 9660 1988 (E). International Organization for Standardization Information Processing - Volume and File Structure of CD-ROM for Information Interchange.

(Copies of this publication are available from ISO at http://www.iso.org/iso/en/prods-services/ISOstore/store.html.)

(Non-government standards and other publications are normally available from the organizations that prepare or distribute the documents. These documents also may be available in or through libraries or other information services.)

2.4 Order of precedence. In the event of a conflict between the text of this document and the references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

3. REQUIREMENTS

3.1 First article. When specified (see 6.2), a sample shall be subjected to first article inspection in accordance with MIL-PRF-89049A, Section 4.2.

3.2 Accuracy. Vertical obstruction data is derived in conjunction with, or as a by-product of, routine production programs. Each program has its own minimum height requirement and accuracy requirements for obstructions. Regardless of the accuracy, any obstruction meeting the minimum height requirement of its parent program shall be entered in the DMA Vertical Obstruction File (DVOF).

When new obstruction data are derived by NGA or by external, non-mapping, contributing organizations, then accuracies within the limits stated below should be sought. This will permit the obstruction data to meet the accuracy standards for portrayal on Class-2 1:250,000 or smaller-scale aeronautical charts. Production programs that use the resultant obstruction record but require a higher degree of accuracy are responsible for improving the obstruction data to the extent necessary. Those programs are in turn responsible for supplying the improved obstruction data to the DVOF Manager.

When these objectives cannot be met because of inadequate source materials, lack of datum transformation formula, or other deficiencies, the best information possible is derived and entered into the file. Quality of this data will be evident from the associated accuracy figures and deficiency code.

3.2.1 Absolute horizontal accuracy. The absolute horizontal accuracy of each obstruction is expressed in meters of circular error (CE) at 90 percent.

3.2.2 Absolute vertical accuracy. The absolute vertical accuracy of each obstruction is expressed in meters at 90 percent probability (.9p) linear error (LE) as a proportion of the contour interval or photo derived Digital Terrain Elevation Data (DTED).

3.2.3 Relative accuracy. NGA does not have a formal relative accuracy defined for this product.

3.3 Datum.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

3.3.1 Horizontal datum. The horizontal datum shall be referenced to WGS84. If the source map/chart sheets are not referenced to WGS84, then they will be converted from their original horizontal datum to WGS84.

3.3.2 Vertical datum. Vertical measurements are referenced to the WGS84 Geoid adjusted using the EGM96. Height data is entered in both Above Ground Level (AGL) and Above Mean Sea Level (AMSL).

3.4 Coordinate system. VVOD data libraries shall implement a decimal degree geographic coordinate system. The horizontal coordinate resoltion for geographic coordinates shall be 0.01 arc-seconds or 0.000002 decimal degrees.

3.5 Security.

3.5.1 Security classification. The security classification of the products generated by the use of these specifications will be the lowest category practicable. When it is necessary to assign a security classification to the product, it shall be in accordance with established national security procedures.

3.5.2 Security classification of product. VVOD data sets vary in classification depending on the geographic location covered by the data. Data set output classification can range from Secret Collateral to Unclassified, depending on the data information and accuracy of the data required. The data sets will carry the classification of the most restrictive classification of any tile or library of the VVOD databases. The lowest possible classification of the final product is desired.

3.5.2.1 Handling caveat. Even though the thematic files might be unclassified, a handling caveat could be required. Some NATO and other countries have mapping and other agreements that dictate the handling of materials produced over their country. Security elements should check for caveat requirements at the beginning of each project.

3.5.3 Security classification of specification. This performance specification is UNCLASSIFIED.

3.6 Continuity. All VVOD data are subject to the portrayal criteria specified in Appendix C.

a. The VVOD product and database shall be organized into multiple VPF libraries such that a seamless product is produced where data are present. Data gaps between VVOD libraries may exist due to an absence of data. No data overlap shall exist in the libraries of the VVOD database.

3.7 Thematic layer organization. The VVOD is organized into thematic layers. Each thematic layer is stored as a single coverage. Each VVOD data library contains two reference coverages and up to two thematic layers (see Table 1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE 1. Thematic layers for the VVOD library.

VPF Structure Level	VVOD library thematic layers	Coverage name
Data Libraries	Library Reference	libref
	Tile Reference	tileref
	Data Quality	dq
	Obstructions	obs

3.8 Dimensions. The minimum size of features collected from source materials shall be in conformance with the portrayal criteria and attribute values provided in the VVOD data dictionary, Appendix C. Features may be captured as points, nodes, or lines.

3.8.1. Units of measure. The unit of measure for VVOD is meters.

3.9 Feature and attribute coding scheme. VVOD implements the 10 April 2003 version of the NIMA Profile of FACC which is based on the Digital Geospatial Information Exchange Standard (DIGEST) Part 4, Feature and Attribute Coding Catalogue (FACC) to define features, attributes, and values. See Appendix D of this Specification for a listing of the FACC feature codes allowable for VVOD thematic files.

3.10. VVOD directory organization.


3.10.1. VVOD database. VVOD consists of a single database. Each data set shall contain a single database directory and one or more data library directories. The database header and library attribute tables shall be duplicated for each data set. Each data library contains a mix of reference coverages and thematic coverages. This thematically layered, relationally structured set of data supports Geographic Information System (GIS) applications, mission planning systems, flight management systems, and cockpit avionics systems.

3.11 VPF structure levels, tables and files. The following sections identify VPF structure information specific to VVOD. General database, library, and coverage level tables are defined in MIL-PRF-89049A. The VVOD specific content information for the database and library level metadata tables is described in Appendix B of this specification sheet. The record layout and content of the VVOD coverage tables and files are described in Appendix C of this specification sheet.

3.11.1 Database directory files.

a. VVOD consists of a single worldwide database. Each CD-ROM shall contain a single database directory and one or more library directories. The database header table and library attribute tables shall be duplicated for each CD-ROM within the database. Each data library contains a mix of reference coverages and thematic coverages. The tables and files contained in the VVOD database directory are described below. A representation of the tables and files appearing in the VVOD database level is depicted in FIGURE 1.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.



[1]This is the directory name for the VVOD database.

[2]These are representative directory names for VVOD libraries.

FIGURE 1. VVOD database directory.

b. As described in MIL-PRF-89049A, section 3.16.1, and Appendix B therein, the database directory contains three required metadata tables. The required tables include the Library Attribute Table (lat), Database Header Table (dht),and Database Header Table variable length index (dhx), see Table 2. Appendix B in this specification sheet defines the VVOD implementation of the database level metadata tables.

TABLE 2. VVOD database table and file names and description.

Table or File Description	Table or File Name
VVOD database directory	vvod[1]
Library Attribute Table	lat
Database Header Table	dht
Database Header Table variable length index	dhx
VVOD library directories	vxxxx[2]

[1]This is the directory name for the VVOD database.

[2]This is a representative directory name for a VVOD library.

3.11.2 Database and library naming conventions.

a. The VVOD product will contain one worldwide database. The database name shall be vvod.

b. The VVOD library names are up to eight characters in length with the first character being ‘v’. The remaining characters will be used to adequately represent the specific VVOD library.

3.11.3 Library directory files. The contents of each VVOD data library are stored in a directory, whose name shall be no more than eight

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

lower case alphanumeric characters in length. The entire contents of one or more VVOD libraries shall be contained in a data set. The size of the data set shall not exceed the maximum size limit allowable for the exchange medium (i.e., CD-ROM). A representation of the tables and files present in a VVOD library is provided in MIL-PRF-89049A, Figure 4. VVOD will not implement a reference library, as defined in MIL-PRF-89049A.

3.11.3.1 Library metadata. The library metadata tables and their content are described in MIL-PRF-89049A, section 3.16.2.1. Appendix B in this specification sheet defines the VVOD implementation of the library level metadata tables.

3.11.3.2 Library reference coverages. Each tiled VVOD data library shall contain the Tile Reference Coverage (tileref) and Library Reference Coverage (libref) as defined by MIL-PRF-89049A, Appendix D. The optional text feature class table in the tileref coverage shall not be implemented in VVOD.

3.11.4 Coverage directory files.

3.11.4.1 Coverage metadata. The coverage metadata tables and their content are described in MIL-PRF-89049A, section 3.16.3.1. Product specific information for VVOD is provided in Appendix C of this specification sheet.

3.11.4.2 Data coverages. In addition to the library reference coverages (see 3.11.3.2) there is one possible thematic data coverage directory present in any VVOD data library. Within a library, coverage directories shall not be included if data does not exist for that coverage within the library's geographic area. The contents of each VVOD data coverage are stored in a directory whose name shall be represented in lower case letters, with a three character name representative of the thematic layer name (i.e., obs for Obstructions coverage), as shown in Table 1. In addition, each VVOD library can contain a data quality (dq) coverage. The dq coverage contains information about the accuracy of the source(s) that were used to produce VVOD.

3.11.4.3 Coverage topology. The topology level of each coverage is specified in the coverage attribute table (cat) within each library, see MIL-PRF-89049A, section 3.16.2.1 and Appendix D. Topology is not supported between coverages. The cat for each library is tailored based on the coverages actually in the VVOD product. See Appendix B of this specification sheet for the definition of the VVOD cat containing all possible VVOD coverages.

3.11.5 Feature class structure level. VVOD feature classes for thematic coverages are shown in Table 3. Only those feature classes containing data shall be present in the coverage. Description of feature classes, with the exception of those located in the Data Quality (dq) coverage, are found in Appendix C of this specification sheet. For feature class descriptions of dq features, see MIL-PRF-89049A, Appendix E. VVOD will implement the optional text feature table in the dq coverage.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE 3. VVOD thematic coverages and feature classes.

Coverage Name	Feature Classes				
	Point	Node	Line	Area	Text
dq			dqline	dqarea dqvoida	dqtxt
obs	aerop hydrop indp iwap popp transp utilp	aeroc hydroc indc iwac popc transc utilc	aerol indl iwal popl transl utill		

3.11.5.1 Feature table structure and contents. Feature tables will be implemented per MIL-PRF-89049A, section 3.16.4.2. In addition to implementing the required feature-to-primitive links using join tables for all line and area feature classes, VVOD will also implement the feature-to-primitive links using join tables for all point feature classes.

3.11.5.2 Related attribute tables.

3.11.5.2.1 Notes related attribute table. Digital marginalia refers to the information that originally appeared in notes, tables, and graphs on the borders of the hardcopy chart sheets. For the VVOD, this information is included in the Notes Related Attribute Table (notes.rat) in each coverage. The notes.rat shall be implemented for all feature tables (except for dqline, dqarea, and dqtxt), when appropriate, in accordance with MIL-PRF-89049A, section 3.16.4.3.1.

3.11.5.2.2 Symbol related attribute table. VVOD shall not implement the symbol related attribute table (symbol.rat) defined in MIL-PRF-89049A, section 3.16.4.3.

3.11.5.3 Text feature class. A text feature class is composed of a text feature table (*.tft) and a text primitive (txt) table. This primitive table contains information that may be used to replicate text strings found on an original chart or other source for representation on a plot or digital display. All text (both at the feature and primitive level) will be limited to the characters found in the Latin alphabet primary code table, FIGURE 24 of MIL-STD-2407.

3.11.6 Primitive tables and associated files. VPF uses the primitive tables defined in MIL-STD-2407 to model a feature's location, geometry, and topology. See MIL-PRF-89049A, section 3.16.5 for the format to be used for VPF primitive tables in VVOD. The data coverage in VVOD data libraries shall implement 2-dimensional (2D) geometry for the coordinates in the end, cnd, and edg primitive tables. The dq coverage as well as the tileref and libref coverages are 2-dimensional (2D), as per MIL-PRF-89049A. See Table 4 in this specification sheet for a definition of the field types to be used for the coordinate data in the primitive tables contained in the VVOD data libraries.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE 4. VVOD coordinate data types in primitives.

Library	Coverage	Primitive Type	Field Type
Data			
	tileref	cnd, edg, txt	C
	libref	cnd, edg, txt	C
	dq	cnd, edg, txt	C
	data coverage	end, cnd, edg	B

3.12 VVOD tiling schemes. VVOD data libraries shall be partitioned in a systematic tile structure based primarily on data density, see MIL-PRF-89049A, section 3.17. The tileref coverage defines the tiling scheme for each VVOD library. The tiling schemes for VVOD libraries will differ in their spatial extent and number of tiles per library.

3.12.1 VVOD tiling scheme. The VVOD database will contain data in variable sized tiles based on the GEOREF reference system as defined in the tileref of each library. The tiling scheme will change by library when data density indicates that smaller or larger tiles are desirable. The lower left (southwestern most) corner of each tile is identified using the GEOREF naming conventions described in MIL-PRF-89049A, section 3.17.2. This GEOREF identifier is used as the name for the directory containing the primitives contained in that tile.

3.12.2 Cross-tile topology. Cross-tile topology ensures that topology is retained between the primitive tables across the tile boundaries. Topology across the tiles is maintained through the use of a reference tile ID in the edge and connected node primitive tables that establishes a "cross-tile" link over the tile partitions. This enables the database to function as a seamless unit for analysis purposes.

3.13 Distribution medium. VVOD shall be distributed electronically, on CD-ROM disc, implementing ISO 9660 for CD-ROM formatting, or other media as required for customer support in accordance with MIL-PRF-89049A, sections 3.18 and 3.19.

3.14 CD-ROM labeling and packaging. General CD-ROM labeling, labeling on the cardboard sleeve, or jewel case liner/information booklet, as applicable, shall be as described in MIL-PRF-89049A. Items specific to VVOD are shown below.

3.14.1 CD labeling. Labeling of the VVOD CDs shall be in accordance with contract instructions.

3.14.1.1 Specific VVOD labeling items.

a. Product Logo: VVOD CDs shall show the VPF logo.

b. Product Description: Vector Vertical Obstruction Data (VVOD).

c. Series: VVOD.

d. Item: The NGA item name/number.

e. Edition: Three digit edition number with left filled zeroes.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

f. National Stock Number: Assigned as per MIL-STD-2414.

3.14.2 Information booklet. Information booklets shall be provided for VVOD CDs. Labeling of the VVOD information booklet covers shall be in accordance with contract instructions. When used in conjunction with the jewel case, the front cover of the information booklet also serves as the front cover of the case.

3.14.2.1 Information booklet VVOD specific items. All information booklet VVOD specific items are the same as those shown on the CD, see 3.14.1.1.

3.14.2.2 Information booklet text. The interior pages of the information book shall contain the following statements (note that type should be such that all fit within the two inner surfaces of the booklet). The point of contact information (NGA User's Note) shown below is current as of the date of publication of this specification. See contract for updates (if applicable).

Vector Vertical Obstruction Data (VVOD)

1. Introduction: *VVOD is a vector-based digital product that portrays a selected minimum set of vertical obstruction features of aeronautical, topographic, and hydrographic military significance to meet planning and initial operational needs. The features, attributes, and attribute values presented herein are a subset of those allowed in the National Imagery and Mapping Agency (NIMA) Profile of Digital Geographic Information Exchange Standard, Part 4, Feature and Attribute Coding Catalogue (FACC).*

2. Purpose: *VVOD is designed to function as a mission specific data set in support of Geographic Information System (GIS) applications. The database shall contain data concerning known vertical obstructions worldwide. The vertical obstruction data stored in the database includes all of the manmade and natural vertical obstructions known by NGA projecting above the Earth's surface which are sufficiently tall so as to pose a hazard to powered flight, both manned and unmanned.*

3. Specifications and Standards: *This VVOD Compact Disc - Read Only Memory (CD-ROM) was produced under DoD Specification MIL-PRF-89049/9A, Performance Specification Sheet Vector Vertical Obstruction Data (VVOD), dated 15 December 2005. It is formatted as specified in DoD Standard, MIL-STD-2407, Vector Product Format (VPF) and coded as per the NIMA Profile of the Digital Geographic Information Exchange Standard (DIGEST) Feature and Attribute Coding Catalogue (FACC).*

4. Datum and Projection:
Horizontal datum: World Geodetic System 1984 (WGS 84).
Vertical datum: Mean Sea Level (MSL)

5. VVOD Content: *All VVOD features, attributes, and values are individually organized into a data library of single subject thematic layers/coverages. These consist of Point Vertical Obstructions and Line Vertical obstructions, along with data supporting coverages of Library Reference, Tile Reference, and Data Quality.*

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

6. Comments and Questions: *For questions concerning this or other NGA products or services, please telephone the NGA Operational Help Desk: 1-800-455-0899, Commercial 314-263-4864, or DSN 693-4864, or write: Director, National Geospatial-Intelligence Agency, ATTN: ES, Mail Stop L-88, 4600 Sangamore Road, Bethesda, MD 20816-5003.*

3.14.3 Jewel case liner (back cover of case). Labeling of the VVOD jewel case liner shall be in accordance with contract instructions.

3.14.4 Cardboard sleeve mailer. If a cardboard mailing sleeve is specified in the contract, it shall be labeled in accordance with contract instructions.

4. VERIFICATION

Verification shall be in accordance with MIL-PRF-89049A, section 4.

5. PACKAGING

5.1 Packaging. For acquisition purposes, the packaging requirements shall be as specified in the contract or order (see 6.2). When packaging of materials is to be performed by DoD or in-house contractor personnel, these personnel need to contact the responsible packaging activity to ascertain packaging requirements. Packaging requirements are maintained by the Inventory Control Point's packaging activities within the Military Service or Defense Agency, or within the military service's system command. Packaging data retrieval is available from the managing Military Department's or Defense Agency's automated packaging files, CD-ROM products, or by contacting the responsible packaging activity.

6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

6.1 Intended use. The VVOD database is intended to support a variety of basic military Geographic Information System (GIS) applications at a tactical or strategic level. It is intended for use as a general purpose vertical obstructions database which can support various aeronautical applications such as mission planning, route navigation, etc used by military services.

6.1.1 Sources. The feature content as defined in this specification is primarily based on a combination of selected minimum sets of aeronautical, topographic, and hydrographic features. Sources used to support the photogrammetric collection of features, attributes, and attribute values during the compilation of this product may include information derived from (but not limited to) aerial photography, aeronautical/hydrographic charts, multi-spectral imagery, topographic maps and host country Aeronautical Information Publications (AIP). Information also may have been derived from hardcopy thematic maps and charts at a variety of scales or conversion from digital data in other formats and coding schemas.

6.1.2. Vertical obstruction information currency. The vertical obstruction information contained in VVOD is maintained and updated on a 28-day cycle, after which the entire dataset is replaced with a new dataset.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

See the edition number and edition date in the database header table (dht) and the library header table (lht) for the effective date of the VO information.

6.2 Acquisition requirements. Acquisition documents are defined in MIL-PRF-89049A, section 6.2.

6.3 Supersession. This specification supersedes MIL-PRF-0089049/9(NGA), dated 24 May 2004.

6.4 Definitions. For definitions of VPF terms used in this specification refer to MIL-STD-2407, section 3. Refer to MIL-PRF-89049A for definitions of terms and acronyms used in this specification sheet that are not defined herein.

6.4.1 Acronyms.

CD-ROM	Compact Disc-Read Only Memory
CE	Circular Error
DIGEST	Digital Geographic Information Exchange Standard
DMA	Defense Mapping Agency
DoD	Department of Defense
DODISS	Department of Defense Index of Specifications and Standards
DQ	Data Quality (coverage name)
DVOF	DMA/Digital Vertical Obstruction File
FACC	Feature and Attribute Coding Catalogue
GEOREF	Geographic Reference System
GIS	Geographic Information System
ID	Identifier
ISO	International Organization for Standards
LE	Linear Error
MSL	Mean Sea Level
NGA	National Geospatial-Intelligence Agency (formerly National Imagery and Mapping Agency, or Defense Mapping Agency)
NSG	National System for Geospatial-Intelligence
OBS	Obstructions (coverage name)
VDT	Value Description Table
VPF	Vector Product Format
VVOD	Vector Vertical Obstruction Data
WGS	World Geodetic System

6.5 Subject term (keyword) listing. This paragraph contains an alphabetical listing of subject terms (key words) that allow for identification of the document during retrieval searches. Note subject terms do not repeat words from title of this document:

Data Quality (dq)
DIGEST
FACC
GIS
GEOREF
Geospatial Information
Obstructions (obs)
Thematic Layers
Topographic Data

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Vector Product Format
Vertical Obstruction File
VVOD
World Geodetic System

6.6 Changes from previous issue. The margins of this specification sheet are marked with vertical lines to indicate where changes from the previous issue, MIL-PRF-0089049/9(NGA) were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Exceptions to these markings include the following tables and/or sections: char.vdt tables, int.vdt tables, all sections and tables of appendix D. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

6.7 NGA operational help desk. For questions concerning this or other NGA products, services, or specifications, please telephone the NGA Operational Help Desk: 1-800-455-0899, Commercial 314-263-4864, or DSN 693-4864, or write: Director, National Geospatial-Intelligence Agency, ATTN: ES, Mail Stop L-88, 4600 Sangamore Road, Bethesda, MD 20816-5003.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

VVOD DATA DICTIONARY

A.1 SCOPE

A.1.1 Scope. This appendix provides information about the data dictionary organization for the VVOD product. It is a mandatory part of the specification sheet. The information contained herein is intended for compliance.

A.2 APPLICABLE DOCUMENTS

This section is not applicable to this appendix.

A.3 VVOD DATA DICTIONARY ORGANIZATION

A.3.1 Data dictionary organization.

a. The data provided in these appendices are organized according to VPF structure levels. The VVOD database and library tables appear first, as described in MIL-PRF-89049A, Appendixes B and D. The information provided in the database tables applies to the entire database. The VVOD database contains only data libraries (containing the product data) described in Appendix C of this document.

b. Appendix B in this specification sheet contains information on the database and library level metadata tables for VVOD.

c. Appendix C in this specification sheet contains the data coverages. For each coverage there is a series of tables that describe the data in that coverage. Listed for each coverage are the character value description table, integer value description table, feature tables, feature class attribute table, and feature class schema table.

d. Appendix D in this specification sheet contains two consolidated listings of the VVOD features and attributes along with their respective primitive types for the VVOD libraries. They are designed as an index to the VVOD features and attributes. The first is a listing by coverage of the VVOD feature names and codes, and their associated attribute names and codes. The second is a similar consolidated listing of all the VVOD features sorted by feature code.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

VVOD DATABASE AND LIBRARY VPF TABLE CONTENTS

B.1 SCOPE

B.1.1 Scope. This appendix describes the record content of the database and library level metadata tables that require product-specific information. It is a mandatory part of this specification sheet. The information contained herein is intended for compliance.

B.2 APPLICABLE DOCUMENTS

This section is not applicable to this appendix.

B.3 VVOD DATABASE AND LIBRARY VPF TABLE CONTENTS

The following sections define the default record content for each of the database and library level metadata tables that require product-specific information. The actual record content of these metadata tables in a VVOD dataset shall be tailored to accurately represent the dataset.

B.3.1 Database-level record layout. The VVOD consists of a single worldwide database. Three required VPF tables and files are implemented at the database level. These are the database header table (dht) and corresponding variable-length index (dhx)and the library attribute table(lat). The following sections describe these files and their default record content for the VVOD database.

B.3.1.1 Database header table. This table contains information about the contents of the database and security information. The format of the dht is defined in MIL-PRF-89049A, Appendix B. Table B-1 herein defines the default record contents for the dht in the VVOD database.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE B-1. Record Contents for database header table (dht).

Column Name	Record Entry
id	1
vpf_version	9606
database_name	VVOD
database_desc	Vector Vertical Obstruction database supporting GIS applications.
media_standard	ISO 9660
originator	NATIONAL GEOSPATIAL-INTELLIGENCE AGENCY
addressee	ATTN: NGA/P, Mail Stop D-134, 4600 Sangamore Road, Bethesda, MD 20816-5003
media_volumes	1
seq_numbers	1
num_data_sets	1
security_class	U
downgrading	NO
downgrade_date	00000000000000.
releasability	UNRESTRICTED
transmittal_id	1
edition_number	1
edition_date	20030825000000.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

B.3.1.2 Library attribute table. This table contains a row for each VVOD library that describes the library's name and the minimum bounding rectange that defines the geographic extent of that library. The format of the lat is defined in MIL-PRF-89049A, Appendix B. There is no VVOD-specific default record content for the lat.

B.3.2 Library-level record layout. Each VVOD data library shall contain the four required metadata tables and associated narrative tables and indices. These include the library header table (lht), geographic reference table (grt), coverage attribute table (cat), data quality table (dqt), a lineage narrative table (lineage.doc) and variable-length indices (lhx, grx, dqx, lineage.dox). The following sections describe these files and their default record content for VVOD data libraries.

B.3.2.1 VVOD library header table. The library header table identifies the data set, sources and security information in the data library. The format of the lht is defined in MIL-PRF-89049A, Appendix D. Table B-2 herein defines the default record contents for the lht in a VVOD data library.

TABLE B-2. Record Contents for VVOD library header table (lht).

Column Name	Record Entry
id	1
product_type	VVOD
library_name	vxxxx
description	Digital aeronautical data collected over North America from multiple sources.
data_struct_code	8
scale	[Null]
source_series	TBD
source_id	TBD
source_edition	TBD
source_name	Multiple sources used.
source_date	[Null]
security_class	U
downgrading	NO
downgrading_date	[Null]
releasability	RESTRICTED
edition_number	1
edition_date	20030825000000.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

B.3.2.2 Geographic reference table. This table contains the geographic parameters, and projection information about a VVOD library The format of the grt is defined in MIL-PRF-89049A, Appendix D. Table B-3 herein defines the default record contents for the grt in a VVOD data library.

TABLE B-3. Record contents for a VVOD library geographic reference table (grt).

Column Name	Record Entry
id	1
data_type	GEO
units	DEG
ellipsoid_name	WGS 84
ellipsoid_code	WGE
ellipsoid_detail	A=6378137,B=6356752
vert_datum_name	MEAN SEA LEVEL
vert_datum_code	MSL
vert_units	M
sound_datum_name	N/A
sound_datum_code	N/A
sound_units	N/A
geo_datum_name	WGS 84
geo_datum_code	WGE
projection_name	DECIMAL DEGREES UNPROJECTED

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

B.3.2.3 Coverage attribute table. The cat defines the topology level for each coverage in a VVOD data library. The format of the cat is defined in MIL-PRF-89049A, Appendix D. Table B-4 herein defines the record content of the cat for all coverages in VVOD.

TABLE B-4. Record contents for a VVOD coverage attribute table (cat).

id	coverage_name[1]	description	level[2]
1	libref	Library Reference	2
2	tileref	Tile Reference	3
3	dq	Data Quality	3
4	obs	Obstructions	2

NOTES:

1. This table depicts all coverages which may be present in a VVOD library. Presence of these coverages will vary with data availability. If a library does not contain any data for a particular coverage, then the record describing the coverage will not be present.
2. The number in the level column represents the topology level of each coverage.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

B.3.2.4 Data Quality Table The dqt provides information about the quality and accuracy of the data contained in the VVOD data library. The format of the dqt and the associated lineage.doc is defined in MIL-PRF-89049A, Appendix D. Table B-5 herein defines the default record contents for the dqt in a VVOD data library. No default contents are specified for the lineage.doc.

TABLE B-5. Record contents for a VVOD library data quality table (dqt).

Column Name	Record Entry
id	1
vpf_level	LIBRARY
vpf_level_name	vxxxx
feature_complete	All features in this library are captured from the source materials in accordance with this specification
attrib_complete	All features in this library have valid attribute codes assigned to them in accordance with this specification
logical_consist	All data are topologically correct. No duplicate features are present within a coverage. All data were consistently captured using the rules described in the documentation table associated with this table.
edition_num	1
creation_date	20030920000000.
revision_date	00000000000000.
spec_name	MIL-PRF-89049/9A
spec_date	20030825000000.
earliest_source	19700101000000.
latest_source	00000000000000.
collection_spec	MIL-PRF-89049/9A
abs_horiz_acc	128
abs_horiz_units	METERS
abs_vert_acc	30
abs_vert_units	METERS
rel_horiz_acc	N/A
rel_horiz_units	N/A
rel_vert_acc	N/A
rel_vert_units	N/A
comments	Additional descriptions of data lineage are available in the documentation table associated with this data quality table (lineage.doc)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

VVOD DATABASE THEMATIC COVERAGES VPF TABLES AND CONTENTS

C.1 SCOPE

C.1.1 Scope. This appendix provides information on the data dictionary organization for VVOD. It is a mandatory part of this specification sheet. The information contained herein is intended for compliance.

C.2 APPLICABLE DOCUMENTS

This section is not applicable to this appendix.

C.3 VVOD THEMATIC COVERAGE DIRECTORY RECORD LAYOUT

C.3.1 General. Appendix C contains the data coverages for VVOD. For each coverage there is a series of tables that describe the data in that coverage. Listed for each coverage are an index of FACC codes, features types, and respective attributes, followed by the character value description table, integer value description table, feature table, feature class attribute table, and feature class schema table

TABLE C-1. VVOD data coverages.

Data Quality coverage	(dq)
Obstructions coverage	(obs)

C.3.1.1 Data Quality Coverage. As shown in Table C-1, this appendix details 1 of the 2 data coverages contained in the VVOD product. The Data Quality coverage is described in MIL-PRF-89049A, Appendix E.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

C.3.2 **Obstructions Coverage.**

TABLE C-2. Obstructions Character Value Description Table.

Thematic Layer: Obstructions
Coverage Name: obs
Feature Table Description: Obstructions Character Value Description Table
Table Name: char.vdt

{Header length}L; Obstructions Character Value Description Table;-; id=I,1,P,Row Identifier,-,-,-,: table=T,12,N,Name of the Feature Table,-,-,-,: attribute=T,6,N,Column Name,-,-,-,: value=T,5,N,Unique Value of Attribute,-,-,-,: description=T,*,N,Description of Value,-,-,-,:;				
1	aerop.pft	f_code	GA035	NAVAIDS (Aeronautical)
2	aerop.pft	f_code	GB040	Launch Pad
3	aerop.pft	f_code	GB220	Air Obstruction
4	aerop.pft	f_code	GB221	Miscellaneous Air Obstruction
5	aerop.pft	cdv	UNK	Unknown
6	aerop.pft	qle	UNK	Unknown
7	aerop.pft	txt	UNK	Unknown
8	aerop.pft	voi	UNK	Unknown
9	hydrop.pft	f_code	BC040	Light
10	hydrop.pft	f_code	BC050	Lighthouse
11	hydrop.pft	f_code	BC070	Light Vessel/Lightship
12	hydrop.pft	f_code	BD110	Platform
13	hydrop.pft	cdv	UNK	Unknown
14	hydrop.pft	qle	UNK	Unknown
15	hydrop.pft	txt	UNK	Unknown
16	hydrop.pft	voi	UNK	Unknown
17	indp.pft	f_code	AA040	Rig/Superstructure
18	indp.pft	f_code	AB000	US-Disposal Site/Waste Pile UK-Refuse Tip/Slag Heap
19	indp.pft	f_code	AC000	Processing Plant/Treatment Plant
20	indp.pft	f_code	AC010	Blast Furnace
21	indp.pft	f_code	AC020	Catalytic Cracker
22	indp.pft	f_code	AD010	US-Power Plant UK-Power Station
23	indp.pft	f_code	AF010	Chimney/Smokestack
24	indp.pft	f_code	AF020	Conveyor
25	indp.pft	f_code	AF030	Cooling Tower
26	indp.pft	f_code	AF040	Crane
27	indp.pft	f_code	AF050	US-Dredge/Powershovel/Dragline UK-Dredger/Powershovel/Dragline
28	indp.pft	f_code	AF070	Flare Pipe
29	indp.pft	f_code	AF080	Hopper

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-2. Obstructions Character Value Description Table (continued).

30	indp.pft	f_code	AJ050	Windmill
31	indp.pft	f_code	AJ051	Windmotor
32	indp.pft	f_code	AM010	Depot (Storage)
33	indp.pft	f_code	AM020	Grain Bin/Silo
34	indp.pft	f_code	AM030	Grain Elevator
35	indp.pft	f_code	AM070	Tank
36	indp.pft	f_code	AM080	Water Tower
37	indp.pft	cdv	UNK	Unknown
38	indp.pft	qle	UNK	Unknown
39	indp.pft	txt	UNK	Unknown
40	indp.pft	voi	UNK	Unknown
41	iwap.pft	f_code	BH010	Aqueduct
42	iwap.pft	f_code	BI020	Dam/Weir
43	iwap.pft	f_code	BI050	Water Intake Tower
44	iwap.pft	cdv	UNK	Unknown
45	iwap.pft	qle	UNK	Unknown
46	iwap.pft	txt	UNK	Unknown
47	iwap.pft	voi	UNK	Unknown
48	popp.pft	f_code	AH050	Fortification
49	popp.pft	f_code	AK020	Amusement Park Attraction
50	popp.pft	f_code	AK150	Ski Jump
51	popp.pft	f_code	AK160	US-Stadium/Amphitheater UK-Stadium/Amphitheatre
52	popp.pft	f_code	AL015	Building
53	popp.pft	f_code	AL018	Building Superstructure Addition
54	popp.pft	f_code	AL050	US-Display Sign UK-Display Sign/Notice Board
55	popp.pft	f_code	AL110	US-Light Standard/Light Support UK-Light Standard/Light Support/Lamp Post
56	popp.pft	f_code	AL130	US-Monument UK-Monument/Folly
57	popp.pft	f_code	AL240	Tower (Non-Communication)
58	popp.pft	f_code	AQ020	Aerial Cableway Pylon/Ski Pylon
59	popp.pft	f_code	AQ055	Bridge Tower/Bridge Pylon
60	popp.pft	cdv	UNK	Unknown
61	popp.pft	qle	UNK	Unknown
62	popp.pft	txt	UNK	Unknown
63	popp.pft	voi	UNK	Unknown
64	transp.pft	f_code	AQ040	Bridge/Overpass/Viaduct
65	transp.pft	f_code	AQ050	Bridge Superstructure
66	transp.pft	f_code	AQ060	Control Tower
67	transp.pft	f_code	AQ110	Mooring Mast
68	transp.pft	cdv	UNK	Unknown
69	transp.pft	qle	UNK	Unknown
70	transp.pft	txt	UNK	Unknown
71	transp.pft	voi	UNK	Unknown

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-2. Obstructions Character Value Description Table (continued).

72	utilp.pft	f_code	AD030	Substation/Transformer Yard
73	utilp.pft	f_code	AT006	Overhead Cable
74	utilp.pft	f_code	AT010	US-Disk/Dish UK-Disk Aerial/Dish Aerial
75	utilp.pft	f_code	AT040	US-Power Transmission Pylon UK-Power Transmission Pylon/Pole
76	utilp.pft	f_code	AT050	Communication Building
77	utilp.pft	f_code	AT070	Telephone-Telegraph Pylon/Pole
78	utilp.pft	f_code	AT080	Communication Tower
79	utilp.pft	cdv	UNK	Unknown
80	utilp.pft	qle	UNK	Unknown
81	utilp.pft	txt	UNK	Unknown
82	utilp.pft	voi	UNK	Unknown
83	aeroc.pft	f_code	GA035	NAVAIDS (Aeronautical)
84	aeroc.pft	f_code	GB040	Launch Pad
85	aeroc.pft	f_code	GB220	Air Obstruction
86	aeroc.pft	f_code	GB221	Miscellaneous Air Obstruction
87	aeroc.pft	cdv	UNK	Unknown
88	aeroc.pft	qle	UNK	Unknown
89	aeroc.pft	txt	UNK	Unknown
90	aeroc.pft	voi	UNK	Unknown
91	hydroc.pft	f_code	BC040	Light
92	hydroc.pft	f_code	BC050	Lighthouse
93	hydroc.pft	f_code	BC070	Light Vessel/Lightship
94	hydroc.pft	f_code	BD110	Platform
95	hydroc.pft	cdv	UNK	Unknown
96	hydroc.pft	qle	UNK	Unknown
97	hydroc.pft	txt	UNK	Unknown
98	hydroc.pft	voi	UNK	Unknown
99	indc.pft	f_code	AA040	Rig/Superstructure
100	indc.pft	f_code	AB000	US-Disposal Site/Waste Pile UK-Refuse Tip/Slag Heap
101	indc.pft	f_code	AC000	Processing Plant/Treatment Plant
102	indc.pft	f_code	AC010	Blast Furnace
103	indc.pft	f_code	AC020	Catalytic Cracker
104	indc.pft	f_code	AD010	US-Power Plant UK-Power Station
105	indc.pft	f_code	AF010	Chimney/Smokestack
106	indc.pft	f_code	AF020	Conveyor
107	indc.pft	f_code	AF030	Cooling Tower
108	indc.pft	f_code	AF040	Crane
109	indc.pft	f_code	AF050	US-Dredge/Powershovel/Dragline UK-Dredger/Powershovel/Dragline
110	indc.pft	f_code	AF070	Flare Pipe

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-2. Obstructions Character Value Description Table (continued).

111	indc.pft	f_code	AF080	Hopper
112	indc.pft	f_code	AJ050	Windmill
113	indc.pft	f_code	AJ051	Windmotor
114	indc.pft	f_code	AM010	Depot (Storage)
115	indc.pft	f_code	AM020	Grain Bin/Silo
116	indc.pft	f_code	AM030	Grain Elevator
117	indc.pft	f_code	AM070	Tank
118	indc.pft	f_code	AM080	Water Tower
119	indc.pft	cdv	UNK	Unknown
120	indc.pft	qle	UNK	Unknown
121	indc.pft	txt	UNK	Unknown
122	indc.pft	voi	UNK	Unknown
123	iwac.pft	f_code	BH010	Aqueduct
124	iwac.pft	f_code	BI020	Dam/Weir
125	iwac.pft	f_code	BI050	Water Intake Tower
126	iwac.pft	cdv	UNK	Unknown
127	iwac.pft	qle	UNK	Unknown
128	iwac.pft	txt	UNK	Unknown
129	iwac.pft	voi	UNK	Unknown
130	popc.pft	f_code	AH050	Fortification
131	popc.pft	f_code	AK020	Amusement Park Attraction
132	popc.pft	f_code	AK150	Ski Jump
133	popc.pft	f_code	AK160	US-Stadium/Amphitheater UK-Stadium/Amphitheatre
134	popc.pft	f_code	AL015	Building
135	popc.pft	f_code	AL018	Building Superstructure Addition
136	popc.pft	f_code	AL050	US-Display Sign UK-Display Sign/Notice Board
137	popc.pft	f_code	AL110	US-Light Standard/Light Support UK-Light Standard/Light Support/Lamp Post
138	popc.pft	f_code	AL130	US-Monument UK-Monument/Folly
139	popc.pft	f_code	AL240	Tower (Non-Communication)
140	popc.pft	f_code	AQ020	Aerial Cableway Pylon/Ski Pylon
141	popc.pft	f_code	AQ055	Bridge Tower/Bridge Pylon
142	popc.pft	cdv	UNK	Unknown
143	popc.pft	qle	UNK	Unknown
144	popc.pft	txt	UNK	Unknown
145	popc.pft	voi	UNK	Unknown
146	transc.pft	f_code	AQ040	Bridge/Overpass/Viaduct
147	transc.pft	f_code	AQ050	Bridge Superstructure
148	transc.pft	f_code	AQ060	Control Tower
149	transc.pft	f_code	AQ110	Mooring Mast
150	transc.pft	cdv	UNK	Unknown
151	transc.pft	qle	UNK	Unknown
152	transc.pft	txt	UNK	Unknown

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-2. Obstructions Character Value Description Table (continued).

153	transc.pft	voi	UNK	Unknown
154	utilc.pft	f_code	AD030	Substation/Transformer Yard
155	utilc.pft	f_code	AT006	Overhead Cable
156	utilc.pft	f_code	AT010	US-Disk/Dish UK-Disk Aerial/Dish Aerial
157	utilc.pft	f_code	AT040	US-Power Transmission Pylon UK-Power Transmission Pylon/Pole
158	utilc.pft	f_code	AT050	Communication Building
159	utilc.pft	f_code	AT070	Telephone-Telegraph Pylon/Pole
160	utilc.pft	f_code	AT080	Communication Tower
161	utilc.pft	cdv	UNK	Unknown
162	utilc.pft	qle	UNK	Unknown
163	utilc.pft	txt	UNK	Unknown
164	utilc.pft	voi	UNK	Unknown
165	aerol.lft	f_code	GA035	NAVAIDS (Aeronautical)
166	aerol.lft	f_code	GB220	Air Obstruction
167	aerol.lft	f_code	GB221	Miscellaneous Air Obstruction
168	aerol.lft	cdv	UNK	Unknown
169	aerol.lft	qle	UNK	Unknown
170	aerol.lft	txt	UNK	Unknown
171	aerol.lft	voi	UNK	Unknown
172	indl.lft	f_code	AD010	US-Power Plant UK-Power Station
173	indl.lft	f_code	AF010	Chimney/Smokestack
174	indl.lft	f_code	AF020	Conveyor
175	indl.lft	f_code	AJ051	Windmotor
176	indl.lft	f_code	AM070	Tank
177	indl.lft	cdv	UNK	Unknown
178	indl.lft	qle	UNK	Unknown
179	indl.lft	txt	UNK	Unknown
180	indl.lft	voi	UNK	Unknown
181	iwal.lft	f_code	BH010	Aqueduct
182	iwal.lft	f_code	BI020	Dam/Weir
183	iwal.lft	cdv	UNK	Unknown
184	iwal.lft	qle	UNK	Unknown
185	iwal.lft	txt	UNK	Unknown
186	iwal.lft	voi	UNK	Unknown
187	popl.lft	f_code	AH050	Fortification
188	popl.lft	f_code	AK160	US-Stadium/Amphitheater UK-Stadium/Amphitheatre
189	popl.lft	f_code	AL015	Building
190	popl.lft	f_code	AL018	Building Superstructure Addition
191	popl.lft	f_code	AL110	US-Light Standard/Light Support UK-Light Standard/Light Support/Lamp Post

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-2. Obstructions Character Value Description Table (continued).

192	popl.lft	f_code	AL130	US-Monument UK-Monument/Folly
193	popl.lft	f_code	AL240	Tower (Non-Communication)
194	popl.lft	f_code	AQ010	US-Aerial Cableway Lines/Ski Lift Lines UK-Aerial Cableway Lines/Ski Lift Cables
195	popl.lft	cdv	UNK	Unknown
196	popl.lft	qle	UNK	Unknown
197	popl.lft	txt	UNK	Unknown
198	popl.lft	voi	UNK	Unknown
199	transl.lft	f_code	AQ040	Bridge/Overpass/Viaduct
200	transl.lft	f_code	AQ050	Bridge Superstructure
201	transl.lft	cdv	UNK	Unknown
202	transl.lft	qle	UNK	Unknown
203	transl.lft	txt	UNK	Unknown
204	transl.lft	voi	UNK	Unknown
205	utill.lft	f_code	AQ113	Pipeline/Pipe
206	utill.lft	f_code	AT030	Power Transmission Line
207	utill.lft	f_code	AT050	Communication Building
208	utill.lft	f_code	AT060	Telephone Line/Telegraph Line
209	utill.lft	f_code	AT080	Communication Tower
210	utill.lft	cdv	UNK	Unknown
211	utill.lft	qle	UNK	Unknown
212	utill.lft	txt	UNK	Unknown
213	utill.lft	voi	UNK	Unknown
214	fca	type	P	Point/Node Feature
215	fca	type	L	Line Feature

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table.

Thematic Layer: Obstructions
Coverage Name: obs
Feature Table Description: Obstructions Integer Value Description Table
Table Name: int.vdt

{Header length}L; Obstructions Integer Value Description Table;-; id=I,1,P,Row Identifier,-,-,-,: table=T,12,N,Name of the Feature Table,-,-,-,: attribute=T,3,N,Column Name,-,-,-,: value=S,1,N,Unique Value of Attribute,-,-,-,: description=T,*,N,Description of Value,-,-,-,:;				
1	aerop.pft	atn	0	Unknown
2	aerop.pft	atn	3	Lit
3	aerop.pft	atn	4	Unlit
4	aerop.pft	cdp	0	Unknown
5	aerop.pft	cdp	18	Receipt
6	aerop.pft	cdp	19	Source
7	aerop.pft	cdp	24	Up-to-dateness/revision
8	aerop.pft	dir	0	Unknown
9	aerop.pft	dir	1	Uni
10	aerop.pft	dir	2	Bi
11	aerop.pft	dir	3	Omni
12	aerop.pft	dmf	-32767	Unknown
13	aerop.pft	exs	0	Unknown
14	aerop.pft	exs	5	Under Construction
15	aerop.pft	exs	7	Destroyed
16	aerop.pft	exs	8	Dismantled
17	aerop.pft	exs	999	Other
18	aerop.pft	gug	0	Unknown
19	aerop.pft	gug	1	Guyed
20	aerop.pft	gug	2	Unguyed
21	aerop.pft	hgt	-32767	Unknown
22	aerop.pft	hzd	0	Unknown
23	aerop.pft	hzd	300	World Geodetic System 1984
24	aerop.pft	hzd	999	Other
25	aerop.pft	len	-32767	Unknown
26	aerop.pft	mcc	0	Unknown
27	aerop.pft	mcc	20	Composition
28	aerop.pft	mcc	21	Concrete
29	aerop.pft	mcc	30	Earthen
30	aerop.pft	mcc	62	Masonry (Brick/Stone)
31	aerop.pft	mcc	64	Metal
32	aerop.pft	mcc	72	Part Metal
33	aerop.pft	mcc	107	Steel

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

34	aerop.pft	mcc	117	Wood
35	aerop.pft	mcc	999	Other
36	aerop.pft	nst	0	Unknown
37	aerop.pft	nst	7	Long Range Air Navigation System (LORAN)
38	aerop.pft	nst	10	Radar Responder Beacon (RACON)
39	aerop.pft	nst	11	Radar
40	aerop.pft	nst	20	VHF Omni Directional Radio Range (VOR)
41	aerop.pft	nst	21	VHF Omni Directional Radio Range/Distance Measuring Equipment (VOR/DME)
42	aerop.pft	nst	22	VHF Omni Directional Radio Range and TACAN (VORTAC)
43	aerop.pft	nst	23	Tactical Air Navigation Equipment (TACAN)
44	aerop.pft	nst	26	Localizer (LOC)
45	aerop.pft	nst	27	Localizer/Distance Measuring Equipment (LOC/DME)
46	aerop.pft	nst	35	Radar Antenna
47	aerop.pft	nst	37	Precision Approach Radar (PAR)
48	aerop.pft	nst	40	Radio Beacon
49	aerop.pft	nst	45	Radar Station
50	aerop.pft	nst	55	Radar reflector
51	aerop.pft	nst	999	Other
52	aerop.pft	prm	1	Permanent
53	aerop.pft	prm	2	Temporary
54	aerop.pft	sec	0	Unknown
55	aerop.pft	sec	1	Top Secret
56	aerop.pft	sec	2	Secret
57	aerop.pft	sec	3	Confidential
58	aerop.pft	sec	4	Restricted
59	aerop.pft	sec	5	Unclassified
60	aerop.pft	sec	999	Other
61	aerop.pft	ssc	0	Unknown
62	aerop.pft	ssc	4	Bullet
63	aerop.pft	ssc	10	Pillar/Spindle
64	aerop.pft	ssc	12	Pyramid
65	aerop.pft	ssc	17	Spherical (Hemispherical)
66	aerop.pft	ssc	21	Artificial Mountain
67	aerop.pft	ssc	52	’A’ Frame
68	aerop.pft	ssc	53	’H’ Frame
69	aerop.pft	ssc	54	’I’ Frame
70	aerop.pft	ssc	56	’Y’ Frame
71	aerop.pft	ssc	60	Mast
72	aerop.pft	ssc	74	’T’ Frame
73	aerop.pft	ssc	77	Arch

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

74	aerop.pft	ssc	79	Round
75	aerop.pft	ssc	80	Rectangular
76	aerop.pft	ssc	83	Square
77	aerop.pft	ssc	84	Irregular
78	aerop.pft	ssc	87	Dome
79	aerop.pft	ssc	109	Obelisk
80	aerop.pft	ssc	999	Other
81	aerop.pft	stc	1	Survey Source
82	aerop.pft	stc	2	Stereo Imagery Exploitation
83	aerop.pft	stc	3	Mono Imagery Exploitation
84	aerop.pft	stc	4	Cartographic Source
85	aerop.pft	stc	5	Reported Information
86	aerop.pft	stc	6	Multispectral
87	aerop.pft	stc	7	Hyperspectral
88	aerop.pft	stc	8	Synthetic Aperture Radar (SAR)
89	aerop.pft	stc	999	Other
90	aerop.pft	vdc	0	Unknown
91	aerop.pft	vdc	15	Mean Sea Level
92	aerop.pft	vdc	999	Other
93	aerop.pft	wid	-32767	Unknown
94	aerop.pft	zv2	-32767	Unknown
95	hydrop.pft	afa	0	Unknown
96	hydrop.pft	afa	19	Helipad
97	hydrop.pft	afa	995	None
98	hydrop.pft	afa	999	Other
99	hydrop.pft	atn	0	Unknown
100	hydrop.pft	atn	3	Lit
101	hydrop.pft	atn	4	Unlit
102	hydrop.pft	cdp	0	Unknown
103	hydrop.pft	cdp	18	Receipt
104	hydrop.pft	cdp	19	Source
105	hydrop.pft	cdp	24	Up-to-dateness/revision
106	hydrop.pft	dir	0	Unknown
107	hydrop.pft	dir	3	Omni
108	hydrop.pft	dmf	-32767	Unknown
109	hydrop.pft	exs	0	Unknown
110	hydrop.pft	exs	5	Under Construction
111	hydrop.pft	exs	7	Destroyed
112	hydrop.pft	exs	8	Dismantled
113	hydrop.pft	exs	999	Other
114	hydrop.pft	gug	0	Unknown
115	hydrop.pft	gug	1	Guyed
116	hydrop.pft	gug	2	Unguyed
117	hydrop.pft	hgt	-32767	Unknown
118	hydrop.pft	hzd	0	Unknown

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

119	hydrop.pft	hzd	300	World Geodetic System 1984
120	hydrop.pft	hzd	999	Other
121	hydrop.pft	mcc	0	Unknown
122	hydrop.pft	mcc	21	Concrete
123	hydrop.pft	mcc	64	Metal
124	hydrop.pft	mcc	72	Part Metal
125	hydrop.pft	mcc	107	Steel
126	hydrop.pft	mcc	117	Wood
127	hydrop.pft	mcc	999	Other
128	hydrop.pft	opc	10	Navigation Aid Support
129	hydrop.pft	prm	1	Permanent
130	hydrop.pft	prm	2	Temporary
131	hydrop.pft	sec	0	Unknown
132	hydrop.pft	sec	1	Top Secret
133	hydrop.pft	sec	2	Secret
134	hydrop.pft	sec	3	Confidential
135	hydrop.pft	sec	4	Restricted
136	hydrop.pft	sec	5	Unclassified
137	hydrop.pft	sec	999	Other
138	hydrop.pft	stc	1	Survey Source
139	hydrop.pft	stc	2	Stereo Imagery Exploitation
140	hydrop.pft	stc	3	Mono Imagery Exploitation
141	hydrop.pft	stc	4	Cartographic Source
142	hydrop.pft	stc	5	Reported Information
143	hydrop.pft	stc	6	Multispectral
144	hydrop.pft	stc	7	Hyperspectral
145	hydrop.pft	stc	8	Synthetic Aperture Radar (SAR)
146	hydrop.pft	stc	999	Other
147	hydrop.pft	vdc	0	Unknown
148	hydrop.pft	vdc	15	Mean Sea Level
149	hydrop.pft	vdc	999	Other
150	hydrop.pft	zv2	-32767	Unknown
151	indp.pft	afa	0	Unknown
152	indp.pft	afa	19	Helipad
153	indp.pft	afa	995	None
154	indp.pft	afa	999	Other
155	indp.pft	atn	0	Unknown
156	indp.pft	atn	3	Lit
157	indp.pft	atn	4	Unlit
158	indp.pft	bss	0	Unknown
159	indp.pft	bss	1	Monitor
160	indp.pft	bss	4	Turret
161	indp.pft	bss	5	Tower
162	indp.pft	bss	998	Not Applicable
163	indp.pft	bss	999	Other

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

164	indp.pft	cdp	0	Unknown
165	indp.pft	cdp	18	Receipt
166	indp.pft	cdp	19	Source
167	indp.pft	cdp	24	Up-to-dateness/revision
168	indp.pft	cra	0	Unknown
169	indp.pft	cra	2	Bridge/Gantry
170	indp.pft	cra	3	Rotating
171	indp.pft	cra	998	Not Applicable
172	indp.pft	cra	999	Other
173	indp.pft	crm	0	Unknown
174	indp.pft	crm	1	Fixed
175	indp.pft	crm	2	Traveling
176	indp.pft	crm	3	Floating
177	indp.pft	crm	999	Other
178	indp.pft	dir	0	Unknown
179	indp.pft	dir	2	Bi
180	indp.pft	dir	3	Omni
181	indp.pft	dmf	-32767	Unknown
182	indp.pft	exs	0	Unknown
183	indp.pft	exs	5	Under Construction
184	indp.pft	exs	7	Destroyed
185	indp.pft	exs	8	Dismantled
186	indp.pft	exs	999	Other
187	indp.pft	gug	0	Unknown
188	indp.pft	gug	1	Guyed
189	indp.pft	gug	2	Unguyed
190	indp.pft	hgt	-32767	Unknown
191	indp.pft	hzd	0	Unknown
192	indp.pft	hzd	300	World Geodetic System 1984
193	indp.pft	hzd	999	Other
194	indp.pft	loc	0	Unknown
195	indp.pft	loc	8	On Ground Surface
196	indp.pft	loc	22	Off Shore
197	indp.pft	loc	999	Other
198	indp.pft	mcc	0	Unknown
199	indp.pft	mcc	20	Composition
200	indp.pft	mcc	21	Concrete
201	indp.pft	mcc	62	Masonry (Brick/Stone)
202	indp.pft	mcc	64	Metal
203	indp.pft	mcc	72	Part Metal
204	indp.pft	mcc	107	Steel
205	indp.pft	mcc	117	Wood
206	indp.pft	mcc	999	Other
207	indp.pft	ppc	0	Unknown
208	indp.pft	ppc	1	Hydro-electric

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

209	indp.pft	ppc	2	Nuclear
210	indp.pft	ppc	3	Solar
211	indp.pft	ppc	4	Thermal
212	indp.pft	ppc	5	Wind
213	indp.pft	ppc	6	Tidal
214	indp.pft	ppc	7	Internal Combustion
215	indp.pft	ppc	998	Not Applicable
216	indp.pft	ppc	999	Other
217	indp.pft	prm	1	Permanent
218	indp.pft	prm	2	Temporary
219	indp.pft	pro	0	Unknown
220	indp.pft	pro	13	Chemical
221	indp.pft	pro	17	Coal
222	indp.pft	pro	19	Coke
223	indp.pft	pro	38	Gas
224	indp.pft	pro	64	Metal
225	indp.pft	pro	67	Oil
226	indp.pft	pro	999	Other
227	indp.pft	sec	0	Unknown
228	indp.pft	sec	1	Top Secret
229	indp.pft	sec	2	Secret
230	indp.pft	sec	3	Confidential
231	indp.pft	sec	4	Restricted
232	indp.pft	sec	5	Unclassified
233	indp.pft	sec	999	Other
234	indp.pft	ssc	0	Unknown
235	indp.pft	ssc	4	Bullet
236	indp.pft	ssc	7	Cylindrical (Upright)/CAN
237	indp.pft	ssc	12	Pyramid
238	indp.pft	ssc	17	Spherical (Hemispherical)
239	indp.pft	ssc	52	’A’ Frame
240	indp.pft	ssc	54	’I’ Frame
241	indp.pft	ssc	59	Telescoping Gasholder (Gasometer)
242	indp.pft	ssc	60	Mast
243	indp.pft	ssc	65	Cylindrical with flat top
244	indp.pft	ssc	66	Cylindrical with domed top
245	indp.pft	ssc	71	Cylindrical/Peaked
246	indp.pft	ssc	76	Funnel
247	indp.pft	ssc	79	Round
248	indp.pft	ssc	80	Rectangular
249	indp.pft	ssc	83	Square
250	indp.pft	ssc	84	Irregular
251	indp.pft	ssc	109	Obelisk
252	indp.pft	ssc	999	Other
253	indp.pft	ssr	0	Unknown

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

254	indp.pft	ssr	6	Conical/Peaked/NUN
255	indp.pft	ssr	38	Curved/Round (Quonset)
256	indp.pft	ssr	40	Dome
257	indp.pft	ssr	41	Flat
258	indp.pft	ssr	42	Gable (Pitched)
259	indp.pft	ssr	47	Sawtooth
260	indp.pft	ssr	999	Other
261	indp.pft	stc	1	Survey Source
262	indp.pft	stc	2	Stereo Imagery Exploitation
263	indp.pft	stc	3	Mono Imagery Exploitation
264	indp.pft	stc	4	Cartographic Source
265	indp.pft	stc	5	Reported Information
266	indp.pft	stc	6	Multispectral
267	indp.pft	stc	7	Hyperspectral
268	indp.pft	stc	8	Synthetic Aperture Radar (SAR)
269	indp.pft	stc	999	Other
270	indp.pft	vdc	0	Unknown
271	indp.pft	vdc	15	Mean Sea Level
272	indp.pft	vdc	999	Other
273	indp.pft	zv2	-32767	Unknown
274	iwap.pft	atn	0	Unknown
275	iwap.pft	atn	3	Lit
276	iwap.pft	atn	4	Unlit
277	iwap.pft	cdp	0	Unknown
278	iwap.pft	cdp	18	Receipt
279	iwap.pft	cdp	19	Source
280	iwap.pft	cdp	24	Up-to-dateness/revision
281	iwap.pft	dir	0	Unknown
282	iwap.pft	dir	1	Uni
283	iwap.pft	dir	2	Bi
284	iwap.pft	dir	3	Omni
285	iwap.pft	dmf	-32767	Unknown
286	iwap.pft	exs	0	Unknown
287	iwap.pft	exs	5	Under Construction
288	iwap.pft	exs	7	Destroyed
289	iwap.pft	exs	8	Dismantled
290	iwap.pft	exs	999	Other
291	iwap.pft	hgt	-32767	Unknown
292	iwap.pft	hzd	0	Unknown
293	iwap.pft	hzd	300	World Geodetic System 1984
294	iwap.pft	hzd	999	Other
295	iwap.pft	len	-32767	Unknown
296	iwap.pft	mcc	0	Unknown
297	iwap.pft	mcc	20	Composition
298	iwap.pft	mcc	21	Concrete

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

299	iwap.pft	mcc	30	Earthen
300	iwap.pft	mcc	62	Masonry (Brick/Stone)
301	iwap.pft	mcc	64	Metal
302	iwap.pft	mcc	72	Part Metal
303	iwap.pft	mcc	107	Steel
304	iwap.pft	mcc	108	Stone
305	iwap.pft	mcc	999	Other
306	iwap.pft	prm	1	Permanent
307	iwap.pft	prm	2	Temporary
308	iwap.pft	sec	0	Unknown
309	iwap.pft	sec	1	Top Secret
310	iwap.pft	sec	2	Secret
311	iwap.pft	sec	3	Confidential
312	iwap.pft	sec	4	Restricted
313	iwap.pft	sec	5	Unclassified
314	iwap.pft	sec	999	Other
315	iwap.pft	stc	1	Survey Source
316	iwap.pft	stc	2	Stereo Imagery Exploitation
317	iwap.pft	stc	3	Mono Imagery Exploitation
318	iwap.pft	stc	4	Cartographic Source
319	iwap.pft	stc	5	Reported Information
320	iwap.pft	stc	6	Multispectral
321	iwap.pft	stc	7	Hyperspectral
322	iwap.pft	stc	8	Synthetic Aperture Radar (SAR)
323	iwap.pft	stc	999	Other
324	iwap.pft	vdc	0	Unknown
325	iwap.pft	vdc	15	Mean Sea Level
326	iwap.pft	vdc	999	Other
327	iwap.pft	wid	-32767	Unknown
328	iwap.pft	zv2	-32767	Unknown
329	popp.pft	afa	0	Unknown
330	popp.pft	afa	19	Helipad
331	popp.pft	afa	995	None
332	popp.pft	afa	999	Other
333	popp.pft	atn	0	Unknown
334	popp.pft	atn	3	Lit
335	popp.pft	atn	4	Unlit
336	popp.pft	bfc	0	Unknown
337	popp.pft	bfc	2	Government Building
338	popp.pft	bfc	3	Capitol Building
339	popp.pft	bfc	4	Castle
340	popp.pft	bfc	6	Hospital
341	popp.pft	bfc	7	House of Worship
342	popp.pft	bfc	10	Observatory
343	popp.pft	bfc	11	Palace

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

344	popp.pft	bfc	13	Prison
345	popp.pft	bfc	15	School
346	popp.pft	bfc	16	House
347	popp.pft	bfc	17	Multi Unit Dwelling
348	popp.pft	bfc	28	Administration Building
349	popp.pft	bfc	29	Aircraft Maintenance Shop
350	popp.pft	bfc	30	Hangar
351	popp.pft	bfc	53	Bank
352	popp.pft	bfc	58	Observation
353	popp.pft	bfc	99	Battery
354	popp.pft	bfc	105	Reformatory
355	popp.pft	bfc	106	Sanitarium
356	popp.pft	bfc	111	Sportsplex
357	popp.pft	bfc	122	Shopping Center
358	popp.pft	bfc	129	Airport Terminal
359	popp.pft	bfc	999	Other
360	popp.pft	bss	0	Unknown
361	popp.pft	bss	1	Monitor
362	popp.pft	bss	2	Steeple
363	popp.pft	bss	3	Cupola
364	popp.pft	bss	4	Turret
365	popp.pft	bss	5	Tower
366	popp.pft	bss	6	Minaret
367	popp.pft	bss	998	Not Applicable
368	popp.pft	bss	999	Other
369	popp.pft	cdp	0	Unknown
370	popp.pft	cdp	18	Receipt
371	popp.pft	cdp	19	Source
372	popp.pft	cdp	24	Up-to-dateness/revision
373	popp.pft	dir	0	Unknown
374	popp.pft	dir	1	Uni
375	popp.pft	dir	2	Bi
376	popp.pft	dir	3	Omni
377	popp.pft	dmf	-32767	Unknown
378	popp.pft	exs	0	Unknown
379	popp.pft	exs	5	Under Construction
380	popp.pft	exs	7	Destroyed
381	popp.pft	exs	8	Dismantled
382	popp.pft	exs	999	Other
383	popp.pft	gug	0	Unknown
384	popp.pft	gug	1	Guyed
385	popp.pft	gug	2	Unguyed
386	popp.pft	hgt	-32767	Unknown
387	popp.pft	hzd	0	Unknown
388	popp.pft	hzd	300	World Geodetic System 1984

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

389	popp.pft	hzd	999	Other
390	popp.pft	len	-32767	Unknown
391	popp.pft	mcc	0	Unknown
392	popp.pft	mcc	20	Composition
393	popp.pft	mcc	21	Concrete
394	popp.pft	mcc	62	Masonry (Brick/Stone)
395	popp.pft	mcc	64	Metal
396	popp.pft	mcc	72	Part Metal
397	popp.pft	mcc	107	Steel
398	popp.pft	mcc	117	Wood
399	popp.pft	mcc	999	Other
400	popp.pft	prm	1	Permanent
401	popp.pft	prm	2	Temporary
402	popp.pft	sec	0	Unknown
403	popp.pft	sec	1	Top Secret
404	popp.pft	sec	2	Secret
405	popp.pft	sec	3	Confidential
406	popp.pft	sec	4	Restricted
407	popp.pft	sec	5	Unclassified
408	popp.pft	sec	999	Other
409	popp.pft	ssc	0	Unknown
410	popp.pft	ssc	10	Pillar/Spindle
411	popp.pft	ssc	12	Pyramid
412	popp.pft	ssc	17	Spherical (Hemispherical)
413	popp.pft	ssc	21	Artificial Mountain
414	popp.pft	ssc	23	Ferris Wheel
415	popp.pft	ssc	24	Enclosed
416	popp.pft	ssc	25	Roller Coaster
417	popp.pft	ssc	46	Open
418	popp.pft	ssc	52	'A' Frame
419	popp.pft	ssc	53	'H' Frame
420	popp.pft	ssc	54	'I' Frame
421	popp.pft	ssc	56	'Y' Frame
422	popp.pft	ssc	60	Mast
423	popp.pft	ssc	65	Cylindrical with flat top
424	popp.pft	ssc	66	Cylindrical with domed top
425	popp.pft	ssc	71	Cylindrical/Peaked
426	popp.pft	ssc	74	'T' Frame
427	popp.pft	ssc	77	Arch
428	popp.pft	ssc	79	Round
429	popp.pft	ssc	80	Rectangular
430	popp.pft	ssc	83	Square
431	popp.pft	ssc	84	Irregular
432	popp.pft	ssc	109	Obelisk
433	popp.pft	ssc	999	Other

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

434	popp.pft	ssr	0	Unknown
435	popp.pft	ssr	6	Conical/Peaked/NUN
436	popp.pft	ssr	38	Curved/Round (Quonset)
437	popp.pft	ssr	40	Dome
438	popp.pft	ssr	41	Flat
439	popp.pft	ssr	42	Gable (Pitched)
440	popp.pft	ssr	47	Sawtooth
441	popp.pft	ssr	998	Not Applicable
442	popp.pft	ssr	999	Other
443	popp.pft	stc	1	Survey Source
444	popp.pft	stc	2	Stereo Imagery Exploitation
445	popp.pft	stc	3	Mono Imagery Exploitation
446	popp.pft	stc	4	Cartographic Source
447	popp.pft	stc	5	Reported Information
448	popp.pft	stc	6	Multispectral
449	popp.pft	stc	7	Hyperspectral
450	popp.pft	stc	8	Synthetic Aperture Radar (SAR)
451	popp.pft	stc	999	Other
452	popp.pft	ttc	0	Unknown
453	popp.pft	ttc	2	Observation/Lookout
454	popp.pft	ttc	12	Fire
455	popp.pft	ttc	999	Other
456	popp.pft	vdc	0	Unknown
457	popp.pft	vdc	15	Mean Sea Level
458	popp.pft	vdc	999	Other
459	popp.pft	wid	-32767	Unknown
460	popp.pft	zv2	-32767	Unknown
461	transp.pft	atn	0	Unknown
462	transp.pft	atn	3	Lit
463	transp.pft	atn	4	Unlit
464	transp.pft	bot	0	Unknown
465	transp.pft	bot	4	Draw/Bascule
466	transp.pft	bot	10	Swing
467	transp.pft	bot	11	Lift
468	transp.pft	bot	13	Not Applicable
469	transp.pft	bot	999	Other
470	transp.pft	bsc	0	Unknown
471	transp.pft	bsc	1	Arch (assume open spandrel)
472	transp.pft	bsc	2	Cantilever
473	transp.pft	bsc	3	Deck
474	transp.pft	bsc	6	Girder
475	transp.pft	bsc	7	Tower Suspension
476	transp.pft	bsc	8	Truss
477	transp.pft	bsc	9	Suspension
478	transp.pft	bsc	12	Transporter

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

479	transp.pft	bsc	15	Slab
480	transp.pft	bsc	16	Stringer (beam)
481	transp.pft	bsc	17	Arch Suspension
482	transp.pft	bsc	26	Arch (closed spandrel)
483	transp.pft	bsc	27	Cable Stayed
484	transp.pft	bsc	999	Other
485	transp.pft	cdp	0	Unknown
486	transp.pft	cdp	18	Receipt
487	transp.pft	cdp	19	Source
488	transp.pft	cdp	24	Up-to-dateness/revision
489	transp.pft	dir	0	Unknown
490	transp.pft	dir	2	Bi
491	transp.pft	dir	3	Omni
492	transp.pft	dmf	-32767	Unknown
493	transp.pft	exs	0	Unknown
494	transp.pft	exs	5	Under Construction
495	transp.pft	exs	7	Destroyed
496	transp.pft	exs	8	Dismantled
497	transp.pft	exs	999	Other
498	transp.pft	gug	0	Unknown
499	transp.pft	gug	1	Guyed
500	transp.pft	gug	2	Unguyed
501	transp.pft	hgt	-32767	Unknown
502	transp.pft	hzd	0	Unknown
503	transp.pft	hzd	300	World Geodetic System 1984
504	transp.pft	hzd	999	Other
505	transp.pft	len	-32767	Unknown
506	transp.pft	mcc	0	Unknown
507	transp.pft	mcc	20	Composition
508	transp.pft	mcc	21	Concrete
509	transp.pft	mcc	62	Masonry (Brick/Stone)
510	transp.pft	mcc	64	Metal
511	transp.pft	mcc	72	Part Metal
512	transp.pft	mcc	107	Steel
513	transp.pft	mcc	117	Wood
514	transp.pft	mcc	999	Other
515	transp.pft	prm	1	Permanent
516	transp.pft	prm	2	Temporary
517	transp.pft	sec	0	Unknown
518	transp.pft	sec	1	Top Secret
519	transp.pft	sec	2	Secret
520	transp.pft	sec	3	Confidential
521	transp.pft	sec	4	Restricted
522	transp.pft	sec	5	Unclassified
523	transp.pft	sec	999	Other
524	transp.pft	ssc	0	Unknown

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

525	transp.pft	ssc	52	'A' Frame
526	transp.pft	ssc	54	'I' Frame
527	transp.pft	ssc	60	Mast
528	transp.pft	ssc	999	Other
529	transp.pft	ssr	0	Unknown
530	transp.pft	ssr	6	Conical/Peaked/NUN
531	transp.pft	ssr	38	Curved/Round (Quonset)
532	transp.pft	ssr	40	Dome
533	transp.pft	ssr	41	Flat
534	transp.pft	ssr	42	Gable (Pitched)
535	transp.pft	ssr	999	Other
536	transp.pft	stc	1	Survey Source
537	transp.pft	stc	2	Stereo Imagery Exploitation
538	transp.pft	stc	3	Mono Imagery Exploitation
539	transp.pft	stc	4	Cartographic Source
540	transp.pft	stc	5	Reported Information
541	transp.pft	stc	6	Multispectral
542	transp.pft	stc	7	Hyperspectral
543	transp.pft	stc	8	Synthetic Aperture Radar (SAR)
544	transp.pft	stc	999	Other
545	transp.pft	vdc	0	Unknown
546	transp.pft	vdc	15	Mean Sea Level
547	transp.pft	vdc	999	Other
548	transp.pft	wid	-32767	Unknown
549	transp.pft	zv2	-32767	Unknown
550	utilp.pft	atn	0	Unknown
551	utilp.pft	atn	3	Lit
552	utilp.pft	atn	4	Unlit
553	utilp.pft	bfc	0	Unknown
554	utilp.pft	bfc	40	Telephone Switching Station
555	utilp.pft	bfc	86	Telephone Exchange (Main)
556	utilp.pft	bss	0	Unknown
557	utilp.pft	bss	5	Tower
558	utilp.pft	bss	998	Not Applicable
559	utilp.pft	bss	999	Other
560	utilp.pft	cdp	0	Unknown
561	utilp.pft	cdp	18	Receipt
562	utilp.pft	cdp	19	Source
563	utilp.pft	cdp	24	Up-to-dateness/revision
564	utilp.pft	dir	0	Unknown
565	utilp.pft	dir	2	Bi
566	utilp.pft	dir	3	Omni
567	utilp.pft	dmf	-32767	Unknown
568	utilp.pft	exs	0	Unknown
569	utilp.pft	exs	5	Under Construction

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

570	utilp.pft	exs	7	Destroyed
571	utilp.pft	exs	8	Dismantled
572	utilp.pft	exs	999	Other
573	utilp.pft	gug	0	Unknown
574	utilp.pft	gug	1	Guyed
575	utilp.pft	gug	2	Unguyed
576	utilp.pft	hgt	-32767	Unknown
577	utilp.pft	hzd	0	Unknown
578	utilp.pft	hzd	300	World Geodetic System 1984
579	utilp.pft	hzd	999	Other
580	utilp.pft	len	-32767	Unknown
581	utilp.pft	mcc	0	Unknown
582	utilp.pft	mcc	20	Composition
583	utilp.pft	mcc	21	Concrete
584	utilp.pft	mcc	62	Masonry (Brick/Stone)
585	utilp.pft	mcc	64	Metal
586	utilp.pft	mcc	72	Part Metal
587	utilp.pft	mcc	107	Steel
588	utilp.pft	mcc	117	Wood
589	utilp.pft	mcc	999	Other
590	utilp.pft	nst	0	Unknown
591	utilp.pft	nst	12	Radio
592	utilp.pft	nst	15	TV
593	utilp.pft	nst	16	Microwave
594	utilp.pft	nst	998	Not Applicable
595	utilp.pft	nst	999	Other
596	utilp.pft	prm	1	Permanent
597	utilp.pft	prm	2	Temporary
598	utilp.pft	sec	0	Unknown
599	utilp.pft	sec	1	Top Secret
600	utilp.pft	sec	2	Secret
601	utilp.pft	sec	3	Confidential
602	utilp.pft	sec	4	Restricted
603	utilp.pft	sec	5	Unclassified
604	utilp.pft	sec	999	Other
605	utilp.pft	ssc	0	Unknown
606	utilp.pft	ssc	12	Pyramid
607	utilp.pft	ssc	52	‘A’ Frame
608	utilp.pft	ssc	53	‘H’ Frame
609	utilp.pft	ssc	54	‘I’ Frame
610	utilp.pft	ssc	56	‘Y’ Frame
611	utilp.pft	ssc	60	Mast
612	utilp.pft	ssc	74	‘T’ Frame
613	utilp.pft	ssc	79	Round
614	utilp.pft	ssc	80	Rectangular

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

615	utilp.pft	ssc	83	Square
616	utilp.pft	ssc	84	Irregular
617	utilp.pft	ssc	999	Other
618	utilp.pft	ssr	0	Unknown
619	utilp.pft	ssr	40	Dome
620	utilp.pft	ssr	41	Flat
621	utilp.pft	ssr	42	Gable (Pitched)
622	utilp.pft	ssr	999	Other
623	utilp.pft	stc	1	Survey Source
624	utilp.pft	stc	2	Stereo Imagery Exploitation
625	utilp.pft	stc	3	Mono Imagery Exploitation
626	utilp.pft	stc	4	Cartographic Source
627	utilp.pft	stc	5	Reported Information
628	utilp.pft	stc	6	Multispectral
629	utilp.pft	stc	7	Hyperspectral
630	utilp.pft	stc	8	Synthetic Aperture Radar (SAR)
631	utilp.pft	stc	999	Other
632	utilp.pft	tst	0	Unknown
633	utilp.pft	tst	1	Normal Suspension
634	utilp.pft	tst	2	Catenary (Over Mountains)
635	utilp.pft	tst	3	Catenary (Over Water)
636	utilp.pft	tst	998	Not Applicable
637	utilp.pft	tst	999	Other
638	utilp.pft	vdc	0	Unknown
639	utilp.pft	vdc	15	Mean Sea Level
640	utilp.pft	vdc	999	Other
641	utilp.pft	zv2	-32767	Unknown
642	aeroc.pft	atn	0	Unknown
643	aeroc.pft	atn	3	Lit
644	aeroc.pft	atn	4	Unlit
645	aeroc.pft	cdp	0	Unknown
646	aeroc.pft	cdp	18	Receipt
647	aeroc.pft	cdp	19	Source
648	aeroc.pft	cdp	24	Up-to-dateness/revision
649	aeroc.pft	dir	0	Unknown
650	aeroc.pft	dir	1	Uni
651	aeroc.pft	dir	2	Bi
652	aeroc.pft	dir	3	Omni
653	aeroc.pft	dmf	-32767	Unknown
654	aeroc.pft	exs	0	Unknown
655	aeroc.pft	exs	5	Under Construction
656	aeroc.pft	exs	7	Destroyed
657	aeroc.pft	exs	8	Dismantled
658	aeroc.pft	exs	999	Other
659	aeroc.pft	gug	0	Unknown

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

660	aeroc.pft	gug	1	Guyed
661	aeroc.pft	gug	2	Unguyed
662	aeroc.pft	hgt	-32767	Unknown
663	aeroc.pft	hzd	0	Unknown
664	aeroc.pft	hzd	300	World Geodetic System 1984
665	aeroc.pft	hzd	999	Other
666	aeroc.pft	len	-32767	Unknown
667	aeroc.pft	mcc	0	Unknown
668	aeroc.pft	mcc	20	Composition
669	aeroc.pft	mcc	21	Concrete
670	aeroc.pft	mcc	30	Earthen
671	aeroc.pft	mcc	62	Masonry (Brick/Stone)
672	aeroc.pft	mcc	64	Metal
673	aeroc.pft	mcc	72	Part Metal
674	aeroc.pft	mcc	107	Steel
675	aeroc.pft	mcc	117	Wood
676	aeroc.pft	mcc	999	Other
677	aeroc.pft	nst	0	Unknown
678	aeroc.pft	nst	7	Long Range Air Navigation System (LORAN)
679	aeroc.pft	nst	10	Radar Responder Beacon (RACON)
680	aeroc.pft	nst	11	Radar
681	aeroc.pft	nst	20	VHF Omni Directional Radio Range (VOR)
682	aeroc.pft	nst	21	VHF Omni Directional Radio Range/Distance Measuring Equipment (VOR/DME)
683	aeroc.pft	nst	22	VHF Omni Directional Radio Range and TACAN (VORTAC)
684	aeroc.pft	nst	23	Tactical Air Navigation Equipment (TACAN)
685	aeroc.pft	nst	26	Localizer (LOC)
686	aeroc.pft	nst	27	Localizer/Distance Measuring Equipment (LOC/DME)
687	aeroc.pft	nst	35	Radar Antenna
688	aeroc.pft	nst	37	Precision Approach Radar (PAR)
689	aeroc.pft	nst	40	Radio Beacon
690	aeroc.pft	nst	45	Radar Station
691	aeroc.pft	nst	55	Radar reflector
692	aeroc.pft	nst	999	Other
693	aeroc.pft	prm	1	Permanent
694	aeroc.pft	prm	2	Temporary
695	aeroc.pft	sec	0	Unknown
696	aeroc.pft	sec	1	Top Secret
697	aeroc.pft	sec	2	Secret
698	aeroc.pft	sec	3	Confidential
699	aeroc.pft	sec	4	Restricted

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

700	aeroc.pft	sec	5	Unclassified
701	aeroc.pft	sec	999	Other
702	aeroc.pft	ssc	0	Unknown
703	aeroc.pft	ssc	4	Bullet
704	aeroc.pft	ssc	10	Pillar/Spindle
705	aeroc.pft	ssc	12	Pyramid
706	aeroc.pft	ssc	17	Spherical (Hemispherical)
707	aeroc.pft	ssc	21	Artificial Mountain
708	aeroc.pft	ssc	52	'A' Frame
709	aeroc.pft	ssc	53	'H' Frame
710	aeroc.pft	ssc	54	'I' Frame
711	aeroc.pft	ssc	56	'Y' Frame
712	aeroc.pft	ssc	60	Mast
713	aeroc.pft	ssc	74	'T' Frame
714	aeroc.pft	ssc	77	Arch
715	aeroc.pft	ssc	79	Round
716	aeroc.pft	ssc	80	Rectangular
717	aeroc.pft	ssc	83	Square
718	aeroc.pft	ssc	84	Irregular
719	aeroc.pft	ssc	87	Dome
720	aeroc.pft	ssc	109	Obelisk
721	aeroc.pft	ssc	999	Other
722	aeroc.pft	stc	1	Survey Source
723	aeroc.pft	stc	2	Stereo Imagery Exploitation
724	aeroc.pft	stc	3	Mono Imagery Exploitation
725	aeroc.pft	stc	4	Cartographic Source
726	aeroc.pft	stc	5	Reported Information
727	aeroc.pft	stc	6	Multispectral
728	aeroc.pft	stc	7	Hyperspectral
729	aeroc.pft	stc	8	Synthetic Aperture Radar (SAR)
730	aeroc.pft	stc	999	Other
731	aeroc.pft	vdc	0	Unknown
732	aeroc.pft	vdc	15	Mean Sea Level
733	aeroc.pft	vdc	999	Other
734	aeroc.pft	wid	-32767	Unknown
735	aeroc.pft	zv2	-32767	Unknown
736	hydroc.pft	afa	0	Unknown
737	hydroc.pft	afa	19	Helipad
738	hydroc.pft	afa	995	None
739	hydroc.pft	afa	999	Other
740	hydroc.pft	atn	0	Unknown
741	hydroc.pft	atn	3	Lit
742	hydroc.pft	atn	4	Unlit
743	hydroc.pft	cdp	0	Unknown
744	hydroc.pft	cdp	18	Receipt

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

745	hydroc.pft	cdp	19	Source
746	hydroc.pft	cdp	24	Up-to-dateness/revision
747	hydroc.pft	dir	0	Unknown
748	hydroc.pft	dir	3	Omni
749	hydroc.pft	dmf	-32767	Unknown
750	hydroc.pft	exs	0	Unknown
751	hydroc.pft	exs	5	Under Construction
752	hydroc.pft	exs	7	Destroyed
753	hydroc.pft	exs	8	Dismantled
754	hydroc.pft	exs	999	Other
755	hydroc.pft	gug	0	Unknown
756	hydroc.pft	gug	1	Guyed
757	hydroc.pft	gug	2	Unguyed
758	hydroc.pft	hgt	-32767	Unknown
759	hydroc.pft	hzd	0	Unknown
760	hydroc.pft	hzd	300	World Geodetic System 1984
761	hydroc.pft	hzd	999	Other
762	hydroc.pft	mcc	0	Unknown
763	hydroc.pft	mcc	21	Concrete
764	hydroc.pft	mcc	64	Metal
765	hydroc.pft	mcc	72	Part Metal
766	hydroc.pft	mcc	107	Steel
767	hydroc.pft	mcc	117	Wood
768	hydroc.pft	mcc	999	Other
769	hydroc.pft	opc	10	Navigation Aid Support
770	hydroc.pft	prm	1	Permanent
771	hydroc.pft	prm	2	Temporary
772	hydroc.pft	sec	0	Unknown
773	hydroc.pft	sec	1	Top Secret
774	hydroc.pft	sec	2	Secret
775	hydroc.pft	sec	3	Confidential
776	hydroc.pft	sec	4	Restricted
777	hydroc.pft	sec	5	Unclassified
778	hydroc.pft	sec	999	Other
779	hydroc.pft	stc	1	Survey Source
780	hydroc.pft	stc	2	Stereo Imagery Exploitation
781	hydroc.pft	stc	3	Mono Imagery Exploitation
782	hydroc.pft	stc	4	Cartographic Source
783	hydroc.pft	stc	5	Reported Information
784	hydroc.pft	stc	6	Multispectral
785	hydroc.pft	stc	7	Hyperspectral
786	hydroc.pft	stc	8	Synthetic Aperture Radar (SAR)
787	hydroc.pft	stc	999	Other
788	hydroc.pft	vdc	0	Unknown
789	hydroc.pft	vdc	15	Mean Sea Level

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

790	hydroc.pft	vdc	999	Other
791	hydroc.pft	zv2	-32767	Unknown
792	indc.pft	afa	0	Unknown
793	indc.pft	afa	19	Helipad
794	indc.pft	afa	995	None
795	indc.pft	afa	999	Other
796	indc.pft	atn	0	Unknown
797	indc.pft	atn	3	Lit
798	indc.pft	atn	4	Unlit
799	indc.pft	bss	0	Unknown
800	indc.pft	bss	1	Monitor
801	indc.pft	bss	4	Turret
802	indc.pft	bss	5	Tower
803	indc.pft	bss	998	Not Applicable
804	indc.pft	bss	999	Other
805	indc.pft	cdp	0	Unknown
806	indc.pft	cdp	18	Receipt
807	indc.pft	cdp	19	Source
808	indc.pft	cdp	24	Up-to-dateness/revision
809	indc.pft	cra	0	Unknown
810	indc.pft	cra	2	Bridge/Gantry
811	indc.pft	cra	3	Rotating
812	indc.pft	cra	998	Not Applicable
813	indc.pft	cra	999	Other
814	indc.pft	crm	0	Unknown
815	indc.pft	crm	1	Fixed
816	indc.pft	crm	2	Traveling
817	indc.pft	crm	3	Floating
818	indc.pft	crm	999	Other
819	indc.pft	dir	0	Unknown
820	indc.pft	dir	2	Bi
821	indc.pft	dir	3	Omni
822	indc.pft	dmf	-32767	Unknown
823	indc.pft	exs	0	Unknown
824	indc.pft	exs	5	Under Construction
825	indc.pft	exs	7	Destroyed
826	indc.pft	exs	8	Dismantled
827	indc.pft	exs	999	Other
828	indc.pft	gug	0	Unknown
829	indc.pft	gug	1	Guyed
830	indc.pft	gug	2	Unguyed
831	indc.pft	hgt	-32767	Unknown
832	indc.pft	hzd	0	Unknown
833	indc.pft	hzd	300	World Geodetic System 1984
834	indc.pft	hzd	999	Other

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

835	indc.pft	loc	0	Unknown
836	indc.pft	loc	8	On Ground Surface
837	indc.pft	loc	22	Off Shore
838	indc.pft	loc	999	Other
839	indc.pft	mcc	0	Unknown
840	indc.pft	mcc	20	Composition
841	indc.pft	mcc	21	Concrete
842	indc.pft	mcc	62	Masonry (Brick/Stone)
843	indc.pft	mcc	64	Metal
844	indc.pft	mcc	72	Part Metal
845	indc.pft	mcc	107	Steel
846	indc.pft	mcc	117	Wood
847	indc.pft	mcc	999	Other
848	indc.pft	ppc	0	Unknown
849	indc.pft	ppc	1	Hydro-electric
850	indc.pft	ppc	2	Nuclear
851	indc.pft	ppc	3	Solar
852	indc.pft	ppc	4	Thermal
853	indc.pft	ppc	5	Wind
854	indc.pft	ppc	6	Tidal
855	indc.pft	ppc	7	Internal Combustion
856	indc.pft	ppc	998	Not Applicable
857	indc.pft	ppc	999	Other
858	indc.pft	prm	1	Permanent
859	indc.pft	prm	2	Temporary
860	indc.pft	pro	0	Unknown
861	indc.pft	pro	13	Chemical
862	indc.pft	pro	17	Coal
863	indc.pft	pro	19	Coke
864	indc.pft	pro	38	Gas
865	indc.pft	pro	64	Metal
866	indc.pft	pro	67	Oil
867	indc.pft	pro	999	Other
868	indc.pft	sec	0	Unknown
869	indc.pft	sec	1	Top Secret
870	indc.pft	sec	2	Secret
871	indc.pft	sec	3	Confidential
872	indc.pft	sec	4	Restricted
873	indc.pft	sec	5	Unclassified
874	indc.pft	sec	999	Other
875	indc.pft	ssc	0	Unknown
876	indc.pft	ssc	4	Bullet
877	indc.pft	ssc	7	Cylindrical (Upright)/CAN
878	indc.pft	ssc	12	Pyramid
879	indc.pft	ssc	17	Spherical (Hemispherical)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

880	indc.pft	ssc	52	'A' Frame
881	indc.pft	ssc	54	'I' Frame
882	indc.pft	ssc	59	Telescoping Gasholder (Gasometer)
883	indc.pft	ssc	60	Mast
884	indc.pft	ssc	65	Cylindrical with flat top
885	indc.pft	ssc	66	Cylindrical with domed top
886	indc.pft	ssc	71	Cylindrical/Peaked
887	indc.pft	ssc	76	Funnel
888	indc.pft	ssc	79	Round
889	indc.pft	ssc	80	Rectangular
890	indc.pft	ssc	83	Square
891	indc.pft	ssc	84	Irregular
892	indc.pft	ssc	109	Obelisk
893	indc.pft	ssc	999	Other
894	indc.pft	ssr	0	Unknown
895	indc.pft	ssr	6	Conical/Peaked/NUN
896	indc.pft	ssr	38	Curved/Round (Quonset)
897	indc.pft	ssr	40	Dome
898	indc.pft	ssr	41	Flat
899	indc.pft	ssr	42	Gable (Pitched)
900	indc.pft	ssr	47	Sawtooth
901	indc.pft	ssr	999	Other
902	indc.pft	stc	1	Survey Source
903	indc.pft	stc	2	Stereo Imagery Exploitation
904	indc.pft	stc	3	Mono Imagery Exploitation
905	indc.pft	stc	4	Cartographic Source
906	indc.pft	stc	5	Reported Information
907	indc.pft	stc	6	Multispectral
908	indc.pft	stc	7	Hyperspectral
909	indc.pft	stc	8	Synthetic Aperture Radar (SAR)
910	indc.pft	stc	999	Other
911	indc.pft	vdc	0	Unknown
912	indc.pft	vdc	15	Mean Sea Level
913	indc.pft	vdc	999	Other
914	indc.pft	zv2	-32767	Unknown
915	iwac.pft	atn	0	Unknown
916	iwac.pft	atn	3	Lit
917	iwac.pft	atn	4	Unlit
918	iwac.pft	cdp	0	Unknown
919	iwac.pft	cdp	18	Receipt
920	iwac.pft	cdp	19	Source
921	iwac.pft	cdp	24	Up-to-dateness/revision
922	iwac.pft	dir	0	Unknown
923	iwac.pft	dir	1	Uni
924	iwac.pft	dir	2	Bi

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

925	iwac.pft	dir	3	Omni
926	iwac.pft	dmf	-32767	Unknown
927	iwac.pft	exs	0	Unknown
928	iwac.pft	exs	5	Under Construction
929	iwac.pft	exs	7	Destroyed
930	iwac.pft	exs	8	Dismantled
931	iwac.pft	exs	999	Other
932	iwac.pft	hgt	-32767	Unknown
933	iwac.pft	hzd	0	Unknown
934	iwac.pft	hzd	300	World Geodetic System 1984
935	iwac.pft	hzd	999	Other
936	iwac.pft	len	-32767	Unknown
937	iwac.pft	mcc	0	Unknown
938	iwac.pft	mcc	20	Composition
939	iwac.pft	mcc	21	Concrete
940	iwac.pft	mcc	30	Earthen
941	iwac.pft	mcc	62	Masonry (Brick/Stone)
942	iwac.pft	mcc	64	Metal
943	iwac.pft	mcc	72	Part Metal
944	iwac.pft	mcc	107	Steel
945	iwac.pft	mcc	108	Stone
946	iwac.pft	mcc	999	Other
947	iwac.pft	prm	1	Permanent
948	iwac.pft	prm	2	Temporary
949	iwac.pft	sec	0	Unknown
950	iwac.pft	sec	1	Top Secret
951	iwac.pft	sec	2	Secret
952	iwac.pft	sec	3	Confidential
953	iwac.pft	sec	4	Restricted
954	iwac.pft	sec	5	Unclassified
955	iwac.pft	sec	999	Other
956	iwac.pft	stc	1	Survey Source
957	iwac.pft	stc	2	Stereo Imagery Exploitation
958	iwac.pft	stc	3	Mono Imagery Exploitation
959	iwac.pft	stc	4	Cartographic Source
960	iwac.pft	stc	5	Reported Information
961	iwac.pft	stc	6	Multispectral
962	iwac.pft	stc	7	Hyperspectral
963	iwac.pft	stc	8	Synthetic Aperture Radar (SAR)
964	iwac.pft	stc	999	Other
965	iwac.pft	vdc	0	Unknown
966	iwac.pft	vdc	15	Mean Sea Level
967	iwac.pft	vdc	999	Other
968	iwac.pft	wid	-32767	Unknown
969	iwac.pft	zv2	-32767	Unknown

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

970	popc.pft	afa	0	Unknown
971	popc.pft	afa	19	Helipad
972	popc.pft	afa	995	None
973	popc.pft	afa	999	Other
974	popc.pft	atn	0	Unknown
975	popc.pft	atn	3	Lit
976	popc.pft	atn	4	Unlit
977	popc.pft	bfc	0	Unknown
978	popc.pft	bfc	2	Government Building
979	popc.pft	bfc	3	Capitol Building
980	popc.pft	bfc	4	Castle
981	popc.pft	bfc	6	Hospital
982	popc.pft	bfc	7	House of Worship
983	popc.pft	bfc	10	Observatory
984	popc.pft	bfc	11	Palace
985	popc.pft	bfc	13	Prison
986	popc.pft	bfc	15	School
987	popc.pft	bfc	16	House
988	popc.pft	bfc	17	Multi Unit Dwelling
989	popc.pft	bfc	28	Administration Building
990	popc.pft	bfc	29	Aircraft Maintenance Shop
991	popc.pft	bfc	30	Hangar
992	popc.pft	bfc	53	Bank
993	popc.pft	bfc	58	Observation
994	popc.pft	bfc	99	Battery
995	popc.pft	bfc	105	Reformatory
996	popc.pft	bfc	106	Sanitarium
997	popc.pft	bfc	111	Sportsplex
998	popc.pft	bfc	122	Shopping Center
999	popc.pft	bfc	129	Airport Terminal
1000	popc.pft	bfc	999	Other
1001	popc.pft	bss	0	Unknown
1002	popc.pft	bss	1	Monitor
1003	popc.pft	bss	2	Steeple
1004	popc.pft	bss	3	Cupola
1005	popc.pft	bss	4	Turret
1006	popc.pft	bss	5	Tower
1007	popc.pft	bss	6	Minaret
1008	popc.pft	bss	998	Not Applicable
1009	popc.pft	bss	999	Other
1010	popc.pft	cdp	0	Unknown
1011	popc.pft	cdp	18	Receipt
1012	popc.pft	cdp	19	Source
1013	popc.pft	cdp	24	Up-to-dateness/revision
1014	popc.pft	dir	0	Unknown

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

1015	popc.pft	dir	1	Uni
1016	popc.pft	dir	2	Bi
1017	popc.pft	dir	3	Omni
1018	popc.pft	dmf	-32767	Unknown
1019	popc.pft	exs	0	Unknown
1020	popc.pft	exs	5	Under Construction
1021	popc.pft	exs	7	Destroyed
1022	popc.pft	exs	8	Dismantled
1023	popc.pft	exs	999	Other
1024	popc.pft	gug	0	Unknown
1025	popc.pft	gug	1	Guyed
1026	popc.pft	gug	2	Unguyed
1027	popc.pft	hgt	-32767	Unknown
1028	popc.pft	hzd	0	Unknown
1029	popc.pft	hzd	300	World Geodetic System 1984
1030	popc.pft	hzd	999	Other
1031	popc.pft	len	-32767	Unknown
1032	popc.pft	mcc	0	Unknown
1033	popc.pft	mcc	20	Composition
1034	popc.pft	mcc	21	Concrete
1035	popc.pft	mcc	62	Masonry (Brick/Stone)
1036	popc.pft	mcc	64	Metal
1037	popc.pft	mcc	72	Part Metal
1038	popc.pft	mcc	107	Steel
1039	popc.pft	mcc	117	Wood
1040	popc.pft	mcc	999	Other
1041	popc.pft	prm	1	Permanent
1042	popc.pft	prm	2	Temporary
1043	popc.pft	sec	0	Unknown
1044	popc.pft	sec	1	Top Secret
1045	popc.pft	sec	2	Secret
1046	popc.pft	sec	3	Confidential
1047	popc.pft	sec	4	Restricted
1048	popc.pft	sec	5	Unclassified
1049	popc.pft	sec	999	Other
1050	popc.pft	ssc	0	Unknown
1051	popc.pft	ssc	10	Pillar/Spindle
1052	popc.pft	ssc	12	Pyramid
1053	popc.pft	ssc	17	Spherical (Hemispherical)
1054	popc.pft	ssc	21	Artificial Mountain
1055	popc.pft	ssc	23	Ferris Wheel
1056	popc.pft	ssc	24	Enclosed
1057	popc.pft	ssc	25	Roller Coaster
1058	popc.pft	ssc	46	Open
1059	popc.pft	ssc	52	’A’ Frame

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

1060	popc.pft	ssc	53	'H' Frame
1061	popc.pft	ssc	54	'I' Frame
1062	popc.pft	ssc	56	'Y' Frame
1063	popc.pft	ssc	60	Mast
1064	popc.pft	ssc	65	Cylindrical with flat top
1065	popc.pft	ssc	66	Cylindrical with domed top
1066	popc.pft	ssc	71	Cylindrical/Peaked
1067	popc.pft	ssc	74	'T' Frame
1068	popc.pft	ssc	77	Arch
1069	popc.pft	ssc	79	Round
1070	popc.pft	ssc	80	Rectangular
1071	popc.pft	ssc	83	Square
1072	popc.pft	ssc	84	Irregular
1073	popc.pft	ssc	109	Obelisk
1074	popc.pft	ssc	999	Other
1075	popc.pft	ssr	0	Unknown
1076	popc.pft	ssr	6	Conical/Peaked/NUN
1077	popc.pft	ssr	38	Curved/Round (Quonset)
1078	popc.pft	ssr	40	Dome
1079	popc.pft	ssr	41	Flat
1080	popc.pft	ssr	42	Gable (Pitched)
1081	popc.pft	ssr	47	Sawtooth
1082	popc.pft	ssr	998	Not Applicable
1083	popc.pft	ssr	999	Other
1084	popc.pft	stc	1	Survey Source
1085	popc.pft	stc	2	Stereo Imagery Exploitation
1086	popc.pft	stc	3	Mono Imagery Exploitation
1087	popc.pft	stc	4	Cartographic Source
1088	popc.pft	stc	5	Reported Information
1089	popc.pft	stc	6	Multispectral
1090	popc.pft	stc	7	Hyperspectral
1091	popc.pft	stc	8	Synthetic Aperture Radar (SAR)
1092	popc.pft	stc	999	Other
1093	popc.pft	ttc	0	Unknown
1094	popc.pft	ttc	2	Observation/Lookout
1095	popc.pft	ttc	12	Fire
1096	popc.pft	ttc	999	Other
1097	popc.pft	vdc	0	Unknown
1098	popc.pft	vdc	15	Mean Sea Level
1099	popc.pft	vdc	999	Other
1100	popc.pft	wid	-32767	Unknown
1101	popc.pft	zv2	-32767	Unknown
1102	transc.pft	atn	0	Unknown
1103	transc.pft	atn	3	Lit
1104	transc.pft	atn	4	Unlit

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

1105	transc.pft	bot	0	Unknown
1106	transc.pft	bot	4	Draw/Bascule
1107	transc.pft	bot	10	Swing
1108	transc.pft	bot	11	Lift
1109	transc.pft	bot	13	Not Applicable
1110	transc.pft	bot	999	Other
1111	transc.pft	bsc	0	Unknown
1112	transc.pft	bsc	1	Arch (assume open spandrel)
1113	transc.pft	bsc	2	Cantilever
1114	transc.pft	bsc	3	Deck
1115	transc.pft	bsc	6	Girder
1116	transc.pft	bsc	7	Tower Suspension
1117	transc.pft	bsc	8	Truss
1118	transc.pft	bsc	9	Suspension
1119	transc.pft	bsc	12	Transporter
1120	transc.pft	bsc	15	Slab
1121	transc.pft	bsc	16	Stringer (beam)
1122	transc.pft	bsc	17	Arch Suspension
1123	transc.pft	bsc	26	Arch (closed spandrel)
1124	transc.pft	bsc	27	Cable Stayed
1125	transc.pft	bsc	999	Other
1126	transc.pft	cdp	0	Unknown
1127	transc.pft	cdp	18	Receipt
1128	transc.pft	cdp	19	Source
1129	transc.pft	cdp	24	Up-to-dateness/revision
1130	transc.pft	dir	0	Unknown
1131	transc.pft	dir	2	Bi
1132	transc.pft	dir	3	Omni
1133	transc.pft	dmf	-32767	Unknown
1134	transc.pft	exs	0	Unknown
1135	transc.pft	exs	5	Under Construction
1136	transc.pft	exs	7	Destroyed
1137	transc.pft	exs	8	Dismantled
1138	transc.pft	exs	999	Other
1139	transc.pft	gug	0	Unknown
1140	transc.pft	gug	1	Guyed
1141	transc.pft	gug	2	Unguyed
1142	transc.pft	hgt	-32767	Unknown
1143	transc.pft	hzd	0	Unknown
1144	transc.pft	hzd	300	World Geodetic System 1984
1145	transc.pft	hzd	999	Other
1146	transc.pft	len	-32767	Unknown
1147	transc.pft	mcc	0	Unknown
1148	transc.pft	mcc	20	Composition
1149	transc.pft	mcc	21	Concrete

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

1150	transc.pft	mcc	62	Masonry (Brick/Stone)
1151	transc.pft	mcc	64	Metal
1152	transc.pft	mcc	72	Part Metal
1153	transc.pft	mcc	107	Steel
1154	transc.pft	mcc	117	Wood
1155	transc.pft	mcc	999	Other
1156	transc.pft	prm	1	Permanent
1157	transc.pft	prm	2	Temporary
1158	transc.pft	sec	0	Unknown
1159	transc.pft	sec	1	Top Secret
1160	transc.pft	sec	2	Secret
1161	transc.pft	sec	3	Confidential
1162	transc.pft	sec	4	Restricted
1163	transc.pft	sec	5	Unclassified
1164	transc.pft	sec	999	Other
1165	transc.pft	ssc	0	Unknown
1166	transc.pft	ssc	52	’A’ Frame
1167	transc.pft	ssc	54	’I’ Frame
1168	transc.pft	ssc	60	Mast
1169	transc.pft	ssc	999	Other
1170	transc.pft	ssr	0	Unknown
1171	transc.pft	ssr	6	Conical/Peaked/NUN
1172	transc.pft	ssr	38	Curved/Round (Quonset)
1173	transc.pft	ssr	40	Dome
1174	transc.pft	ssr	41	Flat
1175	transc.pft	ssr	42	Gable (Pitched)
1176	transc.pft	ssr	999	Other
1177	transc.pft	stc	1	Survey Source
1178	transc.pft	stc	2	Stereo Imagery Exploitation
1179	transc.pft	stc	3	Mono Imagery Exploitation
1180	transc.pft	stc	4	Cartographic Source
1181	transc.pft	stc	5	Reported Information
1182	transc.pft	stc	6	Multispectral
1183	transc.pft	stc	7	Hyperspectral
1184	transc.pft	stc	8	Synthetic Aperture Radar (SAR)
1185	transc.pft	stc	999	Other
1186	transc.pft	vdc	0	Unknown
1187	transc.pft	vdc	15	Mean Sea Level
1188	transc.pft	vdc	999	Other
1189	transc.pft	wid	-32767	Unknown
1190	transc.pft	zv2	-32767	Unknown
1191	utilc.pft	atn	0	Unknown
1192	utilc.pft	atn	3	Lit
1193	utilc.pft	atn	4	Unlit
1194	utilc.pft	bfc	0	Unknown

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

1195	utilc.pft	bfc	40	Telephone Switching Station
1196	utilc.pft	bfc	86	Telephone Exchange (Main)
1197	utilc.pft	bss	0	Unknown
1198	utilc.pft	bss	5	Tower
1199	utilc.pft	bss	998	Not Applicable
1200	utilc.pft	bss	999	Other
1201	utilc.pft	cdp	0	Unknown
1202	utilc.pft	cdp	18	Receipt
1203	utilc.pft	cdp	19	Source
1204	utilc.pft	cdp	24	Up-to-dateness/revision
1205	utilc.pft	dir	0	Unknown
1206	utilc.pft	dir	2	Bi
1207	utilc.pft	dir	3	Omni
1208	utilc.pft	dmf	-32767	Unknown
1209	utilc.pft	exs	0	Unknown
1210	utilc.pft	exs	5	Under Construction
1211	utilc.pft	exs	7	Destroyed
1212	utilc.pft	exs	8	Dismantled
1213	utilc.pft	exs	999	Other
1214	utilc.pft	gug	0	Unknown
1215	utilc.pft	gug	1	Guyed
1216	utilc.pft	gug	2	Unguyed
1217	utilc.pft	hgt	-32767	Unknown
1218	utilc.pft	hzd	0	Unknown
1219	utilc.pft	hzd	300	World Geodetic System 1984
1220	utilc.pft	hzd	999	Other
1221	utilc.pft	len	-32767	Unknown
1222	utilc.pft	mcc	0	Unknown
1223	utilc.pft	mcc	20	Composition
1224	utilc.pft	mcc	21	Concrete
1225	utilc.pft	mcc	62	Masonry (Brick/Stone)
1226	utilc.pft	mcc	64	Metal
1227	utilc.pft	mcc	72	Part Metal
1228	utilc.pft	mcc	107	Steel
1229	utilc.pft	mcc	117	Wood
1230	utilc.pft	mcc	999	Other
1231	utilc.pft	nst	0	Unknown
1232	utilc.pft	nst	12	Radio
1233	utilc.pft	nst	15	TV
1234	utilc.pft	nst	16	Microwave
1235	utilc.pft	nst	998	Not Applicable
1236	utilc.pft	nst	999	Other
1237	utilc.pft	prm	1	Permanent
1238	utilc.pft	prm	2	Temporary
1239	utilc.pft	sec	0	Unknown

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

1240	utilc.pft	sec	1	Top Secret
1241	utilc.pft	sec	2	Secret
1242	utilc.pft	sec	3	Confidential
1243	utilc.pft	sec	4	Restricted
1244	utilc.pft	sec	5	Unclassified
1245	utilc.pft	sec	999	Other
1246	utilc.pft	ssc	0	Unknown
1247	utilc.pft	ssc	12	Pyramid
1248	utilc.pft	ssc	52	‘A’ Frame
1249	utilc.pft	ssc	53	’H’ Frame
1250	utilc.pft	ssc	54	‘I’ Frame
1251	utilc.pft	ssc	56	‘Y’ Frame
1252	utilc.pft	ssc	60	Mast
1253	utilc.pft	ssc	74	’T’ Frame
1254	utilc.pft	ssc	79	Round
1255	utilc.pft	ssc	80	Rectangular
1256	utilc.pft	ssc	83	Square
1257	utilc.pft	ssc	84	Irregular
1258	utilc.pft	ssc	999	Other
1259	utilc.pft	ssr	0	Unknown
1260	utilc.pft	ssr	40	Dome
1261	utilc.pft	ssr	41	Flat
1262	utilc.pft	ssr	42	Gable (Pitched)
1263	utilc.pft	ssr	999	Other
1264	utilc.pft	stc	1	Survey Source
1265	utilc.pft	stc	2	Stereo Imagery Exploitation
1266	utilc.pft	stc	3	Mono Imagery Exploitation
1267	utilc.pft	stc	4	Cartographic Source
1268	utilc.pft	stc	5	Reported Information
1269	utilc.pft	stc	6	Multispectral
1270	utilc.pft	stc	7	Hyperspectral
1271	utilc.pft	stc	8	Synthetic Aperture Radar (SAR)
1272	utilc.pft	stc	999	Other
1273	utilc.pft	tst	0	Unknown
1274	utilc.pft	tst	1	Normal Suspension
1275	utilc.pft	tst	2	Catenary (Over Mountains)
1276	utilc.pft	tst	3	Catenary (Over Water)
1277	utilc.pft	tst	998	Not Applicable
1278	utilc.pft	tst	999	Other
1279	utilc.pft	vdc	0	Unknown
1280	utilc.pft	vdc	15	Mean Sea Level
1281	utilc.pft	vdc	999	Other
1282	utilc.pft	zv2	-32767	Unknown
1283	aerol.lft	atn	0	Unknown
1284	aerol.lft	atn	3	Lit

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

1285	aerol.lft	atn	4	Unlit
1286	aerol.lft	cdp	0	Unknown
1287	aerol.lft	cdp	18	Receipt
1288	aerol.lft	cdp	19	Source
1289	aerol.lft	cdp	24	Up-to-dateness/revision
1290	aerol.lft	dir	0	Unknown
1291	aerol.lft	dir	1	Uni
1292	aerol.lft	dir	2	Bi
1293	aerol.lft	dir	3	Omni
1294	aerol.lft	dmf	-32767	Unknown
1295	aerol.lft	exs	0	Unknown
1296	aerol.lft	exs	5	Under Construction
1297	aerol.lft	exs	7	Destroyed
1298	aerol.lft	exs	8	Dismantled
1299	aerol.lft	exs	999	Other
1300	aerol.lft	gug	0	Unknown
1301	aerol.lft	gug	1	Guyed
1302	aerol.lft	gug	2	Unguyed
1303	aerol.lft	hgt	-32767	Unknown
1304	aerol.lft	hzd	0	Unknown
1305	aerol.lft	hzd	300	World Geodetic System 1984
1306	aerol.lft	hzd	999	Other
1307	aerol.lft	len	-32767	Unknown
1308	aerol.lft	mcc	0	Unknown
1309	aerol.lft	mcc	20	Composition
1310	aerol.lft	mcc	21	Concrete
1311	aerol.lft	mcc	30	Earthen
1312	aerol.lft	mcc	62	Masonry (Brick/Stone)
1313	aerol.lft	mcc	64	Metal
1314	aerol.lft	mcc	72	Part Metal
1315	aerol.lft	mcc	107	Steel
1316	aerol.lft	mcc	117	Wood
1317	aerol.lft	mcc	999	Other
1318	aerol.lft	nst	0	Unknown
1319	aerol.lft	nst	7	Long Range Air Navigation System (LORAN)
1320	aerol.lft	nst	10	Radar Responder Beacon (RACON)
1321	aerol.lft	nst	11	Radar
1322	aerol.lft	nst	20	VHF Omni Directional Radio Range (VOR)
1323	aerol.lft	nst	21	VHF Omni Directional Radio Range/Distance Measuring Equipment (VOR/DME)
1324	aerol.lft	nst	22	VHF Omni Directional Radio Range and TACAN (VORTAC)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

1325	aerol.lft	nst	23	Tactical Air Navigation Equipment (TACAN)
1326	aerol.lft	nst	26	Localizer (LOC)
1327	aerol.lft	nst	27	Localizer/Distance Measuring Equipment (LOC/DME)
1328	aerol.lft	nst	35	Radar Antenna
1329	aerol.lft	nst	37	Precision Approach Radar (PAR)
1330	aerol.lft	nst	40	Radio Beacon
1331	aerol.lft	nst	45	Radar Station
1332	aerol.lft	nst	55	Radar reflector
1333	aerol.lft	nst	999	Other
1334	aerol.lft	prm	1	Permanent
1335	aerol.lft	prm	2	Temporary
1336	aerol.lft	sec	0	Unknown
1337	aerol.lft	sec	1	Top Secret
1338	aerol.lft	sec	2	Secret
1339	aerol.lft	sec	3	Confidential
1340	aerol.lft	sec	4	Restricted
1341	aerol.lft	sec	5	Unclassified
1342	aerol.lft	sec	999	Other
1343	aerol.lft	ssc	0	Unknown
1344	aerol.lft	ssc	4	Bullet
1345	aerol.lft	ssc	10	Pillar/Spindle
1346	aerol.lft	ssc	12	Pyramid
1347	aerol.lft	ssc	17	Spherical (Hemispherical)
1348	aerol.lft	ssc	21	Artificial Mountain
1349	aerol.lft	ssc	52	’A’ Frame
1350	aerol.lft	ssc	53	’H’ Frame
1351	aerol.lft	ssc	54	’I’ Frame
1352	aerol.lft	ssc	56	’Y’ Frame
1353	aerol.lft	ssc	60	Mast
1354	aerol.lft	ssc	74	’T’ Frame
1355	aerol.lft	ssc	77	Arch
1356	aerol.lft	ssc	79	Round
1357	aerol.lft	ssc	80	Rectangular
1358	aerol.lft	ssc	83	Square
1359	aerol.lft	ssc	84	Irregular
1360	aerol.lft	ssc	87	Dome
1361	aerol.lft	ssc	109	Obelisk
1362	aerol.lft	ssc	999	Other
1363	aerol.lft	stc	1	Survey Source
1364	aerol.lft	stc	2	Stereo Imagery Exploitation
1365	aerol.lft	stc	3	Mono Imagery Exploitation
1366	aerol.lft	stc	4	Cartographic Source
1367	aerol.lft	stc	5	Reported Information
1368	aerol.lft	stc	6	Multispectral

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

1369	aerol.lft	stc	7	Hyperspectral
1370	aerol.lft	stc	8	Synthetic Aperture Radar (SAR)
1371	aerol.lft	stc	999	Other
1372	aerol.lft	vdc	0	Unknown
1373	aerol.lft	vdc	15	Mean Sea Level
1374	aerol.lft	vdc	999	Other
1375	aerol.lft	wid	-32767	Unknown
1376	aerol.lft	zv2	-32767	Unknown
1377	indl.lft	atn	0	Unknown
1378	indl.lft	atn	3	Lit
1379	indl.lft	atn	4	Unlit
1380	indl.lft	bss	0	Unknown
1381	indl.lft	bss	1	Monitor
1382	indl.lft	bss	4	Turret
1383	indl.lft	bss	5	Tower
1384	indl.lft	bss	998	Not Applicable
1385	indl.lft	bss	999	Other
1386	indl.lft	cdp	0	Unknown
1387	indl.lft	cdp	18	Receipt
1388	indl.lft	cdp	19	Source
1389	indl.lft	cdp	24	Up-to-dateness/revision
1390	indl.lft	dir	0	Unknown
1391	indl.lft	dir	2	Bi
1392	indl.lft	dir	3	Omni
1393	indl.lft	dmf	-32767	Unknown
1394	indl.lft	exs	0	Unknown
1395	indl.lft	exs	5	Under Construction
1396	indl.lft	exs	7	Destroyed
1397	indl.lft	exs	8	Dismantled
1398	indl.lft	exs	999	Other
1399	indl.lft	gug	0	Unknown
1400	indl.lft	gug	1	Guyed
1401	indl.lft	gug	2	Unguyed
1402	indl.lft	hgt	-32767	Unknown
1403	indl.lft	hzd	0	Unknown
1404	indl.lft	hzd	300	World Geodetic System 1984
1405	indl.lft	hzd	999	Other
1406	indl.lft	loc	0	Unknown
1407	indl.lft	loc	8	On Ground Surface
1408	indl.lft	loc	22	Off Shore
1409	indl.lft	loc	999	Other
1410	indl.lft	mcc	0	Unknown
1411	indl.lft	mcc	20	Composition
1412	indl.lft	mcc	21	Concrete
1413	indl.lft	mcc	62	Masonry (Brick/Stone)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

1414	indl.lft	mcc	64	Metal
1415	indl.lft	mcc	72	Part Metal
1416	indl.lft	mcc	107	Steel
1417	indl.lft	mcc	999	Other
1418	indl.lft	ppc	0	Unknown
1419	indl.lft	ppc	1	Hydro-electric
1420	indl.lft	ppc	2	Nuclear
1421	indl.lft	ppc	3	Solar
1422	indl.lft	ppc	4	Thermal
1423	indl.lft	ppc	5	Wind
1424	indl.lft	ppc	6	Tidal
1425	indl.lft	ppc	7	Internal Combustion
1426	indl.lft	ppc	998	Not Applicable
1427	indl.lft	ppc	999	Other
1428	indl.lft	prm	1	Permanent
1429	indl.lft	prm	2	Temporary
1430	indl.lft	sec	0	Unknown
1431	indl.lft	sec	1	Top Secret
1432	indl.lft	sec	2	Secret
1433	indl.lft	sec	3	Confidential
1434	indl.lft	sec	4	Restricted
1435	indl.lft	sec	5	Unclassified
1436	indl.lft	sec	999	Other
1437	indl.lft	ssc	0	Unknown
1438	indl.lft	ssc	4	Bullet
1439	indl.lft	ssc	12	Pyramid
1440	indl.lft	ssc	17	Spherical (Hemispherical)
1441	indl.lft	ssc	59	Telescoping Gasholder (Gasometer)
1442	indl.lft	ssc	60	Mast
1443	indl.lft	ssc	79	Round
1444	indl.lft	ssc	80	Rectangular
1445	indl.lft	ssc	83	Square
1446	indl.lft	ssc	84	Irregular
1447	indl.lft	ssc	109	Obelisk
1448	indl.lft	ssc	999	Other
1449	indl.lft	ssr	0	Unknown
1450	indl.lft	ssr	6	Conical/Peaked/NUN
1451	indl.lft	ssr	38	Curved/Round (Quonset)
1452	indl.lft	ssr	40	Dome
1453	indl.lft	ssr	41	Flat
1454	indl.lft	ssr	42	Gable (Pitched)
1455	indl.lft	ssr	47	Sawtooth
1456	indl.lft	ssr	999	Other
1457	indl.lft	stc	1	Survey Source
1458	indl.lft	stc	2	Stereo Imagery Exploitation

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

1459	indl.lft	stc	3	Mono Imagery Exploitation
1460	indl.lft	stc	4	Cartographic Source
1461	indl.lft	stc	5	Reported Information
1462	indl.lft	stc	6	Multispectral
1463	indl.lft	stc	7	Hyperspectral
1464	indl.lft	stc	8	Synthetic Aperture Radar (SAR)
1465	indl.lft	stc	999	Other
1466	indl.lft	vdc	0	Unknown
1467	indl.lft	vdc	15	Mean Sea Level
1468	indl.lft	vdc	999	Other
1469	indl.lft	zv2	-32767	Unknown
1470	iwal.lft	atn	0	Unknown
1471	iwal.lft	atn	3	Lit
1472	iwal.lft	atn	4	Unlit
1473	iwal.lft	cdp	0	Unknown
1474	iwal.lft	cdp	18	Receipt
1475	iwal.lft	cdp	19	Source
1476	iwal.lft	cdp	24	Up-to-dateness/revision
1477	iwal.lft	dir	0	Unknown
1478	iwal.lft	dir	1	Uni
1479	iwal.lft	dir	2	Bi
1480	iwal.lft	dir	3	Omni
1481	iwal.lft	dmf	-32767	Unknown
1482	iwal.lft	exs	0	Unknown
1483	iwal.lft	exs	5	Under Construction
1484	iwal.lft	exs	7	Destroyed
1485	iwal.lft	exs	8	Dismantled
1486	iwal.lft	exs	999	Other
1487	iwal.lft	hgt	-32767	Unknown
1488	iwal.lft	hzd	0	Unknown
1489	iwal.lft	hzd	300	World Geodetic System 1984
1490	iwal.lft	hzd	999	Other
1491	iwal.lft	len	-32767	Unknown
1492	iwal.lft	mcc	0	Unknown
1493	iwal.lft	mcc	20	Composition
1494	iwal.lft	mcc	21	Concrete
1495	iwal.lft	mcc	30	Earthen
1496	iwal.lft	mcc	64	Metal
1497	iwal.lft	mcc	72	Part Metal
1498	iwal.lft	mcc	107	Steel
1499	iwal.lft	mcc	108	Stone
1500	iwal.lft	mcc	999	Other
1501	iwal.lft	prm	1	Permanent
1502	iwal.lft	prm	2	Temporary
1503	iwal.lft	sec	0	Unknown

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

1504	iwal.lft	sec	1	Top Secret
1505	iwal.lft	sec	2	Secret
1506	iwal.lft	sec	3	Confidential
1507	iwal.lft	sec	4	Restricted
1508	iwal.lft	sec	5	Unclassified
1509	iwal.lft	sec	999	Other
1510	iwal.lft	stc	1	Survey Source
1511	iwal.lft	stc	2	Stereo Imagery Exploitation
1512	iwal.lft	stc	3	Mono Imagery Exploitation
1513	iwal.lft	stc	4	Cartographic Source
1514	iwal.lft	stc	5	Reported Information
1515	iwal.lft	stc	6	Multispectral
1516	iwal.lft	stc	7	Hyperspectral
1517	iwal.lft	stc	8	Synthetic Aperture Radar (SAR)
1518	iwal.lft	stc	999	Other
1519	iwal.lft	vdc	0	Unknown
1520	iwal.lft	vdc	15	Mean Sea Level
1521	iwal.lft	vdc	999	Other
1522	iwal.lft	wid	-32767	Unknown
1523	iwal.lft	zv2	-32767	Unknown
1524	popl.lft	afa	0	Unknown
1525	popl.lft	afa	19	Helipad
1526	popl.lft	afa	995	None
1527	popl.lft	afa	999	Other
1528	popl.lft	atn	0	Unknown
1529	popl.lft	atn	3	Lit
1530	popl.lft	atn	4	Unlit
1531	popl.lft	bfc	0	Unknown
1532	popl.lft	bfc	2	Government Building
1533	popl.lft	bfc	3	Capitol Building
1534	popl.lft	bfc	4	Castle
1535	popl.lft	bfc	6	Hospital
1536	popl.lft	bfc	7	House of Worship
1537	popl.lft	bfc	10	Observatory
1538	popl.lft	bfc	11	Palace
1539	popl.lft	bfc	13	Prison
1540	popl.lft	bfc	15	School
1541	popl.lft	bfc	16	House
1542	popl.lft	bfc	17	Multi Unit Dwelling
1543	popl.lft	bfc	28	Administration Building
1544	popl.lft	bfc	29	Aircraft Maintenance Shop
1545	popl.lft	bfc	30	Hangar
1546	popl.lft	bfc	53	Bank
1547	popl.lft	bfc	58	Observation
1548	popl.lft	bfc	99	Battery

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

1549	popl.lft	bfc	105	Reformatory
1550	popl.lft	bfc	106	Sanitarium
1551	popl.lft	bfc	111	Sportsplex
1552	popl.lft	bfc	122	Shopping Center
1553	popl.lft	bfc	129	Airport Terminal
1554	popl.lft	bfc	999	Other
1555	popl.lft	bss	0	Unknown
1556	popl.lft	bss	1	Monitor
1557	popl.lft	bss	2	Steeple
1558	popl.lft	bss	3	Cupola
1559	popl.lft	bss	4	Turret
1560	popl.lft	bss	5	Tower
1561	popl.lft	bss	6	Minaret
1562	popl.lft	bss	998	Not Applicable
1563	popl.lft	bss	999	Other
1564	popl.lft	cdp	0	Unknown
1565	popl.lft	cdp	18	Receipt
1566	popl.lft	cdp	19	Source
1567	popl.lft	cdp	24	Up-to-dateness/revision
1568	popl.lft	dir	0	Unknown
1569	popl.lft	dir	1	Uni
1570	popl.lft	dir	2	Bi
1571	popl.lft	dir	3	Omni
1572	popl.lft	dmf	-32767	Unknown
1573	popl.lft	exs	0	Unknown
1574	popl.lft	exs	5	Under Construction
1575	popl.lft	exs	7	Destroyed
1576	popl.lft	exs	8	Dismantled
1577	popl.lft	exs	999	Other
1578	popl.lft	gug	0	Unknown
1579	popl.lft	gug	1	Guyed
1580	popl.lft	gug	2	Unguyed
1581	popl.lft	hgt	-32767	Unknown
1582	popl.lft	hzd	0	Unknown
1583	popl.lft	hzd	300	World Geodetic System 1984
1584	popl.lft	hzd	999	Other
1585	popl.lft	len	-32767	Unknown
1586	popl.lft	mcc	0	Unknown
1587	popl.lft	mcc	20	Composition
1588	popl.lft	mcc	21	Concrete
1589	popl.lft	mcc	62	Masonry (Brick/Stone)
1590	popl.lft	mcc	64	Metal
1591	popl.lft	mcc	72	Part Metal
1592	popl.lft	mcc	107	Steel
1593	popl.lft	mcc	117	Wood

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

1594	popl.lft	mcc	999	Other
1595	popl.lft	prm	1	Permanent
1596	popl.lft	prm	2	Temporary
1597	popl.lft	sec	0	Unknown
1598	popl.lft	sec	1	Top Secret
1599	popl.lft	sec	2	Secret
1600	popl.lft	sec	3	Confidential
1601	popl.lft	sec	4	Restricted
1602	popl.lft	sec	5	Unclassified
1603	popl.lft	sec	999	Other
1604	popl.lft	ssc	0	Unknown
1605	popl.lft	ssc	12	Pyramid
1606	popl.lft	ssc	17	Spherical (Hemispherical)
1607	popl.lft	ssc	52	'A' Frame
1608	popl.lft	ssc	53	'H' Frame
1609	popl.lft	ssc	54	'I' Frame
1610	popl.lft	ssc	56	'Y' Frame
1611	popl.lft	ssc	60	Mast
1612	popl.lft	ssc	65	Cylindrical with flat top
1613	popl.lft	ssc	66	Cylindrical with domed top
1614	popl.lft	ssc	71	Cylindrical/Peaked
1615	popl.lft	ssc	77	Arch
1616	popl.lft	ssc	79	Round
1617	popl.lft	ssc	80	Rectangular
1618	popl.lft	ssc	83	Square
1619	popl.lft	ssc	84	Irregular
1620	popl.lft	ssc	109	Obelisk
1621	popl.lft	ssc	999	Other
1622	popl.lft	ssr	0	Unknown
1623	popl.lft	ssr	6	Conical/Peaked/NUN
1624	popl.lft	ssr	38	Curved/Round (Quonset)
1625	popl.lft	ssr	40	Dome
1626	popl.lft	ssr	41	Flat
1627	popl.lft	ssr	42	Gable (Pitched)
1628	popl.lft	ssr	47	Sawtooth
1629	popl.lft	ssr	998	Not Applicable
1630	popl.lft	ssr	999	Other
1631	popl.lft	stc	1	Survey Source
1632	popl.lft	stc	2	Stereo Imagery Exploitation
1633	popl.lft	stc	3	Mono Imagery Exploitation
1634	popl.lft	stc	4	Cartographic Source
1635	popl.lft	stc	5	Reported Information
1636	popl.lft	stc	6	Multispectral
1637	popl.lft	stc	7	Hyperspectral
1638	popl.lft	stc	8	Synthetic Aperture Radar (SAR)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

1639	popl.lft	stc	999	Other
1640	popl.lft	ttc	0	Unknown
1641	popl.lft	ttc	2	Observation/Lookout
1642	popl.lft	ttc	12	Fire
1643	popl.lft	ttc	999	Other
1644	popl.lft	vdc	0	Unknown
1645	popl.lft	vdc	15	Mean Sea Level
1646	popl.lft	vdc	999	Other
1647	popl.lft	wid	-32767	Unknown
1648	popl.lft	zv2	-32767	Unknown
1649	transl.lft	atn	0	Unknown
1650	transl.lft	atn	3	Lit
1651	transl.lft	atn	4	Unlit
1652	transl.lft	bot	0	Unknown
1653	transl.lft	bot	4	Draw/Bascule
1654	transl.lft	bot	10	Swing
1655	transl.lft	bot	11	Lift
1656	transl.lft	bot	13	Not Applicable
1657	transl.lft	bot	999	Other
1658	transl.lft	bsc	0	Unknown
1659	transl.lft	bsc	1	Arch (assume open spandrel)
1660	transl.lft	bsc	2	Cantilever
1661	transl.lft	bsc	3	Deck
1662	transl.lft	bsc	6	Girder
1663	transl.lft	bsc	7	Tower Suspension
1664	transl.lft	bsc	8	Truss
1665	transl.lft	bsc	9	Suspension
1666	transl.lft	bsc	12	Transporter
1667	transl.lft	bsc	15	Slab
1668	transl.lft	bsc	16	Stringer (beam)
1669	transl.lft	bsc	17	Arch Suspension
1670	transl.lft	bsc	26	Arch (closed spandrel)
1671	transl.lft	bsc	27	Cable Stayed
1672	transl.lft	bsc	999	Other
1673	transl.lft	cdp	0	Unknown
1674	transl.lft	cdp	18	Receipt
1675	transl.lft	cdp	19	Source
1676	transl.lft	cdp	24	Up-to-dateness/revision
1677	transl.lft	dir	0	Unknown
1678	transl.lft	dir	2	Bi
1679	transl.lft	dir	3	Omni
1680	transl.lft	dmf	-32767	Unknown
1681	transl.lft	exs	0	Unknown
1682	transl.lft	exs	5	Under Construction
1683	transl.lft	exs	7	Destroyed

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

1684	transl.lft	exs	8	Dismantled
1685	transl.lft	exs	999	Other
1686	transl.lft	hgt	-32767	Unknown
1687	transl.lft	hzd	0	Unknown
1688	transl.lft	hzd	300	World Geodetic System 1984
1689	transl.lft	hzd	999	Other
1690	transl.lft	len	-32767	Unknown
1691	transl.lft	mcc	0	Unknown
1692	transl.lft	mcc	20	Composition
1693	transl.lft	mcc	21	Concrete
1694	transl.lft	mcc	62	Masonry (Brick/Stone)
1695	transl.lft	mcc	64	Metal
1696	transl.lft	mcc	72	Part Metal
1697	transl.lft	mcc	107	Steel
1698	transl.lft	mcc	117	Wood
1699	transl.lft	mcc	999	Other
1700	transl.lft	prm	1	Permanent
1701	transl.lft	prm	2	Temporary
1702	transl.lft	sec	0	Unknown
1703	transl.lft	sec	1	Top Secret
1704	transl.lft	sec	2	Secret
1705	transl.lft	sec	3	Confidential
1706	transl.lft	sec	4	Restricted
1707	transl.lft	sec	5	Unclassified
1708	transl.lft	sec	999	Other
1709	transl.lft	stc	1	Survey Source
1710	transl.lft	stc	2	Stereo Imagery Exploitation
1711	transl.lft	stc	3	Mono Imagery Exploitation
1712	transl.lft	stc	4	Cartographic Source
1713	transl.lft	stc	5	Reported Information
1714	transl.lft	stc	6	Multispectral
1715	transl.lft	stc	7	Hyperspectral
1716	transl.lft	stc	8	Synthetic Aperture Radar (SAR)
1717	transl.lft	stc	999	Other
1718	transl.lft	vdc	0	Unknown
1719	transl.lft	vdc	15	Mean Sea Level
1720	transl.lft	vdc	999	Other
1721	transl.lft	wid	-32767	Unknown
1722	transl.lft	zv2	-32767	Unknown
1723	utill.lft	atn	0	Unknown
1724	utill.lft	atn	3	Lit
1725	utill.lft	atn	4	Unlit
1726	utill.lft	bfc	0	Unknown
1727	utill.lft	bfc	40	Telephone Switching Station
1728	utill.lft	bfc	86	Telephone Exchange (Main)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

1729	utill.lft	bss	0	Unknown
1730	utill.lft	bss	5	Tower
1731	utill.lft	bss	998	Not Applicable
1732	utill.lft	bss	999	Other
1733	utill.lft	cdp	0	Unknown
1734	utill.lft	cdp	18	Receipt
1735	utill.lft	cdp	19	Source
1736	utill.lft	cdp	24	Up-to-dateness/revision
1737	utill.lft	dir	0	Unknown
1738	utill.lft	dir	2	Bi
1739	utill.lft	dir	3	Omni
1740	utill.lft	dmf	-32767	Unknown
1741	utill.lft	exs	0	Unknown
1742	utill.lft	exs	5	Under Construction
1743	utill.lft	exs	7	Destroyed
1744	utill.lft	exs	8	Dismantled
1745	utill.lft	exs	999	Other
1746	utill.lft	gug	0	Unknown
1747	utill.lft	gug	1	Guyed
1748	utill.lft	gug	2	Unguyed
1749	utill.lft	hgt	-32767	Unknown
1750	utill.lft	hzd	0	Unknown
1751	utill.lft	hzd	300	World Geodetic System 1984
1752	utill.lft	hzd	999	Other
1753	utill.lft	kva	-32767	Unknown
1754	utill.lft	len	-32767	Unknown
1755	utill.lft	mcc	0	Unknown
1756	utill.lft	mcc	20	Composition
1757	utill.lft	mcc	21	Concrete
1758	utill.lft	mcc	62	Masonry (Brick/Stone)
1759	utill.lft	mcc	64	Metal
1760	utill.lft	mcc	72	Part Metal
1761	utill.lft	mcc	74	Plastic
1762	utill.lft	mcc	107	Steel
1763	utill.lft	mcc	117	Wood
1764	utill.lft	mcc	999	Other
1765	utill.lft	nst	0	Unknown
1766	utill.lft	nst	12	Radio
1767	utill.lft	nst	15	TV
1768	utill.lft	nst	16	Microwave
1769	utill.lft	nst	998	Not Applicable
1770	utill.lft	nst	999	Other
1771	utill.lft	prm	1	Permanent
1772	utill.lft	prm	2	Temporary
1773	utill.lft	sec	0	Unknown

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-3. Obstructions Integer Value Description Table (continued).

1774	utill.lft	sec	1	Top Secret
1775	utill.lft	sec	2	Secret
1776	utill.lft	sec	3	Confidential
1777	utill.lft	sec	4	Restricted
1778	utill.lft	sec	5	Unclassified
1779	utill.lft	sec	999	Other
1780	utill.lft	ssc	0	Unknown
1781	utill.lft	ssc	52	‘A’ Frame
1782	Utill.lft	ssc	53	‘H’ Frame
1783	utill.lft	ssc	54	‘I’ Frame
1784	Utill.lft	ssc	56	‘Y’ Frame
1785	utill.lft	ssc	60	Mast
1786	utill.lft	ssc	79	Round
1787	utill.lft	ssc	80	Rectangular
1788	utill.lft	ssc	83	Square
1789	utill.lft	ssc	84	Irregular
1790	utill.lft	ssc	999	Other
1791	utill.lft	ssr	0	Unknown
1792	utill.lft	ssr	40	Dome
1793	utill.lft	ssr	41	Flat
1794	utill.lft	ssr	42	Gable (Pitched)
1795	utill.lft	ssr	999	Other
1796	utill.lft	stc	1	Survey Source
1797	utill.lft	stc	2	Stereo Imagery Exploitation
1798	utill.lft	stc	3	Mono Imagery Exploitation
1799	utill.lft	stc	4	Cartographic Source
1800	utill.lft	stc	5	Reported Information
1801	utill.lft	stc	6	Multispectral
1802	utill.lft	stc	7	Hyperspectral
1803	utill.lft	stc	8	Synthetic Aperture Radar (SAR)
1804	utill.lft	stc	999	Other
1805	utill.lft	tst	0	Unknown
1806	utill.lft	tst	1	Normal Suspension
1807	utill.lft	tst	2	Catenary (Over Mountains)
1808	utill.lft	tst	3	Catenary (Over Water)
1809	utill.lft	tst	998	Not Applicable
1810	utill.lft	tst	999	Other
1811	utill.lft	vdc	0	Unknown
1812	utill.lft	vdc	15	Mean Sea Level
1813	utill.lft	vdc	999	Other
1814	utill.lft	zv2	-32767	Unknown

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-4. Aeronautical Obstacle Point Feature Table.

Thematic Layer:	Obstructions
Coverage Name:	obs
Feature Table Description:	Aeronautical Obstacle Point Feature Table
Table Name:	aerop.pft
Thematic Index ID Number:	1

```
{Header length}L;
Aeronautical Obstacle Point Feature Table;-;
id=I,1,P,Row Identifier,-,-,-,:
f_code=T,5,N,FACC Feature Code,char.vdt,f_code1.pti,-,:
aha=F,1,N,Absolute Horizontal Accuracy in Meters,-,-,-,:
aho=F,1,N,Accuracy of Obstruction Height Above Ground Level,-,-,-,:
atn=S,1,N,Aids to Navigation,int.vdt,-,-,:
ava=F,1,N,Absolute Vertical Accuracy in Meters,-,-,-,:
cdp=S,1,N,Calendar Date Type,int.vdt,-,-,:
cdv=T,8,N,Calendar Date Value,char.vdt,-,-,:
dir=S,1,N,Directivity,int.vdt,-,-,:
dmf=S,1,N,Density Measure (Feature Count),int.vdt,-,-,:
exs=S,1,N,Existence Category,int.vdt,-,-,:
gug=S,1,N,Guyed or Unguyed Category,int.vdt,-,-,:
hgt=S,1,N,Height Above Surface Level,int.vdt,-,-,:
hzd=S,1,N,Horizontal Datum,int.vdt,-,-,:
len=S,1,N,Length/Diameter,int.vdt,-,-,:
mcc=S,1,N,Material Composition Category,int.vdt,-,-,:
nst=S,1,N,Navigation System Types,int.vdt,-,-,:
pfg=F,1,N,Predominant Feature Height With greater than 1 meter resolution,-,-,-,:
prm=S,1,N,Permanency,int.vdt,-,-,:
qle=T,4,N,Releasability,char.vdt,-,-,:
sec=S,1,N,Security Classification,int.vdt,-,-,:
ssc=S,1,N,Structure Shape Category,int.vdt,-,-,:
stc=S,1,N,Source Type Code,int.vdt,-,-,:
txt=T,*,N,Text Attribute,char.vdt,-,-,:
vdc=S,1,N,Vertical (Sounding) Datum Category,int.vdt,-,-,:
voi=T,11,N,Vertical Obstruction Identifier,char.vdt,-,-,:
wid=S,1,N,Width,int.vdt,-,-,:
zv2=S,1,N,Highest Z-Value,int.vdt,-,-,:;
```

Column	Description Value	Value Meaning	Applicable f_code for Each Attribute Value
id	Row Identifier	Sequential beginning with 1	
f_code	FACC Feature Code		
	GA035	NAVAIDS (Aeronautical)	
	GB040	Launch Pad	
	GB220	Air Obstruction	
	GB221	Miscellaneous Air Obstruction	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-4. Aeronautical Obstacle Point Feature Table (continued).

aha	Absolute Horizontal Accuracy in Meters			
		-32767.0	Unknown	GA035,GB040,GB220, GB221
		>0.0		GA035,GB040,GB220, GB221
aho	Accuracy of Obstruction Height Above Ground Level [meters]			
		-32767.0	Unknown	GA035,GB040,GB220, GB221
		>0.0		GA035,GB040,GB220, GB221
atn	Aids to Navigation			
		0	Unknown	GA035,GB040,GB220, GB221
		3	Lit	GA035,GB040,GB220, GB221
		4	Unlit	GA035,GB040,GB220, GB221
ava	Absolute Vertical Accuracy in Meters			
		-32767.0	Unknown	GA035,GB040,GB220, GB221
		>0.0		GA035,GB040,GB220, GB221
cdp	Calendar Date Type			
		0	Unknown	GA035,GB040,GB220, GB221
		18	Receipt	GA035,GB040,GB220, GB221
		19	Source	GA035,GB040,GB220, GB221
		24	Up-to-dateness/revision	GA035,GB040,GB220, GB221
cdv	Calendar Date Value			
		UNK	Unknown	GA035,GB040,GB220, GB221
		Character	Text String	GA035,GB040,GB220, GB221
dir	Directivity			
		0	Unknown	GA035,GB040,GB220, GB221
		1	Uni	GB040,GB220,GB221
		2	Bi	GB040,GB220,GB221
		3	Omni	GA035,GB040,GB220, GB221

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-4. Aeronautical Obstacle Point Feature Table (continued).

dmf	Density Measure (Feature Count)			
		-32767	Unknown	GA035,GB040,GB220, GB221
		>0		GA035,GB040,GB220, GB221
exs	Existence Category			
		0	Unknown	GA035,GB040,GB220, GB221
		5	Under Construction	GA035,GB040,GB220, GB221
		7	Destroyed	GA035,GB040,GB220, GB221
		8	Dismantled	GB220,GB221
		999	Other	GA035,GB040,GB220, GB221
gug	Guyed or Unguyed Category			
		-32768	Null	GA035,GB040,GB220
		0	Unknown	GB221
		1	Guyed	GB221
		2	Unguyed	GB221
hgt	Height Above Surface Level [meters]			
		-32767	Unknown	GA035,GB040,GB220, GB221
		>0		GA035,GB040,GB220, GB221
hzd	Horizontal Datum			
		0	Unknown	GA035,GB040,GB220, GB221
		300	World Geodetic System 1984	GA035,GB040,GB220, GB221
		999	Other	GA035,GB040,GB220, GB221
len	Length/Diameter [meters]			
		-32768	Null	GB040
		-32767	Unknown	GA035,GB220,GB221
		>0		GA035,GB220,GB221
mcc	Material Composition Category			
		0	Unknown	GA035,GB040,GB220, GB221
		20	Composition	GB040,GB221
		21	Concrete	GA035,GB040,GB221
		30	Earthen	GB221
		62	Masonry (Brick/Stone)	GB221

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-4. Aeronautical Obstacle Point Feature Table (continued).

	64	Metal	GB040,GB221
	72	Part Metal	GA035,GB040,GB221
	107	Steel	GB040,GB221
	117	Wood	GB220,GB221
	999	Other	GA035,GB040,GB220, GB221
nst Navigation System Types			
	-32768	Null	GB040,GB220,GB221
	0	Unknown	GA035
	7	Long Range Air Navigation System (LORAN)	GA035
	10	Radar Responder Beacon (RACON)	GA035
	11	Radar	GA035
	20	VHF Omni Directional Radio Range (VOR)	GA035
	21	VHF Omni Directional Radio Range/Distance Measuring Equipment (VOR/DME)	GA035
	22	VHF Omni Directional Radio Range and TACAN (VORTAC)	GA035
	23	Tactical Air Navigation Equipment (TACAN)	GA035
	26	Localizer (LOC)	GA035
	27	Localizer/Distance Measuring Equipment (LOC/DME)	GA035
	35	Radar Antenna	GA035
	37	Precision Approach Radar (PAR)	GA035
	40	Radio Beacon	GA035
	45	Radar Station	GA035
	55	Radar reflector	GA035
	999	Other	GA035
pfg Predominant Feature Height With greater than 1 meter resolution			
	NaN	Null	GA035,GB040
	-32767.0	Unknown	GB220,GB221
	>0.0		GB220,GB221

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-4. Aeronautical Obstacle Point Feature Table (continued).

prm	Permanency			
		1	Permanent	GA035,GB040,GB220, GB221
		2	Temporary	GA035,GB040,GB220, GB221
qle	Releasability			
		UNK	Unknown	GA035,GB040,GB220, GB221
		Character	Text String	GA035,GB040,GB220, GB221
sec	Security Classification			
		0	Unknown	GA035,GB040,GB220, GB221
		1	Top Secret	GA035,GB040,GB220, GB221
		2	Secret	GA035,GB040,GB220, GB221
		3	Confidential	GA035,GB040,GB220, GB221
		4	Restricted	GA035,GB040,GB220, GB221
		5	Unclassified	GA035,GB040,GB220, GB221
		999	Other	GA035,GB040,GB220, GB221
ssc	Structure Shape Category			
		-32768	Null	GB040,GB220
		0	Unknown	GA035,GB221
		4	Bullet	GB221
		10	Pillar/Spindle	GB221
		12	Pyramid	GB221
		17	Spherical (Hemispherical)	GB221
		21	Artificial Mountain	GB221
		52	'A' Frame	GB221
		53	'H' Frame	GB221
		54	'I' Frame	GB221
		56	'Y' Frame	GB221
		60	Mast	GB221
		74	'T' Frame	GB221
		77	Arch	GB221
		79	Round	GB221
		80	Rectangular	GB221
		83	Square	GB221
		84	Irregular	GB221
		87	Dome	GA035
		109	Obelisk	GB221
		999	Other	GA035,GB221

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-4. Aeronautical Obstacle Point Feature Table (continued).

stc	Source Type Code			
		1	Survey Source	GA035,GB040,GB220, GB221
		2	Stereo Imagery Exploitation	GA035,GB040,GB220, GB221
		3	Mono Imagery Exploitation	GA035,GB040,GB220, GB221
		4	Cartographic Source	GA035,GB040,GB220, GB221
		5	Reported Information	GA035,GB040,GB220, GB221
		6	Multispectral	GA035,GB040,GB220, GB221
		7	Hyperspectral	GA035,GB040,GB220, GB221
		8	Synthetic Aperture Radar (SAR)	GA035,GB040,GB220, GB221
		999	Other	GA035,GB040,GB220, GB221
txt	Text Attribute			
		UNK	Unknown	GA035,GB040,GB220, GB221
		Character	Text String	GA035,GB040,GB220, GB221
vdc	Vertical (Sounding) Datum Category			
		0	Unknown	GA035,GB040,GB220, GB221
		15	Mean Sea Level	GA035,GB040,GB220, GB221
		999	Other	GA035,GB040,GB220, GB221
voi	Vertical Obstruction Identifier			
		UNK	Unknown	GA035,GB040,GB220, GB221
		Character	Text String	GA035,GB040,GB220, GB221
wid	Width [meters]			
		-32768	Null	GB040
		-32767	Unknown	GA035,GB220,GB221
		>0		GA035,GB220,GB221
zv2	Highest Z-Value [meters]			
		-32767	Unknown	GA035,GB040,GB220, GB221
		>=-400 and <=30000		GA035,GB040,GB220, GB221

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-5. Hydrographic Obstacle Point Feature Table.

Thematic Layer: Obstructions
Coverage Name: obs
Feature Table Description: Hydrographic Obstacle Point Feature Table
Table Name: hydrop.pft
Thematic Index ID Number: 2

```
{Header length}L;
Hydrographic Obstacle Point Feature Table;-;
id=I,1,P,Row Identifier,-,-,-,:
f_code=T,5,N,FACC Feature Code,char.vdt,f_code2.pti,-,:
afa=S,1,N,Available Facilities,int.vdt,-,-,:
aha=F,1,N,Absolute Horizontal Accuracy in Meters,-,-,-,:
aho=F,1,N,Accuracy of Obstruction Height Above Ground Level,-,-,-,:
atn=S,1,N,Aids to Navigation,int.vdt,-,-,:
ava=F,1,N,Absolute Vertical Accuracy in Meters,-,-,-,:
cdp=S,1,N,Calendar Date Type,int.vdt,-,-,:
cdv=T,8,N,Calendar Date Value,char.vdt,-,-,:
dir=S,1,N,Directivity,int.vdt,-,-,:
dmf=S,1,N,Density Measure (Feature Count),int.vdt,-,-,:
exs=S,1,N,Existence Category,int.vdt,-,-,:
gug=S,1,N,Guyed or Unguyed Category,int.vdt,-,-,:
hgt=S,1,N,Height Above Surface Level,int.vdt,-,-,:
hzd=S,1,N,Horizontal Datum,int.vdt,-,-,:
mcc=S,1,N,Material Composition Category,int.vdt,-,-,:
opc=S,1,N,Offshore Platform Classification,int.vdt,-,-,:
prm=S,1,N,Permanency,int.vdt,-,-,:
qle=T,4,N,Releasability,char.vdt,-,-,:
sec=S,1,N,Security Classification,int.vdt,-,-,:
stc=S,1,N,Source Type Code,int.vdt,-,-,:
txt=T,*,N,Text Attribute,char.vdt,-,-,:
vdc=S,1,N,Vertical (Sounding) Datum Category,int.vdt,-,-,:
voi=T,11,N,Vertical Obstruction Identifier,char.vdt,-,-,:
zv2=S,1,N,Highest Z-Value,int.vdt,-,-,:;
```

Column	Description Value		Value Meaning	Applicable f_code for Each Attribute Value
id	Row Identifier		Sequential beginning with 1	
f_code	FACC Feature Code			
		BC040	Light	
		BC050	Lighthouse	
		BC070	Light Vessel/Lightship	
		BD110	Platform	
afa	Available Facilities			
		-32768	Null	BC040,BC050
		0	Unknown	BC070,BD110
		19	Helipad	BC070,BD110
		995	None	BD110
		999	Other	BC070,BD110

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-5. Hydrographic Obstacle Point Feature Table (continued).

aha	Absolute Horizontal Accuracy in Meters			
		-32767.0	Unknown	BC040,BC050,BC070, BD110
		>0.0		BC040,BC050,BC070, BD110
aho	Accuracy of Obstruction Height Above Ground Level [meters]			
		-32767.0	Unknown	BC040,BC050,BC070, BD110
		>0.0		BC040,BC050,BC070, BD110
atn	Aids to Navigation			
		-32768	Null	BC050,BC070
		0	Unknown	BC040,BD110
		3	Lit	BC040,BD110
		4	Unlit	BC040,BD110
ava	Absolute Vertical Accuracy in Meters			
		-32767.0	Unknown	BC040,BC050,BC070, BD110
		>0.0		BC040,BC050,BC070, BD110
cdp	Calendar Date Type			
		0	Unknown	BC040,BC050,BC070, BD110
		18	Receipt	BC040,BC050,BC070, BD110
		19	Source	BC040,BC050,BC070, BD110
		24	Up-to-dateness/revision	BC040,BC050,BC070, BD110
cdv	Calendar Date Value			
		UNK	Unknown	BC040,BC050,BC070, BD110
		Character	Text String	BC040,BC050,BC070, BD110
dir	Directivity			
		0	Unknown	BC040,BC050,BC070, BD110
		3	Omni	BC040,BC050,BC070, BD110
dmf	Density Measure (Feature Count)			
		-32768	Null	BC070
		-32767	Unknown	BC040,BC050,BD110
		>0		BC040,BC050,BD110

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-5. Hydrographic Obstacle Point Feature Table (continued).

exs	Existence Category			
		0	Unknown	BC040,BC050,BC070, BD110
		5	Under Construction	BC040,BC050,BD110
		7	Destroyed	BC040,BC050,BD110
		8	Dismantled	BC040,BC050,BC070, BD110
		999	Other	BC040,BC050,BC070, BD110
gug	Guyed or Unguyed Category			
		-32768	Null	BC050,BC070,BD110
		0	Unknown	BC040
		1	Guyed	BC040
		2	Unguyed	BC040
hgt	Height Above Surface Level [meters]			
		-32767	Unknown	BC040,BC050,BC070, BD110
		>0		BC040,BC050,BC070, BD110
hzd	Horizontal Datum			
		0	Unknown	BC040,BC050,BC070, BD110
		300	World Geodetic System 1984	BC040,BC050,BC070, BD110
		999	Other	BC040,BC050,BC070, BD110
mcc	Material Composition Category			
		0	Unknown	BC040,BC050,BC070, BD110
		21	Concrete	BC050,BD110
		64	Metal	BC070,BD110
		72	Part Metal	BC040,BC050,BD110
		107	Steel	BC070,BD110
		117	Wood	BD110
		999	Other	BC040,BC050,BC070, BD110
opc	Offshore Platform Classification			
		-32768	Null	BC040,BC050,BC070
		10	Navigation Aid Support	BD110
prm	Permanency			
		1	Permanent	BC040,BC050,BC070, BD110
		2	Temporary	BC040,BC050,BC070, BD110

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-5. Hydrographic Obstacle Point Feature Table (continued).

qle	Releasability			
		UNK	Unknown	BC040,BC050,BC070, BD110
		Character	Text String	BC040,BC050,BC070, BD110
sec	Security Classification			
		0	Unknown	BC040,BC050,BC070, BD110
		1	Top Secret	BC040,BC050,BC070, BD110
		2	Secret	BC040,BC050,BC070, BD110
		3	Confidential	BC040,BC050,BC070, BD110
		4	Restricted	BC040,BC050,BC070, BD110
		5	Unclassified	BC040,BC050,BC070, BD110
		999	Other	BC040,BC050,BC070, BD110
stc	Source Type Code			
		1	Survey Source	BC040,BC050,BC070, BD110
		2	Stereo Imagery Exploitation	BC040,BC050,BC070, BD110
		3	Mono Imagery Exploitation	BC040,BC050,BC070, BD110
		4	Cartographic Source	BC040,BC050,BC070, BD110
		5	Reported Information	BC040,BC050,BC070, BD110
		6	Multispectral	BC040,BC050,BC070, BD110
		7	Hyperspectral	BC040,BC050,BC070, BD110
		8	Synthetic Aperture Radar (SAR)	BC040,BC050,BC070, BD110
		999	Other	BC040,BC050,BC070, BD110
txt	Text Attribute			
		UNK	Unknown	BC040,BC050,BC070, BD110
		Character	Text String	BC040,BC050,BC070, BD110

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-5. Hydrographic Obstacle Point Feature Table (continued).

vdc	Vertical (Sounding) Datum Category			
		0	Unknown	BC040,BC050,BC070, BD110
		15	Mean Sea Level	BC040,BC050,BC070, BD110
		999	Other	BC040,BC050,BC070, BD110
voi	Vertical Obstruction Identifier			
		UNK	Unknown	BC040,BC050,BC070, BD110
		Character	Text String	BC040,BC050,BC070, BD110
zv2	Highest Z-Value [meters]			
		-32767	Unknown	BC040,BC050,BC070, BD110
		>=-400 and <=30000		BC040,BC050,BC070, BD110

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-6. Industry Obstacle Point Feature Table.

Thematic Layer:	Obstructions
Coverage Name:	obs
Feature Table Description:	Industry Obstacle Point Feature Table
Table Name:	indp.pft
Thematic Index ID Number:	3

```
{Header length}L;
Industry Obstacle Point Feature Table;-;
id=I,1,P,Row Identifier,-,-,-,:
f_code=T,5,N,FACC Feature Code,char.vdt,f_code3.pti,-,:
afa=S,1,N,Available Facilities,int.vdt,-,-,:
aha=F,1,N,Absolute Horizontal Accuracy in Meters,-,-,-,:
aho=F,1,N,Accuracy of Obstruction Height Above Ground Level,-,-,-,:
atn=S,1,N,Aids to Navigation,int.vdt,-,-,:
ava=F,1,N,Absolute Vertical Accuracy in Meters,-,-,-,:
bss=S,1,N,Building Superstructure Shape,int.vdt,-,-,:
cdp=S,1,N,Calendar Date Type,int.vdt,-,-,:
cdv=T,8,N,Calendar Date Value,char.vdt,-,-,:
cra=S,1,N,Crane Type Category,int.vdt,-,-,:
crm=S,1,N,Crane Mobility Type,int.vdt,-,-,:
dir=S,1,N,Directivity,int.vdt,-,-,:
dmf=S,1,N,Density Measure (Feature Count),int.vdt,-,-,:
exs=S,1,N,Existence Category,int.vdt,-,-,:
gug=S,1,N,Guyed or Unguyed Category,int.vdt,-,-,:
hgt=S,1,N,Height Above Surface Level,int.vdt,-,-,:
hzd=S,1,N,Horizontal Datum,int.vdt,-,-,:
loc=S,1,N,Location Category,int.vdt,-,-,:
mcc=S,1,N,Material Composition Category,int.vdt,-,-,:
pfg=F,1,N,Predominant Feature Height With greater than 1 meter resolution,-,-,-:
ppc=S,1,N,Power Plant Category,int.vdt,-,-,:
prm=S,1,N,Permanency,int.vdt,-,-,:
pro=S,1,N,Product Category,int.vdt,-,-,:
qle=T,4,N,Releasability,char.vdt,-,-,:
sec=S,1,N,Security Classification,int.vdt,-,-,:
ssc=S,1,N,Structure Shape Category,int.vdt,-,-,:
ssr=S,1,N,Structure Shape of Roof,int.vdt,-,-,:
stc=S,1,N,Source Type Code,int.vdt,-,-,:
txt=T,*,N,Text Attribute,char.vdt,-,-,:
vdc=S,1,N,Vertical (Sounding) Datum Category,int.vdt,-,-,:
voi=T,11,N,Vertical Obstruction Identifier,char.vdt,-,-,:
zv2=S,1,N,Highest Z-Value,int.vdt,-,-,:;
```

Column	Description Value	Value Meaning	Applicable f_code for Each Attribute Value
id	Row Identifier	Sequential beginning with 1	
f_code	FACC Feature Code		
	AA040	Rig/Superstructure	
	AB000	US-Disposal Site/Waste Pile UK-Refuse Tip/Slag Heap	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-6. Industry Obstacle Point Feature Table (continued).

	AC000	Processing Plant/Treatment Plant	
	AC010	Blast Furnace	
	AC020	Catalytic Cracker	
	AD010	US-Power Plant UK-Power Station	
	AF010	Chimney/Smokestack	
	AF020	Conveyor	
	AF030	Cooling Tower	
	AF040	Crane	
	AF050	US-Dredge/Powershovel/Dragline UK-Dredger/Powershovel/Dragline	
	AF070	Flare Pipe	
	AF080	Hopper	
	AJ050	Windmill	
	AJ051	Windmotor	
	AM010	Depot (Storage)	
	AM020	Grain Bin/Silo	
	AM030	Grain Elevator	
	AM070	Tank	
	AM080	Water Tower	

afa Available Facilities

-32768	Null	AB000,AC000,AC010,AC020,AD010,AF010,AF020,AF030,AF040,AF050,AF070,AF080,AJ050,AJ051,AM010,AM020,AM030,AM070,AM080
0	Unknown	AA040
19	Helipad	AA040
995	None	AA040
999	Other	AA040

aha Absolute Horizontal Accuracy in Meters

-32767.0	Unknown	AA040,AB000,AC000,AC010,AC020,AD010,AF010,AF020,AF030,AF040,AF050,AF070,AF080,AJ050,AJ051,AM010,AM020,AM030,AM070,AM080
>0.0		AA040,AB000,AC000,AC010,AC020,AD010,AF010,AF020,AF030,AF040,AF050,AF070,AF080,AJ050,AJ051,AM010,AM020,AM030,AM070,AM080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-6. Industry Obstacle Point Feature Table (continued).

aho	Accuracy of Obstruction Height Above Ground Level [meters]			
		-32767.0	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		>0.0		AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
atn	Aids to Navigation			
		-32768	Null	AM010
		0	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM020,AM030,AM070, AM080
		3	Lit	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM020,AM030,AM070, AM080
		4	Unlit	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM020,AM030,AM070, AM080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-6. Industry Obstacle Point Feature Table (continued).

ava	Absolute Vertical Accuracy in Meters			
		-32767.0	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		>0.0		AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
bss	Building Superstructure Shape			
		-32768	Null	AA040,AB000,AC010, AC020,AF010,AF020, AF030,AF040,AF050, AF070,AF080,AJ050, AJ051,AM010,AM020, AM030,AM070,AM080
		0	Unknown	AC000,AD010
		1	Monitor	AC000,AD010
		4	Turret	AC000,AD010
		5	Tower	AC000,AD010
		998	Not Applicable	AC000,AD010
		999	Other	AC000,AD010
cdp	Calendar Date Type			
		0	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		18	Receipt	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-6. Industry Obstacle Point Feature Table (continued).

		19	Source	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		24	Up-to-dateness/revision	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
cdv	Calendar Date Value			
		UNK	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		Character	Text String	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
cra	Crane Type Category			
		-32768	Null	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF050,AF070,AF080, AJ050,AJ051,AM010, AM020,AM030,AM070, AM080
		0	Unknown	AF040
		2	Bridge/Gantry	AF040
		3	Rotating	AF040
		998	Not Applicable	AF040
		999	Other	AF040

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-6. Industry Obstacle Point Feature Table (continued).

crm	Crane Mobility Type			
		-32768	Null	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF050,AF070,AF080, AJ050,AJ051,AM010, AM020,AM030,AM070, AM080
		0	Unknown	AF040
		1	Fixed	AF040
		2	Traveling	AF040
		3	Floating	AF040
		999	Other	AF040
dir	Directivity			
		0	Unknown	AA040,AB000,AC010, AC020,AD010,AF010, AF020,AF030,AF070, AJ050,AJ051,AM020, AM030,AM070,AM080
		2	Bi	AC000,AF020,AF040, AF050,AF080,AM010
		3	Omni	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
dmf	Density Measure (Feature Count)			
		-32767	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		>0		AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-6. Industry Obstacle Point Feature Table (continued).

exs	Existence Category			
		0	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		5	Under Construction	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		7	Destroyed	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		8	Dismantled	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		999	Other	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
gug	Guyed or Unguyed Category			
		-32768	Null	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF050,AF080,AM010, AM020,AM030,AM070, AM080
		0	Unknown	AF040,AF070,AJ050, AJ051
		1	Guyed	AF040,AF070,AJ050, AJ051
		2	Unguyed	AF040,AF070,AJ050, AJ051

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-6. Industry Obstacle Point Feature Table (continued).

hgt	Height Above Surface Level [meters]			
		-32767	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		>0		AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
hzd	Horizontal Datum			
		0	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		300	World Geodetic System 1984	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		999	Other	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
loc	Location Category			
		-32768	Null	AB000,AC000,AC010, AC020,AD010,AF010, AF020,AF030,AF040, AF050,AF080,AJ050, AM010,AM020,AM030, AM070,AM080
		0	Unknown	AA040,AF070,AJ051
		8	On Ground Surface	AA040,AF070,AJ051
		22	Off Shore	AA040,AF070,AJ051
		999	Other	AA040,AF070,AJ051

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-6. Industry Obstacle Point Feature Table (continued).

mcc	Material Composition Category		
	0	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
	20	Composition	AC000,AC020,AD010, AF030,AF080,AJ050, AJ051,AM010,AM020, AM030,AM070,AM080
	21	Concrete	AC000,AC010,AC020, AD010,AF010,AF020, AF030,AF070,AF080, AJ050,AJ051,AM010, AM020,AM030,AM070, AM080
	62	Masonry (Brick/Stone)	AC000,AC010,AC020, AD010,AF010,AF020, AF030,AF070,AF080, AJ050,AJ051,AM010, AM020,AM030,AM070, AM080
	64	Metal	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
	72	Part Metal	AB000,AC000,AC010, AC020,AD010,AF010, AF020,AF030,AF050, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
	107	Steel	AA040,AC000,AC010, AC020,AD010,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
	117	Wood	AC000,AC020,AD010, AF030,AF080,AJ050, AJ051,AM010,AM020, AM030,AM070,AM080
	999	Other	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-6. Industry Obstacle Point Feature Table (continued).

pfg	Predominant Feature Height		With greater than 1 meter resolution	
		NaN	Null	AA040,AB000,AC010, AC020,AD010,AF010, AF020,AF030,AF040, AF050,AF070,AF080, AJ050,AJ051,AM020, AM030,AM080
		-32767.0	Unknown	AC000,AM010,AM070
		>0.0		AC000,AM010,AM070
ppc	Power Plant Category			
		-32768	Null	AA040,AB000,AC000, AC010,AC020,AF020, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		0	Unknown	AD010,AF010,AF030
		1	Hydro-electric	AD010
		2	Nuclear	AD010,AF010,AF030
		3	Solar	AD010
		4	Thermal	AD010,AF010,AF030
		5	Wind	AD010
		6	Tidal	AD010
		7	Internal Combustion	AD010,AF010,AF030
		998	Not Applicable	AF010,AF030
		999	Other	AD010,AF010,AF030
prm	Permanency			
		1	Permanent	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		2	Temporary	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-6. Industry Obstacle Point Feature Table (continued).

pro	Product Category			
		-32768	Null	AA040,AB000,AC010, AC020,AD010,AF010, AF020,AF030,AF040, AF050,AF070,AF080, AJ050,AJ051,AM010, AM020,AM030,AM070, AM080
		0	Unknown	AC000
		13	Chemical	AC000
		17	Coal	AC000
		19	Coke	AC000
		38	Gas	AC000
		64	Metal	AC000
		67	Oil	AC000
		999	Other	AC000
qle	Releasability			
		UNK	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		Character	Text String	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
sec	Security Classification			
		0	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		1	Top Secret	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-6. Industry Obstacle Point Feature Table (continued).

		2	Secret	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		3	Confidential	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		4	Restricted	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		5	Unclassified	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		999	Other	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
ssc	Structure Shape Category			
		-32768	Null	AB000,AC000,AC010, AC020,AD010,AF010, AF020,AF040,AF070, AM010
		0	Unknown	AA040,AF030,AF050, AF080,AJ050,AJ051, AM020,AM030,AM070, AM080
		4	Bullet	AM070
		7	Cylindrical (Upright)/CAN	AM080
		12	Pyramid	AM020,AM030,AM070, AM080
		17	Spherical (Hemispherical)	AM020,AM030,AM070, AM080
		52	'A' Frame	AA040,AF050

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-6. Industry Obstacle Point Feature Table (continued).

		54	'I' Frame	AA040,AF050
		59	Telescoping Gasholder (Gasometer)	AM070
		60	Mast	AJ050,AJ051
		65	Cylindrical with flat top	AM080
		66	Cylindrical with domed top	AM080
		71	Cylindrical/Peaked	AM080
		76	Funnel	AF080
		79	Round	AF030,AF080,AM020, AM030,AM070,AM080
		80	Rectangular	AF030,AF080,AM020, AM030,AM070,AM080
		83	Square	AF030,AF080,AM020, AM030,AM070,AM080
		84	Irregular	AF030,AF080,AM020, AM030,AM070,AM080
		109	Obelisk	AM020,AM030,AM070
		999	Other	AA040,AF030,AF050, AF080,AJ050,AJ051, AM020,AM030,AM070, AM080
ssr	Structure Shape of Roof			
		-32768	Null	AA040,AB000,AC010, AC020,AF010,AF020, AF030,AF040,AF050, AF070,AF080,AJ050, AJ051,AM010,AM080
		0	Unknown	AC000,AD010,AM020, AM030,AM070
		6	Conical/Peaked/NUN	AC000,AD010,AM020, AM030,AM070
		38	Curved/Round (Quonset)	AC000,AD010,AM020, AM030,AM070
		40	Dome	AC000,AD010,AM020, AM030,AM070
		41	Flat	AC000,AD010,AM020, AM030,AM070
		42	Gable (Pitched)	AC000,AD010,AM020, AM030,AM070
		47	Sawtooth	AC000,AD010
		999	Other	AC000,AD010,AM020, AM030,AM070

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-6. Industry Obstacle Point Feature Table (continued).

stc	Source Type Code		
	1	Survey Source	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
	2	Stereo Imagery Exploitation	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
	3	Mono Imagery Exploitation	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
	4	Cartographic Source	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
	5	Reported Information	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
	6	Multispectral	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
	7	Hyperspectral	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-6. Industry Obstacle Point Feature Table (continued).

			8 Synthetic Aperture Radar (SAR)	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
			999 Other	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
txt	Text Attribute			
			UNK Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
			Character Text String	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
vdc	Vertical (Sounding) Datum Category			
			0 Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
			15 Mean Sea Level	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
			999 Other	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-6. Industry Obstacle Point Feature Table (continued).

voi	Vertical Obstruction Identifier			
		UNK	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		Character	Text String	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
zv2	Highest Z-Value [meters]			
		-32767	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		>=-400 and <=30000		AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-7. Inland Water Obstacle Point Feature Table.

Thematic Layer: Obstructions
Coverage Name: obs
Feature Table Description: Inland Water Obstacle Point Feature Table
Table Name: iwap.pft
Thematic Index ID Number: 4

```
{Header length}L;
Inland Water Obstacle Point Feature Table;-;
id=I,1,P,Row Identifier,-,-,-,:
f_code=T,5,N,FACC Feature Code,char.vdt,f_code4.pti,-,:
aha=F,1,N,Absolute Horizontal Accuracy in Meters,-,-,-,:
aho=F,1,N,Accuracy of Obstruction Height Above Ground Level,-,-,-,:
atn=S,1,N,Aids to Navigation,int.vdt,-,-,:
ava=F,1,N,Absolute Vertical Accuracy in Meters,-,-,-,:
cdp=S,1,N,Calendar Date Type,int.vdt,-,-,:
cdv=T,8,N,Calendar Date Value,char.vdt,-,-,:
dir=S,1,N,Directivity,int.vdt,-,-,:
dmf=S,1,N,Density Measure (Feature Count),int.vdt,-,-,:
exs=S,1,N,Existence Category,int.vdt,-,-,:
hgt=S,1,N,Height Above Surface Level,int.vdt,-,-,:
hzd=S,1,N,Horizontal Datum,int.vdt,-,-,:
len=S,1,N,Length/Diameter,int.vdt,-,-,:
mcc=S,1,N,Material Composition Category,int.vdt,-,-,:
prm=S,1,N,Permanency,int.vdt,-,-,:
qle=T,4,N,Releasability,char.vdt,-,-,:
sec=S,1,N,Security Classification,int.vdt,-,-,:
stc=S,1,N,Source Type Code,int.vdt,-,-,:
txt=T,*,N,Text Attribute,char.vdt,-,-,:
vdc=S,1,N,Vertical (Sounding) Datum Category,int.vdt,-,-,:
voi=T,11,N,Vertical Obstruction Identifier,char.vdt,-,-,:
wid=S,1,N,Width,int.vdt,-,-,:
zv2=S,1,N,Highest Z-Value,int.vdt,-,-,:;
```

Column	Description Value	Value Meaning	Applicable f_code for Each Attribute Value
id	Row Identifier	Sequential beginning with 1	
f_code	FACC Feature Code		
	BH010	Aqueduct	
	BI020	Dam/Weir	
	BI050	Water Intake Tower	
aha	Absolute Horizontal Accuracy in Meters		
	-32767.0	Unknown	BH010,BI020,BI050
	>0.0		BH010,BI020,BI050
aho	Accuracy of Obstruction Height Above Ground Level [meters]		
	-32767.0	Unknown	BH010,BI020,BI050
	>0.0		BH010,BI020,BI050

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-7. Inland Water Obstacle Point Feature Table (continued).

atn	Aids to Navigation			
		0	Unknown	BH010,BI020,BI050
		3	Lit	BH010,BI020,BI050
		4	Unlit	BH010,BI020,BI050
ava	Absolute Vertical Accuracy in Meters			
		-32767.0	Unknown	BH010,BI020,BI050
		>0.0		BH010,BI020,BI050
cdp	Calendar Date Type			
		0	Unknown	BH010,BI020,BI050
		18	Receipt	BH010,BI020,BI050
		19	Source	BH010,BI020,BI050
		24	Up-to-dateness/revision	BH010,BI020,BI050
cdv	Calendar Date Value			
		UNK	Unknown	BH010,BI020,BI050
		Character	Text String	BH010,BI020,BI050
dir	Directivity			
		0	Unknown	BH010,BI020,BI050
		1	Uni	BH010,BI020
		2	Bi	BH010,BI020
		3	Omni	BH010,BI020,BI050
dmf	Density Measure (Feature Count)			
		-32767	Unknown	BH010,BI020,BI050
		>0		BH010,BI020,BI050
exs	Existence Category			
		0	Unknown	BH010,BI020,BI050
		5	Under Construction	BH010,BI020,BI050
		7	Destroyed	BH010,BI020,BI050
		8	Dismantled	BH010,BI020,BI050
		999	Other	BH010,BI020,BI050
hgt	Height Above Surface Level [meters]			
		-32767	Unknown	BH010,BI020,BI050
		>0		BH010,BI020,BI050
hzd	Horizontal Datum			
		0	Unknown	BH010,BI020,BI050
		300	World Geodetic System 1984	BH010,BI020,BI050
		999	Other	BH010,BI020,BI050
len	Length/Diameter [meters]			
		-32767	Unknown	BH010,BI020,BI050
		>0		BH010,BI020,BI050

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-7. Inland Water Obstacle Point Feature Table (continued).

mcc	Material Composition Category			
		0	Unknown	BH010,BI020,BI050
		20	Composition	BI020,BI050
		21	Concrete	BH010,BI020,BI050
		30	Earthen	BI020
		62	Masonry (Brick/Stone)	BI050
		64	Metal	BH010,BI050
		72	Part Metal	BH010,BI050
		107	Steel	BH010
		108	Stone	BH010
		999	Other	BH010,BI020,BI050
prm	Permanency			
		1	Permanent	BH010,BI020,BI050
		2	Temporary	BH010,BI020,BI050
qle	Releasability			
		UNK	Unknown	BH010,BI020,BI050
		Character	Text String	BH010,BI020,BI050
sec	Security Classification			
		0	Unknown	BH010,BI020,BI050
		1	Top Secret	BH010,BI020,BI050
		2	Secret	BH010,BI020,BI050
		3	Confidential	BH010,BI020,BI050
		4	Restricted	BH010,BI020,BI050
		5	Unclassified	BH010,BI020,BI050
		999	Other	BH010,BI020,BI050
stc	Source Type Code			
		1	Survey Source	BH010,BI020,BI050
		2	Stereo Imagery Exploitation	BH010,BI020,BI050
		3	Mono Imagery Exploitation	BH010,BI020,BI050
		4	Cartographic Source	BH010,BI020,BI050
		5	Reported Information	BH010,BI020,BI050
		6	Multispectral	BH010,BI020,BI050
		7	Hyperspectral	BH010,BI020,BI050
		8	Synthetic Aperture Radar (SAR)	BH010,BI020,BI050
		999	Other	BH010,BI020,BI050
txt	Text Attribute			
		UNK	Unknown	BH010,BI020,BI050
		Character	Text String	BH010,BI020,BI050
vdc	Vertical (Sounding) Datum Category			
		0	Unknown	BH010,BI020,BI050
		15	Mean Sea Level	BH010,BI020,BI050
		999	Other	BH010,BI020,BI050

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-7. Inland Water Obstacle Point Feature Table (continued).

voi	Vertical Obstruction Identifier			
		UNK	Unknown	BH010,BI020,BI050
		Character	Text String	BH010,BI020,BI050
wid	Width [meters]			
		-32767	Unknown	BH010,BI020,BI050
		>0		BH010,BI020,BI050
zv2	Highest Z-Value [meters]			
		-32767	Unknown	BH010,BI020,BI050
		>=-400 and <=30000		BH010,BI020,BI050

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-8. Population Obstacle Point Feature Table.

Thematic Layer: Obstructions
Coverage Name: obs
Feature Table Description: Population Obstacle Point Feature Table
Table Name: popp.pft
Thematic Index ID Number: 5

```
{Header length}L;
Population Obstacle Point Feature Table;-;
id=I,1,P,Row Identifier,-,-,-,:
f_code=T,5,N,FACC Feature Code,char.vdt,f_code5.pti,-,:
afa=S,1,N,Available Facilities,int.vdt,-,-,:
aha=F,1,N,Absolute Horizontal Accuracy in Meters,-,-,-,:
aho=F,1,N,Accuracy of Obstruction Height Above Ground Level,-,-,-,:
atn=S,1,N,Aids to Navigation,int.vdt,-,-,:
ava=F,1,N,Absolute Vertical Accuracy in Meters,-,-,-,:
bfc=S,1,N,Building Function Category,int.vdt,-,-,:
bss=S,1,N,Building Superstructure Shape,int.vdt,-,-,:
cdp=S,1,N,Calendar Date Type,int.vdt,-,-,:
cdv=T,8,N,Calendar Date Value,char.vdt,-,-,:
dir=S,1,N,Directivity,int.vdt,-,-,:
dmf=S,1,N,Density Measure (Feature Count),int.vdt,-,-,:
exs=S,1,N,Existence Category,int.vdt,-,-,:
gug=S,1,N,Guyed or Unguyed Category,int.vdt,-,-,:
hgt=S,1,N,Height Above Surface Level,int.vdt,-,-,:
hzd=S,1,N,Horizontal Datum,int.vdt,-,-,:
len=S,1,N,Length/Diameter,int.vdt,-,-,:
mcc=S,1,N,Material Composition Category,int.vdt,-,-,:
prm=S,1,N,Permanency,int.vdt,-,-,:
qle=T,4,N,Releasability,char.vdt,-,-,:
sec=S,1,N,Security Classification,int.vdt,-,-,:
ssc=S,1,N,Structure Shape Category,int.vdt,-,-,:
ssr=S,1,N,Structure Shape of Roof,int.vdt,-,-,:
stc=S,1,N,Source Type Code,int.vdt,-,-,:
ttc=S,1,N,Tower Type Category,int.vdt,-,-,:
txt=T,*,N,Text Attribute,char.vdt,-,-,:
vdc=S,1,N,Vertical (Sounding) Datum Category,int.vdt,-,-,:
voi=T,11,N,Vertical Obstruction Identifier,char.vdt,-,-,:
wid=S,1,N,Width,int.vdt,-,-,:
zv2=S,1,N,Highest Z-Value,int.vdt,-,-,:;
```

Column	Description Value	Value Meaning	Applicable f_code for Each Attribute Value
id	Row Identifier	Sequential beginning with 1	
f_code	FACC Feature Code		
	AH050	Fortification	
	AK020	Amusement Park Attraction	
	AK150	Ski Jump	
	AK160	US-Stadium/Amphitheater UK-Stadium/Amphitheatre	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-8. Population Obstacle Point Feature Table (continued).

	AL015	Building	
	AL018	Building Superstructure Addition	
	AL050	US-Display Sign UK-Display Sign/Notice Board	
	AL110	US-Light Standard/Light Support UK-Light Standard/Light Support/Lamp Post	
	AL130	US-Monument UK-Monument/Folly	
	AL240	Tower (Non-Communication)	
	AQ020	Aerial Cableway Pylon/Ski Pylon	
	AQ055	Bridge Tower/Bridge Pylon	
afa	Available Facilities		
	-32768	Null	AH050,AK020,AK150, AK160,AL050,AL110, AL130,AL240,AQ020, AQ055
	0	Unknown	AL015,AL018
	19	Helipad	AL015,AL018
	995	None	AL018
	999	Other	AL015,AL018
aha	Absolute Horizontal Accuracy in Meters		
	-32767.0	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
	>0.0		AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
aho	Accuracy of Obstruction Height Above Ground Level [meters]		
	-32767.0	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
	>0.0		AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-8. Population Obstacle Point Feature Table (continued).

atn	Aids to Navigation		
	0	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
	3	Lit	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
	4	Unlit	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
ava	Absolute Vertical Accuracy in Meters		
	-32767.0	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
	>0.0		AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
bfc	Building Function Category		
	-32768	Null	AK020,AK150,AK160, AL050,AL110,AL130, AL240,AQ020,AQ055
	0	Unknown	AH050,AL015,AL018
	2	Government Building	AL015,AL018
	3	Capitol Building	AL015,AL018
	4	Castle	AH050
	6	Hospital	AL015,AL018
	7	House of Worship	AL015,AL018
	10	Observatory	AL015,AL018
	11	Palace	AL015,AL018
	13	Prison	AH050,AL015,AL018
	15	School	AL015,AL018
	16	House	AL015,AL018
	17	Multi Unit Dwelling	AL015,AL018
	28	Administration Building	AL015,AL018
	29	Aircraft Maintenance Shop	AL015
	30	Hangar	AL015
	53	Bank	AL015,AL018
	58	Observation	AL015,AL018
	99	Battery	AH050
	105	Reformatory	AL015,AL018
	106	Sanitarium	AL015,AL018
	111	Sportsplex	AL015,AL018
	122	Shopping Center	AL015,AL018
	129	Airport Terminal	AL015
	999	Other	AH050,AL015,AL018

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-8. Population Obstacle Point Feature Table (continued).

bss	Building Superstructure Shape			
		-32768	Null	AK020,AK150,AK160, AL050,AL110,AQ020, AQ055
		0	Unknown	AH050,AL015,AL018, AL130,AL240
		1	Monitor	AH050,AL015,AL018, AL130
		2	Steeple	AH050,AL015,AL018, AL130,AL240
		3	Cupola	AL015,AL018,AL130, AL240
		4	Turret	AH050,AL015,AL018, AL130
		5	Tower	AH050,AL015,AL018, AL130
		6	Minaret	AL015,AL018,AL130, AL240
		998	Not Applicable	AH050,AL015,AL018, AL130,AL240
		999	Other	AH050,AL015,AL018, AL130,AL240
cdp	Calendar Date Type			
		0	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		18	Receipt	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		19	Source	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		24	Up-to-dateness/revision	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
cdv	Calendar Date Value			
		UNK	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		Character	Text String	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-8. Population Obstacle Point Feature Table (continued).

dir	Directivity			
		0	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		1	Uni	AH050,AK020,AK160, AL015,AL018,AL050, AL130,AQ020
		2	Bi	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL130
		3	Omni	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
dmf	Density Measure (Feature Count)			
		-32767	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		>0		AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
exs	Existence Category			
		0	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		5	Under Construction	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		7	Destroyed	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		8	Dismantled	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		999	Other	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-8. Population Obstacle Point Feature Table (continued).

gug	Guyed or Unguyed Category			
		-32768	Null	AH050,AK150,AK160, AL015,AL018,AL050, AL130,AQ055
		0	Unknown	AK020,AL110,AL240, AQ020
		1	Guyed	AK020,AL110,AL240, AQ020
		2	Unguyed	AK020,AL110,AL240, AQ020
hgt	Height Above Surface Level [meters]			
		-32767	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		>0		AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
hzd	Horizontal Datum			
		0	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		300	World Geodetic System 1984	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		999	Other	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
len	Length/Diameter [meters]			
		-32767	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		>0		AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-8. Population Obstacle Point Feature Table (continued).

mcc	Material Composition Category			
		0	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		20	Composition	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		21	Concrete	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		62	Masonry (Brick/Stone)	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		64	Metal	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		72	Part Metal	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		107	Steel	AK150,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		117	Wood	AH050,AK150,AL015, AL018,AL050,AL110, AL130,AL240,AQ020, AQ055
		999	Other	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
prm	Permanency			
		1	Permanent	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		2	Temporary	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-8. Population Obstacle Point Feature Table (continued).

qle	Releasability			
		UNK	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		Character	Text String	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
sec	Security Classification			
		0	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		1	Top Secret	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		2	Secret	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		3	Confidential	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		4	Restricted	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		5	Unclassified	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		999	Other	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
ssc	Structure Shape Category			
		-32768	Null	AH050,AK150,AL018, AL050
		0	Unknown	AK020,AK160,AL015, AL110,AL130,AL240, AQ020,AQ055
		10	Pillar/Spindle	AQ020
		12	Pyramid	AL015,AL130,AQ020
		17	Spherical (Hemispherical)	AK020,AL015,AL130
		21	Artificial Mountain	AK020
		23	Ferris Wheel	AK020
		24	Enclosed	AK160

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-8. Population Obstacle Point Feature Table (continued).

	25	Roller Coaster	AK020
	46	Open	AK160
	52	'A' Frame	AL110,AL130,AL240, AQ020,AQ055
	53	'H' Frame	AL110,AL130,AL240, AQ020,AQ055
	54	'I' Frame	AL110,AL130,AL240, AQ020,AQ055
	56	'Y' Frame	AL110,AL130,AL240, AQ020
	60	Mast	AL110,AL130,AL240, AQ055
	65	Cylindrical with flat top	AL130
	66	Cylindrical with domed top	AL130
	71	Cylindrical/Peaked	AL130
	74	'T' Frame	AQ020
	77	Arch	AL130
	79	Round	AL015,AL130,AL240, AQ055
	80	Rectangular	AL015,AL130,AL240, AQ055
	83	Square	AL015,AL130,AL240, AQ055
	84	Irregular	AL015,AL130,AL240, AQ055
	109	Obelisk	AL015,AL130,AL240, AQ055
	999	Other	AK020,AK160,AL015, AL110,AL130,AL240, AQ020,AQ055
ssr	Structure Shape of Roof		
	-32768	Null	AK020,AK150,AL050, AL110,AQ020,AQ055
	0	Unknown	AH050,AK160,AL015, AL018,AL130,AL240
	6	Conical/Peaked/NUN	AL015,AL018,AL130, AL240
	38	Curved/Round (Quonset)	AL015,AL018,AL130, AL240
	40	Dome	AK160,AL015,AL018, AL130,AL240
	41	Flat	AH050,AL015,AL018, AL130,AL240
	42	Gable (Pitched)	AH050,AL015,AL018, AL130,AL240
	47	Sawtooth	AL015,AL018,AL130
	998	Not Applicable	AL130
	999	Other	AH050,AK160,AL015, AL018,AL130,AL240

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-8. Population Obstacle Point Feature Table (continued).

stc	Source Type Code		
	1	Survey Source	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
	2	Stereo Imagery Exploitation	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
	3	Mono Imagery Exploitation	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
	4	Cartographic Source	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
	5	Reported Information	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
	6	Multispectral	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
	7	Hyperspectral	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
	8	Synthetic Aperture Radar (SAR)	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
	999	Other	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
ttc	Tower Type Category		
	-32768	Null	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AQ020,AQ055
	0	Unknown	AL240
	2	Observation/Lookout	AL240
	12	Fire	AL240
	999	Other	AL240

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-8. Population Obstacle Point Feature Table (continued).

txt	Text Attribute			
		UNK	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		Character	Text String	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
vdc	Vertical (Sounding) Datum Category			
		0	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		15	Mean Sea Level	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		999	Other	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
voi	Vertical Obstruction Identifier			
		UNK	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		Character	Text String	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
wid	Width [meters]			
		-32767	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		>0		AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
zv2	Highest Z-Value [meters]			
		-32767	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
	>=-400 and <=30000			AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-9. Transportation Obstacle Point Feature Table.

Thematic Layer: Obstructions
Coverage Name: obs
Feature Table Description: Transportation Obstacle Point Feature Table
Table Name: transp.pft
Thematic Index ID Number: 6

```
{Header length}L;
Transportation Obstacle Point Feature Table;-;
id=I,1,P,Row Identifier,-,-,-,:
f_code=T,5,N,FACC Feature Code,char.vdt,f_code6.pti,-,:
aha=F,1,N,Absolute Horizontal Accuracy in Meters,-,-,-,:
aho=F,1,N,Accuracy of Obstruction Height Above Ground Level,-,-,-,:
atn=S,1,N,Aids to Navigation,int.vdt,-,-,:
ava=F,1,N,Absolute Vertical Accuracy in Meters,-,-,-,:
bot=S,1,N,Bridge Opening Type,int.vdt,-,-,:
bsc=S,1,N,Bridge/Bridge Superstructure Category,int.vdt,-,-,:
cdp=S,1,N,Calendar Date Type,int.vdt,-,-,:
cdv=T,8,N,Calendar Date Value,char.vdt,-,-,:
dir=S,1,N,Directivity,int.vdt,-,-,:
dmf=S,1,N,Density Measure (Feature Count),int.vdt,-,-,:
exs=S,1,N,Existence Category,int.vdt,-,-,:
gug=S,1,N,Guyed or Unguyed Category,int.vdt,-,-,:
hgt=S,1,N,Height Above Surface Level,int.vdt,-,-,:
hzd=S,1,N,Horizontal Datum,int.vdt,-,-,:
len=S,1,N,Length/Diameter,int.vdt,-,-,:
mcc=S,1,N,Material Composition Category,int.vdt,-,-,:
prm=S,1,N,Permanency,int.vdt,-,-,:
qle=T,4,N,Releasability,char.vdt,-,-,:
sec=S,1,N,Security Classification,int.vdt,-,-,:
ssc=S,1,N,Structure Shape Category,int.vdt,-,-,:
ssr=S,1,N,Structure Shape of Roof,int.vdt,-,-,:
stc=S,1,N,Source Type Code,int.vdt,-,-,:
txt=T,*,N,Text Attribute,char.vdt,-,-,:
vdc=S,1,N,Vertical (Sounding) Datum Category,int.vdt,-,-,:
voi=T,11,N,Vertical Obstruction Identifier,char.vdt,-,-,:
wid=S,1,N,Width,int.vdt,-,-,:
zv2=S,1,N,Highest Z-Value,int.vdt,-,-,:;
```

Column	Description Value	Value Meaning	Applicable f_code for Each Attribute Value
id	Row Identifier	Sequential beginning with 1	
f_code	FACC Feature Code		
	AQ040	Bridge/Overpass/Viaduct	
	AQ050	Bridge Superstructure	
	AQ060	Control Tower	
	AQ110	Mooring Mast	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-9. Transportation Obstacle Point Feature Table (continued).

aha	Absolute Horizontal Accuracy in Meters			
		-32767.0	Unknown	AQ040,AQ050,AQ060, AQ110
		>0.0		AQ040,AQ050,AQ060, AQ110
aho	Accuracy of Obstruction Height Above Ground Level [meters]			
		-32767.0	Unknown	AQ040,AQ050,AQ060, AQ110
		>0.0		AQ040,AQ050,AQ060, AQ110
atn	Aids to Navigation			
		0	Unknown	AQ040,AQ050,AQ060, AQ110
		3	Lit	AQ040,AQ050,AQ060, AQ110
		4	Unlit	AQ040,AQ050,AQ060, AQ110
ava	Absolute Vertical Accuracy in Meters			
		-32767.0	Unknown	AQ040,AQ050,AQ060, AQ110
		>0.0		AQ040,AQ050,AQ060, AQ110
bot	Bridge Opening Type			
		-32768	Null	AQ050,AQ060,AQ110
		0	Unknown	AQ040
		4	Draw/Bascule	AQ040
		10	Swing	AQ040
		11	Lift	AQ040
		13	Not Applicable	AQ040
		999	Other	AQ040
bsc	Bridge/Bridge Superstructure Category			
		-32768	Null	AQ060,AQ110
		0	Unknown	AQ040,AQ050
		1	Arch (assume open spandrel)	AQ040,AQ050
		2	Cantilever	AQ040,AQ050
		3	Deck	AQ040,AQ050
		6	Girder	AQ040,AQ050
		7	Tower Suspension	AQ040,AQ050
		8	Truss	AQ040,AQ050
		9	Suspension	AQ040,AQ050
		12	Transporter	AQ040,AQ050
		15	Slab	AQ040,AQ050
		16	Stringer (beam)	AQ040,AQ050
		17	Arch Suspension	AQ040,AQ050
		26	Arch (closed spandrel)	AQ040,AQ050
		27	Cable Stayed	AQ040,AQ050
		999	Other	AQ040,AQ050

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-9. Transportation Obstacle Point Feature Table (continued).

cdp	Calendar Date Type			
		0	Unknown	AQ040,AQ050,AQ060, AQ110
		18	Receipt	AQ040,AQ050,AQ060, AQ110
		19	Source	AQ040,AQ050,AQ060, AQ110
		24	Up-to-dateness/revision	AQ040,AQ050,AQ060, AQ110
cdv	Calendar Date Value			
		UNK	Unknown	AQ040,AQ050,AQ060, AQ110
		Character	Text String	AQ040,AQ050,AQ060, AQ110
dir	Directivity			
		0	Unknown	AQ040,AQ050,AQ060, AQ110
		2	Bi	AQ040,AQ050,AQ060
		3	Omni	AQ040,AQ050,AQ060, AQ110
dmf	Density Measure (Feature Count)			
		-32767	Unknown	AQ040,AQ050,AQ060, AQ110
		>0		AQ040,AQ050,AQ060, AQ110
exs	Existence Category			
		0	Unknown	AQ040,AQ050,AQ060, AQ110
		5	Under Construction	AQ040,AQ050,AQ060, AQ110
		7	Destroyed	AQ040,AQ050,AQ060, AQ110
		8	Dismantled	AQ040,AQ050,AQ060, AQ110
		999	Other	AQ040,AQ050,AQ060, AQ110
gug	Guyed or Unguyed Category			
		-32768	Null	AQ040,AQ050
		0	Unknown	AQ060,AQ110
		1	Guyed	AQ060,AQ110
		2	Unguyed	AQ060,AQ110
hgt	Height Above Surface Level [meters]			
		-32767	Unknown	AQ040,AQ050,AQ060, AQ110
		>0		AQ040,AQ050,AQ060, AQ110

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-9. Transportation Obstacle Point Feature Table (continued).

hzd	Horizontal Datum			
		0	Unknown	AQ040,AQ050,AQ060, AQ110
		300	World Geodetic System 1984	AQ040,AQ050,AQ060, AQ110
		999	Other	AQ040,AQ050,AQ060, AQ110
len	Length/Diameter [meters]			
		-32767	Unknown	AQ040,AQ050,AQ060, AQ110
		>0		AQ040,AQ050,AQ060, AQ110
mcc	Material Composition Category			
		0	Unknown	AQ040,AQ050,AQ060, AQ110
		20	Composition	AQ040,AQ050,AQ060, AQ110
		21	Concrete	AQ040,AQ050,AQ060, AQ110
		62	Masonry (Brick/Stone)	AQ040,AQ050,AQ060, AQ110
		64	Metal	AQ040,AQ050,AQ060, AQ110
		72	Part Metal	AQ040,AQ050,AQ060, AQ110
		107	Steel	AQ040,AQ050,AQ060, AQ110
		117	Wood	AQ040,AQ050,AQ060, AQ110
		999	Other	AQ040,AQ050,AQ060, AQ110
prm	Permanency			
		1	Permanent	AQ040,AQ050,AQ060, AQ110
		2	Temporary	AQ040,AQ050,AQ060, AQ110
qle	Releasability			
		UNK	Unknown	AQ040,AQ050,AQ060, AQ110
		Character	Text String	AQ040,AQ050,AQ060, AQ110

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-9. Transportation Obstacle Point Feature Table (continued).

sec	Security Classification			
		0	Unknown	AQ040,AQ050,AQ060, AQ110
		1	Top Secret	AQ040,AQ050,AQ060, AQ110
		2	Secret	AQ040,AQ050,AQ060, AQ110
		3	Confidential	AQ040,AQ050,AQ060, AQ110
		4	Restricted	AQ040,AQ050,AQ060, AQ110
		5	Unclassified	AQ040,AQ050,AQ060, AQ110
		999	Other	AQ040,AQ050,AQ060, AQ110
ssc	Structure Shape Category			
		-32768	Null	AQ040,AQ050,AQ060
		0	Unknown	AQ110
		52	'A' Frame	AQ110
		54	'I' Frame	AQ110
		60	Mast	AQ110
		999	Other	AQ110
ssr	Structure Shape of Roof			
		-32768	Null	AQ040,AQ050,AQ110
		0	Unknown	AQ060
		6	Conical/Peaked/NUN	AQ060
		38	Curved/Round (Quonset)	AQ060
		40	Dome	AQ060
		41	Flat	AQ060
		42	Gable (Pitched)	AQ060
		999	Other	AQ060
stc	Source Type Code			
		1	Survey Source	AQ040,AQ050,AQ060, AQ110
		2	Stereo Imagery Exploitation	AQ040,AQ050,AQ060, AQ110
		3	Mono Imagery Exploitation	AQ040,AQ050,AQ060, AQ110
		4	Cartographic Source	AQ040,AQ050,AQ060, AQ110
		5	Reported Information	AQ040,AQ050,AQ060, AQ110
		6	Multispectral	AQ040,AQ050,AQ060, AQ110
		7	Hyperspectral	AQ040,AQ050,AQ060, AQ110
		8	Synthetic Aperture Radar (SAR)	AQ040,AQ050,AQ060, AQ110
		999	Other	AQ040,AQ050,AQ060, AQ110

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-9. Transportation Obstacle Point Feature Table (continued).

txt	Text Attribute			
		UNK	Unknown	AQ040,AQ050,AQ060, AQ110
		Character	Text String	AQ040,AQ050,AQ060, AQ110
vdc	Vertical (Sounding) Datum Category			
		0	Unknown	AQ040,AQ050,AQ060, AQ110
		15	Mean Sea Level	AQ040,AQ050,AQ060, AQ110
		999	Other	AQ040,AQ050,AQ060, AQ110
voi	Vertical Obstruction Identifier			
		UNK	Unknown	AQ040,AQ050,AQ060, AQ110
		Character	Text String	AQ040,AQ050,AQ060, AQ110
wid	Width [meters]			
		-32767	Unknown	AQ040,AQ050,AQ060, AQ110
		>0		AQ040,AQ050,AQ060, AQ110
zv2	Highest Z-Value [meters]			
		-32767	Unknown	AQ040,AQ050,AQ060, AQ110
		>=-400 and <=30000		AQ040,AQ050,AQ060, AQ110

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-10. Utility Obstacle Point Feature Table.

Thematic Layer:	Obstructions
Coverage Name:	obs
Feature Table Description:	Utility Obstacle Point Feature Table
Table Name:	utilp.pft
Thematic Index ID Number:	7

```
{Header length}L;
Utility Obstacle Point Feature Table;-;
id=I,1,P,Row Identifier,-,-,-,:
f_code=T,5,N,FACC Feature Code,char.vdt,f_code7.pti,-,:
aha=F,1,N,Absolute Horizontal Accuracy in Meters,-,-,-,:
aho=F,1,N,Accuracy of Obstruction Height Above Ground Level,-,-,-,:
atn=S,1,N,Aids to Navigation,int.vdt,-,-,:
ava=F,1,N,Absolute Vertical Accuracy in Meters,-,-,-,:
bfc=S,1,N,Building Function Category,int.vdt,-,-,:
bss=S,1,N,Building Superstructure Shape,int.vdt,-,-,:
cdp=S,1,N,Calendar Date Type,int.vdt,-,-,:
cdv=T,8,N,Calendar Date Value,char.vdt,-,-,:
dir=S,1,N,Directivity,int.vdt,-,-,:
dmf=S,1,N,Density Measure (Feature Count),int.vdt,-,-,:
exs=S,1,N,Existence Category,int.vdt,-,-,:
gug=S,1,N,Guyed or Unguyed Category,int.vdt,-,-,:
hgt=S,1,N,Height Above Surface Level,int.vdt,-,-,:
hzd=S,1,N,Horizontal Datum,int.vdt,-,-,:
len=S,1,N,Length/Diameter,int.vdt,-,-,:
mcc=S,1,N,Material Composition Category,int.vdt,-,-,:
nst=S,1,N,Navigation System Types,int.vdt,-,-,:
pfg=F,1,N,Predominant Feature Height With greater than 1 meter resolution,-,-,-:
prm=S,1,N,Permanency,int.vdt,-,-,:
qle=T,4,N,Releasability,char.vdt,-,-,:
sec=S,1,N,Security Classification,int.vdt,-,-,:
ssc=S,1,N,Structure Shape Category,int.vdt,-,-,:
ssr=S,1,N,Structure Shape of Roof,int.vdt,-,-,:
stc=S,1,N,Source Type Code,int.vdt,-,-,:
tst=S,1,N,Transmission Line Suspension,int.vdt,-,-,:
txt=T,*,N,Text Attribute,char.vdt,-,-,:
vdc=S,1,N,Vertical (Sounding) Datum Category,int.vdt,-,-,:
voi=T,11,N,Vertical Obstruction Identifier,char.vdt,-,-,:
zv2=S,1,N,Highest Z-Value,int.vdt,-,-,:;
```

Column	Description Value	Value Meaning	Applicable f_code for Each Attribute Value
id	Row Identifier	Sequential beginning with 1	
f_code	FACC Feature Code		
	AD030	Substation/Transformer Yard	
	AT006	Overhead Cable	
	AT010	US-Disk/Dish UK-Disk Aerial/Dish Aerial	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-10. Utility Obstacle Point Feature Table (continued).

	AT040	US-Power Transmission Pylon UK-Power Transmission Pylon/Pole	
	AT050	Communication Building	
	AT070	Telephone-Telegraph Pylon/Pole	
	AT080	Communication Tower	
aha	Absolute Horizontal Accuracy in Meters		
	-32767.0	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
	>0.0		AD030,AT006,AT010, AT040,AT050,AT070, AT080
aho	Accuracy of Obstruction Height Above Ground Level [meters]		
	-32767.0	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
	>0.0		AD030,AT006,AT010, AT040,AT050,AT070, AT080
atn	Aids to Navigation		
	-32768	Null	AT006
	0	Unknown	AD030,AT010,AT040, AT050,AT070,AT080
	3	Lit	AD030,AT010,AT040, AT050,AT070,AT080
	4	Unlit	AD030,AT010,AT040, AT050,AT070,AT080
ava	Absolute Vertical Accuracy in Meters		
	-32767.0	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
	>0.0		AD030,AT006,AT010, AT040,AT050,AT070, AT080
bfc	Building Function Category		
	-32768	Null	AD030,AT006,AT010, AT040,AT070,AT080
	0	Unknown	AT050
	40	Telephone Switching Station	AT050
	86	Telephone Exchange (Main)	AT050

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-10. Utility Obstacle Point Feature Table (continued).

bss	Building Superstructure Shape			
		-32768	Null	AD030,AT006,AT010, AT040,AT070,AT080
		0	Unknown	AT050
		5	Tower	AT050
		998	Not Applicable	AT050
		999	Other	AT050
cdp	Calendar Date Type			
		0	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		18	Receipt	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		19	Source	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		24	Up-to-dateness/revision	AD030,AT006,AT010, AT040,AT050,AT070, AT080
cdv	Calendar Date Value			
		UNK	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		Character	Text String	AD030,AT006,AT010, AT040,AT050,AT070, AT080
dir	Directivity			
		0	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		2	Bi	AT006,AT050
		3	Omni	AD030,AT010,AT040, AT050,AT070,AT080
dmf	Density Measure (Feature Count)			
		-32767	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		>0		AD030,AT006,AT010, AT040,AT050,AT070, AT080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-10. Utility Obstacle Point Feature Table (continued).

exs	Existence Category			
		0	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		5	Under Construction	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		7	Destroyed	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		8	Dismantled	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		999	Other	AD030,AT006,AT010, AT040,AT050,AT070, AT080
gug	Guyed or Unguyed Category			
		-32768	Null	AD030,AT006,AT010, AT050
		0	Unknown	AT040,AT070,AT080
		1	Guyed	AT040,AT070,AT080
		2	Unguyed	AT040,AT070,AT080
hgt	Height Above Surface Level [meters]			
		-32767	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		>0		AD030,AT006,AT010, AT040,AT050,AT070, AT080
hzd	Horizontal Datum			
		0	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		300	World Geodetic System 1984	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		999	Other	AD030,AT006,AT010, AT040,AT050,AT070, AT080
len	Length/Diameter [meters]			
		-32767	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		>0		AD030,AT006,AT010, AT040,AT050,AT070, AT080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-10. Utility Obstacle Point Feature Table (continued).

mcc	Material Composition Category			
		0	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		20	Composition	AT040,AT050,AT070, AT080
		21	Concrete	AD030,AT040,AT050, AT070,AT080
		62	Masonry (Brick/Stone)	AD030,AT040,AT050, AT070,AT080
		64	Metal	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		72	Part Metal	AT010,AT040,AT050, AT070,AT080
		107	Steel	AD030,AT040,AT050, AT070,AT080
		117	Wood	AD030,AT040,AT050, AT070,AT080
		999	Other	AD030,AT006,AT010, AT040,AT050,AT070, AT080
nst	Navigation System Types			
		-32768	Null	AD030,AT006,AT010, AT040,AT050,AT070
		0	Unknown	AT080
		12	Radio	AT080
		15	TV	AT080
		16	Microwave	AT080
		998	Not Applicable	AT080
		999	Other	AT080
pfg	Predominant Feature Height With greater than 1 meter resolution			
		NaN	Null	AD030,AT006,AT010, AT040,AT050,AT070
		-32767.0	Unknown	AT080
		>0.0		AT080
prm	Permanency			
		1	Permanent	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		2	Temporary	AD030,AT006,AT010, AT040,AT050,AT070, AT080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-10. Utility Obstacle Point Feature Table (continued).

qle	Releasability			
		UNK	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		Character	Text String	AD030,AT006,AT010, AT040,AT050,AT070, AT080
sec	Security Classification			
		0	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		1	Top Secret	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		2	Secret	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		3	Confidential	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		4	Restricted	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		5	Unclassified	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		999	Other	AD030,AT006,AT010, AT040,AT050,AT070, AT080
ssc	Structure Shape Category			
		-32768	Null	AT006,AT010
		0	Unknown	AD030,AT040,AT050, AT070,AT080
		12	Pyramid	AT040,AT070
		52	’A’ Frame	AD030,AT040,AT070, AT080
		53	’H’ Frame	AD030,AT040,AT070, AT080
		54	’I’ Frame	AD030,AT040,AT070, AT080
		56	’Y’ Frame	AD030,AT040,AT070, AT080
		60	Mast	AT040,AT070,AT080
		74	‘T’ Frame	AD030,AT040,AT070
		79	Round	AT050
		80	Rectangular	AT050
		83	Square	AT050
		84	Irregular	AT050
		999	Other	AD030,AT040,AT050, AT070,AT080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-10. Utility Obstacle Point Feature Table (continued).

ssr	Structure Shape of Roof			
		-32768	Null	AD030,AT006,AT010, AT040,AT070,AT080
		0	Unknown	AT050
		40	Dome	AT050
		41	Flat	AT050
		42	Gable (Pitched)	AT050
		999	Other	AT050
stc	Source Type Code			
		1	Survey Source	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		2	Stereo Imagery Exploitation	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		3	Mono Imagery Exploitation	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		4	Cartographic Source	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		5	Reported Information	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		6	Multispectral	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		7	Hyperspectral	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		8	Synthetic Aperture Radar (SAR)	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		999	Other	AD030,AT006,AT010, AT040,AT050,AT070, AT080
tst	Transmission line Suspension			
		-32768	Null	AD030,AT010,AT040, AT050,AT070,AT080
		0	Unknown	AT006
		1	Normal Suspension	AT006
		2	Catenary (Over Mountains)	AT006
		3	Catenary (Over Water)	AT006
		998	Not Applicable	AT006
		999	Other	AT006

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-10. Utility Obstacle Point Feature Table (continued).

txt	Text Attribute			
		UNK	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		Character	Text String	AD030,AT006,AT010, AT040,AT050,AT070, AT080
vdc	Vertical (Sounding) Datum Category			
		0	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		15	Mean Sea Level	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		999	Other	AD030,AT006,AT010, AT040,AT050,AT070, AT080
voi	Vertical Obstruction Identifier			
		UNK	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		Character	Text String	AD030,AT006,AT010, AT040,AT050,AT070, AT080
zv2	Highest Z-Value [meters]			
		-32767	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		>=-400 and <=30000		AD030,AT006,AT010, AT040,AT050,AT070, AT080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-11. Aeronautical Obstacle Connected Node Feature Table.

Thematic Layer:	Obstructions
Coverage Name:	obs
Feature Table Description:	Aeronautical Obstacle Connected Node Feature Table
Table Name:	aeroc.pft
Thematic Index ID Number:	8

```
{Header length}L;
Aeronautical Obstacle Connected Node Feature Table;-;
id=I,1,P,Row Identifier,-,-,-,:
f_code=T,5,N,FACC Feature Code,char.vdt,f_code8.pti,-,:
aha=F,1,N,Absolute Horizontal Accuracy in Meters,-,-,-,:
aho=F,1,N,Accuracy of Obstruction Height Above Ground Level,-,-,-,:
atn=S,1,N,Aids to Navigation,int.vdt,-,-,:
ava=F,1,N,Absolute Vertical Accuracy in Meters,-,-,-,:
cdp=S,1,N,Calendar Date Type,int.vdt,-,-,:
cdv=T,8,N,Calendar Date Value,char.vdt,-,-,:
dir=S,1,N,Directivity,int.vdt,-,-,:
dmf=S,1,N,Density Measure (Feature Count),int.vdt,-,-,:
exs=S,1,N,Existence Category,int.vdt,-,-,:
gug=S,1,N,Guyed or Unguyed Category,int.vdt,-,-,:
hgt=S,1,N,Height Above Surface Level,int.vdt,-,-,:
hzd=S,1,N,Horizontal Datum,int.vdt,-,-,:
len=S,1,N,Length/Diameter,int.vdt,-,-,:
mcc=S,1,N,Material Composition Category,int.vdt,-,-,:
nst=S,1,N,Navigation System Types,int.vdt,-,-,:
pfg=F,1,N,Predominant Feature Height With greater than 1 meter resolution,-,-,-,:
prm=S,1,N,Permanency,int.vdt,-,-,:
qle=T,4,N,Releasability,char.vdt,-,-,:
sec=S,1,N,Security Classification,int.vdt,-,-,:
ssc=S,1,N,Structure Shape Category,int.vdt,-,-,:
stc=S,1,N,Source Type Code,int.vdt,-,-,:
txt=T,*,N,Text Attribute,char.vdt,-,-,:
vdc=S,1,N,Vertical (Sounding) Datum Category,int.vdt,-,-,:
voi=T,11,N,Vertical Obstruction Identifier,char.vdt,-,-,:
wid=S,1,N,Width,int.vdt,-,-,:
zv2=S,1,N,Highest Z-Value,int.vdt,-,-,:;
```

Column	Description Value	Value Meaning	Applicable f_code for Each Attribute Value
id	Row Identifier	Sequential beginning with 1	
f_code	FACC Feature Code		
		GA035 NAVAIDS (Aeronautical)	
		GB040 Launch Pad	
		GB220 Air Obstruction	
		GB221 Miscellaneous Air Obstruction	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-11. Aeronautical Obstacle Connected Node Feature Table (continued).

aha	Absolute Horizontal Accuracy in Meters (meters)			
		-32767.0	Unknown	GA035,GB040,GB220, GB221
		>0.0		GA035,GB040,GB220, GB221
aho	Accuracy of Obstruction Height Above Ground Level [meters]			
		-32767.0	Unknown	GA035,GB040,GB220, GB221
		>0.0		GA035,GB040,GB220, GB221
atn	Aids to Navigation			
		0	Unknown	GA035,GB040,GB220, GB221
		3	Lit	GA035,GB040,GB220, GB221
		4	Unlit	GA035,GB040,GB220, GB221
ava	Absolute Vertical Accuracy in Meters			
		-32767.0	Unknown	GA035,GB040,GB220, GB221
		>0.0		GA035,GB040,GB220, GB221
cdp	Calendar Date Type			
		0	Unknown	GA035,GB040,GB220, GB221
		18	Receipt	GA035,GB040,GB220, GB221
		19	Source	GA035,GB040,GB220, GB221
		24	Up-to-dateness/revision	GA035,GB040,GB220, GB221
cdv	Calendar Date Value			
		UNK	Unknown	GA035,GB040,GB220, GB221
		Character	Text String	GA035,GB040,GB220, GB221
dir	Directivity			
		0	Unknown	GA035,GB040,GB220, GB221
		1	Uni	GB040,GB220,GB221
		2	Bi	GB040,GB220,GB221
		3	Omni	GA035,GB040,GB220, GB221

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-11. Aeronautical Obstacle Connected Node Feature Table (continued).

dmf	Density Measure (Feature Count)			
		-32767	Unknown	GA035,GB040,GB220, GB221
		>0		GA035,GB040,GB220, GB221
exs	Existence Category			
		0	Unknown	GA035,GB040,GB220, GB221
		5	Under Construction	GA035,GB040,GB220, GB221
		7	Destroyed	GA035,GB040,GB220, GB221
		8	Dismantled	GB220,GB221
		999	Other	GA035,GB040,GB220, GB221
gug	Guyed or Unguyed Category			
		-32768	Null	GA035,GB040,GB220
		0	Unknown	GB221
		1	Guyed	GB221
		2	Unguyed	GB221
hgt	Height Above Surface Level [meters]			
		-32767	Unknown	GA035,GB040,GB220, GB221
		>0		GA035,GB040,GB220, GB221
hzd	Horizontal Datum			
		0	Unknown	GA035,GB040,GB220, GB221
		300	World Geodetic System 1984	GA035,GB040,GB220, GB221
		999	Other	GA035,GB040,GB220, GB221
len	Length/Diameter [meters]			
		-32768	Null	GB040
		-32767	Unknown	GA035,GB220,GB221
		>0		GA035,GB220,GB221
mcc	Material Composition Category			
		0	Unknown	GA035,GB040,GB220, GB221
		20	Composition	GB040,GB221
		21	Concrete	GA035,GB040,GB221
		30	Earthen	GB221
		62	Masonry (Brick/Stone)	GB221
		64	Metal	GB040,GB221

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-11. Aeronautical Obstacle Connected Node Feature Table (continued).

		72	Part Metal	GA035,GB040,GB221
		107	Steel	GB040,GB221
		117	Wood	GB220,GB221
		999	Other	GA035,GB040,GB220, GB221
nst	Navigation System Types			
		-32768	Null	GB040,GB220,GB221
		0	Unknown	GA035
		7	Long Range Air Navigation System (LORAN)	GA035
		10	Radar Responder Beacon (RACON)	GA035
		11	Radar	GA035
		20	VHF Omni Directional Radio Range (VOR)	GA035
		21	VHF Omni Directional Radio Range/Distance Measuring Equipment (VOR/DME)	GA035
		22	VHF Omni Directional Radio Range and TACAN (VORTAC)	GA035
		23	Tactical Air Navigation Equipment (TACAN)	GA035
		26	Localizer (LOC)	GA035
		27	Localizer/Distance Measuring Equipment (LOC/DME)	GA035
		35	Radar Antenna	GA035
		37	Precision Approach Radar (PAR)	GA035
		40	Radio Beacon	GA035
		45	Radar Station	GA035
		55	Radar reflector	GA035
		999	Other	GA035
pfg	Predominant Feature Height With greater than 1 meter resolution			
		NaN	Null	GA035,GB040
		-32767.0	Unknown	GB220,GB221
		>0.0		GB220,GB221

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-11. Aeronautical Obstacle Connected Node Feature Table (continued).

prm	Permanency			
		1	Permanent	GA035,GB040,GB220, GB221
		2	Temporary	GA035,GB040,GB220, GB221
qle	Releasability			
		UNK	Unknown	GA035,GB040,GB220, GB221
		Character	Text String	GA035,GB040,GB220, GB221
sec	Security Classification			
		0	Unknown	GA035,GB040,GB220, GB221
		1	Top Secret	GA035,GB040,GB220, GB221
		2	Secret	GA035,GB040,GB220, GB221
		3	Confidential	GA035,GB040,GB220, GB221
		4	Restricted	GA035,GB040,GB220, GB221
		5	Unclassified	GA035,GB040,GB220, GB221
		999	Other	GA035,GB040,GB220, GB221
ssc	Structure Shape Category			
		-32768	Null	GB040,GB220
		0	Unknown	GA035,GB221
		4	Bullet	GB221
		10	Pillar/Spindle	GB221
		12	Pyramid	GB221
		17	Spherical (Hemispherical)	GB221
		21	Artificial Mountain	GB221
		52	'A' Frame	GB221
		53	'H' Frame	GB221
		54	'I' Frame	GB221
		56	'Y' Frame	GB221
		60	Mast	GB221
		74	'T'Frame	GB221
		77	Arch	GB221
		79	Round	GB221
		80	Rectangular	GB221
		83	Square	GB221
		84	Irregular	GB221
		87	Dome	GA035
		109	Obelisk	GB221
		999	Other	GA035,GB221

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-11. Aeronautical Obstacle Connected Node Feature Table (continued).

stc	Source Type Code			
		1	Survey Source	GA035,GB040,GB220, GB221
		2	Stereo Imagery Exploitation	GA035,GB040,GB220, GB221
		3	Mono Imagery Exploitation	GA035,GB040,GB220, GB221
		4	Cartographic Source	GA035,GB040,GB220, GB221
		5	Reported Information	GA035,GB040,GB220, GB221
		6	Multispectral	GA035,GB040,GB220, GB221
		7	Hyperspectral	GA035,GB040,GB220, GB221
		8	Synthetic Aperture Radar (SAR)	GA035,GB040,GB220, GB221
		999	Other	GA035,GB040,GB220, GB221
txt	Text Attribute			
		UNK	Unknown	GA035,GB040,GB220, GB221
		Character	Text String	GA035,GB040,GB220, GB221
vdc	Vertical (Sounding) Datum Category			
		0	Unknown	GA035,GB040,GB220, GB221
		15	Mean Sea Level	GA035,GB040,GB220, GB221
		999	Other	GA035,GB040,GB220, GB221
voi	Vertical Obstruction Identifier			
		UNK	Unknown	GA035,GB040,GB220, GB221
		Character	Text String	GA035,GB040,GB220, GB221
wid	Width [meters]			
		-32768	Null	GB040
		-32767	Unknown	GA035,GB220,GB221
		>0		GA035,GB220,GB221
zv2	Highest Z-Value [meters]			
		-32767	Unknown	GA035,GB040,GB220, GB221
		>=-400 and <=30000	GB040,GB221	GA035,GB040,GB220, GB221

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-12. Hydrographic Obstacle Connected Node Feature Table.

Thematic Layer:	Obstructions
Coverage Name:	obs
Feature Table Description:	Hydrographic Obstacle Connected Node Feature Table
Table Name:	hydroc.pft
Thematic Index ID Number:	9

```
{Header length}L;
Hydrographic Obstacle Connected Node Feature Table;-;
id=I,1,P,Row Identifier,-,-,-,:
f_code=T,5,N,FACC Feature Code,char.vdt,f_code9.pti,-,:
afa=S,1,N,Available Facilities,int.vdt,-,-,:
aha=F,1,N,Absolute Horizontal Accuracy in Meters,-,-,-,:
aho=F,1,N,Accuracy of Obstruction Height Above Ground Level,-,-,-,:
atn=S,1,N,Aids to Navigation,int.vdt,-,-,:
ava=F,1,N,Absolute Vertical Accuracy in Meters,-,-,-,:
cdp=S,1,N,Calendar Date Type,int.vdt,-,-,:
cdv=T,8,N,Calendar Date Value,char.vdt,-,-,:
dir=S,1,N,Directivity,int.vdt,-,-,:
dmf=S,1,N,Density Measure (Feature Count),int.vdt,-,-,:
exs=S,1,N,Existence Category,int.vdt,-,-,:
gug=S,1,N,Guyed or Unguyed Category,int.vdt,-,-,:
hgt=S,1,N,Height Above Surface Level,int.vdt,-,-,:
hzd=S,1,N,Horizontal Datum,int.vdt,-,-,:
mcc=S,1,N,Material Composition Category,int.vdt,-,-,:
opc=S,1,N,Offshore Platform Classification,int.vdt,-,-,:
prm=S,1,N,Permanency,int.vdt,-,-,:
qle=T,4,N,Releasability,char.vdt,-,-,:
sec=S,1,N,Security Classification,int.vdt,-,-,:
stc=S,1,N,Source Type Code,int.vdt,-,-,:
txt=T,*,N,Text Attribute,char.vdt,-,-,:
vdc=S,1,N,Vertical (Sounding) Datum Category,int.vdt,-,-,:
voi=T,11,N,Vertical Obstruction Identifier,char.vdt,-,-,:
zv2=S,1,N,Highest Z-Value,int.vdt,-,-,:;
```

Column	Description Value	Value Meaning	Applicable f_code for Each Attribute Value
id	Row Identifier	Sequential beginning with 1	
f_code	FACC Feature Code		
	BC040	Light	
	BC050	Lighthouse	
	BC070	Light Vessel/Lightship	
	BD110	Platform	
afa	Available Facilities		
	-32768	Null	BC040,BC050
	0	Unknown	BC070,BD110
	19	Helipad	BC070,BD110
	995	None	BD110
	999	Other	BC070,BD110

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-12. Hydrographic Obstacle Connected Node Feature Table (continued).

aha	Absolute Horizontal Accuracy in Meters			
		-32767.0	Unknown	BC040,BC050,BC070, BD110
		>0.0		BC040,BC050,BC070, BD110
aho	Accuracy of Obstruction Height Above Ground Level [meters]			
		-32767.0	Unknown	BC040,BC050,BC070, BD110
		>0.0		BC040,BC050,BC070, BD110
atn	Aids to Navigation			
		-32768	Null	BC050,BC070
		0	Unknown	BC040,BD110
		3	Lit	BC040,BD110
		4	Unlit	BC040,BD110
ava	Absolute Vertical Accuracy in Meters			
		-32767.0	Unknown	BC040,BC050,BC070, BD110
		>0.0		BC040,BC050,BC070, BD110
cdp	Calendar Date Type			
		0	Unknown	BC040,BC050,BC070, BD110
		18	Receipt	BC040,BC050,BC070, BD110
		19	Source	BC040,BC050,BC070, BD110
		24	Up-to-dateness/revision	BC040,BC050,BC070, BD110
cdv	Calendar Date Value			
		UNK	Unknown	BC040,BC050,BC070, BD110
		Character	Text String	BC040,BC050,BC070, BD110
dir	Directivity			
		0	Unknown	BC040,BC050,BC070, BD110
		3	Omni	BC040,BC050,BC070, BD110
dmf	Density Measure (Feature Count)			
		-32768	Null	BC070
		-32767	Unknown	BC040,BC050,BD110
		>0		BC040,BC050,BD110

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-12. Hydrographic Obstacle Connected Node Feature Table (continued).

exs	Existence Category			
		0	Unknown	BC040,BC050,BC070, BD110
		5	Under Construction	BC040,BC050,BD110
		7	Destroyed	BC040,BC050,BD110
		8	Dismantled	BC040,BC050,BC070, BD110
		999	Other	BC040,BC050,BC070, BD110
gug	Guyed or Unguyed Category			
		-32768	Null	BC050,BC070,BD110
		0	Unknown	BC040
		1	Guyed	BC040
		2	Unguyed	BC040
hgt	Height Above Surface Level [meters]			
		-32767	Unknown	BC040,BC050,BC070, BD110
		>0		BC040,BC050,BC070, BD110
hzd	Horizontal Datum			
		0	Unknown	BC040,BC050,BC070, BD110
		300	World Geodetic System 1984	BC040,BC050,BC070, BD110
		999	Other	BC040,BC050,BC070, BD110
mcc	Material Composition Category			
		0	Unknown	BC040,BC050,BC070, BD110
		21	Concrete	BC050,BD110
		64	Metal	BC070,BD110
		72	Part Metal	BC040,BC050,BD110
		107	Steel	BC070,BD110
		117	Wood	BD110
		999	Other	BC040,BC050,BC070, BD110
opc	Offshore Platform Classification			
		-32768	Null	BC040,BC050,BC070
		10	Navigation Aid Support	BD110
prm	Permanency			
		1	Permanent	BC040,BC050,BC070, BD110
		2	Temporary	BC040,BC050,BC070, BD110

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-12. Hydrographic Obstacle Connected Node Feature Table (continued).

qle	Releasability			
		UNK	Unknown	BC040,BC050,BC070, BD110
		Character	Text String	BC040,BC050,BC070, BD110
sec	Security Classification			
		0	Unknown	BC040,BC050,BC070, BD110
		1	Top Secret	BC040,BC050,BC070, BD110
		2	Secret	BC040,BC050,BC070, BD110
		3	Confidential	BC040,BC050,BC070, BD110
		4	Restricted	BC040,BC050,BC070, BD110
		5	Unclassified	BC040,BC050,BC070, BD110
		999	Other	BC040,BC050,BC070, BD110
stc	Source Type Code			
		1	Survey Source	BC040,BC050,BC070, BD110
		2	Stereo Imagery Exploitation	BC040,BC050,BC070, BD110
		3	Mono Imagery Exploitation	BC040,BC050,BC070, BD110
		4	Cartographic Source	BC040,BC050,BC070, BD110
		5	Reported Information	BC040,BC050,BC070, BD110
		6	Multispectral	BC040,BC050,BC070, BD110
		7	Hyperspectral	BC040,BC050,BC070, BD110
		8	Synthetic Aperture Radar (SAR)	BC040,BC050,BC070, BD110
		999	Other	BC040,BC050,BC070, BD110
txt	Text Attribute			
		UNK	Unknown	BC040,BC050,BC070, BD110
		Character	Text String	BC040,BC050,BC070, BD110

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-12. Hydrographic Obstacle Connected Node Feature Table (continued).

vdc	Vertical (Sounding) Datum Category			
		0	Unknown	BC040,BC050,BC070, BD110
		15	Mean Sea Level	BC040,BC050,BC070, BD110
		999	Other	BC040,BC050,BC070, BD110
voi	Vertical Obstruction Identifier			
		UNK	Unknown	BC040,BC050,BC070, BD110
		Character	Text String	BC040,BC050,BC070, BD110
zv2	Highest Z-Value [meters]			
		-32767	Unknown	BC040,BC050,BC070, BD110
		>=-400 and <=30000		BC040,BC050,BC070, BD110

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-13. Industry Obstacle Connected Node Feature Table.

Thematic Layer:	Obstructions
Coverage Name:	obs
Feature Table Description:	Industry Obstacle Connected Node Feature Table
Table Name:	indc.pft
Thematic Index ID Number:	10

```
{Header length}L;
Industry Obstacle Connected Node Feature Table;-;
id=I,1,P,Row Identifier,-,-,-,:
f_code=T,5,N,FACC Feature Code,char.vdt,f_code10.pti,-,:
afa=S,1,N,Available Facilities,int.vdt,-,-,:
aha=F,1,N,Absolute Horizontal Accuracy in Meters,-,-,-,:
aho=F,1,N,Accuracy of Obstruction Height Above Ground Level,-,-,-,:
atn=S,1,N,Aids to Navigation,int.vdt,-,-,:
ava=F,1,N,Absolute Vertical Accuracy in Meters,-,-,-,:
bss=S,1,N,Building Superstructure Shape,int.vdt,-,-,:
cdp=S,1,N,Calendar Date Type,int.vdt,-,-,:
cdv=T,8,N,Calendar Date Value,char.vdt,-,-,:
cra=S,1,N,Crane Type Category,int.vdt,-,-,:
crm=S,1,N,Crane Mobility Type,int.vdt,-,-,:
dir=S,1,N,Directivity,int.vdt,-,-,:
dmf=S,1,N,Density Measure (Feature Count),int.vdt,-,-,:
exs=S,1,N,Existence Category,int.vdt,-,-,:
gug=S,1,N,Guyed or Unguyed Category,int.vdt,-,-,:
hgt=S,1,N,Height Above Surface Level,int.vdt,-,-,:
hzd=S,1,N,Horizontal Datum,int.vdt,-,-,:
loc=S,1,N,Location Category,int.vdt,-,-,:
mcc=S,1,N,Material Composition Category,int.vdt,-,-,:
pfg=F,1,N,Predominant Feature Height With greater than 1 meter resolution,-,-,-:
ppc=S,1,N,Power Plant Category,int.vdt,-,-,:
prm=S,1,N,Permanency,int.vdt,-,-,:
pro=S,1,N,Product Category,int.vdt,-,-,:
qle=T,4,N,Releasability,char.vdt,-,-,:
sec=S,1,N,Security Classification,int.vdt,-,-,:
ssc=S,1,N,Structure Shape Category,int.vdt,-,-,:
ssr=S,1,N,Structure Shape of Roof,int.vdt,-,-,:
stc=S,1,N,Source Type Code,int.vdt,-,-,:
txt=T,*,N,Text Attribute,char.vdt,-,-,:
vdc=S,1,N,Vertical (Sounding) Datum Category,int.vdt,-,-,:
voi=T,11,N,Vertical Obstruction Identifier,char.vdt,-,-,:
zv2=S,1,N,Highest Z-Value,int.vdt,-,-,:;
```

Column	Description Value	Value Meaning	Applicable f_code for Each Attribute Value
id	Row Identifier	Sequential beginning with 1	
f_code	FACC Feature Code		
	AA040	Rig/Superstructure	
	AB000	US-Disposal Site/Waste Pile UK-Refuse Tip/Slag Heap	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-13. Industry Obstacle Connected Node Feature Table (continued).

		AC000	Processing Plant/Treatment Plant	
		AC010	Blast Furnace	
		AC020	Catalytic Cracker	
		AD010	US-Power Plant UK-Power Station	
		AF010	Chimney/Smokestack	
		AF020	Conveyor	
		AF030	Cooling Tower	
		AF040	Crane	
		AF050	US-Dredge/Powershovel/Dragline UK-Dredger/Powershovel/Dragline	
		AF070	Flare Pipe	
		AF080	Hopper	
		AJ050	Windmill	
		AJ051	Windmotor	
		AM010	Depot (Storage)	
		AM020	Grain Bin/Silo	
		AM030	Grain Elevator	
		AM070	Tank	
		AM080	Water Tower	
afa	Available Facilities			
		-32768	Null	AB000,AC000,AC010, AC020,AD010,AF010, AF020,AF030,AF040, AF050,AF070,AF080, AJ050,AJ051,AM010, AM020,AM030,AM070, AM080
		0	Unknown	AA040
		19	Helipad	AA040
		995	None	AA040
		999	Other	AA040

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-13. Industry Obstacle Connected Node Feature Table (continued).

aha	Absolute Horizontal Accuracy in Meters			
		-32767.0	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		>0.0		AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
aho	Accuracy of Obstruction Height Above Ground Level [meters]			
		-32767.0	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		>0.0		AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-13. Industry Obstacle Connected Node Feature Table (continued).

atn	Aids to Navigation			
		-32768	Null	AM010
		0	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM020,AM030,AM070, AM080
		3	Lit	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM020,AM030,AM070, AM080
		4	Unlit	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM020,AM030,AM070, AM080
ava	Absolute Vertical Accuracy in Meters			
		-32767.0	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		>0.0		AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
bss	Building Superstructure Shape			
		-32768	Null	AA040,AB000,AC010, AC020,AF010,AF020, AF030,AF040,AF050, AF070,AF080,AJ050, AJ051,AM010,AM020, AM030,AM070,AM080
		0	Unknown	AC000,AD010
		1	Monitor	AC000,AD010
		4	Turret	AC000,AD010
		5	Tower	AC000,AD010
		998	Not Applicable	AC000,AD010
		999	Other	AC000,AD010

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-13. Industry Obstacle Connected Node Feature Table (continued).

cdp	Calendar Date Type			
		0	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		18	Receipt	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		19	Source	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		24	Up-to-dateness/revision	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
cdv	Calendar Date Value			
		UNK	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		Character	Text String	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-13. Industry Obstacle Connected Node Feature Table (continued).

cra	Crane Type Category			
		-32768	Null	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF050,AF070,AF080, AJ050,AJ051,AM010, AM020,AM030,AM070, AM080
		0	Unknown	AF040
		2	Bridge/Gantry	AF040
		3	Rotating	AF040
		998	Not Applicable	AF040
		999	Other	AF040
crm	Crane Mobility Type			
		-32768	Null	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF050,AF070,AF080, AJ050,AJ051,AM010, AM020,AM030,AM070, AM080
		0	Unknown	AF040
		1	Fixed	AF040
		2	Traveling	AF040
		3	Floating	AF040
		999	Other	AF040
dir	Directivity			
		0	Unknown	AA040,AB000,AC010, AC020,AD010,AF010, AF020,AF030,AF070, AJ050,AJ051,AM020, AM030,AM070,AM080
		2	Bi	AC000,AF020,AF040, AF050,AF080,AM080
		3	Omni	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-13. Industry Obstacle Connected Node Feature Table (continued).

dmf	Density Measure (Feature Count)			
		-32767	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		>0		AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
exs	Existence Category			
		0	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		5	Under Construction	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		7	Destroyed	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		8	Dismantled	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		999	Other	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-13. Industry Obstacle Connected Node Feature Table (continued).

gug	Guyed or Unguyed Category			
		-32768	Null	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF050,AF080,AM010, AM020,AM030,AM070, AM080
		0	Unknown	AF040,AF070,AJ050, AJ051
		1	Guyed	AF040,AF070,AJ050, AJ051
		2	Unguyed	AF040,AF070,AJ050, AJ051
hgt	Height Above Surface Level [meters]			
		-32767	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		>0		AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
hzd	Horizontal Datum			
		0	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		300	World Geodetic System 1984	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		999	Other	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-13. Industry Obstacle Connected Node Feature Table (continued).

loc	Location Category			
		-32768	Null	AB000,AC000,AC010, AC020,AD010,AF010, AF020,AF030,AF040, AF050,AF080,AJ050, AM010,AM020,AM030, AM070,AM080
		0	Unknown	AA040,AF070,AJ051
		8	On Ground Surface	AA040,AF070,AJ051
		22	Off Shore	AA040,AF070,AJ051
		999	Other	AA040,AF070,AJ051
mcc	Material Composition Category			
		0	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		20	Composition	AC000,AC020,AD010, AF030,AF080,AJ050, AJ051,AM010,AM020, AM030,AM070,AM080
		21	Concrete	AC000,AC010,AC020, AD010,AF010,AF020, AF030,AF070,AF080, AJ050,AJ051,AM010, AM020,AM030,AM070, AM080
		62	Masonry (Brick/Stone)	AC000,AC010,AC020, AD010,AF010,AF020, AF030,AF070,AF080, AJ050,AJ051,AM010, AM020,AM030,AM070, AM080
		64	Metal	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-13. Industry Obstacle Connected Node Feature Table (continued).

		72	Part Metal	AB000,AC000,AC010, AC020,AD010,AF010, AF020,AF030,AF050, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		107	Steel	AA040,AC000,AC010, AC020,AD010,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		117	Wood	AC000,AC020,AD010, AF030,AF080,AJ050, AJ051,AM010,AM020, AM030,AM070,AM080
		999	Other	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
pfg	Predominant Feature Height		With greater than 1 meter resolution	
		NaN	Null	AA040,AB000,AC010, AC020,AD010,AF010, AF020,AF030,AF040, AF050,AF070,AF080, AJ050,AJ051,AM020, AM030,AM080
		-32767.0	Unknown	AC000,AM010,AM070
		>0.0		AC000,AM010,AM070
ppc	Power Plant Category			
		-32768	Null	AA040,AB000,AC000, AC010,AC020,AF020, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		0	Unknown	AD010,AF010,AF030
		1	Hydro-electric	AD010
		2	Nuclear	AD010,AF010,AF030
		3	Solar	AD010
		4	Thermal	AD010,AF010,AF030
		5	Wind	AD010
		6	Tidal	AD010
		7	Internal Combustion	AD010,AF010,AF030
		998	Not Applicable	AF010,AF030
		999	Other	AD010,AF010,AF030

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-13. Industry Obstacle Connected Node Feature Table (continued).

prm	Permanency			
		1	Permanent	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		2	Temporary	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
pro	Product Category			
		-32768	Null	AA040,AB000,AC010, AC020,AD010,AF010, AF020,AF030,AF040, AF050,AF070,AF080, AJ050,AJ051,AM010, AM020,AM030,AM070, AM080
		0	Unknown	AC000
		13	Chemical	AC000
		17	Coal	AC000
		19	Coke	AC000
		38	Gas	AC000
		64	Metal	AC000
		67	Oil	AC000
		999	Other	AC000
qle	Releasability			
		UNK	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		Character	Text String	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-13. Industry Obstacle Connected Node Feature Table (continued).

sec	Security Classification		
	0	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
	1	Top Secret	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
	2	Secret	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
	3	Confidential	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
	4	Restricted	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
	5	Unclassified	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
	999	Other	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-13. Industry Obstacle Connected Node Feature Table (continued).

ssc	Structure Shape Category			
		-32768	Null	AB000,AC000,AC010, AC020,AD010,AF010, AF020,AF040, AF070,AM010
		0	Unknown	AA040,AF030,AF050, AF080,AJ050,AJ051, AM020,AM030,AM070, AM080
		4	Bullet	AM070
		7	Cylindrical (Upright)/CAN	AM080
		12	Pyramid	AM020,AM030,AM070, AM080
		17	Spherical (Hemispherical)	AM020,AM030,AM070, AM080
		52	'A' Frame	AA040,AF050
		54	'I' Frame	AA040,AF050
		59	Telescoping Gasholder (Gasometer)	AM070
		60	Mast	AJ050,AJ051
		65	Cylindrical with flat top	AM080
		66	Cylindrical with domed top	AM080
		71	Cylindrical/Peaked	AM080
		76	Funnel	AF080
		79	Round	AF030,AF080,AM020, AM030,AM070,AM080
		80	Rectangular	AF030,AF080,AM020, AM030,AM070,AM080
		83	Square	AF030,AF080,AM020, AM030,AM070,AM080
		84	Irregular	AF030,AF080,AM020, AM030,AM070,AM080
		109	Obelisk	AM020,AM030,AM070
		999	Other	AA040,AF030,AF050, AF080,AJ050,AJ051, AM020,AM030,AM070, AM080
ssr	Structure Shape of Roof			
		-32768	Null	AA040,AB000,AC010, AC020,AF010,AF020, AF030,AF040,AF050, AF070,AF080,AJ050, AJ051,AM010,AM080
		0	Unknown	AC000,AD010,AM020, AM030,AM070
		6	Conical/Peaked/NUN	AC000,AD010,AM020, AM030,AM070

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-13. Industry Obstacle Connected Node Feature Table (continued).

		38	Curved/Round (Quonset)	AC000,AD010,AM020, AM030,AM070
		40	Dome	AC000,AD010,AM020, AM030,AM070
		41	Flat	AC000,AD010,AM020, AM030,AM070
		42	Gable (Pitched)	AC000,AD010,AM020, AM030,AM070
		47	Sawtooth	AC000,AD010
		999	Other	AC000,AD010,AM020, AM030,AM070
stc	Source Type Code			
		1	Survey Source	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		2	Stereo Imagery Exploitation	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		3	Mono Imagery Exploitation	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		4	Cartographic Source	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		5	Reported Information	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-13. Industry Obstacle Connected Node Feature Table (continued).

			6	Multispectral	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
			7	Hyperspectral	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
			8	Synthetic Aperture Radar (SAR)	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
			999	Other	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
txt	Text Attribute				
			UNK	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		Character		Text String	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-13. Industry Obstacle Connected Node Feature Table (continued).

vdc	Vertical (Sounding) Datum Category			
		0	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		15	Mean Sea Level	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		999	Other	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
voi	Vertical Obstruction Identifier			
		UNK	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		Character	Text String	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
zv2	Highest Z-Value [meters]			
		-32767	Unknown	AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080
		>=-400 and <=30000		AA040,AB000,AC000, AC010,AC020,AD010, AF010,AF020,AF030, AF040,AF050,AF070, AF080,AJ050,AJ051, AM010,AM020,AM030, AM070,AM080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-14. Inland Water Obstacle Connected Node Feature Table.

Thematic Layer: Obstructions
Coverage Name: obs
Feature Table Description: Inland Water Obstacle Connected Node Feature Table
Table Name: iwac.pft
Thematic Index ID Number: 11

```
{Header length}L;
Inland Water Obstacle Connected Node Feature Table;-;
id=I,1,P,Row Identifier,-,-,-,:
f_code=T,5,N,FACC Feature Code,char.vdt,f_code11.pti,-,:
aha=F,1,N,Absolute Horizontal Accuracy in Meters,-,-,-,:
aho=F,1,N,Accuracy of Obstruction Height Above Ground Level,-,-,-,:
atn=S,1,N,Aids to Navigation,int.vdt,-,-,:
ava=F,1,N,Absolute Vertical Accuracy in Meters,-,-,-,:
cdp=S,1,N,Calendar Date Type,int.vdt,-,-,:
cdv=T,8,N,Calendar Date Value,char.vdt,-,-,:
dir=S,1,N,Directivity,int.vdt,-,-,:
dmf=S,1,N,Density Measure (Feature Count),int.vdt,-,-,:
exs=S,1,N,Existence Category,int.vdt,-,-,:
hgt=S,1,N,Height Above Surface Level,int.vdt,-,-,:
hzd=S,1,N,Horizontal Datum,int.vdt,-,-,:
len=S,1,N,Length/Diameter,int.vdt,-,-,:
mcc=S,1,N,Material Composition Category,int.vdt,-,-,:
prm=S,1,N,Permanency,int.vdt,-,-,:
qle=T,4,N,Releasability,char.vdt,-,-,:
sec=S,1,N,Security Classification,int.vdt,-,-,:
stc=S,1,N,Source Type Code,int.vdt,-,-,:
txt=T,*,N,Text Attribute,char.vdt,-,-,:
vdc=S,1,N,Vertical (Sounding) Datum Category,int.vdt,-,-,:
voi=T,11,N,Vertical Obstruction Identifier,char.vdt,-,-,:
wid=S,1,N,Width,int.vdt,-,-,:
zv2=S,1,N,Highest Z-Value,int.vdt,-,-,:;
```

Column	Description Value	Value Meaning	Applicable f_code for Each Attribute Value
id	Row Identifier	Sequential beginning with 1	
f_code	FACC Feature Code		
	BH010	Aqueduct	
	BI020	Dam/Weir	
	BI050	Water Intake Tower	
aha	Absolute Horizontal Accuracy in Meters		
	-32767.0	Unknown	BH010,BI020,BI050
	>0.0		BH010,BI020,BI050
aho	Accuracy of Obstruction Height Above Ground Level [meters]		
	-32767.0	Unknown	BH010,BI020,BI050
	>0.0		BH010,BI020,BI050

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-14. Inland Water Obstacle Connected Node Feature Table (continued).

atn	Aids to Navigation			
		0	Unknown	BH010,BI020,BI050
		3	Lit	BH010,BI020,BI050
		4	Unlit	BH010,BI020,BI050
ava	Absolute Vertical Accuracy in Meters			
		-32767.0	Unknown	BH010,BI020,BI050
		>0.0		BH010,BI020,BI050
cdp	Calendar Date Type			
		0	Unknown	BH010,BI020,BI050
		18	Receipt	BH010,BI020,BI050
		19	Source	BH010,BI020,BI050
		24	Up-to-dateness/revision	BH010,BI020,BI050
cdv	Calendar Date Value			
		UNK	Unknown	BH010,BI020,BI050
		Character	Text String	BH010,BI020,BI050
dir	Directivity			
		0	Unknown	BH010,BI020,BI050
		1	Uni	BH010,BI020
		2	Bi	BH010,BI020
		3	Omni	BH010,BI020,BI050
dmf	Density Measure (Feature Count)			
		-32767	Unknown	BH010,BI020,BI050
		>0		BH010,BI020,BI050
exs	Existence Category			
		0	Unknown	BH010,BI020,BI050
		5	Under Construction	BH010,BI020,BI050
		7	Destroyed	BH010,BI020,BI050
		8	Dismantled	BH010,BI020,BI050
		999	Other	BH010,BI020,BI050
hgt	Height Above Surface Level [meters]			
		-32767	Unknown	BH010,BI020,BI050
		>0		BH010,BI020,BI050
hzd	Horizontal Datum			
		0	Unknown	BH010,BI020,BI050
		300	World Geodetic System 1984	BH010,BI020,BI050
		999	Other	BH010,BI020,BI050
len	Length/Diameter [meters]			
		-32767	Unknown	BH010,BI020,BI050
		>0		BH010,BI020,BI050

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-14. Inland Water Obstacle Connected Node Feature Table (continued).

mcc	Material Composition Category			
		0	Unknown	BH010,BI020,BI050
		20	Composition	BI020,BI050
		21	Concrete	BH010,BI020,BI050
		30	Earthen	BI020
		62	Masonry (Brick/Stone)	BI050
		64	Metal	BH010,BI050
		72	Part Metal	BH010,BI050
		107	Steel	BH010
		108	Stone	BH010
		999	Other	BH010,BI020,BI050
prm	Permanency			
		1	Permanent	BH010,BI020,BI050
		2	Temporary	BH010,BI020,BI050
qle	Releasability			
		UNK	Unknown	BH010,BI020,BI050
		Character	Text String	BH010,BI020,BI050
sec	Security Classification			
		0	Unknown	BH010,BI020,BI050
		1	Top Secret	BH010,BI020,BI050
		2	Secret	BH010,BI020,BI050
		3	Confidential	BH010,BI020,BI050
		4	Restricted	BH010,BI020,BI050
		5	Unclassified	BH010,BI020,BI050
		999	Other	BH010,BI020,BI050
stc	Source Type Code			
		1	Survey Source	BH010,BI020,BI050
		2	Stereo Imagery Exploitation	BH010,BI020,BI050
		3	Mono Imagery Exploitation	BH010,BI020,BI050
		4	Cartographic Source	BH010,BI020,BI050
		5	Reported Information	BH010,BI020,BI050
		6	Multispectral	BH010,BI020,BI050
		7	Hyperspectral	BH010,BI020,BI050
		8	Synthetic Aperture Radar (SAR)	BH010,BI020,BI050
		999	Other	BH010,BI020,BI050
txt	Text Attribute			
		UNK	Unknown	BH010,BI020,BI050
		Character	Text String	BH010,BI020,BI050
vdc	Vertical (Sounding) Datum Category			
		0	Unknown	BH010,BI020,BI050
		15	Mean Sea Level	BH010,BI020,BI050
		999	Other	BH010,BI020,BI050

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-14. Inland Water Obstacle Connected Node Feature Table (continued).

voi	Vertical Obstruction Identifier			
		UNK	Unknown	BH010,BI020,BI050
		Character	Text String	BH010,BI020,BI050
wid	Width [meters]			
		-32767	Unknown	BH010,BI020,BI050
		>0		BH010,BI020,BI050
zv2	Highest Z-Value [meters]			
		-32767	Unknown	BH010,BI020,BI050
		>=-400 and <=30000		BH010,BI020,BI050

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-15. Population Obstacle Connected Node Feature Table.

Thematic Layer:	Obstructions
Coverage Name:	obs
Feature Table Description:	Population Obstacle Connected Node Feature Table
Table Name:	popc.pft
Thematic Index ID Number:	12

```
{Header length}L;
Population Obstacle Connected Node Feature Table;-;
id=I,1,P,Row Identifier,-,-,-,:
f_code=T,5,N,FACC Feature Code,char.vdt,f_code12.pti,-,:
afa=S,1,N,Available Facilities,int.vdt,-,-,:
aha=F,1,N,Absolute Horizontal Accuracy in Meters,-,-,-,:
aho=F,1,N,Accuracy of Obstruction Height Above Ground Level,-,-,-,:
atn=S,1,N,Aids to Navigation,int.vdt,-,-,:
ava=F,1,N,Absolute Vertical Accuracy in Meters,-,-,-,:
bfc=S,1,N,Building Function Category,int.vdt,-,-,:
bss=S,1,N,Building Superstructure Shape,int.vdt,-,-,:
cdp=S,1,N,Calendar Date Type,int.vdt,-,-,:
cdv=T,8,N,Calendar Date Value,char.vdt,-,-,:
dir=S,1,N,Directivity,int.vdt,-,-,:
dmf=S,1,N,Density Measure (Feature Count),int.vdt,-,-,:
exs=S,1,N,Existence Category,int.vdt,-,-,:
gug=S,1,N,Guyed or Unguyed Category,int.vdt,-,-,:
hgt=S,1,N,Height Above Surface Level,int.vdt,-,-,:
hzd=S,1,N,Horizontal Datum,int.vdt,-,-,:
len=S,1,N,Length/Diameter,int.vdt,-,-,:
mcc=S,1,N,Material Composition Category,int.vdt,-,-,:
prm=S,1,N,Permanency,int.vdt,-,-,:
qle=T,4,N,Releasability,char.vdt,-,-,:
sec=S,1,N,Security Classification,int.vdt,-,-,:
ssc=S,1,N,Structure Shape Category,int.vdt,-,-,:
ssr=S,1,N,Structure Shape of Roof,int.vdt,-,-,:
stc=S,1,N,Source Type Code,int.vdt,-,-,:
ttc=S,1,N,Tower Type Category,int.vdt,-,-,:
txt=T,*,N,Text Attribute,char.vdt,-,-,:
vdc=S,1,N,Vertical (Sounding) Datum Category,int.vdt,-,-,:
voi=T,11,N,Vertical Obstruction Identifier,char.vdt,-,-,:
wid=S,1,N,Width,int.vdt,-,-,:
zv2=S,1,N,Highest Z-Value,int.vdt,-,-,:;
```

Column	Description Value	Value Meaning	Applicable f_code for Each Attribute Value
id	Row Identifier	Sequential beginning with 1	
f_code	FACC Feature Code		
	AH050	Fortification	
	AK020	Amusement Park Attraction	
	AK150	Ski Jump	
	AK160	US-Stadium/Amphitheater UK-Stadium/Amphitheatre	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-15. Population Obstacle Connected Node Feature Table (continued).

	AL015	Building	
	AL018	Building Superstructure Addition	
	AL050	US-Display Sign UK-Display Sign/Notice Board	
	AL110	US-Light Standard/Light Support UK-Light Standard/Light Support/Lamp Post	
	AL130	US-Monument UK-Monument/Folly	
	AL240	Tower (Non-Communication)	
	AQ020	Aerial Cableway Pylon/Ski Pylon	
	AQ055	Bridge Tower/Bridge Pylon	
afa	Available Facilities		
	-32768	Null	AH050,AK020,AK150, AK160,AL050,AL110, AL130,AL240,AQ020, AQ055
	0	Unknown	AL015,AL018
	19	Helipad	AL015,AL018
	995	None	AL018
	999	Other	AL015,AL018
aha	Absolute Horizontal Accuracy in Meters		
	-32767.0	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
	>0.0		AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
aho	Accuracy of Obstruction Height Above Ground Level [meters]		
	-32767.0	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
	>0.0		AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-15. Population Obstacle Connected Node Feature Table (continued).

atn	Aids to Navigation			
		0	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		3	Lit	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		4	Unlit	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
ava	Absolute Vertical Accuracy in Meters			
		-32767.0	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		>0.0		AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
bfc	Building Function Category			
		-32768	Null	AK020,AK150,AK160, AL050,AL110,AL130, AL240,AQ020,AQ055
		0	Unknown	AH050,AL015,AL018
		2	Government Building	AL015,AL018
		3	Capitol Building	AL015,AL018
		4	Castle	AH050
		6	Hospital	AL015,AL018
		7	House of Worship	AL015,AL018
		10	Observatory	AL015,AL018
		11	Palace	AL015,AL018
		13	Prison	AH050,AL015,AL018
		15	School	AL015,AL018
		16	House	AL015,AL018
		17	Multi Unit Dwelling	AL015,AL018
		28	Administration Building	AL015,AL018
		29	Aircraft Maintenance Shop	AL015
		30	Hangar	AL015
		53	Bank	AL015,AL018
		58	Observation	AL015,AL018
		99	Battery	AH050
		105	Reformatory	AL015,AL018
		106	Sanitarium	AL015,AL018
		111	Sportsplex	AL015,AL018
		122	Shopping Center	AL015,AL018
		129	Airport Terminal	AL015
		999	Other	AH050,AL015,AL018

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-15. Population Obstacle Connected Node Feature Table (continued).

bss	Building Superstructure Shape			
		-32768	Null	AK020,AK150,AK160, AL050,AL110,AQ020, AQ055
		0	Unknown	AH050,AL015,AL018, AL130,AL240
		1	Monitor	AH050,AL015,AL018, AL130
		2	Steeple	AH050,AL015,AL018, AL130,AL240
		3	Cupola	AL015,AL018,AL130, AL240
		4	Turret	AH050,AL015,AL018, AL130
		5	Tower	AH050,AL015,AL018, AL130
		6	Minaret	AL015,AL018,AL130, AL240
		998	Not Applicable	AH050,AL015,AL018, AL130,AL240
		999	Other	AH050,AL015,AL018, AL130,AL240
cdp	Calendar Date Type			
		0	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		18	Receipt	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		19	Source	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		24	Up-to-dateness/revision	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
cdv	Calendar Date Value			
		UNK	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		Character	Text String	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-15. Population Obstacle Connected Node Feature Table (continued).

dir	Directivity			
		0	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		1	Uni	AH050,AK020,AK160, AL015,AL018,AL050, AL130,AQ020
		2	Bi	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL130
		3	Omni	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
dmf	Density Measure (Feature Count)			
		-32767	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		>0		AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
exs	Existence Category			
		0	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		5	Under Construction	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		7	Destroyed	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		8	Dismantled	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		999	Other	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-15. Population Obstacle Connected Node Feature Table (continued).

gug	Guyed or Unguyed Category			
		-32768	Null	AH050,AK150,AK160, AL015,AL018,AL050, AL130,AQ055
		0	Unknown	AK020,AL110,AL240, AQ020
		1	Guyed	AK020,AL110,AL240, AQ020
		2	Unguyed	AK020,AL110,AL240, AQ020
hgt	Height Above Surface Level [meters]			
		-32767	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		>0		AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
hzd	Horizontal Datum			
		0	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		300	World Geodetic System 1984	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		999	Other	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
len	Length/Diameter [meters]			
		-32767	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		>0		AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-15. Population Obstacle Connected Node Feature Table (continued).

mcc	Material Composition	Category		
		0	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		20	Composition	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		21	Concrete	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		62	Masonry (Brick/Stone)	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		64	Metal	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		72	Part Metal	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		107	Steel	AK150,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		117	Wood	AH050,AK150,AL015, AL018,AL050,AL110, AL130,AL240,AQ020, AQ055
		999	Other	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
prm	Permanency			
		1	Permanent	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		2	Temporary	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-15. Population Obstacle Connected Node Feature Table (continued).

qle	Releasability			
		UNK	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		Character	Text String	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
sec	Security Classification			
		0	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		1	Top Secret	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		2	Secret	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		3	Confidential	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		4	Restricted	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		5	Unclassified	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		999	Other	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
ssc	Structure Shape Category			
		-32768	Null	AH050,AK150,AL018, AL050
		0	Unknown	AK020,AK160,AL015, AL110,AL130,AL240, AQ020,AQ055
		10	Pillar/Spindle	AQ020
		12	Pyramid	AL015,AL130,AQ020
		17	Spherical (Hemispherical)	AK020,AL015,AL130
		21	Artificial Mountain	AK020
		23	Ferris Wheel	AK020
		24	Enclosed	AK160
		25	Roller Coaster	AK020

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-15. Population Obstacle Connected Node Feature Table (continued).

	46	Open	AK160
	52	'A' Frame	AL110,AL130,AL240, AQ020,AQ055
	53	'H' Frame	AL110,AL130,AL240, AQ020,AQ055
	54	'I' Frame	AL110,AL130,AL240, AQ020,AQ055
	56	'Y' Frame	AL110,AL130,AL240, AQ020
	60	Mast	AL110,AL130,AL240, AQ055
	65	Cylindrical with flat top	AL130
	66	Cylindrical with domed top	AL130
	71	Cylindrical/Peaked	AL130
	74	'T' Frame	AQ020
	77	Arch	AL130
	79	Round	AL015,AL130,AL240, AQ055
	80	Rectangular	AL015,AL130,AL240, AQ055
	83	Square	AL015,AL130,AL240, AQ055
	84	Irregular	AL015,AL130,AL240, AQ055
	109	Obelisk	AL015,AL130,AL240, AQ055
	999	Other	AK020,AK160,AL015, AL110,AL130,AL240, AQ020,AQ055
ssr	Structure Shape of Roof		
	-32768	Null	AK020,AK150,AL050, AL110,AQ020,AQ055
	0	Unknown	AH050,AK160,AL015, AL018,AL130,AL240
	6	Conical/Peaked/NUN	AL015,AL018,AL130, AL240
	38	Curved/Round (Quonset)	AL015,AL018,AL130, AL240
	40	Dome	AK160,AL015,AL018, AL130,AL240
	41	Flat	AH050,AL015,AL018, AL130,AL240
	42	Gable (Pitched)	AH050,AL015,AL018, AL130,AL240
	47	Sawtooth	AL015,AL018,AL130
	998	Not Applicable	AL130
	999	Other	AH050,AK160,AL015, AL018,AL130,AL240

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-15. Population Obstacle Connected Node Feature Table (continued).

stc	Source Type Code		
	1	Survey Source	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
	2	Stereo Imagery Exploitation	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
	3	Mono Imagery Exploitation	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
	4	Cartographic Source	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
	5	Reported Information	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
	6	Multispectral	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
	7	Hyperspectral	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
	8	Synthetic Aperture Radar (SAR)	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
	999	Other	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
ttc	Tower Type Category		
	-32768	Null	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AQ020,AQ055
	0	Unknown	AL240
	2	Observation/Lookout	AL240
	12	Fire	AL240
	999	Other	AL240

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-15. Population Obstacle Connected Node Feature Table (continued).

txt	Text Attribute			
		UNK	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		Character	Text String	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
vdc	Vertical (Sounding) Datum Category			
		0	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		15	Mean Sea Level	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		999	Other	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
voi	Vertical Obstruction Identifier			
		UNK	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		Character	Text String	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
wid	Width [meters]			
		-32767	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
		>0		AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
zv2	Highest Z-Value [meters]			
		-32767	Unknown	AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055
	>=-400 and <=30000			AH050,AK020,AK150, AK160,AL015,AL018, AL050,AL110,AL130, AL240,AQ020,AQ055

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-16. Transportation Obstacle Connected Node Feature Table.

Thematic Layer:	Obstructions
Coverage Name:	obs
Feature Table Description:	Transportation Obstacle Connected Node Feature Table
Table Name:	transc.pft
Thematic Index ID Number:	13

```
{Header length}L;
Transportation Obstacle Connected Node Feature Table;-;
id=I,1,P,Row Identifier,-,-,-,:
f_code=T,5,N,FACC Feature Code,char.vdt,f_code13.pti,-,:
aha=F,1,N,Absolute Horizontal Accuracy in Meters,-,-,-,:
aho=F,1,N,Accuracy of Obstruction Height Above Ground Level,-,-,-,:
atn=S,1,N,Aids to Navigation,int.vdt,-,-,:
ava=F,1,N,Absolute Vertical Accuracy in Meters,-,-,-,:
bot=S,1,N,Bridge Opening Type,int.vdt,-,-,:
bsc=S,1,N,Bridge/Bridge Superstructure Category,int.vdt,-,-,:
cdp=S,1,N,Calendar Date Type,int.vdt,-,-,:
cdv=T,8,N,Calendar Date Value,char.vdt,-,-,:
dir=S,1,N,Directivity,int.vdt,-,-,:
dmf=S,1,N,Density Measure (Feature Count),int.vdt,-,-,:
exs=S,1,N,Existence Category,int.vdt,-,-,:
gug=S,1,N,Guyed or Unguyed Category,int.vdt,-,-,:
hgt=S,1,N,Height Above Surface Level,int.vdt,-,-,:
hzd=S,1,N,Horizontal Datum,int.vdt,-,-,:
len=S,1,N,Length/Diameter,int.vdt,-,-,:
mcc=S,1,N,Material Composition Category,int.vdt,-,-,:
prm=S,1,N,Permanency,int.vdt,-,-,:
qle=T,4,N,Releasability,char.vdt,-,-,:
sec=S,1,N,Security Classification,int.vdt,-,-,:
ssc=S,1,N,Structure Shape Category,int.vdt,-,-,:
ssr=S,1,N,Structure Shape of Roof,int.vdt,-,-,:
stc=S,1,N,Source Type Code,int.vdt,-,-,:
txt=T,*,N,Text Attribute,char.vdt,-,-,:
vdc=S,1,N,Vertical (Sounding) Datum Category,int.vdt,-,-,:
voi=T,11,N,Vertical Obstruction Identifier,char.vdt,-,-,:
wid=S,1,N,Width,int.vdt,-,-,:
zv2=S,1,N,Highest Z-Value,int.vdt,-,-,:;
```

Column	Description Value	Value Meaning	Applicable f_code for Each Attribute Value
id	Row Identifier	Sequential beginning with 1	
f_code	FACC Feature Code		
	AQ040	Bridge/Overpass/Viaduct	
	AQ050	Bridge Superstructure	
	AQ060	Control Tower	
	AQ110	Mooring Mast	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-16. Transportation Obstacle Connected Node Feature Table (continued).

aha	Absolute Horizontal Accuracy in Meters			
		-32767.0	Unknown	AQ040,AQ050,AQ060, AQ110
		>0.0		AQ040,AQ050,AQ060, AQ110
aho	Accuracy of Obstruction Height Above Ground Level [meters]			
		-32767.0	Unknown	AQ040,AQ050,AQ060, AQ110
		>0.0		AQ040,AQ050,AQ060, AQ110
atn	Aids to Navigation			
		0	Unknown	AQ040,AQ050,AQ060, AQ110
		3	Lit	AQ040,AQ050,AQ060, AQ110
		4	Unlit	AQ040,AQ050,AQ060, AQ110
ava	Absolute Vertical Accuracy in Meters			
		-32767.0	Unknown	AQ040,AQ050,AQ060, AQ110
		>0.0		AQ040,AQ050,AQ060, AQ110
bot	Bridge Opening Type			
		-32768	Null	AQ050,AQ060,AQ110
		0	Unknown	AQ040
		4	Draw/Bascule	AQ040
		10	Swing	AQ040
		11	Lift	AQ040
		13	Not Applicable	AQ040
		999	Other	AQ040
bsc	Bridge/Bridge Superstructure Category			
		-32768	Null	AQ060,AQ110
		0	Unknown	AQ040,AQ050
		1	Arch (assume open spandrel)	AQ040,AQ050
		2	Cantilever	AQ040,AQ050
		3	Deck	AQ040,AQ050
		6	Girder	AQ040,AQ050
		7	Tower Suspension	AQ040,AQ050
		8	Truss	AQ040,AQ050
		9	Suspension	AQ040,AQ050
		12	Transporter	AQ040,AQ050
		15	Slab	AQ040,AQ050
		16	Stringer (beam)	AQ040,AQ050
		17	Arch Suspension	AQ040,AQ050
		26	Arch (closed spandrel)	AQ040,AQ050
		27	Cable Stayed	AQ040,AQ050
		999	Other	AQ040,AQ050

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-16. Transportation Obstacle Connected Node Feature Table (continued).

cdp	Calendar Date Type			
		0	Unknown	AQ040,AQ050,AQ060, AQ110
		18	Receipt	AQ040,AQ050,AQ060, AQ110
		19	Source	AQ040,AQ050,AQ060, AQ110
		24	Up-to-dateness/revision	AQ040,AQ050,AQ060, AQ110
cdv	Calendar Date Value			
		UNK	Unknown	AQ040,AQ050,AQ060, AQ110
		Character	Text String	AQ040,AQ050,AQ060, AQ110
dir	Directivity			
		0	Unknown	AQ040,AQ050,AQ060, AQ110
		2	Bi	AQ040,AQ050,AQ060
		3	Omni	AQ040,AQ050,AQ060, AQ110
dmf	Density Measure (Feature Count)			
		-32767	Unknown	AQ040,AQ050,AQ060, AQ110
		>0		AQ040,AQ050,AQ060, AQ110
exs	Existence Category			
		0	Unknown	AQ040,AQ050,AQ060, AQ110
		5	Under Construction	AQ040,AQ050,AQ060, AQ110
		7	Destroyed	AQ040,AQ050,AQ060, AQ110
		8	Dismantled	AQ040,AQ050,AQ060, AQ110
		999	Other	AQ040,AQ050,AQ060, AQ110
gug	Guyed or Unguyed Category			
		-32768	Null	AQ040,AQ050
		0	Unknown	AQ060,AQ110
		1	Guyed	AQ060,AQ110
		2	Unguyed	AQ060,AQ110
hgt	Height Above Surface Level [meters]			
		-32767	Unknown	AQ040,AQ050,AQ060, AQ110
		>0		AQ040,AQ050,AQ060, AQ110

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-16. Transportation Obstacle Connected Node Feature Table (continued).

hzd	Horizontal Datum			
		0	Unknown	AQ040,AQ050,AQ060, AQ110
		300	World Geodetic System 1984	AQ040,AQ050,AQ060, AQ110
		999	Other	AQ040,AQ050,AQ060, AQ110
len	Length/Diameter [meters]			
		-32767	Unknown	AQ040,AQ050,AQ060, AQ110
		>0		AQ040,AQ050,AQ060, AQ110
mcc	Material Composition Category			
		0	Unknown	AQ040,AQ050,AQ060, AQ110
		20	Composition	AQ040,AQ050,AQ060, AQ110
		21	Concrete	AQ040,AQ050,AQ060, AQ110
		62	Masonry (Brick/Stone)	AQ040,AQ050,AQ060, AQ110
		64	Metal	AQ040,AQ050,AQ060, AQ110
		72	Part Metal	AQ040,AQ050,AQ060, AQ110
		107	Steel	AQ040,AQ050,AQ060, AQ110
		117	Wood	AQ040,AQ050,AQ060, AQ110
		999	Other	AQ040,AQ050,AQ060, AQ110
prm	Permanency			
		1	Permanent	AQ040,AQ050,AQ060, AQ110
		2	Temporary	AQ040,AQ050,AQ060, AQ110
qle	Releasability			
		UNK	Unknown	AQ040,AQ050,AQ060, AQ110
		Character	Text String	AQ040,AQ050,AQ060, AQ110

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-16. Transportation Obstacle Connected Node Feature Table (continued).

sec	Security Classification			
		0	Unknown	AQ040,AQ050,AQ060, AQ110
		1	Top Secret	AQ040,AQ050,AQ060, AQ110
		2	Secret	AQ040,AQ050,AQ060, AQ110
		3	Confidential	AQ040,AQ050,AQ060, AQ110
		4	Restricted	AQ040,AQ050,AQ060, AQ110
		5	Unclassified	AQ040,AQ050,AQ060, AQ110
		999	Other	AQ040,AQ050,AQ060, AQ110
ssc	Structure Shape Category			
		-32768	Null	AQ040,AQ050,AQ060
		0	Unknown	AQ110
		52	'A' Frame	AQ110
		54	'I' Frame	AQ110
		60	Mast	AQ110
		999	Other	AQ110
ssr	Structure Shape of Roof			
		-32768	Null	AQ040,AQ050,AQ110
		0	Unknown	AQ060
		6	Conical/Peaked/NUN	AQ060
		38	Curved/Round (Quonset)	AQ060
		40	Dome	AQ060
		41	Flat	AQ060
		42	Gable (Pitched)	AQ060
		999	Other	AQ060
stc	Source Type Code			
		1	Survey Source	AQ040,AQ050,AQ060, AQ110
		2	Stereo Imagery Exploitation	AQ040,AQ050,AQ060, AQ110
		3	Mono Imagery Exploitation	AQ040,AQ050,AQ060, AQ110
		4	Cartographic Source	AQ040,AQ050,AQ060, AQ110
		5	Reported Information	AQ040,AQ050,AQ060, AQ110
		6	Multispectral	AQ040,AQ050,AQ060, AQ110
		7	Hyperspectral	AQ040,AQ050,AQ060, AQ110
		8	Synthetic Aperture Radar (SAR)	AQ040,AQ050,AQ060, AQ110
		999	Other	AQ040,AQ050,AQ060, AQ110

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-16. Transportation Obstacle Connected Node Feature Table (continued).

txt	Text Attribute			
		UNK	Unknown	AQ040,AQ050,AQ060, AQ110
		Character	Text String	AQ040,AQ050,AQ060, AQ110
vdc	Vertical (Sounding) Datum Category			
		0	Unknown	AQ040,AQ050,AQ060, AQ110
		15	Mean Sea Level	AQ040,AQ050,AQ060, AQ110
		999	Other	AQ040,AQ050,AQ060, AQ110
voi	Vertical Obstruction Identifier			
		UNK	Unknown	AQ040,AQ050,AQ060, AQ110
		Character	Text String	AQ040,AQ050,AQ060, AQ110
wid	Width [meters]			
		-32767	Unknown	AQ040,AQ050,AQ060, AQ110
		>0		AQ040,AQ050,AQ060, AQ110
zv2	Highest Z-Value [meters]			
		-32767	Unknown	AQ040,AQ050,AQ060, AQ110
		>=-400 and <=30000		AQ040,AQ050,AQ060, AQ110

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-17. Utility Obstacle Connected Node Feature Table.

Thematic Layer:	Obstructions
Coverage Name:	obs
Feature Table Description:	Utility Obstacle Connected Node Feature Table
Table Name:	utilc.pft
Thematic Index ID Number:	14

```
{Header length}L;
Utility Obstacle Connected Node Feature Table;-;
id=I,1,P,Row Identifier,-,-,-,:
f_code=T,5,N,FACC Feature Code,char.vdt,f_code14.pti,-,:
aha=F,1,N,Absolute Horizontal Accuracy in Meters,-,-,-,:
aho=F,1,N,Accuracy of Obstruction Height Above Ground Level,-,-,-,:
atn=S,1,N,Aids to Navigation,int.vdt,-,-,:
ava=F,1,N,Absolute Vertical Accuracy in Meters,-,-,-,:
bfc=S,1,N,Building Function Category,int.vdt,-,-,:
bss=S,1,N,Building Superstructure Shape,int.vdt,-,-,:
cdp=S,1,N,Calendar Date Type,int.vdt,-,-,:
cdv=T,8,N,Calendar Date Value,char.vdt,-,-,:
dir=S,1,N,Directivity,int.vdt,-,-,:
dmf=S,1,N,Density Measure (Feature Count),int.vdt,-,-,:
exs=S,1,N,Existence Category,int.vdt,-,-,:
gug=S,1,N,Guyed or Unguyed Category,int.vdt,-,-,:
hgt=S,1,N,Height Above Surface Level,int.vdt,-,-,:
hzd=S,1,N,Horizontal Datum,int.vdt,-,-,:
len=S,1,N,Length/Diameter,int.vdt,-,-,:
mcc=S,1,N,Material Composition Category,int.vdt,-,-,:
nst=S,1,N,Navigation System Types,int.vdt,-,-,:
pfg=F,1,N,Predominant Feature Height With greater than 1 meter resolution,-,-,-:
prm=S,1,N,Permanency,int.vdt,-,-,:
qle=T,4,N,Releasability,char.vdt,-,-,:
sec=S,1,N,Security Classification,int.vdt,-,-,:
ssc=S,1,N,Structure Shape Category,int.vdt,-,-,:
ssr=S,1,N,Structure Shape of Roof,int.vdt,-,-,:
stc=S,1,N,Source Type Code,int.vdt,-,-,:
tst=S,1,N,Transmission Line Suspension,int.vdt,-,-,:
txt=T,*,N,Text Attribute,char.vdt,-,-,:
vdc=S,1,N,Vertical (Sounding) Datum Category,int.vdt,-,-,:
voi=T,11,N,Vertical Obstruction Identifier,char.vdt,-,-,:
zv2=S,1,N,Highest Z-Value,int.vdt,-,-,:;
```

Column	Description Value	Value Meaning	Applicable f_code for Each Attribute Value
id	Row Identifier	Sequential beginning with 1	
f_code	FACC Feature Code		
	AD030	Substation/Transformer Yard	
	AT006	Overhead Cable	
	AT010	US-Disk/Dish UK-Disk Aerial/Dish Aerial	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-17. Utility Obstacle Connected Node Feature Table (continued).

	AT040	US-Power Transmission Pylon UK-Power Transmission Pylon/Pole	
	AT050	Communication Building	
	AT070	Telephone-Telegraph Pylon/Pole	
	AT080	Communication Tower	
aha	Absolute Horizontal Accuracy in Meters		
	-32767.0	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
	>0.0		AD030,AT006,AT010, AT040,AT050,AT070, AT080
aho	Accuracy of Obstruction Height Above Ground Level [meters]		
	-32767.0	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
	>0.0		AD030,AT006,AT010, AT040,AT050,AT070, AT080
atn	Aids to Navigation		
	-32768	Null	AT006
	0	Unknown	AD030,AT010,AT040, AT050,AT070,AT080
	3	Lit	AD030,AT010,AT040, AT050,AT070,AT080
	4	Unlit	AD030,AT010,AT040, AT050,AT070,AT080
ava	Absolute Vertical Accuracy in Meters		
	-32767.0	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
	>0.0		AD030,AT006,AT010, AT040,AT050,AT070, AT080
bfc	Building Function Category		
	-32768	Null	AD030,AT006,AT010, AT040,AT070,AT080
	0	Unknown	AT050
	40	Telephone Switching Station	AT050
	86	Telephone Exchange (Main)	AT050

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-17. Utility Obstacle Connected Node Feature Table (continued).

bss	Building Superstructure Shape			
		-32768	Null	AD030,AT006,AT010, AT040,AT070,AT080
		0	Unknown	AT050
		5	Tower	AT050
		998	Not Applicable	AT050
		999	Other	AT050
cdp	Calendar Date Type			
		0	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		18	Receipt	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		19	Source	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		24	Up-to-dateness/revision	AD030,AT006,AT010, AT040,AT050,AT070, AT080
cdv	Calendar Date Value			
		UNK	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		Character	Text String	AD030,AT006,AT010, AT040,AT050,AT070, AT080
dir	Directivity			
		0	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		2	Bi	AT006,AT050
		3	Omni	AD030,AT010,AT040, AT050,AT070,AT080
dmf	Density Measure (Feature Count)			
		-32767	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		>0		AD030,AT006,AT010, AT040,AT050,AT070, AT080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-17. Utility Obstacle Connected Node Feature Table (continued).

exs	Existence Category			
		0	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		5	Under Construction	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		7	Destroyed	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		8	Dismantled	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		999	Other	AD030,AT006,AT010, AT040,AT050,AT070, AT080
gug	Guyed or Unguyed Category			
		-32768	Null	AD030,AT006,AT010, AT050
		0	Unknown	AT040,AT070,AT080
		1	Guyed	AT040,AT070,AT080
		2	Unguyed	AT040,AT070,AT080
hgt	Height Above Surface Level [meters]			
		-32767	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		>0		AD030,AT006,AT010, AT040,AT050,AT070, AT080
hzd	Horizontal Datum			
		0	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		300	World Geodetic System 1984	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		999	Other	AD030,AT006,AT010, AT040,AT050,AT070, AT080
len	Length/Diameter [meters]			
		-32767	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		>0		AD030,AT006,AT010, AT040,AT050,AT070, AT080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-17. Utility Obstacle Connected Node Feature Table (continued).

mcc	Material Composition Category			
		0	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		20	Composition	AT040,AT050,AT070, AT080
		21	Concrete	AD030,AT040,AT050, AT070,AT080
		62	Masonry (Brick/Stone)	AD030,AT040,AT050, AT070,AT080
		64	Metal	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		72	Part Metal	AT010,AT040,AT050, AT070,AT080
		107	Steel	AD030,AT040,AT050, AT070,AT080
		117	Wood	AD030,AT040,AT050, AT070,AT080
		999	Other	AD030,AT006,AT010, AT040,AT050,AT070, AT080
nst	Navigation System Types			
		-32768	Null	AD030,AT006,AT010, AT040,AT050,AT070
		0	Unknown	AT080
		12	Radio	AT080
		15	TV	AT080
		16	Microwave	AT080
		998	Not Applicable	AT080
		999	Other	AT080
pfg	Predominant Feature Height With greater than 1 meter resolution			
		NaN	Null	AD030,AT006,AT010, AT040,AT050,AT070
		-32767.0	Unknown	AT080
		>0.0		AT080
prm	Permanency			
		1	Permanent	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		2	Temporary	AD030,AT006,AT010, AT040,AT050,AT070, AT080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-17. Utility Obstacle Connected Node Feature Table (continued).

qle	Releasability			
		UNK	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		Character	Text String	AD030,AT006,AT010, AT040,AT050,AT070, AT080
sec	Security Classification			
		0	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		1	Top Secret	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		2	Secret	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		3	Confidential	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		4	Restricted	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		5	Unclassified	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		999	Other	AD030,AT006,AT010, AT040,AT050,AT070, AT080
ssc	Structure Shape Category			
		-32768	Null	AT006,AT010
		0	Unknown	AD030,AT040,AT050, AT070,AT080
		12	Pyramid	AT040,AT070
		52	’A’ Frame	AD030,AT040,AT070, AT080
		53	’H’ Frame	AD030,AT040,AT070, AT080
		54	’I’ Frame	AD030,AT040,AT070, AT080
		56	’Y’ Frame	AD030,AT040,AT070, AT080
		60	Mast	AT040,AT070,AT080
		74	‘T’ Frame	AD030,AT040,AT070
		79	Round	AT050
		80	Rectangular	AT050
		83	Square	AT050
		84	Irregular	AT050
		999	Other	AD030,AT040,AT050, AT070,AT080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-17. Utility Obstacle Connected Node Feature Table (continued).

ssr	Structure Shape of Roof			
		-32768	Null	AD030,AT006,AT010, AT040,AT070,AT080
		0	Unknown	AT050
		40	Dome	AT050
		41	Flat	AT050
		42	Gable (Pitched)	AT050
		999	Other	AT050
stc	Source Type Code			
		1	Survey Source	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		2	Stereo Imagery Exploitation	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		3	Mono Imagery Exploitation	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		4	Cartographic Source	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		5	Reported Information	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		6	Multispectral	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		7	Hyperspectral	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		8	Synthetic Aperture Radar (SAR)	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		999	Other	AD030,AT006,AT010, AT040,AT050,AT070, AT080
tst	Transmission line Suspension			
		-32768	Null	AD030,AT010,AT040, AT050,AT070,AT080
		0	Unknown	AT006
		1	Normal Suspension	AT006
		2	Catenary (Over Mountains)	AT006
		3	Catenary (Over Water)	AT006
		998	Not Applicable	AT006
		999	Other	AT006

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-17. Utility Obstacle Connected Node Feature Table (continued).

txt	Text Attribute			
		UNK	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		Character	Text String	AD030,AT006,AT010, AT040,AT050,AT070, AT080
vdc	Vertical (Sounding) Datum Category			
		0	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		15	Mean Sea Level	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		999	Other	AD030,AT006,AT010, AT040,AT050,AT070, AT080
voi	Vertical Obstruction Identifier			
		UNK	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		Character	Text String	AD030,AT006,AT010, AT040,AT050,AT070, AT080
zv2	Highest Z-Value [meters]			
		-32767	Unknown	AD030,AT006,AT010, AT040,AT050,AT070, AT080
		>=-400 and <=30000		AD030,AT006,AT010, AT040,AT050,AT070, AT080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-18. Aeronautical Obstacle Line Feature Table.

Thematic Layer:	Obstructions
Coverage Name:	obs
Feature Table Description:	Aeronautical Obstacle Line Feature Table
Table Name:	aerol.lft
Thematic Index ID Number:	15

```
{Header length}L;
Aeronautical Obstacle Line Feature Table;-;
id=I,1,P,Row Identifier,-,-,-,:
f_code=T,5,N,FACC Feature Code,char.vdt,f_code15.lti,-,:
aha=F,1,N,Absolute Horizontal Accuracy in Meters,-,-,-,:
aho=F,1,N,Accuracy of Obstruction Height Above Ground Level,-,-,-,:
atn=S,1,N,Aids to Navigation,int.vdt,-,-,:
ava=F,1,N,Absolute Vertical Accuracy in Meters,-,-,-,:
cdp=S,1,N,Calendar Date Type,int.vdt,-,-,:
cdv=T,8,N,Calendar Date Value,char.vdt,-,-,:
dir=S,1,N,Directivity,int.vdt,-,-,:
dmf=S,1,N,Density Measure (Feature Count),int.vdt,-,-,:
exs=S,1,N,Existence Category,int.vdt,-,-,:
gug=S,1,N,Guyed or Unguyed Category,int.vdt,-,-,:
hgt=S,1,N,Height Above Surface Level,int.vdt,-,-,:
hzd=S,1,N,Horizontal Datum,int.vdt,-,-,:
len=S,1,N,Length/Diameter,int.vdt,-,-,:
mcc=S,1,N,Material Composition Category,int.vdt,-,-,:
nst=S,1,N,Navigation System Types,int.vdt,-,-,:
pfg=F,1,N,Predominant Feature Height With greater than 1 meter resolution,-,-,-,:
prm=S,1,N,Permanency,int.vdt,-,-,:
qle=T,4,N,Releasability,char.vdt,-,-,:
sec=S,1,N,Security Classification,int.vdt,-,-,:
ssc=S,1,N,Structure Shape Category,int.vdt,-,-,:
stc=S,1,N,Source Type Code,int.vdt,-,-,:
txt=T,*,N,Text Attribute,char.vdt,-,-,:
vdc=S,1,N,Vertical (Sounding) Datum Category,int.vdt,-,-,:
voi=T,11,N,Vertical Obstruction Identifier,char.vdt,-,-,:
wid=S,1,N,Width,int.vdt,-,-,:
zv2=S,1,N,Highest Z-Value,int.vdt,-,-,:;
```

Column	Description Value	Value Meaning	Applicable f_code for Each Attribute Value
id	Row Identifier	Sequential beginning with 1	
f_code	FACC Feature Code		
	GA035	NAVAIDS (Aeronautical)	
	GB220	Air Obstruction	
	GB221	Miscellaneous Air Obstruction	
aha	Absolute Horizontal Accuracy in Meters		
	-32767.0	Unknown	GA035,GB220,GB221
	>0.0		GA035,GB220,GB221

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-18. Aeronautical Obstacle Line Feature Table (continued).

aho	Accuracy of Obstruction Height Above Ground Level [meters]			
		-32767.0	Unknown	GA035,GB220,GB221
		>0.0		GA035,GB220,GB221
atn	Aids to Navigation			
		0	Unknown	GA035,GB220,GB221
		3	Lit	GA035,GB220,GB221
		4	Unlit	GA035,GB220,GB221
ava	Absolute Vertical Accuracy in Meters			
		-32767.0	Unknown	GA035,GB220,GB221
		>0.0		GA035,GB220,GB221
cdp	Calendar Date Type			
		0	Unknown	GA035,GB220,GB221
		18	Receipt	GA035,GB220,GB221
		19	Source	GA035,GB220,GB221
		24	Up-to-dateness/revision	GA035,GB220,GB221
cdv	Calendar Date Value			
		UNK	Unknown	GA035,GB220,GB221
		Character	Text String	GA035,GB220,GB221
dir	Directivity			
		0	Unknown	GA035,GB220,GB221
		1	Uni	GB220,GB221
		2	Bi	GB220,GB221
		3	Omni	GA035,GB220,GB221
dmf	Density Measure (Feature Count)			
		-32767	Unknown	GA035,GB220,GB221
		>0		GA035,GB220,GB221
exs	Existence Category			
		0	Unknown	GA035,GB220,GB221
		5	Under Construction	GA035,GB220,GB221
		7	Destroyed	GA035,GB220,GB221
		8	Dismantled	GB220,GB221
		999	Other	GA035,GB220,GB221
gug	Guyed or Unguyed Category			
		-32768	Null	GA035,GB220
		0	Unknown	GB221
		1	Guyed	GB221
		2	Unguyed	GB221
hgt	Height Above Surface Level [meters]			
		-32767	Unknown	GA035,GB220,GB221
		>0		GA035,GB220,GB221

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-18. Aeronautical Obstacle Line Feature Table (continued).

hzd	Horizontal Datum			
		0	Unknown	GA035,GB220,GB221
		300	World Geodetic System 1984	GA035,GB220,GB221
		999	Other	GA035,GB220,GB221
len	Length/Diameter [meters]			
		-32768	Null	GA035
		-32767	Unknown	GB220,GB221
		>0		GB220,GB221
mcc	Material Composition Category			
		0	Unknown	GA035,GB220,GB221
		20	Composition	GB221
		21	Concrete	GA035,GB221
		30	Earthen	GB221
		62	Masonry (Brick/Stone)	GB221
		64	Metal	GB221
		72	Part Metal	GA035,GB221
		107	Steel	GB221
		117	Wood	GB220,GB221
		999	Other	GA035,GB220,GB221
nst	Navigation System Types			
		-32768	Null	GB220,GB221
		0	Unknown	GA035
		7	Long Range Air Navigation System (LORAN)	GA035
		10	Radar Responder Beacon (RACON)	GA035
		11	Radar	GA035
		20	VHF Omni Directional Radio Range (VOR)	GA035
		21	VHF Omni Directional Radio Range/Distance Measuring Equipment (VOR/DME)	GA035
		22	VHF Omni Directional Radio Range and TACAN (VORTAC)	GA035

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-18. Aeronautical Obstacle Line Feature Table (continued).

		23	Tactical Air Navigation Equipment (TACAN)	GA035
		26	Localizer (LOC)	GA035
		27	Localizer/Distance Measuring Equipment (LOC/DME)	GA035
		35	Radar Antenna	GA035
		37	Precision Approach Radar (PAR)	GA035
		40	Radio Beacon	GA035
		45	Radar Station	GA035
		55	Radar reflector	GA035
		999	Other	GA035
pfg	Predominant Feature Height With greater than 1 meter resolution			
		NaN	Null	GA035
		-32767.0	Unknown	GB220,GB221
		>0.0		GB220,GB221
prm	Permanency			
		1	Permanent	GA035,GB220,GB221
		2	Temporary	GA035,GB220,GB221
qle	Releasability			
		UNK	Unknown	GA035,GB220,GB221
		Character	Text String	GA035,GB220,GB221
sec	Security Classification			
		0	Unknown	GA035,GB220,GB221
		1	Top Secret	GA035,GB220,GB221
		2	Secret	GA035,GB220,GB221
		3	Confidential	GA035,GB220,GB221
		4	Restricted	GA035,GB220,GB221
		5	Unclassified	GA035,GB220,GB221
		999	Other	GA035,GB220,GB221
ssc	Structure Shape Category			
		-32768	Null	GB220
		0	Unknown	GA035,GB221
		4	Bullet	GB221
		10	Pillar/Spindle	GB221
		12	Pyramid	GB221
		17	Spherical (Hemispherical)	GB221
		21	Artificial Mountain	GB221
		52	'A' Frame	GB221
		53	'H' Frame	GB221
		54	'I' Frame	GB221

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-18. Aeronautical Obstacle Line Feature Table (continued).

		56	'Y' Frame	GB221
		60	Mast	GB221
		74	'T' Frame	GB221
		77	Arch	GB221
		79	Round	GB221
		80	Rectangular	GB221
		83	Square	GB221
		84	Irregular	GB221
		87	Dome	GA035
		109	Obelisk	GB221
		999	Other	GA035,GB221
stc	Source Type Code			
		1	Survey Source	GA035,GB220,GB221
		2	Stereo Imagery Exploitation	GA035,GB220,GB221
		3	Mono Imagery Exploitation	GA035,GB220,GB221
		4	Cartographic Source	GA035,GB220,GB221
		5	Reported Information	GA035,GB220,GB221
		6	Multispectral	GA035,GB220,GB221
		7	Hyperspectral	GA035,GB220,GB221
		8	Synthetic Aperture Radar (SAR)	GA035,GB220,GB221
		999	Other	GA035,GB220,GB221
txt	Text Attribute			
		UNK	Unknown	GA035,GB220,GB221
		Character	Text String	GA035,GB220,GB221
vdc	Vertical (Sounding) Datum Category			
		0	Unknown	GA035,GB220,GB221
		15	Mean Sea Level	GA035,GB220,GB221
		999	Other	GA035,GB220,GB221
voi	Vertical Obstruction Identifier			
		UNK	Unknown	GA035,GB220,GB221
		Character	Text String	GA035,GB220,GB221
wid	Width [meters]			
		-32767	Unknown	GA035,GB220,GB221
		>0		GA035,GB220,GB221
zv2	Highest Z-Value [meters]			
		-32767	Unknown	GA035,GB220,GB221
		>=-400 and <=30000		GA035,GB220,GB221

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-19. Industry Obstacle Line Feature Table.

Thematic Layer: Obstructions
Coverage Name: obs
Feature Table Description: Industry Obstacle Line Feature Table
Table Name: indl.lft
Thematic Index ID Number: 16

```
{Header length}L;
Industry Obstacle Line Feature Table;-;
id=I,1,P,Row Identifier,-,-,-,:
f_code=T,5,N,FACC Feature Code,char.vdt,f_code16.lti,-,:
aha=F,1,N,Absolute Horizontal Accuracy in Meters,-,-,-,:
aho=F,1,N,Accuracy of Obstruction Height Above Ground Level,-,-,-,:
atn=S,1,N,Aids to Navigation,int.vdt,-,-,:
ava=F,1,N,Absolute Vertical Accuracy in Meters,-,-,-,:
bss=S,1,N,Building Superstructure Shape,int.vdt,-,-,:
cdp=S,1,N,Calendar Date Type,int.vdt,-,-,:
cdv=T,8,N,Calendar Date Value,char.vdt,-,-,:
dir=S,1,N,Directivity,int.vdt,-,-,:
dmf=S,1,N,Density Measure (Feature Count),int.vdt,-,-,:
exs=S,1,N,Existence Category,int.vdt,-,-,:
gug=S,1,N,Guyed or Unguyed Category,int.vdt,-,-,:
hgt=S,1,N,Height Above Surface Level,int.vdt,-,-,:
hzd=S,1,N,Horizontal Datum,int.vdt,-,-,:
loc=S,1,M,Location Category,int.vdt,-,-,:
mcc=S,1,N,Material Composition Category,int.vdt,-,-,:
pfg=F,1,N,Predominant Feature Height With greater than 1 meter resolution,-,-,-:
ppc=S,1,N,Power Plant Category,int.vdt,-,-,:
prm=S,1,N,Permanency,int.vdt,-,-,:
qle=T,4,N,Releasability,char.vdt,-,-,:
sec=S,1,N,Security Classification,int.vdt,-,-,:
ssc=S,1,N,Structure Shape Category,int.vdt,-,-,:
ssr=S,1,N,Structure Shape of Roof,int.vdt,-,-,:
stc=S,1,N,Source Type Code,int.vdt,-,-,:
txt=T,*,N,Text Attribute,char.vdt,-,-,:
vdc=S,1,N,Vertical (Sounding) Datum Category,int.vdt,-,-,:
voi=T,11,N,Vertical Obstruction Identifier,char.vdt,-,-,:
zv2=S,1,N,Highest Z-Value,int.vdt,-,-,:;
```

Column	Description Value		Value Meaning	Applicable f_code for Each Attribute Value
id	Row Identifier		Sequential beginning with 1	
f_code	FACC Feature Code			
		AD010	US-Power Plant UK-Power Station	
		AF010	Chimney/Smokestack	
		AF020	Conveyor	
		AJ051	Windmotor	
		AM070	Tank	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-19. Industry Obstacle Line Feature Table (continued).

aha	Absolute Horizontal Accuracy in Meters			
		-32767.0	Unknown	AD010,AF010,AF020, AJ051,AM070
		>0.0		AD010,AF010,AF020, AJ051,AM070
aho	Accuracy of Obstruction Height Above Ground Level [meters]			
		-32767.0	Unknown	AD010,AF010,AF020, AJ051,AM070
		>0.0		AD010,AF010,AF020, AJ051,AM070
atn	Aids to Navigation			
		0	Unknown	AD010,AF010,AF020, AJ051,AM070
		3	Lit	AD010,AF010,AF020, AJ051,AM070
		4	Unlit	AD010,AF010,AF020, AJ051,AM070
ava	Absolute Vertical Accuracy in Meters			
		-32767.0	Unknown	AD010,AF010,AF020, AJ051,AM070
		>0.0		AD010,AF010,AF020, AJ051,AM070
bss	Building Superstructure Shape			
		-32768	Null	AF010,AF020,AJ051, AM070
		0	Unknown	AD010
		1	Monitor	AD010
		4	Turret	AD010
		5	Tower	AD010
		998	Not Applicable	AD010
		999	Other	AD010
cdp	Calendar Date Type			
		0	Unknown	AD010,AF010,AF020, AJ051,AM070
		18	Receipt	AD010,AF010,AF020, AJ051,AM070
		19	Source	AD010,AF010,AF020, AJ051,AM070
		24	Up-to-dateness/revision	AD010,AF010,AF020, AJ051,AM070
cdv	Calendar Date Value			
		UNK	Unknown	AD010,AF010,AF020, AJ051,AM070
		Character	Text String	AD010,AF010,AF020, AJ051,AM070

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-19. Industry Obstacle Line Feature Table (continued).

dir	Directivity			
		0	Unknown	AD010,AF010,AF020, AJ051,AM070
		2	Bi	AF020
		3	Omni	AD010,AF010,AF020, AJ051,AM070
dmf	Density Measure (Feature Count)			
		-32767	Unknown	AD010,AF010,AF020, AJ051,AM070
		>0		AD010,AF010,AF020, AJ051,AM070
exs	Existence Category			
		0	Unknown	AD010,AF010,AF020, AJ051,AM070
		5	Under Construction	AD010,AF010,AF020, AJ051,AM070
		7	Destroyed	AD010,AF010,AF020, AJ051,AM070
		8	Dismantled	AD010,AF010,AF020, AJ051,AM070
		999	Other	AD010,AF010,AF020, AJ051,AM070
gug	Guyed or Unguyed Category			
		-32768	Null	AD010,AF010,AF020, AM070
		0	Unknown	AJ051
		1	Guyed	AJ051
		2	Unguyed	AJ051
hgt	Height Above Surface Level [meters]			
		-32767	Unknown	AD010,AF010,AF020, AJ051,AM070
		>0		AD010,AF010,AF020, AJ051,AM070
hzd	Horizontal Datum			
		0	Unknown	AD010,AF010,AF020, AJ051,AM070
		300	World Geodetic System 1984	AD010,AF010,AF020, AJ051,AM070
		999	Other	AD010,AF010,AF020, AJ051,AM070

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-19. Industry Obstacle Line Feature Table (continued).

loc	Location Category			
		-32768	Null	AD010,AF010,AF020, AM070
		0	Unknown	AJ051
		8	On Ground Surface	AJ051
		22	Off Shore	AJ051
		999	Other	AJ051
mcc	Material Composition Category			
		0	Unknown	AD010,AF010,AF020, AJ051,AM070
		20	Composition	AD010,AJ051,AM070
		21	Concrete	AD010,AF010,AF020, AJ051,AM070
		62	Masonry (Brick/Stone)	AD010,AF010,AF020, AJ051,AM070
		64	Metal	AD010,AF010,AF020, AJ051,AM070
		72	Part Metal	AD010,AF010,AF020, AJ051,AM070
		107	Steel	AD010,AJ051,AM070
		999	Other	AD010,AF010,AF020, AJ051,AM070
pfg	Predominant Feature Height	With greater than 1 meter resolution		
		NaN	Null	AD010,AF010,AF020, AJ051
		-32767.0	Unknown	AM070
		>0.0		AM070
ppc	Power Plant Category			
		-32768	Null	AJ051,AM070,AF020
		0	Unknown	AD010,AF010
		1	Hydro-electric	AD010
		2	Nuclear	AD010,AF010
		3	Solar	AD010
		4	Thermal	AD010,AF010
		5	Wind	AD010
		6	Tidal	AD010
		7	Internal Combustion	AD010,AF010
		998	Not Applicable	AF010
		999	Other	AD010,AF010
prm	Permanency			
		1	Permanent	AD010,AF010,AF020, AJ051,AM070
		2	Temporary	AD010,AF010,AF020, AJ051,AM070

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-19. Industry Obstacle Line Feature Table (continued).

qle	Releasability			
		UNK	Unknown	AD010,AF010,AF020, AJ051,AM070
		Character	Text String	AD010,AF010,AF020, AJ051,AM070
sec	Security Classification			
		0	Unknown	AD010,AF010,AF020, AJ051,AM070
		1	Top Secret	AD010,AF010,AF020, AJ051,AM070
		2	Secret	AD010,AF010,AF020, AJ051,AM070
		3	Confidential	AD010,AF010,AF020, AJ051,AM070
		4	Restricted	AD010,AF010,AF020, AJ051,AM070
		5	Unclassified	AD010,AF010,AF020, AJ051,AM070
		999	Other	AD010,AF010,AF020, AJ051,AM070
ssc	Structure Shape Category			
		-32768	Null	AD010,AF010,AF020,
		0	Unknown	AJ051,AM070
		4	Bullet	AM070
		12	Pyramid	AM070
		17	Spherical (Hemispherical)	AM070
		59	Telescoping Gasholder (Gasometer)	AM070
		60	Mast	AJ051
		79	Round	AM070
		80	Rectangular	AM070
		83	Square	AM070
		84	Irregular	AM070
		109	Obelisk	AM070
		999	Other	AJ051,AM070
ssr	Structure Shape of Roof			
		-32768	Null	AF010,AF020,AJ051
		0	Unknown	AD010,AM070
		6	Conical/Peaked/NUN	AD010,AM070
		38	Curved/Round (Quonset)	AD010,AM070
		40	Dome	AD010,AM070
		41	Flat	AD010,AM070
		42	Gable (Pitched)	AD010,AM070
		47	Sawtooth	AD010
		999	Other	AD010,AM070

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-19. Industry Obstacle Line Feature Table (continued).

stc	Source Type Code			
		1	Survey Source	AD010,AF010,AF020, AJ051,AM070
		2	Stereo Imagery Exploitation	AD010,AF010,AF020, AJ051,AM070
		3	Mono Imagery Exploitation	AD010,AF010,AF020, AJ051,AM070
		4	Cartographic Source	AD010,AF010,AF020, AJ051,AM070
		5	Reported Information	AD010,AF010,AF020, AJ051,AM070
		6	Multispectral	AD010,AF010,AF020, AJ051,AM070
		7	Hyperspectral	AD010,AF010,AF020, AJ051,AM070
		8	Synthetic Aperture Radar (SAR)	AD010,AF010,AF020, AJ051,AM070
		999	Other	AD010,AF010,AF020, AJ051,AM070
txt	Text Attribute			
		UNK	Unknown	AD010,AF010,AF020, AJ051,AM070
		Character	Text String	AD010,AF010,AF020, AJ051,AM070
vdc	Vertical (Sounding) Datum Category			
		0	Unknown	AD010,AF010,AF020, AJ051,AM070
		15	Mean Sea Level	AD010,AF010,AF020, AJ051,AM070
		999	Other	AD010,AF010,AF020, AJ051,AM070
voi	Vertical Obstruction Identifier			
		UNK	Unknown	AD010,AF010,AF020, AJ051,AM070
		Character	Text String	AD010,AF010,AF020, AJ051,AM070
zv2	Highest Z-Value [meters]			
		-32767	Unknown	AD010,AF010,AF020, AJ051,AM070
		>=-400 and <=30000		AD010,AF010,AF020, AJ051,AM070

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-20. Inland Water Obstacle Line Feature Table.

Thematic Layer: Obstructions
Coverage Name: obs
Feature Table Description: Inland Water Obstacle Line Feature Table
Table Name: iwal.lft
Thematic Index ID Number: 17

```
{Header length}L;
Inland Water Obstacle Line Feature Table;-;
id=I,1,P,Row Identifier,-,-,-,:
f_code=T,5,N,FACC Feature Code,char.vdt,f_code17.lti,-,:
aha=F,1,N,Absolute Horizontal Accuracy in Meters,-,-,-,:
aho=F,1,N,Accuracy of Obstruction Height Above Ground Level,-,-,-,:
atn=S,1,N,Aids to Navigation,int.vdt,-,-,:
ava=F,1,N,Absolute Vertical Accuracy in Meters,-,-,-,:
cdp=S,1,N,Calendar Date Type,int.vdt,-,-,:
cdv=T,8,N,Calendar Date Value,char.vdt,-,-,:
dir=S,1,N,Directivity,int.vdt,-,-,:
dmf=S,1,N,Density Measure (Feature Count),int.vdt,-,-,:
exs=S,1,N,Existence Category,-,-,-,:
hgt=S,1,N,Height Above Surface Level,int.vdt,-,-,:
hzd=S,1,N,Horizontal Datum,int.vdt,-,-,:
len=S,1,N,Length/Diameter,int.vdt,-,-,:
mcc=S,1,N,Material Composition Category,int.vdt,-,-,:
prm=S,1,N,Permanency,int.vdt,-,-,:
qle=T,4,N,Releasability,char.vdt,-,-,:
sec=S,1,N,Security Classification,int.vdt,-,-,:
stc=S,1,N,Source Type Code,int.vdt,-,-,:
txt=T,*,N,Text Attribute,char.vdt,-,-,:
vdc=S,1,N,Vertical (Sounding) Datum Category,int.vdt,-,-,:
voi=T,11,N,Vertical Obstruction Identifier,char.vdt,-,-,:
wid=S,1,N,Width,int.vdt,-,-,:
zv2=S,1,N,Highest Z-Value,int.vdt,-,-,:;
```

Column	Description Value	Value Meaning	Applicable f_code for Each Attribute Value
id	Row Identifier	Sequential beginning with 1	
f_code	FACC Feature Code		
	BH010	Aqueduct	
	BI020	Dam/Weir	
aha	Absolute Horizontal Accuracy in Meters		
	-32767.0	Unknown	BH010,BI020
	>0.0		BH010,BI020
aho	Accuracy of Obstruction Height Above Ground Level [meters]		
	-32767.0	Unknown	BH010,BI020
	>0.0		BH010,BI020

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-20. Inland Water Obstacle Line Feature Table (continued).

atn	Aids to Navigation			
		0	Unknown	BH010,BI020
		3	Lit	BH010,BI020
		4	Unlit	BH010,BI020
ava	Absolute Vertical Accuracy in Meters			
		-32767.0	Unknown	BH010,BI020
		>0.0		BH010,BI020
cdp	Calendar Date Type			
		0	Unknown	BH010,BI020
		18	Receipt	BH010,BI020
		19	Source	BH010,BI020
		24	Up-to-dateness/revision	BH010,BI020
cdv	Calendar Date Value			
		UNK	Unknown	BH010,BI020
		Character	Text String	BH010,BI020
dir	Directivity			
		0	Unknown	BH010,BI020
		1	Uni	BH010,BI020
		2	Bi	BH010,BI020
		3	Omni	BH010,BI020
dmf	Density Measure (Feature Count)			
		-32767	Unknown	BH010,BI020
		>0		BH010,BI020
exs	Existence Category			
		0	Unknown	BH010,BI020
		5	Under Construction	BH010,BI020
		7	Destroyed	BH010,BI020
		8	Dismantled	BH010,BI020
		999	Other	BH010,BI020
hgt	Height Above Surface Level [meters]			
		-32767	Unknown	BH010,BI020
		>0		BH010,BI020
hzd	Horizontal Datum			
		0	Unknown	BH010,BI020
		300	World Geodetic System 1984	BH010,BI020
		999	Other	BH010,BI020
len	Length/Diameter [meters]			
		-32767	Unknown	BH010,BI020
		>0		BH010,BI020

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-20. Inland Water Obstacle Line Feature Table (continued).

mcc	Material Composition Category			
		0	Unknown	BH010,BI020
		20	Composition	BI020
		21	Concrete	BH010,BI020
		30	Earthen	BI020
		64	Metal	BH010
		72	Part Metal	BH010
		107	Steel	BH010
		108	Stone	BH010
		999	Other	BH010,BI020
prm	Permanency			
		1	Permanent	BH010,BI020
		2	Temporary	BH010,BI020
qle	Releasability			
		UNK	Unknown	BH010,BI020
		Character	Text String	BH010,BI020
sec	Security Classification			
		0	Unknown	BH010,BI020
		1	Top Secret	BH010,BI020
		2	Secret	BH010,BI020
		3	Confidential	BH010,BI020
		4	Restricted	BH010,BI020
		5	Unclassified	BH010,BI020
		999	Other	BH010,BI020
stc	Source Type Code			
		1	Survey Source	BH010,BI020
		2	Stereo Imagery Exploitation	BH010,BI020
		3	Mono Imagery Exploitation	BH010,BI020
		4	Cartographic Source	BH010,BI020
		5	Reported Information	BH010,BI020
		6	Multispectral	BH010,BI020
		7	Hyperspectral	BH010,BI020
		8	Synthetic Aperture Radar (SAR)	BH010,BI020
		999	Other	BH010,BI020
txt	Text Attribute			
		UNK	Unknown	BH010,BI020
		Character	Text String	BH010,BI020
vdc	Vertical (Sounding) Datum Category			
		0	Unknown	BH010,BI020
		15	Mean Sea Level	BH010,BI020
		999	Other	BH010,BI020
voi	Vertical Obstruction Identifier			
		UNK	Unknown	BH010,BI020
		Character	Text String	BH010,BI020

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-20. Inland Water Obstacle Line Feature Table (continued).

wid	Width [meters]		
	-32767	Unknown	BH010,BI020
	>0		BH010,BI020
zv2	Highest Z-Value [meters]		
	-32767	Unknown	BH010,BI020
	>=-400 and <=30000		BH010,BI020

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-21. Population Obstacle Line Feature Table.

Thematic Layer: Obstructions
Coverage Name: obs
Feature Table Description: Population Obstacle Line Feature Table
Table Name: popl.lft
Thematic Index ID Number: 18

```
{Header length}L;
Population Obstacle Line Feature Table;-;
id=I,1,P,Row Identifier,-,-,-,:
f_code=T,5,N,FACC Feature Code,char.vdt,f_code18.lti,-,:
afa=S,1,N,Available Facilities,int.vdt,-,-,:
aha=F,1,N,Absolute Horizontal Accuracy in Meters,-,-,-,:
aho=F,1,N,Accuracy of Obstruction Height Above Ground Level,-,-,-,:
atn=S,1,N,Aids to Navigation,int.vdt,-,-,:
ava=F,1,N,Absolute Vertical Accuracy in Meters,-,-,-,:
bfc=S,1,N,Building Function Category,int.vdt,-,-,:
bss=S,1,N,Building Superstructure Shape,int.vdt,-,-,:
cdp=S,1,N,Calendar Date Type,int.vdt,-,-,:
cdv=T,8,N,Calendar Date Value,char.vdt,-,-,:
dir=S,1,N,Directivity,int.vdt,-,-,:
dmf=S,1,N,Density Measure (Feature Count),-,-,-,:
exs=S,1,N,Existence Category,int.vdt,-,-,:
gug=S,1,N,Guyed or Unguyed Category,int.vdt,-,-,:
hgt=S,1,N,Height Above Surface Level,-,-,-,:
hzd=S,1,N,Horizontal Datum,int.vdt,-,-,:
len=S,1,N,Length/Diameter,int.vdt,-,-,:
mcc=S,1,N,Material Composition Category,int.vdt,-,-,:
prm=S,1,N,Permanency,int.vdt,-,-,:
qle=T,4,N,Releasability,char.vdt,-,-,:
sec=S,1,N,Security Classification,int.vdt,-,-,:
ssc=S,1,N,Structure Shape Category,int.vdt,-,-,:
ssr=S,1,N,Structure Shape of Roof,int.vdt,-,-,:
stc=S,1,N,Source Type Code,int.vdt,-,-,:
ttc=S,1,N,Tower Type Category,int.vdt,-,-,:
txt=T,*,N,Text Attribute,char.vdt,-,-,:
vdc=S,1,N,Vertical (Sounding) Datum Category,int.vdt,-,-,:
voi=T,11,N,Vertical Obstruction Identifier,char.vdt,-,-,:
wid=S,1,N,Width,int.vdt,-,-,:
zv2=S,1,N,Highest Z-Value,int.vdt,-,-,:;
```

Column	Description Value	Value Meaning	Applicable f_code for Each Attribute Value
id	Row Identifier	Sequential beginning with 1	
f_code	FACC Feature Code		
	AH050	Fortification	
	AK160	US-Stadium/Amphitheater UK-Stadium/Amphitheatre	
	AL015	Building	
	AL018	Building Superstructure Addition	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-21. Population Obstacle Line Feature Table (continued).

	AL110	US-Light Standard/Light Support UK-Light Standard/Light Support/Lamp Post	
	AL130	US-Monument UK-Monument/Folly	
	AL240	Tower (Non-Communication)	
	AQ010	US-Aerial Cableway Lines/Ski Lift Lines UK-Aerial Cableway Lines/Ski Lift Cables	
afa	Available Facilities		
	-32768	Null	AH050,AK160,AL110, AL130,AL240,AQ010
	0	Unknown	AL015,AL018
	19	Helipad	AL015,AL018
	995	None	AL018
	999	Other	AL015,AL018
aha	Absolute Horizontal Accuracy in Meters		
	-32767.0	Unknown	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
	>0.0		AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
aho	Accuracy of Obstruction Height Above Ground Level [meters]		
	-32767.0	Unknown	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
	>0.0		AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
atn	Aids to Navigation		
	0	Unknown	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
	3	Lit	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
	4	Unlit	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-21. Population Obstacle Line Feature Table (continued).

ava	Absolute Vertical Accuracy in Meters			
		-32767.0	Unknown	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		>0.0		AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
bfc	Building Function Category			
		-32768	Null	AK160,AL110,AL130, AL240,AQ010
		0	Unknown	AH050,AL015,AL018
		2	Government Building	AL015,AL018
		3	Capitol Building	AL015,AL018
		4	Castle	AH050
		6	Hospital	AL015,AL018
		7	House of Worship	AL015,AL018
		10	Observatory	AL015,AL018
		11	Palace	AL015,AL018
		13	Prison	AH050,AL015,AL018
		15	School	AL015,AL018
		16	House	AL015,AL018
		17	Multi Unit Dwelling	AL015,AL018
		28	Administration Building	AL015,AL018
		29	Aircraft Maintenance Shop	AL015
		30	Hangar	AL015
		53	Bank	AL015,AL018
		58	Observation	AL015,AL018
		99	Battery	AH050
		105	Reformatory	AL015,AL018
		106	Sanitarium	AL015,AL018
		111	Sportsplex	AL015,AL018
		122	Shopping Center	AL015,AL018
		129	Airport Terminal	AL015
		999	Other	AH050,AL015,AL018
bss	Building Superstructure Shape			
		-32768	Null	AK160,AL018,AL110, AQ010
		0	Unknown	AH050,AL015,AL130, AL240
		1	Monitor	AH050,AL015,AL130
		2	Steeple	AH050,AL015,AL130, AL240
		3	Cupola	AL015,AL130,AL240
		4	Turret	AH050,AL015,AL130
		5	Tower	AH050,AL015,AL130
		6	Minaret	AL015,AL130,AL240
		998	Not Applicable	AH050,AL015,AL130, AL240
		999	Other	AH050,AL015,AL130, AL240

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-21. Population Obstacle Line Feature Table (continued).

cdp	Calendar Date Type			
		0	Unknown	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		18	Receipt	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		19	Source	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		24	Up-to-dateness/revision	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
cdv	Calendar Date Value			
		UNK	Unknown	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		Character	Text String	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
dir	Directivity			
		0	Unknown	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		1	Uni	AK160,AL015,AL018, AL130
		2	Bi	AH050,AK160,AL015, AL018,AL130,AQ010
		3	Omni	AH050,AK160,AL015, AL018,AL110,AL130, AL240
dmf	Density Measure (Feature Count)			
		-32767	Unknown	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		>0		AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
exs	Existence Category			
		0	Unknown	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		5	Under Construction	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		7	Destroyed	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-21. Population Obstacle Line Feature Table (continued).

		8	Dismantled	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		999	Other	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
gug	Guyed or Unguyed Category			
		-32768	Null	AH050,AK160,AL015, AL018,AL130,AQ010
		0	Unknown	AL110,AL240
		1	Guyed	AL110,AL240
		2	Unguyed	AL110,AL240
hgt	Height Above Surface Level [meters]			
		-32767	Unknown	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		>0		AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
hzd	Horizontal Datum			
		0	Unknown	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		300	World Geodetic System 1984	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		999	Other	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
len	Length/Diameter [meters]			
		-32767	Unknown	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		>0		AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
mcc	Material Composition Category			
		0	Unknown	AH050,AK160,AL015, AL018,AL110,AL130, AL240
		20	Composition	AH050,AK160,AL015, AL018,AL110,AL130, AL240
		21	Concrete	AH050,AK160,AL015, AL018,AL110,AL130, AL240

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-21. Population Obstacle Line Feature Table (continued).

		62	Masonry (Brick/Stone)	AH050,AK160,AL015, AL018,AL110,AL130, AL240
		64	Metal	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		72	Part Metal	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		107	Steel	AL015,AL018,AL110, AL130,AL240,AQ010
		117	Wood	AH050,AL015,AL018, AL110,AL130,AL240
		999	Other	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
prm	Permanency			
		1	Permanent	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		2	Temporary	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
qle	Releasability			
		UNK	Unknown	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		Character	Text String	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
sec	Security Classification			
		0	Unknown	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		1	Top Secret	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		2	Secret	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		3	Confidential	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-21. Population Obstacle Line Feature Table (continued).

	4	Restricted	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
	5	Unclassified	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
	999	Other	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
ssc Structure Shape Category			
	-32768	Null	AH050,AL018,AQ010
	0	Unknown	AK160,AL015,AL110, AL130,AL240
	12	Pyramid	AL015,AL130
	17	Spherical (Hemispherical)	AL015,AL130
	52	'A' Frame	AL110,AL130,AL240
	53	'H' Frame	AL110,AL130,AL240
	54	'I' Frame	AL110,AL130,AL240
	56	'Y' Frame	AL110,AL130,AL240
	60	Mast	AL110,AL130,AL240
	65	Cylindrical with flat top	AL130
	66	Cylindrical with domed top	AL130
	71	Cylindrical/Peaked	AL130
	77	Arch	AL130
	79	Round	AL015,AL130,AL240
	80	Rectangular	AL015,AL130,AL240
	83	Square	AL015,AL130,AL240
	84	Irregular	AL015,AL130,AL240
	109	Obelisk	AL015,AL130,AL240
	999	Other	AK160,AL015,AL110, AL130,AL240
ssr Structure Shape of Roof			
	-32768	Null	AL110,AQ010
	0	Unknown	AH050,AK160,AL015, AL018,AL130,AL240
	6	Conical/Peaked/NUN	AL015,AL018,AL130, AL240
	38	Curved/Round (Quonset)	AL015,AL018,AL130, AL240
	40	Dome	AK160,AL015,AL018, AL130,AL240
	41	Flat	AH050,AL015,AL018, AL130,AL240
	42	Gable (Pitched)	AH050,AL015,AL018, AL130,AL240
	47	Sawtooth	AL015,AL018,AL130
	998	Not Applicable	AL130
	999	Other	AH050,AK160,AL015, AL018,AL130,AL240

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-21. Population Obstacle Line Feature Table (continued).

stc	Source Type Code			
		1	Survey Source	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		2	Stereo Imagery Exploitation	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		3	Mono Imagery Exploitation	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		4	Cartographic Source	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		5	Reported Information	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		6	Multispectral	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		7	Hyperspectral	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		8	Synthetic Aperture Radar (SAR)	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		999	Other	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
ttc	Tower Type Category			
		-32768	Null	AH050,AK160,AL015, AL018,AL110,AL130, AQ010
		0	Unknown	AL240
		2	Observation/Lookout	AL240
		12	Fire	AL240
		999	Other	AL240
txt	Text Attribute			
		UNK	Unknown	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		Character	Text String	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-21. Population Obstacle Line Feature Table (continued).

vdc	Vertical (Sounding) Datum Category			
		0	Unknown	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		15	Mean Sea Level	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		999	Other	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
voi	Vertical Obstruction Identifier			
		UNK	Unknown	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		Character	Text String	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
wid	Width [meters]			
		-32768	Null	AQ010
		-32767	Unknown	AH050,AK160,AL015, AL018,AL110,AL130, AL240
		>0		AH050,AK160,AL015, AL018,AL110,AL130, AL240
zv2	Highest Z-Value [meters]			
		-32767	Unknown	AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010
		>=-400 and <=30000		AH050,AK160,AL015, AL018,AL110,AL130, AL240,AQ010

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-22. Transportation Obstacle Line Feature Table.

Thematic Layer: Obstructions
Coverage Name: obs
Feature Table Description: Transportation Obstacle Line Feature Table
Table Name: transl.lft
Thematic Index ID Number: 19

```
{Header length}L;
Transportation Obstacle Line Feature Table;-;
id=I,1,P,Row Identifier,-,-,-,:
f_code=T,5,N,FACC Feature Code,char.vdt,f_code19.lti,-,:
aha=F,1,N,Absolute Horizontal Accuracy in Meters,-,-,-,:
aho=F,1,N,Accuracy of Obstruction Height Above Ground Level,-,-,-,:
atn=S,1,N,Aids to Navigation,int.vdt,-,-,:
ava=F,1,N,Absolute Vertical Accuracy in Meters,-,-,-,:
bot=S,1,N,Bridge Opening Type,int.vdt,-,-,:
bsc=S,1,N,Bridge/Bridge Superstructure Category,int.vdt,-,-,:
cdp=S,1,N,Calendar Date Type,int.vdt,-,-,:
cdv=T,8,N,Calendar Date Value,char.vdt,-,-,:
dir=S,1,N,Directivity,int.vdt,-,-,:
dmf=S,1,N,Density Measure (Feature Count),int.vdt,-,-,:
exs=S,1,N,Existence Category,int.vdt,-,-,:
hgt=S,1,N,Height Above Surface Level,int.vdt,-,-,:
hzd=S,1,N,Horizontal Datum,int.vdt,-,-,:
len=S,1,N,Length/Diameter,int.vdt,-,-,:
mcc=S,1,N,Material Composition Category,int.vdt,-,-,:
prm=S,1,N,Permanency,int.vdt,-,-,:
qle=T,4,N,Releasability,char.vdt,-,-,:
sec=S,1,N,Security Classification,int.vdt,-,-,:
stc=S,1,N,Source Type Code,int.vdt,-,-,:
txt=T,*,N,Text Attribute,char.vdt,-,-,:
vdc=S,1,N,Vertical (Sounding) Datum Category,int.vdt,-,-,:
voi=T,11,N,Vertical Obstruction Identifier,char.vdt,-,-,:
wid=S,1,N,Width,int.vdt,-,-,:
zv2=S,1,N,Highest Z-Value,int.vdt,-,-,:;
```

Column	Description Value	Value Meaning	Applicable f_code for Each Attribute Value
id	Row Identifier	Sequential beginning with 1	
f_code	FACC Feature Code		
	AQ040	Bridge/Overpass/Viaduct	
	AQ050	Bridge Superstructure	
aha	Absolute Horizontal Accuracy in Meters		
	-32767.0	Unknown	AQ040,AQ050
	>0.0		AQ040,AQ050
aho	Accuracy of Obstruction Height Above Ground Level [meters]		
	-32767.0	Unknown	AQ040,AQ050
	>0.0		AQ040,AQ050

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-22. Transportation Obstacle Line Feature Table (continued).

atn	Aids to Navigation			
		0	Unknown	AQ040,AQ050
		3	Lit	AQ040,AQ050
		4	Unlit	AQ040,AQ050
ava	Absolute Vertical Accuracy in Meters			
		-32767.0	Unknown	AQ040,AQ050
		>0.0		AQ040,AQ050
bot	Bridge Opening Type			
		-32768	Null	AQ050
		0	Unknown	AQ040
		4	Draw/Bascule	AQ040
		10	Swing	AQ040
		11	Lift	AQ040
		13	Not Applicable	AQ040
		999	Other	AQ040
bsc	Bridge/Bridge Superstructure Category			
		0	Unknown	AQ040,AQ050
		1	Arch (assume open spandrel)	AQ040,AQ050
		2	Cantilever	AQ040,AQ050
		3	Deck	AQ040,AQ050
		6	Girder	AQ040,AQ050
		7	Tower Suspension	AQ040,AQ050
		8	Truss	AQ040,AQ050
		9	Suspension	AQ040,AQ050
		12	Transporter	AQ040,AQ050
		15	Slab	AQ040,AQ050
		16	Stringer (beam)	AQ040,AQ050
		17	Arch Suspension	AQ040,AQ050
		26	Arch (closed spandrel)	AQ040,AQ050
		27	Cable Stayed	AQ040,AQ050
		999	Other	AQ040,AQ050
cdp	Calendar Date Type			
		0	Unknown	AQ040,AQ050
		18	Receipt	AQ040,AQ050
		19	Source	AQ040,AQ050
		24	Up-to-dateness/revision	AQ040,AQ050
cdv	Calendar Date Value			
		UNK	Unknown	AQ040,AQ050
		Character	Text String	AQ040,AQ050
dir	Directivity			
		0	Unknown	AQ040,AQ050
		2	Bi	AQ040,AQ050
		3	Omni	AQ040,AQ050

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-22. Transportation Obstacle Line Feature Table (continued).

dmf	Density Measure (Feature Count)			
		-32767	Unknown	AQ040,AQ050
		>0		AQ040,AQ050
exs	Existence Category			
		0	Unknown	AQ040,AQ050
		5	Under Construction	AQ040,AQ050
		7	Destroyed	AQ040,AQ050
		8	Dismantled	AQ040,AQ050
		999	Other	AQ040,AQ050
hgt	Height Above Surface Level [meters]			
		-32767	Unknown	AQ040,AQ050
		>0		AQ040,AQ050
hzd	Horizontal Datum			
		0	Unknown	AQ040,AQ050
		300	World Geodetic System 1984	AQ040,AQ050
		999	Other	AQ040,AQ050
len	Length/Diameter [meters]			
		-32767	Unknown	AQ040,AQ050
		>0		AQ040,AQ050
mcc	Material Composition Category			
		0	Unknown	AQ040,AQ050
		20	Composition	AQ040,AQ050
		21	Concrete	AQ040,AQ050
		62	Masonry (Brick/Stone)	AQ040,AQ050
		64	Metal	AQ040,AQ050
		72	Part Metal	AQ040,AQ050
		107	Steel	AQ040,AQ050
		117	Wood	AQ040,AQ050
		999	Other	AQ040,AQ050
prm	Permanency			
		1	Permanent	AQ040,AQ050
		2	Temporary	AQ040,AQ050
qle	Releasability			
		UNK	Unknown	AQ040,AQ050
		Character	Text String	AQ040,AQ050
sec	Security Classification			
		0	Unknown	AQ040,AQ050
		1	Top Secret	AQ040,AQ050
		2	Secret	AQ040,AQ050
		3	Confidential	AQ040,AQ050
		4	Restricted	AQ040,AQ050
		5	Unclassified	AQ040,AQ050
		999	Other	AQ040,AQ050

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-22. Transportation Obstacle Line Feature Table (continued).

stc	Source Type Code			
		1	Survey Source	AQ040,AQ050
		2	Stereo Imagery Exploitation	AQ040,AQ050
		3	Mono Imagery Exploitation	AQ040,AQ050
		4	Cartographic Source	AQ040,AQ050
		5	Reported Information	AQ040,AQ050
		6	Multispectral	AQ040,AQ050
		7	Hyperspectral	AQ040,AQ050
		8	Synthetic Aperture Radar (SAR)	AQ040,AQ050
		999	Other	AQ040,AQ050
txt	Text Attribute			
		UNK	Unknown	AQ040,AQ050
		Character	Text String	AQ040,AQ050
vdc	Vertical (Sounding) Datum Category			
		0	Unknown	AQ040,AQ050
		15	Mean Sea Level	AQ040,AQ050
		999	Other	AQ040,AQ050
voi	Vertical Obstruction Identifier			
		UNK	Unknown	AQ040,AQ050
		Character	Text String	AQ040,AQ050
wid	Width [meters]			
		-32767	Unknown	AQ040,AQ050
		>0		AQ040,AQ050
zv2	Highest Z-Value [meters]			
		-32767	Unknown	AQ040,AQ050
		>=-400 and <=30000		AQ040,AQ050

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-23. Utility Obstacle Line Feature Table.

Thematic Layer: Obstructions
Coverage Name: obs
Feature Table Description: Utility Obstacle Line Feature Table
Table Name: utill.lft
Thematic Index ID Number: 20

```
{Header length}L;
Utility Obstacle Line Feature Table;-;
id=I,1,P,Row Identifier,-,-,-,:
f_code=T,5,N,FACC Feature Code,char.vdt,f_code20.lti,-,:
aha=F,1,N,Absolute Horizontal Accuracy in Meters,-,-,-,:
aho=F,1,N,Accuracy of Obstruction Height Above Ground Level,-,-,-,:
atn=S,1,N,Aids to Navigation,int.vdt,-,-,:
ava=F,1,N,Absolute Vertical Accuracy in Meters,-,-,-,:
bfc=S,1,N,Building Function Category,int.vdt,-,-,:
bss=S,1,N,Building Superstructure Shape,int.vdt,-,-,:
cdp=S,1,N,Calendar Date Type,int.vdt,-,-,:
cdv=T,8,N,Calendar Date Value,char.vdt,-,-,:
dir=S,1,N,Directivity,int.vdt,-,-,:
dmf=S,1,N,Density Measure (Feature Count),int.vdt,-,-,:
exs=S,1,N,Existence Category,int.vdt,-,-,:
gug=S,1,N,Guyed or Unguyed Category,int.vdt,-,-,:
hgt=S,1,N,Height Above Surface Level,int.vdt,-,-,:
hzd=S,1,N,Horizontal Datum,int.vdt,-,-,:
kva=S,1,N,Kilovolt Capacity Attribute,int.vdt,-,-,:
len=S,1,N,Length/Diameter,int.vdt,-,-,:
mcc=S,1,N,Material Composition Category,int.vdt,-,-,:
nst=S,1,N,Navigation System Types,int.vdt,-,-,:
pfg=F,1,N,Predominant Feature Height With greater than 1 meter resolution,-,-,-:
prm=S,1,N,Permanency,int.vdt,-,-,:
qle=T,4,N,Releasability,char.vdt,-,-,:
sec=S,1,N,Security Classification,int.vdt,-,-,:
ssc=S,1,N,Structure Shape Category,int.vdt,-,-,:
ssr=S,1,N,Structure Shape of Roof,int.vdt,-,-,:
stc=S,1,N,Source Type Code,int.vdt,-,-,:
tst=s,1,N,Transmission Line Suspension,int.vdt,-,-,:
txt=T,*,N,Text Attribute,char.vdt,-,-,:
vdc=S,1,N,Vertical (Sounding) Datum Category,int.vdt,-,-,:
voi=T,11,N,Vertical Obstruction Identifier,char.vdt,-,-,:
zv2=S,1,N,Highest Z-Value,int.vdt,-,-,:;
```

Column	Description Value	Value Meaning	Applicable f_code for Each Attribute Value
id	Row Identifier	Sequential beginning with 1	
f_code	FACC Feature Code		
	AQ113	Pipeline/Pipe	
	AT030	Power Transmission Line	
	AT050	Communication Building	
	AT060	Telephone Line/Telegraph Line	
	AT080	Communication Tower	

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-23. Utility Obstacle Line Feature Table (continued).

aha	Absolute Horizontal Accuracy in Meters			
		-32767.0	Unknown	AQ113,AT030,AT050, AT060,AT080
		>0.0		AQ113,AT030,AT050, AT060,AT080
aho	Accuracy of Obstruction Height Above Ground Level [meters]			
		-32767.0	Unknown	AQ113,AT030,AT050, AT060,AT080
		>0.0		AQ113,AT030,AT050, AT060,AT080
atn	Aids to Navigation			
		0	Unknown	AQ113,AT030,AT050, AT060,AT080
		3	Lit	AQ113,AT030,AT050, AT060,AT080
		4	Unlit	AQ113,AT030,AT050, AT060,AT080
ava	Absolute Vertical Accuracy in Meters			
		-32767.0	Unknown	AQ113,AT030,AT050, AT060,AT080
		>0.0		AQ113,AT030,AT050, AT060,AT080
bfc	Building Function Category			
		-32768	Null	AQ113,AT030,AT060, AT080
		0	Unknown	AT050
		40	Telephone Switching Station	AT050
		86	Telephone Exchange (Main)	AT050
bss	Building Superstructure Shape			
		-32768	Null	AQ113,AT030,AT060, AT080
		0	Unknown	AT050
		5	Tower	AT050
		998	Not Applicable	AT050
		999	Other	AT050
cdp	Calendar Date Type			
		0	Unknown	AQ113,AT030,AT050, AT060,AT080
		18	Receipt	AQ113,AT030,AT050, AT060,AT080
		19	Source	AQ113,AT030,AT050, AT060,AT080
		24	Up-to-dateness/revision	AQ113,AT030,AT050, AT060,AT080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-23. Utility Obstacle Line Feature Table (continued).

cdv	Calendar Date Value			
		UNK	Unknown	AQ113,AT030,AT050, AT060,AT080
		Character	Text String	AQ113,AT030,AT050, AT060,AT080
dir	Directivity			
		0	Unknown	AQ113,AT030,AT050, AT060,AT080
		2	Bi	AQ113,AT030,AT050, AT060
		3	Omni	AQ113,AT050,AT080
dmf	Density Measure (Feature Count)			
		-32767	Unknown	AQ113,AT030,AT050, AT060,AT080
		>0		AQ113,AT030,AT050, AT060,AT080
exs	Existence Category			
		0	Unknown	AQ113,AT030,AT050, AT060,AT080
		5	Under Construction	AQ113,AT030,AT050, AT060,AT080
		7	Destroyed	AQ113,AT030,AT050, AT060,AT080
		8	Dismantled	AQ113,AT030,AT050, AT060,AT080
		999	Other	AQ113,AT030,AT050, AT060,AT080
gug	Guyed or Unguyed Category			
		-32768	Null	AQ113,AT030,AT050, AT060
		0	Unknown	AT080
		1	Guyed	AT080
		2	Unguyed	AT080
hgt	Height Above Surface Level [meters]			
		-32767	Unknown	AQ113,AT030,AT050, AT060,AT080
		>0		AQ113,AT030,AT050, AT060,AT080
hzd	Horizontal Datum			
		0	Unknown	AQ113,AT030,AT050, AT060,AT080
		300	World Geodetic System 1984	AQ113,AT030,AT050, AT060,AT080
		999	Other	AQ113,AT030,AT050, AT060,AT080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-23. Utility Obstacle Line Feature Table (continued).

kva	Kilovolt Capacity Attribute			
		-32768	Null	AQ113,AT050,AT060, AT080
		-32767	Unknown	AT030
		>0		AT030
len	Length/Diameter [meters]			
		-32767	Unknown	AQ113,AT030,AT050, AT060,AT080
		>0		AQ113,AT030,AT050, AT060,AT080
mcc	Material Composition Category			
		0	Unknown	AQ113,AT030,AT050, AT060,AT080
		20	Composition	AT050,AT080
		21	Concrete	AQ113,AT050,AT080
		62	Masonry (Brick/Stone)	AQ113,AT050,AT080
		64	Metal	AQ113,AT030,AT050, AT060,AT080
		72	Part Metal	AQ113,AT050,AT080
		107	Steel	AQ113,AT050,AT080
		117	Wood	AQ113,AT050,AT080
		999	Other	AQ113,AT030,AT050, AT060,AT080
nst	Navigation System Types			
		-32768	Null	AQ113,AT030,AT050, AT060
		0	Unknown	AT080
		12	Radio	AT080
		15	TV	AT080
		16	Microwave	AT080
		998	Not Applicable	AT080
		999	Other	AT080
pfg	Predominant Feature Height With greater than 1 meter resolution			
		NaN	Null	AQ113,AT050
		-32767.0	Unknown	AT030,AT060,AT080
		>0.0		AT030,AT060,AT080
prm	Permanency			
		1	Permanent	AQ113,AT030,AT050, AT060,AT080
		2	Temporary	AQ113,AT030,AT050, AT060,AT080
qle	Releasability			
		UNK	Unknown	AQ113,AT030,AT050, AT060,AT080
		Character	Text String	AQ113,AT030,AT050, AT060,AT080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-23. Utility Obstacle Line Feature Table (continued).

sec	Security Classification			
		0	Unknown	AQ113,AT030,AT050, AT060,AT080
		1	Top Secret	AQ113,AT030,AT050, AT060,AT080
		2	Secret	AQ113,AT030,AT050, AT060,AT080
		3	Confidential	AQ113,AT030,AT050, AT060,AT080
		4	Restricted	AQ113,AT030,AT050, AT060,AT080
		5	Unclassified	AQ113,AT030,AT050, AT060,AT080
		999	Other	AQ113,AT030,AT050, AT060,AT080
ssc	Structure Shape Category			
		-32768	Null	AQ113,AT030,AT060
		0	Unknown	AT050,AT080
		52	'A' Frame	AT080
		53	'H' Frame	AT080
		54	'I' Frame	AT080
		56	'Y' Frame	AT080
		60	Mast	AT080
		79	Round	AT050
		80	Rectangular	AT050
		83	Square	AT050
		84	Irregular	AT050
		999	Other	AT050,AT080
ssr	Structure Shape of Roof			
		-32768	Null	AQ113,AT030,AT060, AT080
		0	Unknown	AT050
		40	Dome	AT050
		41	Flat	AT050
		42	Gable (Pitched)	AT050
		999	Other	AT050
stc	Source Type Code			
		1	Survey Source	AQ113,AT030,AT050, AT060,AT080
		2	Stereo Imagery Exploitation	AQ113,AT030,AT050, AT060,AT080
		3	Mono Imagery Exploitation	AQ113,AT030,AT050, AT060,AT080
		4	Cartographic Source	AQ113,AT030,AT050, AT060,AT080
		5	Reported Information	AQ113,AT030,AT050, AT060,AT080
		6	Multispectral	AQ113,AT030,AT050, AT060,AT080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-23. Utility Obstacle Line Feature Table (continued).

		7	Hyperspectral	AQ113,AT030,AT050, AT060,AT080
		8	Synthetic Aperture Radar (SAR)	AQ113,AT030,AT050, AT060,AT080
		999	Other	AQ113,AT030,AT050, AT060,AT080
tst	Transmission line Suspension			
		-32768	Null	AQ113,AT050,AT080
		0	Unknown	AT030,AT060
		1	Normal Suspension	AT030,AT060
		2	Catenary (Over Mountains)	AT030,AT060
		3	Catenary (Over Water)	AT030,AT060
		998	Not Applicable	AT030,AT060
		999	Other	AT030,AT060
txt	Text Attribute			
		UNK	Unknown	AQ113,AT030,AT050, AT060,AT080
		Character	Text String	AQ113,AT030,AT050, AT060,AT080
vdc	Vertical (Sounding) Datum Category			
		0	Unknown	AQ113,AT030,AT050, AT060,AT080
		15	Mean Sea Level	AQ113,AT030,AT050, AT060,AT080
		999	Other	AQ113,AT030,AT050, AT060,AT080
voi	Vertical Obstruction Identifier			
		UNK	Unknown	AQ113,AT030,AT050, AT060,AT080
		Character	Text String	AQ113,AT030,AT050, AT060,AT080
zv2	Highest Z-Value [meters]			
		-32767	Unknown	AQ113,AT030,AT050, AT060,AT080
	>=-400 and <=30000			AQ113,AT030,AT050, AT060,AT080

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-24. Obstructions Feature Class Attribute Table.

Thematic Layer: Obstructions
Coverage Name: obs
Feature Table Description: Obstructions Feature Class Attribute Table
Table Name: fca

```
{Header length}L;
Obstructions Feature Class Attribute Table;-;
id=I,1,P,Row Identifier,-,-,-,:
fclass=T,8,U,Feature Class Name,-,-,-,:
type=T,1,N,Feature Type,char.vdt,-,-,:
descr=T,*,N,Description,-,-,-,:;
```

Column	Description Value	Value Meaning	Applicable f_code for Each Attribute Value
id	Row Identifier	Sequential beginning with 1	
fclass	Feature Class Name		
	aerop		
	hydrop		
	indp		
	iwap		
	popp		
	transp		
	utilp		
	aeroc		
	hydroc		
	indc		
	iwac		
	popc		
	transc		
	utilc		
	aerol		
	indl		
	iwal		
	popl		
	transl		
	utill		
type	Feature Type		
	P	Point/Node Feature	aerop hydrop indp iwap popp transp utilp aeroc hydroc indc

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-24. Obstructions Feature Class Attribute Table (continued).

				iwac popc transc utilc
		L	Line Feature	areol indl iwal popl transl utill
descr	Description		Aeronautical Obstacle Point Feature	aerop
			Hydrographic Obstacle Point Feature	hydrop
			Industry Obstacle Point Feature	indp
			Inland Water Obstacle Point Feature	iwap
			Population Obstacle Point Feature	popp
			Transportation Obstacle Point Feature	transp
			Utility Obstacle Point Feature	utilp
			Aeronautical Obstacle Connected Node Feature	aeroc
			Hydrographic Obstacle Connected Node Feature	hydroc
			Industry Obstacle Connected Node Feature	indc
			Inland Water Obstacle Connected Node Feature	iwac
			Population Obstacle Connected Node Feature	popc
			Transportation Obstacle Connected Node Feature	transc
			Utility Obstacle Connected Node Feature	utilc
			Aeronautical Obstacle Line Feature	aerol
			Industry Obstacle Line Feature	indl
			Inland Water Obstacle Line Feature	iwal
			Population Obstacle Line Feature	popl
			Transportation Obstacle Line Feature	transl
			Utility Obstacle Line Feature	utill

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-25. Obstructions Feature Class Schema Table.

Thematic Layer: Obstructions
Coverage Name: obs
Feature Table Description: Obstructions Feature Class Schema Table
Table Name: fcs

```
{Header length}L;
Obstructions Feature Class Schema Table;-;
id=I,1,P,Row Identifier,-,-,-,:
feature_class=T,8,N,Name of Feature Class,-,-,-,:
table1=T,12,N,First Table,-,-,-,:
table1_key=T,16,N,Column Name in First Table,-,-,-,:
table2=T,12,N,Second Table,-,-,-,:
table2_key=T,16,N,Column Name in Second Table,-,-,-,:;
```

1.	aerop	aerop.pft	id	aerop.pjt	aerop.pft_id
2.	aerop	aerop.pjt	end_id	end	id
3.	aerop	end	id	aerop.pjt	end_id
4.	aerop	aerop.pjt	aerop.pft_id	aerop.pft	id
5.	aerop	aerop.pft	id	aerop.njt	aerop.pft_id
6.	aerop	aerop.njt	notes.rat_id	notes.rat	id
7.	aerop	notes.rat	id	aerop.njt	notes.rat_id
8.	aerop	aerop.njt	aerop.pft_id	aerop.pft	id
9.	hydrop	hydrop.pft	id	hydrop.pjt	hydrop.pft_id
10.	hydrop	hydrop.pjt	end_id	end	id
11.	hydrop	end	id	hydrop.pjt	end_id
12.	hydrop	hydrop.pjt	hydrop.pft_id	hydrop.pft	id
13.	hydrop	hydrop.pft	id	hydrop.njt	hydrop.pft_id
14.	hydrop	hydrop.njt	notes.rat_id	notes.rat	id
15.	hydrop	notes.rat	id	hydrop.njt	notes.rat_id
16.	hydrop	hydrop.njt	hydrop.pft_id	hydrop.pft	id
17.	indp	indp.pft	id	indp.pjt	indp.pft_id
18.	indp	indp.pjt	end_id	end	id
19.	indp	end	id	indp.pjt	end_id
20.	indp	indp.pjt	indp.pft_id	indp.pft	id
21.	indp	indp.pft	id	indp.njt	indp.pft_id
22.	indp	indp.njt	notes.rat_id	notes.rat	id
23.	indp	notes.rat	id	indp.njt	notes.rat_id
24.	indp	indp.njt	indp.pft_id	indp.pft	id
25.	iwap	iwap.pft	id	iwap.pjt	iwap.pft_id
26.	iwap	iwap.pjt	end_id	end	id
27.	iwap	end	id	iwap.pjt	end_id
28.	iwap	iwap.pjt	iwap.pft_id	iwap.pft	id
29.	iwap	iwap.pft	id	iwap.njt	iwap.pft_id
30.	iwap	iwap.njt	notes.rat_id	notes.rat	id
31.	iwap	notes.rat	id	iwap.njt	notes.rat_id
32.	iwap	iwap.njt	iwap.pft_id	iwap.pft	id
33.	popp	popp.pft	id	popp.pjt	popp.pft_id
34.	popp	popp.pjt	end_id	end	id
35.	popp	end	id	popp.pjt	end_id
36.	popp	popp.pjt	popp.pft_id	popp.pft	id
37.	popp	popp.pft	id	popp.njt	popp.pft_id
38.	popp	popp.njt	notes.rat_id	notes.rat	id
39.	popp	notes.rat	id	popp.njt	notes.rat_id
40.	popp	popp.njt	popp.pft_id	popp.pft	id

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-25. Obstructions Feature Class Schema Table (continued).

41.	transp	transp.pft	id	transp.pjt	transp.pft_id
42.	transp	transp.pjt	end_id	end	id
43.	transp	end	id	transp.pjt	end_id
44.	transp	transp.pjt	transp.pft_id	transp.pft	id
45.	transp	transp.pft	id	transp.njt	transp.pft_id
46.	transp	transp.njt	notes.rat_id	notes.rat	id
47.	transp	notes.rat	id	transp.njt	notes.rat_id
48.	transp	transp.njt	transp.pft_id	transp.pft	id
49.	utilp	utilp.pft	id	utilp.pjt	utilp.pft_id
50.	utilp	utilp.pjt	end_id	end	id
51.	utilp	end	id	utilp.pjt	end_id
52.	utilp	utilp.pjt	utilp.pft_id	utilp.pft	id
53.	utilp	utilp.pft	id	utilp.njt	utilp.pft_id
54.	utilp	utilp.njt	notes.rat_id	notes.rat	id
55.	utilp	notes.rat	id	utilp.njt	notes.rat_id
56.	utilp	utilp.njt	utilp.pft_id	utilp.pft	id
57.	aeroc	aeroc.pft	id	aeroc.pjt	aeroc.pft_id
58.	aeroc	aeroc.pjt	cnd_id	cnd	id
59.	aeroc	cnd	id	aeroc.pjt	cnd_id
60.	aeroc	aeroc.pjt	aeroc.pft_id	aeroc.pft	id
61.	aeroc	aeroc.pft	id	aeroc.njt	aeroc.pft_id
62.	aeroc	aeroc.njt	notes.rat_id	notes.rat	id
63.	aeroc	notes.rat	id	aeroc.njt	notes.rat_id
64.	aeroc	aeroc.njt	aeroc.pft_id	aeroc.pft	id
65.	hydroc	hydroc.pft	id	hydroc.pjt	hydroc.pft_id
66.	hydroc	hydroc.pjt	cnd_id	cnd	id
67.	hydroc	cnd	id	hydroc.pjt	cnd_id
68.	hydroc	hydroc.pjt	hydroc.pft_id	hydroc.pft	id
69.	hydroc	hydroc.pft	id	hydroc.njt	hydroc.pft_id
70.	hydroc	hydroc.njt	notes.rat_id	notes.rat	id
71.	hydroc	notes.rat	id	hydroc.njt	notes.rat_id
72.	hydroc	hydroc.njt	hydroc.pft_id	hydroc.pft	id
73.	indc	indc.pft	id	indc.pjt	indc.pft_id
74.	indc	indc.pjt	cnd_id	cnd	id
75.	indc	cnd	id	indc.pjt	cnd_id
76.	indc	indc.pjt	indc.pft_id	indc.pft	id
77.	indc	indc.pft	id	indc.njt	indc.pft_id
78.	indc	indc.njt	notes.rat_id	notes.rat	id
79.	indc	notes.rat	id	indc.njt	notes.rat_id
80.	indc	indc.njt	indc.pft_id	indc.pft	id
81.	iwac	iwac.pft	id	iwac.pjt	iwac.pft_id
82.	iwac	iwac.pjt	cnd_id	cnd	id
83.	iwac	cnd	id	iwac.pjt	cnd_id
84.	iwac	iwac.pjt	iwac.pft_id	iwac.pft	id
85.	iwac	iwac.pft	id	iwac.njt	iwac.pft_id
86.	iwac	iwac.njt	notes.rat_id	notes.rat	id
87.	iwac	notes.rat	id	iwac.njt	notes.rat_id
88.	iwac	iwac.njt	iwac.pft_id	iwac.pft	id

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-25. Obstructions Feature Class Schema Table (continued).

89.	popc	popc.pft	id	popc.pjt	popc.pft_id
90.	popc	popc.pjt	cnd_id	cnd	id
91.	popc	cnd	id	popc.pjt	cnd_id
92.	popc	popc.pjt	popc.pft_id	popc.pft	id
93.	popc	popc.pft	id	popc.njt	popc.pft_id
94.	popc	popc.njt	notes.rat_id	notes.rat	id
95.	popc	notes.rat	id	popc.njt	notes.rat_id
96.	popc	popc.njt	popc.pft_id	popc.pft	id
97.	transc	transc.pft	id	transc.pjt	transc.pft_id
98.	transc	transc.pjt	cnd_id	cnd	id
99.	transc	cnd	id	transc.pjt	cnd_id
100.	transc	transc.pjt	transc.pft_id	transc.pft	id
101.	transc	transc.pft	id	transc.njt	transc.pft_id
102.	transc	transc.njt	notes.rat_id	notes.rat	id
103.	transc	notes.rat	id	transc.njt	notes.rat_id
104.	transc	transc.njt	transc.pft_id	transc.pft	id
105.	utilc	utilc.pft	id	utilc.pjt	utilc.pft_id
106.	utilc	utilc.pjt	cnd_id	cnd	id
107.	utilc	cnd	id	utilc.pjt	cnd_id
108.	utilc	utilc.pjt	utilc.pft_id	utilc.pft	id
109.	utilc	utilc.pft	id	utilc.njt	utilc.pft_id
110.	utilc	utilc.njt	notes.rat_id	notes.rat	id
111.	utilc	notes.rat	id	utilc.njt	notes.rat_id
112.	utilc	utilc.njt	utilc.pft_id	utilc.pft	id
113.	aerol	aerol.lft	id	aerol.ljt	aerol.lft_id
114.	aerol	aerol.ljt	edg_id	edg	id
115.	aerol	edg	id	aerol.ljt	edg_id
116.	aerol	aerol.ljt	aerol.lft_id	aerol.lft	id
117.	aerol	aerol.lft	id	aerol.njt	aerol.lft_id
118.	aerol	aerol.njt	notes.rat_id	notes.rat	id
119.	aerol	notes.rat	id	aerol.njt	notes.rat_id
120.	aerol	aerol.njt	aerol.lft_id	aerol.lft	id
121.	indl	indl.lft	id	indl.ljt	indl.lft_id
122.	indl	indl.ljt	edg_id	edg	id
123.	indl	edg	id	indl.ljt	edg_id
124.	indl	indl.ljt	indl.lft_id	indl.lft	id
125.	indl	indl.lft	id	indl.njt	indl.lft_id
126.	indl	indl.njt	notes.rat_id	notes.rat	id
127.	indl	notes.rat	id	indl.njt	notes.rat_id
128.	indl	indl.njt	indl.lft_id	indl.lft	id
129.	iwal	iwal.lft	id	iwal.ljt	iwal.lft_id
130.	iwal	iwal.ljt	edg_id	edg	id
131.	iwal	edg	id	iwal.ljt	edg_id
132.	iwal	iwal.ljt	iwal.lft_id	iwal.lft	id
133.	iwal	iwal.lft	id	iwal.njt	iwal.lft_id
134.	iwal	iwal.njt	notes.rat_id	notes.rat	id
135.	iwal	notes.rat	id	iwal.njt	notes.rat_id
136.	iwal	iwal.njt	iwal.lft_id	iwal.lft	id

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

TABLE C-25. Obstructions Feature Class Schema Table (continued).

137.	popl	popl.lft	id	popl.ljt	popl.lft_id
138.	popl	popl.ljt	edg_id	edg	id
139.	popl	edg	id	popl.ljt	edg_id
140.	popl	popl.ljt	popl.lft_id	popl.lft	id
141.	popl	popl.lft	id	popl.njt	popl.lft_id
142.	popl	popl.njt	notes.rat_id	notes.rat	id
143.	popl	notes.rat	id	popl.njt	notes.rat_id
144.	popl	popl.njt	popl.lft_id	popl.lft	id
145.	transl	transl.lft	id	transl.ljt	transl.lft_id
146.	transl	transl.ljt	edg_id	edg	id
147.	transl	edg	id	transl.ljt	edg_id
148.	transl	transl.ljt	transl.lft_id	transl.lft	id
149.	transl	transl.lft	id	transl.njt	transl.lft_id
150.	transl	transl.njt	notes.rat_id	notes.rat	id
151.	transl	notes.rat	id	transl.njt	notes.rat_id
152.	transl	transl.njt	transl.lft_id	transl.lft	id
153.	utill	utill.lft	id	utill.ljt	utill.lft_id
154.	utill	utill.ljt	edg_id	edg	id
155.	utill	edg	id	utill.ljt	edg_id
156.	utill	utill.ljt	utill.lft_id	utill.lft	id
157.	utill	utill.lft	id	utill.njt	utill.lft_id
158.	utill	utill.njt	notes.rat_id	notes.rat	id
159.	utill	notes.rat	id	utill.njt	notes.rat_id
160.	utill	utill.njt	utill.lft_id	utill.lft	id

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

VVOD FEATURE AND ATTRIBUTE GLOSSARY

D.1 SCOPE

D.1.1 Scope. This appendix contains the feature and attribute content for VVOD data It is a mandatory part of this specification sheet. The information contained herein is intended for compliance.

D.2 APPLICABLE DOCUMENTS

This section is not applicable to this appendix.

D.3 FEATURE CODES BY COVERAGE AND FEATURE TYPE

D.3.1 VVOD feature and attribute data dictionary organization.

a. This appendix provides two tables detailing the location and types of features and attributes found in the VVOD data dictionary. For a coverage there is a series of tables that describe the data in that coverage.

b. The first table is an index list sorted by coverage of the feature names and codes, their associated attribute names and codes, and table types.

c. The second table is a similar consolidated index sorted by feature code, of the feature names and codes, their associated attribute names and codes, their associated coverages and primitive feature table type.

d. In addition, this appendix contains the definitions of the feature codes and the attributes that are contained in VVOD.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
dq Data Quality							
N/A	**Featureless Feature Table**						
	aha	Absolute Horizontal Accuracy in Meters	☐	☐	☐	☑	☐
	ava	Absolute Vertical Accuracy in Meters	☐	☐	☐	☑	☐
	dqd	Data Quality Description	☐	☐	☑	☑	☐
	mcd	Map Compilation Date	☐	☐	☐	☑	☐
	mpd	Map Print Date	☐	☐	☐	☑	☐
	mrd	Map Revision Date	☐	☐	☐	☑	☐
	mse	Map Sheet Edition	☐	☐	☐	☑	☐
	sdp	Source Description	☐	☐	☐	☑	☐
	sin	Source Identification	☐	☐	☐	☑	☐
	ss1	First Source Sheet or Data Identifier	☐	☐	☑	☐	☐
	ss2	Second Source Sheet or Data Identifier	☐	☐	☑	☐	☐
	thl	Data Quality Thematic Layer	☐	☐	☑	☑	☐
ZD020	**Void Collection Area**						
	vca	Void Collection Attribute					
		000 Unknown	☐	☐	☐	☑	☐
		001 Data Not Requested By User	☐	☐	☐	☑	☐
		002 Area Too Rough to Collect	☐	☐	☐	☑	☐
		003 No Available Imagery	☐	☐	☐	☑	☐
		006 No Available Map Source	☐	☐	☐	☑	☐
		007 No Suitable Imagery	☐	☐	☐	☑	☐
	vct	Void Collection Type					
		000 Unknown	☐	☐	☐	☑	☐
		001 Relief	☐	☐	☐	☑	☐
		999 Other	☐	☐	☐	☑	☐
ZD045	**Text Description**						
	n/a	No Attributes Required	☐	☐	☐	☐	☑
obs Obstructions							
AA040	**Rig/Superstructure**						
	afa	Available Facilities					
		000 Unknown	☑	☑	☐	☐	☐
		019 Helipad	☑	☑	☐	☐	☐
		995 None	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	aha	Absolute Horizontal Accuracy in Meters	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	☑	☑	☐	☐	☐
	atn	Aids to Navigation					
		000 Unknown	☑	☑	☐	☐	☐
		003 Lit	☑	☑	☐	☐	☐
		004 Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AA040	**Rig/Superstructure**							
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☐	☐	☐
		018	Receipt	☑	☑	☐	☐	☐
		019	Source	☑	☑	☐	☐	☐
		024	Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value		☑	☑	☐	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☐	☐	☐
		003	Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☐	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☐	☐	☐
		005	Under Construction	☑	☑	☐	☐	☐
		007	Destroyed	☑	☑	☐	☐	☐
		008	Dismantled	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level		☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☐	☐	☐
		300	World Geodetic System 1984	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	loc	Location Category						
		000	Unknown	☑	☑	☐	☐	☐
		008	On Ground Surface	☑	☑	☐	☐	☐
		022	Off Shore	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☐	☐	☐
		064	Metal	☑	☑	☐	☐	☐
		107	Steel	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☐	☐	☐
		002	Temporary	☑	☑	☐	☐	☐
	qle	Releasability		☑	☑	☐	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☐	☐	☐
		001	Top Secret	☑	☑	☐	☐	☐
		002	Secret	☑	☑	☐	☐	☐
		003	Confidential	☑	☑	☐	☐	☐
		004	Restricted	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AA040	**Rig/Superstructure**							
	sec	Security Classification						
		005	Unclassified	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	ssc	Structure Shape Category						
		000	Unknown	☑	☑	☐	☐	☐
		052	'A' Frame	☑	☑	☐	☐	☐
		054	'I' Frame	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☐	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004	Cartographic Source	☑	☑	☐	☐	☐
		005	Reported Information	☑	☑	☐	☐	☐
		006	Multispectral	☑	☑	☐	☐	☐
		007	Hyperspectral	☑	☑	☐	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	txt	Text Attribute		☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☐	☐	☐
		015	Mean Sea Level	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☐	☐	☐
	zv2	Highest Z-Value		☑	☑	☐	☐	☐
AB000	**US-Disposal Site/Waste Pile UK-Refuse Tip/Slag Heap**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☐	☐	☐
		003	Lit	☑	☑	☐	☐	☐
		004	Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☐	☐	☐
		018	Receipt	☑	☑	☐	☐	☐
		019	Source	☑	☑	☐	☐	☐
		024	Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value		☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AB000	**US-Disposal Site/Waste Pile UK-Refuse Tip/Slag Heap**							
	dir	Directivity						
		000	Unknown	☑	☑	☐	☐	☐
		003	Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☐	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☐	☐	☐
		005	Under Construction	☑	☑	☐	☐	☐
		007	Destroyed	☑	☑	☐	☐	☐
		008	Dismantled	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level		☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☐	☐	☐
		300	World Geodetic System 1984	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☐	☐	☐
		064	Metal	☑	☑	☐	☐	☐
		072	Part Metal	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☐	☐	☐
		002	Temporary	☑	☑	☐	☐	☐
	qle	Releasability		☑	☑	☐	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☐	☐	☐
		001	Top Secret	☑	☑	☐	☐	☐
		002	Secret	☑	☑	☐	☐	☐
		003	Confidential	☑	☑	☐	☐	☐
		004	Restricted	☑	☑	☐	☐	☐
		005	Unclassified	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☐	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004	Cartographic Source	☑	☑	☐	☐	☐
		005	Reported Information	☑	☑	☐	☐	☐
		006	Multispectral	☑	☑	☐	☐	☐
		007	Hyperspectral	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AB000	**US-Disposal Site/Waste Pile UK-Refuse Tip/Slag Heap**						
	stc	Source Type Code					
		008 Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	txt	Text Attribute	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category					
		000 Unknown	☑	☑	☐	☐	☐
		015 Mean Sea Level	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	☑	☑	☐	☐	☐
AC000	**Processing Plant/Treatment Plant**						
	aha	Absolute Horizontal Accuracy in Meters	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	☑	☑	☐	☐	☐
	atn	Aids to Navigation					
		000 Unknown	☑	☑	☐	☐	☐
		003 Lit	☑	☑	☐	☐	☐
		004 Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	☑	☑	☐	☐	☐
	bss	Building Superstructure Shape					
		000 Unknown	☑	☑	☐	☐	☐
		001 Monitor	☑	☑	☐	☐	☐
		004 Turret	☑	☑	☐	☐	☐
		005 Tower	☑	☑	☐	☐	☐
		998 Not Applicable	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	cdp	Calendar Date Type					
		000 Unknown	☑	☑	☐	☐	☐
		018 Receipt	☑	☑	☐	☐	☐
		019 Source	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	☑	☑	☐	☐	☐
	dir	Directivity					
		002 Bi	☑	☑	☐	☐	☐
		003 Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	☑	☑	☐	☐	☐
	exs	Existence Category					
		000 Unknown	☑	☑	☐	☐	☐
		005 Under Construction	☑	☑	☐	☐	☐
		007 Destroyed	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AC000	**Processing Plant/Treatment Plant**							
	exs	Existence Category						
		008	Dismantled	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level		☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☐	☐	☐
		300	World Geodetic System 1984	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☐	☐	☐
		020	Composition	☑	☑	☐	☐	☐
		021	Concrete	☑	☑	☐	☐	☐
		062	Masonry (Brick/Stone)	☑	☑	☐	☐	☐
		064	Metal	☑	☑	☐	☐	☐
		072	Part Metal	☑	☑	☐	☐	☐
		107	Steel	☑	☑	☐	☐	☐
		117	Wood	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	pfg	Predominant Feature Height With greater than 1 meter resolution		☑	☑	☐	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☐	☐	☐
		002	Temporary	☑	☑	☐	☐	☐
	pro	Product Category						
		000	Unknown	☑	☑	☐	☐	☐
		013	Chemical	☑	☑	☐	☐	☐
		017	Coal	☑	☑	☐	☐	☐
		019	Coke	☑	☑	☐	☐	☐
		038	Gas	☑	☑	☐	☐	☐
		064	Metal	☑	☑	☐	☐	☐
		067	Oil	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	qle	Releasability		☑	☑	☐	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☐	☐	☐
		001	Top Secret	☑	☑	☐	☐	☐
		002	Secret	☑	☑	☐	☐	☐
		003	Confidential	☑	☑	☐	☐	☐
		004	Restricted	☑	☑	☐	☐	☐
		005	Unclassified	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AC000	**Processing Plant/Treatment Plant**						
	ssr	Structure Shape of Roof					
		000 Unknown	☑	☑	☐	☐	☐
		006 Conical/Peaked/NUN	☑	☑	☐	☐	☐
		038 Curved/Round (Quonset)	☑	☑	☐	☐	☐
		040 Dome	☑	☑	☐	☐	☐
		041 Flat	☑	☑	☐	☐	☐
		042 Gable (Pitched)	☑	☑	☐	☐	☐
		047 Sawtooth	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	stc	Source Type Code					
		001 Survey Source	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004 Cartographic Source	☑	☑	☐	☐	☐
		005 Reported Information	☑	☑	☐	☐	☐
		006 Multispectral	☑	☑	☐	☐	☐
		007 Hyperspectral	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	txt	Text Attribute	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category					
		000 Unknown	☑	☑	☐	☐	☐
		015 Mean Sea Level	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	☑	☑	☐	☐	☐
AC010	**Blast Furnace**						
	aha	Absolute Horizontal Accuracy in Meters	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	☑	☑	☐	☐	☐
	atn	Aids to Navigation					
		000 Unknown	☑	☑	☐	☐	☐
		003 Lit	☑	☑	☐	☐	☐
		004 Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	☑	☑	☐	☐	☐
	cdp	Calendar Date Type					
		000 Unknown	☑	☑	☐	☐	☐
		018 Receipt	☑	☑	☐	☐	☐
		019 Source	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AC010	**Blast Furnace**							
	dir	Directivity						
		000	Unknown	☑	☑	☐	☐	☐
		003	Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☐	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☐	☐	☐
		005	Under Construction	☑	☑	☐	☐	☐
		007	Destroyed	☑	☑	☐	☐	☐
		008	Dismantled	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level		☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☐	☐	☐
		300	World Geodetic System 1984	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☐	☐	☐
		021	Concrete	☑	☑	☐	☐	☐
		062	Masonry (Brick/Stone)	☑	☑	☐	☐	☐
		064	Metal	☑	☑	☐	☐	☐
		072	Part Metal	☑	☑	☐	☐	☐
		107	Steel	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☐	☐	☐
		002	Temporary	☑	☑	☐	☐	☐
	qle	Releasability		☑	☑	☐	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☐	☐	☐
		001	Top Secret	☑	☑	☐	☐	☐
		002	Secret	☑	☑	☐	☐	☐
		003	Confidential	☑	☑	☐	☐	☐
		004	Restricted	☑	☑	☐	☐	☐
		005	Unclassified	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☐	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004	Cartographic Source	☑	☑	☐	☐	☐
		005	Reported Information	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AC010	**Blast Furnace**							
	stc	Source Type Code						
		006	Multispectral	☑	☑	☐	☐	☐
		007	Hyperspectral	☑	☑	☐	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	txt	Text Attribute		☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☐	☐	☐
		015	Mean Sea Level	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☐	☐	☐
	zv2	Highest Z-Value		☑	☑	☐	☐	☐
AC020	**Catalytic Cracker**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☐	☐	☐
		003	Lit	☑	☑	☐	☐	☐
		004	Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☐	☐	☐
		018	Receipt	☑	☑	☐	☐	☐
		019	Source	☑	☑	☐	☐	☐
		024	Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value		☑	☑	☐	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☐	☐	☐
		003	Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☐	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☐	☐	☐
		005	Under Construction	☑	☑	☐	☐	☐
		007	Destroyed	☑	☑	☐	☐	☐
		008	Dismantled	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level		☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☐	☐	☐
		300	World Geodetic System 1984	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AC020	**Catalytic Cracker**						
	hzd	Horizontal Datum					
		999 Other	☑	☑	☐	☐	☐
	mcc	Material Composition Category					
		000 Unknown	☑	☑	☐	☐	☐
		020 Composition	☑	☑	☐	☐	☐
		021 Concrete	☑	☑	☐	☐	☐
		062 Masonry (Brick/Stone)	☑	☑	☐	☐	☐
		064 Metal	☑	☑	☐	☐	☐
		072 Part Metal	☑	☑	☐	☐	☐
		107 Steel	☑	☑	☐	☐	☐
		117 Wood	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	prm	Permanency					
		001 Permanent	☑	☑	☐	☐	☐
		002 Temporary	☑	☑	☐	☐	☐
	qle	Releasability	☑	☑	☐	☐	☐
	sec	Security Classification					
		000 Unknown	☑	☑	☐	☐	☐
		001 Top Secret	☑	☑	☐	☐	☐
		002 Secret	☑	☑	☐	☐	☐
		003 Confidential	☑	☑	☐	☐	☐
		004 Restricted	☑	☑	☐	☐	☐
		005 Unclassified	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	stc	Source Type Code					
		001 Survey Source	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004 Cartographic Source	☑	☑	☐	☐	☐
		005 Reported Information	☑	☑	☐	☐	☐
		006 Multispectral	☑	☑	☐	☐	☐
		007 Hyperspectral	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	txt	Text Attribute	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category					
		000 Unknown	☑	☑	☐	☐	☐
		015 Mean Sea Level	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AD010	**US-Power Plant UK-Power Station**						
	aha	Absolute Horizontal Accuracy in Meters	☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	☑	☑	☑	☐	☐
	atn	Aids to Navigation					
		000 Unknown	☑	☑	☑	☐	☐
		003 Lit	☑	☑	☑	☐	☐
		004 Unlit	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	☑	☑	☑	☐	☐
	bss	Building Superstructure Shape					
		000 Unknown	☑	☑	☑	☐	☐
		001 Monitor	☑	☑	☑	☐	☐
		004 Turret	☑	☑	☑	☐	☐
		005 Tower	☑	☑	☑	☐	☐
		998 Not Applicable	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	cdp	Calendar Date Type					
		000 Unknown	☑	☑	☑	☐	☐
		018 Receipt	☑	☑	☑	☐	☐
		019 Source	☑	☑	☑	☐	☐
		024 Up-to-dateness/revision	☑	☑	☑	☐	☐
	cdv	Calendar Date Value	☑	☑	☑	☐	☐
	dir	Directivity					
		000 Unknown	☑	☑	☑	☐	☐
		003 Omni	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)	☑	☑	☑	☐	☐
	exs	Existence Category					
		000 Unknown	☑	☑	☑	☐	☐
		005 Under Construction	☑	☑	☑	☐	☐
		007 Destroyed	☑	☑	☑	☐	☐
		008 Dismantled	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level	☑	☑	☑	☐	☐
	hzd	Horizontal Datum					
		000 Unknown	☑	☑	☑	☐	☐
		300 World Geodetic System 1984	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	mcc	Material Composition Category					
		000 Unknown	☑	☑	☑	☐	☐
		020 Composition	☑	☑	☑	☐	☐
		021 Concrete	☑	☑	☑	☐	☐
		062 Masonry (Brick/Stone)	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AD010	**US-Power Plant UK-Power Station**						
	mcc	Material Composition Category					
		064 Metal	☑	☑	☑	☐	☐
		072 Part Metal	☑	☑	☑	☐	☐
		107 Steel	☑	☑	☑	☐	☐
		117 Wood	☑	☑	☐	☐	☐
		999 Other	☑	☑	☑	☐	☐
	ppc	Power Plant Category					
		000 Unknown	☑	☑	☑	☐	☐
		001 Hydro-electric	☑	☑	☑	☐	☐
		002 Nuclear	☑	☑	☑	☐	☐
		003 Solar	☑	☑	☑	☐	☐
		004 Thermal	☑	☑	☑	☐	☐
		005 Wind	☑	☑	☑	☐	☐
		006 Tidal	☑	☑	☑	☐	☐
		007 Internal Combustion	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	prm	Permanency					
		001 Permanent	☑	☑	☑	☐	☐
		002 Temporary	☑	☑	☑	☐	☐
	qle	Releasability	☑	☑	☑	☐	☐
	sec	Security Classification					
		000 Unknown	☑	☑	☑	☐	☐
		001 Top Secret	☑	☑	☑	☐	☐
		002 Secret	☑	☑	☑	☐	☐
		003 Confidential	☑	☑	☑	☐	☐
		004 Restricted	☑	☑	☑	☐	☐
		005 Unclassified	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	ssr	Structure Shape of Roof					
		000 Unknown	☑	☑	☑	☐	☐
		006 Conical/Peaked/NUN	☑	☑	☑	☐	☐
		038 Curved/Round (Quonset)	☑	☑	☑	☐	☐
		040 Dome	☑	☑	☑	☐	☐
		041 Flat	☑	☑	☑	☐	☐
		042 Gable (Pitched)	☑	☑	☑	☐	☐
		047 Sawtooth	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	stc	Source Type Code					
		001 Survey Source	☑	☑	☑	☐	☐
		002 Stereo Imagery Exploitation	☑	☑	☑	☐	☐
		003 Mono Imagery Exploitation	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AD010	**US-Power Plant UK-Power Station**							
	stc	Source Type Code						
		004	Cartographic Source	☑	☑	☑	☐	☐
		005	Reported Information	☑	☑	☑	☐	☐
		006	Multispectral	☑	☑	☑	☐	☐
		007	Hyperspectral	☑	☑	☑	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	txt	Text Attribute		☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☑	☐	☐
		015	Mean Sea Level	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☑	☐	☐
	zv2	Highest Z-Value		☑	☑	☑	☐	☐
AD030	**Substation/Transformer Yard**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☐	☐	☐
		003	Lit	☑	☑	☐	☐	☐
		004	Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☐	☐	☐
		018	Receipt	☑	☑	☐	☐	☐
		019	Source	☑	☑	☐	☐	☐
		024	Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value		☑	☑	☐	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☐	☐	☐
		003	Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☐	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☐	☐	☐
		005	Under Construction	☑	☑	☐	☐	☐
		007	Destroyed	☑	☑	☐	☐	☐
		008	Dismantled	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level		☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AD030	**Substation/Transformer Yard**							
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☐	☐	☐
		300	World Geodetic System 1984	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	len	Length/Diameter		☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☐	☐	☐
		021	Concrete	☑	☑	☐	☐	☐
		062	Masonry (Brick/Stone)	☑	☑	☐	☐	☐
		064	Metal	☑	☑	☐	☐	☐
		107	Steel	☑	☑	☐	☐	☐
		117	Wood	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☐	☐	☐
		002	Temporary	☑	☑	☐	☐	☐
	qle	Releasability		☑	☑	☐	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☐	☐	☐
		001	Top Secret	☑	☑	☐	☐	☐
		002	Secret	☑	☑	☐	☐	☐
		003	Confidential	☑	☑	☐	☐	☐
		004	Restricted	☑	☑	☐	☐	☐
		005	Unclassified	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	ssc	Structure Shape Category						
		000	Unknown	☑	☑	☐	☐	☐
		052	'A' Frame	☑	☑	☐	☐	☐
		053	'H' Frame	☑	☑	☐	☐	☐
		054	'I' Frame	☑	☑	☐	☐	☐
		056	'Y' Frame	☑	☑	☐	☐	☐
		074	'T' Frame	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☐	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004	Cartographic Source	☑	☑	☐	☐	☐
		005	Reported Information	☑	☑	☐	☐	☐
		006	Multispectral	☑	☑	☐	☐	☐
		007	Hyperspectral	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AD030	**Substation/Transformer Yard**							
	stc	Source Type Code						
		008	Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	txt	Text Attribute		☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☐	☐	☐
		015	Mean Sea Level	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☐	☐	☐
	zv2	Highest Z-Value		☑	☑	☐	☐	☐
AF010	**Chimney/Smokestack**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☑	☐	☐
		003	Lit	☑	☑	☑	☐	☐
		004	Unlit	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☑	☐	☐
		018	Receipt	☑	☑	☑	☐	☐
		019	Source	☑	☑	☑	☐	☐
		024	Up-to-dateness/revision	☑	☑	☑	☐	☐
	cdv	Calendar Date Value		☑	☑	☑	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☑	☐	☐
		003	Omni	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☑	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☑	☐	☐
		005	Under Construction	☑	☑	☑	☐	☐
		007	Destroyed	☑	☑	☑	☐	☐
		008	Dismantled	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level		☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☑	☐	☐
		300	World Geodetic System 1984	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AF010	**Chimney/Smokestack**							
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☑	☐	☐
		021	Concrete	☑	☑	☑	☐	☐
		062	Masonry (Brick/Stone)	☑	☑	☑	☐	☐
		064	Metal	☑	☑	☑	☐	☐
		072	Part Metal	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	ppc	Power Plant Category						
		000	Unknown	☑	☑	☑	☐	☐
		002	Nuclear	☑	☑	☑	☐	☐
		004	Thermal	☑	☑	☑	☐	☐
		007	Internal Combustion	☑	☑	☑	☐	☐
		998	Not Applicable	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☑	☐	☐
		002	Temporary	☑	☑	☑	☐	☐
	qle	Releasability		☑	☑	☑	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☑	☐	☐
		001	Top Secret	☑	☑	☑	☐	☐
		002	Secret	☑	☑	☑	☐	☐
		003	Confidential	☑	☑	☑	☐	☐
		004	Restricted	☑	☑	☑	☐	☐
		005	Unclassified	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☑	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☑	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☑	☐	☐
		004	Cartographic Source	☑	☑	☑	☐	☐
		005	Reported Information	☑	☑	☑	☐	☐
		006	Multispectral	☑	☑	☑	☐	☐
		007	Hyperspectral	☑	☑	☑	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	txt	Text Attribute		☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☑	☐	☐
		015	Mean Sea Level	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AF010	**Chimney/Smokestack**						
	voi	Vertical Obstruction Identifier	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	☑	☑	☑	☐	☐
AF020	**Conveyor**						
	aha	Absolute Horizontal Accuracy in Meters	☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	☑	☑	☑	☐	☐
	atn	Aids to Navigation					
		000 Unknown	☑	☑	☑	☐	☐
		003 Lit	☑	☑	☑	☐	☐
		004 Unlit	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	☑	☑	☑	☐	☐
	cdp	Calendar Date Type					
		000 Unknown	☑	☑	☑	☐	☐
		018 Receipt	☑	☑	☑	☐	☐
		019 Source	☑	☑	☑	☐	☐
		024 Up-to-dateness/revision	☑	☑	☑	☐	☐
	cdv	Calendar Date Value	☑	☑	☑	☐	☐
	dir	Directivity					
		000 Unknown	☑	☑	☑	☐	☐
		002 Bi	☑	☑	☑	☐	☐
		003 Omni	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)	☑	☑	☑	☐	☐
	exs	Existence Category					
		000 Unknown	☑	☑	☑	☐	☐
		005 Under Construction	☑	☑	☑	☐	☐
		007 Destroyed	☑	☑	☑	☐	☐
		008 Dismantled	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level	☑	☑	☑	☐	☐
	hzd	Horizontal Datum					
		000 Unknown	☑	☑	☑	☐	☐
		300 World Geodetic System 1984	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	mcc	Material Composition Category					
		000 Unknown	☑	☑	☑	☐	☐
		021 Concrete	☑	☑	☑	☐	☐
		062 Masonry (Brick/Stone)	☑	☑	☑	☐	☐
		064 Metal	☑	☑	☑	☐	☐
		072 Part Metal	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AF020	**Conveyor**							
	prm	Permanency						
		001	Permanent	☑	☑	☑	☐	☐
		002	Temporary	☑	☑	☑	☐	☐
	qle	Releasability		☑	☑	☑	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☑	☐	☐
		001	Top Secret	☑	☑	☑	☐	☐
		002	Secret	☑	☑	☑	☐	☐
		003	Confidential	☑	☑	☑	☐	☐
		004	Restricted	☑	☑	☑	☐	☐
		005	Unclassified	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☑	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☑	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☑	☐	☐
		004	Cartographic Source	☑	☑	☑	☐	☐
		005	Reported Information	☑	☑	☑	☐	☐
		006	Multispectral	☑	☑	☑	☐	☐
		007	Hyperspectral	☑	☑	☑	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	txt	Text Attribute		☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☑	☐	☐
		015	Mean Sea Level	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☑	☐	☐
	zv2	Highest Z-Value		☑	☑	☑	☐	☐
AF030	**Cooling Tower**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☐	☐	☐
		003	Lit	☑	☑	☐	☐	☐
		004	Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☐	☐	☐
		018	Receipt	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AF030	**Cooling Tower**							
	cdp	Calendar Date Type						
		019	Source	☑	☑	☐	☐	☐
		024	Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value		☑	☑	☐	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☐	☐	☐
		003	Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☐	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☐	☐	☐
		005	Under Construction	☑	☑	☐	☐	☐
		007	Destroyed	☑	☑	☐	☐	☐
		008	Dismantled	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level		☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☐	☐	☐
		300	World Geodetic System 1984	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☐	☐	☐
		020	Composition	☑	☑	☐	☐	☐
		021	Concrete	☑	☑	☐	☐	☐
		062	Masonry (Brick/Stone)	☑	☑	☐	☐	☐
		064	Metal	☑	☑	☐	☐	☐
		072	Part Metal	☑	☑	☐	☐	☐
		107	Steel	☑	☑	☐	☐	☐
		117	Wood	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	ppc	Power Plant Category						
		000	Unknown	☑	☑	☐	☐	☐
		002	Nuclear	☑	☑	☐	☐	☐
		004	Thermal	☑	☑	☐	☐	☐
		007	Internal Combustion	☑	☑	☐	☐	☐
		998	Not Applicable	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☐	☐	☐
		002	Temporary	☑	☑	☐	☐	☐
	qle	Releasability		☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AF030	**Cooling Tower**							
	sec	Security Classification						
		000	Unknown	☑	☑	☐	☐	☐
		001	Top Secret	☑	☑	☐	☐	☐
		002	Secret	☑	☑	☐	☐	☐
		003	Confidential	☑	☑	☐	☐	☐
		004	Restricted	☑	☑	☐	☐	☐
		005	Unclassified	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	ssc	Structure Shape Category						
		000	Unknown	☑	☑	☐	☐	☐
		079	Round	☑	☑	☐	☐	☐
		080	Rectangular	☑	☑	☐	☐	☐
		083	Square	☑	☑	☐	☐	☐
		084	Irregular	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☐	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004	Cartographic Source	☑	☑	☐	☐	☐
		005	Reported Information	☑	☑	☐	☐	☐
		006	Multispectral	☑	☑	☐	☐	☐
		007	Hyperspectral	☑	☑	☐	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	txt	Text Attribute		☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☐	☐	☐
		015	Mean Sea Level	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☐	☐	☐
	zv2	Highest Z-Value		☑	☑	☐	☐	☐
AF040	**Crane**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☐	☐	☐
		003	Lit	☑	☑	☐	☐	☐
		004	Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AF040	**Crane**							
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☐	☐	☐
		018	Receipt	☑	☑	☐	☐	☐
		019	Source	☑	☑	☐	☐	☐
		024	Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value		☑	☑	☐	☐	☐
	cra	Crane Type Category						
		000	Unknown	☑	☑	☐	☐	☐
		002	Bridge/Gantry	☑	☑	☐	☐	☐
		003	Rotating	☑	☑	☐	☐	☐
		998	Not Applicable	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	crm	Crane Mobility Type						
		000	Unknown	☑	☑	☐	☐	☐
		001	Fixed	☑	☑	☐	☐	☐
		002	Traveling	☑	☑	☐	☐	☐
		003	Floating	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	dir	Directivity						
		002	Bi	☑	☑	☐	☐	☐
		003	Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☐	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☐	☐	☐
		005	Under Construction	☑	☑	☐	☐	☐
		007	Destroyed	☑	☑	☐	☐	☐
		008	Dismantled	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	gug	Guyed or Unguyed Category						
		000	Unknown	☑	☑	☐	☐	☐
		001	Guyed	☑	☑	☐	☐	☐
		002	Unguyed	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level		☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☐	☐	☐
		300	World Geodetic System 1984	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☐	☐	☐
		064	Metal	☑	☑	☐	☐	☐
		107	Steel	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AF040	**Crane**						
	mcc	Material Composition Category					
	999	Other	☑	☑	☐	☐	☐
	prm	Permanency					
	001	Permanent	☑	☑	☐	☐	☐
	002	Temporary	☑	☑	☐	☐	☐
	qle	Releasability	☑	☑	☐	☐	☐
	sec	Security Classification					
	000	Unknown	☑	☑	☐	☐	☐
	001	Top Secret	☑	☑	☐	☐	☐
	002	Secret	☑	☑	☐	☐	☐
	003	Confidential	☑	☑	☐	☐	☐
	004	Restricted	☑	☑	☐	☐	☐
	005	Unclassified	☑	☑	☐	☐	☐
	999	Other	☑	☑	☐	☐	☐
	stc	Source Type Code					
	001	Survey Source	☑	☑	☐	☐	☐
	002	Stereo Imagery Exploitation	☑	☑	☐	☐	☐
	003	Mono Imagery Exploitation	☑	☑	☐	☐	☐
	004	Cartographic Source	☑	☑	☐	☐	☐
	005	Reported Information	☑	☑	☐	☐	☐
	006	Multispectral	☑	☑	☐	☐	☐
	007	Hyperspectral	☑	☑	☐	☐	☐
	008	Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
	999	Other	☑	☑	☐	☐	☐
	txt	Text Attribute	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category					
	000	Unknown	☑	☑	☐	☐	☐
	015	Mean Sea Level	☑	☑	☐	☐	☐
	999	Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	☑	☑	☐	☐	☐
AF050	**US-Dredge/Powershovel/Dragline UK-Dredger/Powershovel/Dragline**						
	aha	Absolute Horizontal Accuracy in Meters	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	☑	☑	☐	☐	☐
	atn	Aids to Navigation					
	000	Unknown	☑	☑	☐	☐	☐
	003	Lit	☑	☑	☐	☐	☐
	004	Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AF050	**US-Dredge/Powershovel/Dragline UK-Dredger/Powershovel/Dragline**							
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☐	☐	☐
		018	Receipt	☑	☑	☐	☐	☐
		019	Source	☑	☑	☐	☐	☐
		024	Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value		☑	☑	☐	☐	☐
	dir	Directivity						
		002	Bi	☑	☑	☐	☐	☐
		003	Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☐	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☐	☐	☐
		005	Under Construction	☑	☑	☐	☐	☐
		007	Destroyed	☑	☑	☐	☐	☐
		008	Dismantled	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level		☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☐	☐	☐
		300	World Geodetic System 1984	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☐	☐	☐
		064	Metal	☑	☑	☐	☐	☐
		072	Part Metal	☑	☑	☐	☐	☐
		107	Steel	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☐	☐	☐
		002	Temporary	☑	☑	☐	☐	☐
	qle	Releasability		☑	☑	☐	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☐	☐	☐
		001	Top Secret	☑	☑	☐	☐	☐
		002	Secret	☑	☑	☐	☐	☐
		003	Confidential	☑	☑	☐	☐	☐
		004	Restricted	☑	☑	☐	☐	☐
		005	Unclassified	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AF050	**US-Dredge/Powershovel/Dragline UK-Dredger/Powershovel/Dragline**							
	ssc	Structure Shape Category						
		000	Unknown	☑	☑	☐	☐	☐
		052	'A' Frame	☑	☑	☐	☐	☐
		054	'I' Frame	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☐	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004	Cartographic Source	☑	☑	☐	☐	☐
		005	Reported Information	☑	☑	☐	☐	☐
		006	Multispectral	☑	☑	☐	☐	☐
		007	Hyperspectral	☑	☑	☐	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	txt	Text Attribute		☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☐	☐	☐
		015	Mean Sea Level	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☐	☐	☐
	zv2	Highest Z-Value		☑	☑	☐	☐	☐
AF070	**Flare Pipe**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☐	☐	☐
		003	Lit	☑	☑	☐	☐	☐
		004	Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☐	☐	☐
		018	Receipt	☑	☑	☐	☐	☐
		019	Source	☑	☑	☐	☐	☐
		024	Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value		☑	☑	☐	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☐	☐	☐
		003	Omni	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AF070	**Flare Pipe**						
	dmf	Density Measure (Feature Count)	☑	☑	☐	☐	☐
	exs	Existence Category					
		000 Unknown	☑	☑	☐	☐	☐
		005 Under Construction	☑	☑	☐	☐	☐
		007 Destroyed	☑	☑	☐	☐	☐
		008 Dismantled	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	gug	Guyed or Unguyed Category					
		000 Unknown	☑	☑	☐	☐	☐
		001 Guyed	☑	☑	☐	☐	☐
		002 Unguyed	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	☑	☑	☐	☐	☐
	hzd	Horizontal Datum					
		000 Unknown	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	loc	Location Category					
		000 Unknown	☑	☑	☐	☐	☐
		008 On Ground Surface	☑	☑	☐	☐	☐
		022 Off Shore	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	mcc	Material Composition Category					
		000 Unknown	☑	☑	☐	☐	☐
		021 Concrete	☑	☑	☐	☐	☐
		062 Masonry (Brick/Stone)	☑	☑	☐	☐	☐
		064 Metal	☑	☑	☐	☐	☐
		107 Steel	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	prm	Permanency					
		001 Permanent	☑	☑	☐	☐	☐
		002 Temporary	☑	☑	☐	☐	☐
	qle	Releasability	☑	☑	☐	☐	☐
	sec	Security Classification					
		000 Unknown	☑	☑	☐	☐	☐
		001 Top Secret	☑	☑	☐	☐	☐
		002 Secret	☑	☑	☐	☐	☐
		003 Confidential	☑	☑	☐	☐	☐
		004 Restricted	☑	☑	☐	☐	☐
		005 Unclassified	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AF070	**Flare Pipe**							
	stc	Source Type Code						
		001	Survey Source	☑	☑	☐	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004	Cartographic Source	☑	☑	☐	☐	☐
		005	Reported Information	☑	☑	☐	☐	☐
		006	Multispectral	☑	☑	☐	☐	☐
		007	Hyperspectral	☑	☑	☐	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	txt	Text Attribute		☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☐	☐	☐
		015	Mean Sea Level	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☐	☐	☐
	zv2	Highest Z-Value		☑	☑	☐	☐	☐
AF080	**Hopper**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☐	☐	☐
		003	Lit	☑	☑	☐	☐	☐
		004	Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☐	☐	☐
		018	Receipt	☑	☑	☐	☐	☐
		019	Source	☑	☑	☐	☐	☐
		024	Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value		☑	☑	☐	☐	☐
	dir	Directivity						
		002	Bi	☑	☑	☐	☐	☐
		003	Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☐	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☐	☐	☐
		005	Under Construction	☑	☑	☐	☐	☐
		007	Destroyed	☑	☑	☐	☐	☐
		008	Dismantled	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AF080	**Hopper**							
	exs	Existence Category						
		999	Other	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level		☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☐	☐	☐
		300	World Geodetic System 1984	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☐	☐	☐
		020	Composition	☑	☑	☐	☐	☐
		021	Concrete	☑	☑	☐	☐	☐
		062	Masonry (Brick/Stone)	☑	☑	☐	☐	☐
		064	Metal	☑	☑	☐	☐	☐
		072	Part Metal	☑	☑	☐	☐	☐
		107	Steel	☑	☑	☐	☐	☐
		117	Wood	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☐	☐	☐
		002	Temporary	☑	☑	☐	☐	☐
	qle	Releasability		☑	☑	☐	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☐	☐	☐
		001	Top Secret	☑	☑	☐	☐	☐
		002	Secret	☑	☑	☐	☐	☐
		003	Confidential	☑	☑	☐	☐	☐
		004	Restricted	☑	☑	☐	☐	☐
		005	Unclassified	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	ssc	Structure Shape Category						
		000	Unknown	☑	☑	☐	☐	☐
		076	Funnel	☑	☑	☐	☐	☐
		079	Round	☑	☑	☐	☐	☐
		080	Rectangular	☑	☑	☐	☐	☐
		083	Square	☑	☑	☐	☐	☐
		084	Irregular	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☐	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AF080	**Hopper**							
	stc	Source Type Code						
		004	Cartographic Source	☑	☑	☐	☐	☐
		005	Reported Information	☑	☑	☐	☐	☐
		006	Multispectral	☑	☑	☐	☐	☐
		007	Hyperspectral	☑	☑	☐	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	txt	Text Attribute		☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☐	☐	☐
		015	Mean Sea Level	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☐	☐	☐
	zv2	Highest Z-Value		☑	☑	☐	☐	☐
AH050	**Fortification**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☑	☐	☐
		003	Lit	☑	☑	☑	☐	☐
		004	Unlit	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☑	☐	☐
	bfc	Building Function Category						
		000	Unknown	☑	☑	☑	☐	☐
		004	Castle	☑	☑	☑	☐	☐
		013	Prison	☑	☑	☑	☐	☐
		099	Battery	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	bss	Building Superstructure Shape						
		000	Unknown	☑	☑	☑	☐	☐
		001	Monitor	☑	☑	☑	☐	☐
		002	Steeple	☑	☑	☑	☐	☐
		004	Turret	☑	☑	☑	☐	☐
		005	Tower	☑	☑	☑	☐	☐
		998	Not Applicable	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☑	☐	☐
		018	Receipt	☑	☑	☑	☐	☐
		019	Source	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AH050	**Fortification**							
	cdp	Calendar Date Type						
		024	Up-to-dateness/revision	☑	☑	☑	☐	☐
	cdv	Calendar Date Value		☑	☑	☑	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☑	☐	☐
		001	Uni	☑	☑	☐	☐	☐
		002	Bi	☑	☑	☑	☐	☐
		003	Omni	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☑	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☑	☐	☐
		005	Under Construction	☑	☑	☑	☐	☐
		007	Destroyed	☑	☑	☑	☐	☐
		008	Dismantled	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level		☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☑	☐	☐
		300	World Geodetic System 1984	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	len	Length/Diameter		☑	☑	☑	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☑	☐	☐
		020	Composition	☑	☑	☑	☐	☐
		021	Concrete	☑	☑	☑	☐	☐
		062	Masonry (Brick/Stone)	☑	☑	☑	☐	☐
		064	Metal	☑	☑	☑	☐	☐
		072	Part Metal	☑	☑	☑	☐	☐
		117	Wood	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☑	☐	☐
		002	Temporary	☑	☑	☑	☐	☐
	qle	Releasability		☑	☑	☑	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☑	☐	☐
		001	Top Secret	☑	☑	☑	☐	☐
		002	Secret	☑	☑	☑	☐	☐
		003	Confidential	☑	☑	☑	☐	☐
		004	Restricted	☑	☑	☑	☐	☐
		005	Unclassified	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AH050	**Fortification**						
	sec	Security Classification					
		999 Other	☑	☑	☑	☐	☐
	ssr	Structure Shape of Roof					
		000 Unknown	☑	☑	☑	☐	☐
		041 Flat	☑	☑	☑	☐	☐
		042 Gable (Pitched)	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	stc	Source Type Code					
		001 Survey Source	☑	☑	☑	☐	☐
		002 Stereo Imagery Exploitation	☑	☑	☑	☐	☐
		003 Mono Imagery Exploitation	☑	☑	☑	☐	☐
		004 Cartographic Source	☑	☑	☑	☐	☐
		005 Reported Information	☑	☑	☑	☐	☐
		006 Multispectral	☑	☑	☑	☐	☐
		007 Hyperspectral	☑	☑	☑	☐	☐
		008 Synthetic Aperture Radar (SAR)	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	txt	Text Attribute	☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category					
		000 Unknown	☑	☑	☑	☐	☐
		015 Mean Sea Level	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier	☑	☑	☑	☐	☐
	wid	Width	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	☑	☑	☑	☐	☐
AJ050	**Windmill**						
	aha	Absolute Horizontal Accuracy in Meters	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	☑	☑	☐	☐	☐
	atn	Aids to Navigation					
		000 Unknown	☑	☑	☐	☐	☐
		003 Lit	☑	☑	☐	☐	☐
		004 Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	☑	☑	☐	☐	☐
	cdp	Calendar Date Type					
		000 Unknown	☑	☑	☐	☐	☐
		018 Receipt	☑	☑	☐	☐	☐
		019 Source	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AJ050	**Windmill**							
	dir	Directivity						
		000	Unknown	☑	☑	☐	☐	☐
		003	Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☐	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☐	☐	☐
		005	Under Construction	☑	☑	☐	☐	☐
		007	Destroyed	☑	☑	☐	☐	☐
		008	Dismantled	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	gug	Guyed or Unguyed Category						
		000	Unknown	☑	☑	☐	☐	☐
		001	Guyed	☑	☑	☐	☐	☐
		002	Unguyed	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level		☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☐	☐	☐
		300	World Geodetic System 1984	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☐	☐	☐
		020	Composition	☑	☑	☐	☐	☐
		021	Concrete	☑	☑	☐	☐	☐
		062	Masonry (Brick/Stone)	☑	☑	☐	☐	☐
		064	Metal	☑	☑	☐	☐	☐
		072	Part Metal	☑	☑	☐	☐	☐
		107	Steel	☑	☑	☐	☐	☐
		117	Wood	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☐	☐	☐
		002	Temporary	☑	☑	☐	☐	☐
	qle	Releasability		☑	☑	☐	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☐	☐	☐
		001	Top Secret	☑	☑	☐	☐	☐
		002	Secret	☑	☑	☐	☐	☐
		003	Confidential	☑	☑	☐	☐	☐
		004	Restricted	☑	☑	☐	☐	☐
		005	Unclassified	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AJ050	**Windmill**						
	ssc	Structure Shape Category					
		000 Unknown	☑	☑	☐	☐	☐
		060 Mast	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	stc	Source Type Code					
		001 Survey Source	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004 Cartographic Source	☑	☑	☐	☐	☐
		005 Reported Information	☑	☑	☐	☐	☐
		006 Multispectral	☑	☑	☐	☐	☐
		007 Hyperspectral	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	txt	Text Attribute	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category					
		000 Unknown	☑	☑	☐	☐	☐
		015 Mean Sea Level	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	☑	☑	☐	☐	☐
AJ051	**Windmotor**						
	aha	Absolute Horizontal Accuracy in Meters	☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	☑	☑	☑	☐	☐
	atn	Aids to Navigation					
		000 Unknown	☑	☑	☑	☐	☐
		003 Lit	☑	☑	☑	☐	☐
		004 Unlit	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	☑	☑	☑	☐	☐
	cdp	Calendar Date Type					
		000 Unknown	☑	☑	☑	☐	☐
		018 Receipt	☑	☑	☑	☐	☐
		019 Source	☑	☑	☑	☐	☐
		024 Up-to-dateness/revision	☑	☑	☑	☐	☐
	cdv	Calendar Date Value	☑	☑	☑	☐	☐
	dir	Directivity					
		000 Unknown	☑	☑	☑	☐	☐
		003 Omni	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AJ051	**Windmotor**							
	exs	Existence Category						
		000	Unknown	☑	☑	☑	☐	☐
		005	Under Construction	☑	☑	☑	☐	☐
		007	Destroyed	☑	☑	☑	☐	☐
		008	Dismantled	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	gug	Guyed or Unguyed Category						
		000	Unknown	☑	☑	☑	☐	☐
		001	Guyed	☑	☑	☑	☐	☐
		002	Unguyed	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level		☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☑	☐	☐
		300	World Geodetic System 1984	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	loc	Location Category						
		000	Unknown	☑	☑	☑	☐	☐
		008	On Ground Surface	☑	☑	☑	☐	☐
		022	Off Shore	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☑	☐	☐
		020	Composition	☑	☑	☑	☐	☐
		021	Concrete	☑	☑	☑	☐	☐
		062	Masonry (Brick/Stone)	☑	☑	☑	☐	☐
		064	Metal	☑	☑	☑	☐	☐
		072	Part Metal	☑	☑	☑	☐	☐
		107	Steel	☑	☑	☑	☐	☐
		117	Wood	☑	☑	☐	☐	☐
		999	Other	☑	☑	☑	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☑	☐	☐
		002	Temporary	☑	☑	☑	☐	☐
	qle	Releasability		☑	☑	☑	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☑	☐	☐
		001	Top Secret	☑	☑	☑	☐	☐
		002	Secret	☑	☑	☑	☐	☐
		003	Confidential	☑	☑	☑	☐	☐
		004	Restricted	☑	☑	☑	☐	☐
		005	Unclassified	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AJ051	**Windmotor**							
	sec	Security Classification						
		999	Other	☑	☑	☑	☐	☐
	ssc	Structure Shape Category						
		000	Unknown	☑	☑	☑	☐	☐
		060	Mast	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☑	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☑	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☑	☐	☐
		004	Cartographic Source	☑	☑	☑	☐	☐
		005	Reported Information	☑	☑	☑	☐	☐
		006	Multispectral	☑	☑	☑	☐	☐
		007	Hyperspectral	☑	☑	☑	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	txt	Text Attribute		☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☑	☐	☐
		015	Mean Sea Level	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☑	☐	☐
	zv2	Highest Z-Value		☑	☑	☑	☐	☐
AK020	**Amusement Park Attraction**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☐	☐	☐
		003	Lit	☑	☑	☐	☐	☐
		004	Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☐	☐	☐
		018	Receipt	☑	☑	☐	☐	☐
		019	Source	☑	☑	☐	☐	☐
		024	Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value		☑	☑	☐	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☐	☐	☐
		001	Uni	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AK020	**Amusement Park Attraction**							
	dir	Directivity						
		002	Bi	☑	☑	☐	☐	☐
		003	Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☐	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☐	☐	☐
		005	Under Construction	☑	☑	☐	☐	☐
		007	Destroyed	☑	☑	☐	☐	☐
		008	Dismantled	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	gug	Guyed or Unguyed Category						
		000	Unknown	☑	☑	☐	☐	☐
		001	Guyed	☑	☑	☐	☐	☐
		002	Unguyed	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level		☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☐	☐	☐
		300	World Geodetic System 1984	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	len	Length/Diameter		☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☐	☐	☐
		020	Composition	☑	☑	☐	☐	☐
		021	Concrete	☑	☑	☐	☐	☐
		062	Masonry (Brick/Stone)	☑	☑	☐	☐	☐
		064	Metal	☑	☑	☐	☐	☐
		072	Part Metal	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☐	☐	☐
		002	Temporary	☑	☑	☐	☐	☐
	qle	Releasability		☑	☑	☐	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☐	☐	☐
		001	Top Secret	☑	☑	☐	☐	☐
		002	Secret	☑	☑	☐	☐	☐
		003	Confidential	☑	☑	☐	☐	☐
		004	Restricted	☑	☑	☐	☐	☐
		005	Unclassified	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AK020	**Amusement Park Attraction**							
	ssc	Structure Shape Category						
		000	Unknown	☑	☑	☐	☐	☐
		017	Spherical (Hemispherical)	☑	☑	☐	☐	☐
		021	Artificial Mountain	☑	☑	☐	☐	☐
		023	Ferris Wheel	☑	☑	☐	☐	☐
		025	Roller Coaster	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☐	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004	Cartographic Source	☑	☑	☐	☐	☐
		005	Reported Information	☑	☑	☐	☐	☐
		006	Multispectral	☑	☑	☐	☐	☐
		007	Hyperspectral	☑	☑	☐	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	txt	Text Attribute		☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☐	☐	☐
		015	Mean Sea Level	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☐	☐	☐
	wid	Width		☑	☑	☐	☐	☐
	zv2	Highest Z-Value		☑	☑	☐	☐	☐
AK150	**Ski Jump**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☐	☐	☐
		003	Lit	☑	☑	☐	☐	☐
		004	Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☐	☐	☐
		018	Receipt	☑	☑	☐	☐	☐
		019	Source	☑	☑	☐	☐	☐
		024	Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value		☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AK150	**Ski Jump**							
	dir	Directivity						
		000	Unknown	☑	☑	☐	☐	☐
		002	Bi	☑	☑	☐	☐	☐
		003	Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☐	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☐	☐	☐
		005	Under Construction	☑	☑	☐	☐	☐
		007	Destroyed	☑	☑	☐	☐	☐
		008	Dismantled	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level		☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☐	☐	☐
		300	World Geodetic System 1984	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	len	Length/Diameter		☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☐	☐	☐
		020	Composition	☑	☑	☐	☐	☐
		021	Concrete	☑	☑	☐	☐	☐
		062	Masonry (Brick/Stone)	☑	☑	☐	☐	☐
		064	Metal	☑	☑	☐	☐	☐
		072	Part Metal	☑	☑	☐	☐	☐
		107	Steel	☑	☑	☐	☐	☐
		117	Wood	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☐	☐	☐
		002	Temporary	☑	☑	☐	☐	☐
	qle	Releasability		☑	☑	☐	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☐	☐	☐
		001	Top Secret	☑	☑	☐	☐	☐
		002	Secret	☑	☑	☐	☐	☐
		003	Confidential	☑	☑	☐	☐	☐
		004	Restricted	☑	☑	☐	☐	☐
		005	Unclassified	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AK150	**Ski Jump**							
	stc	Source Type Code						
		002	Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004	Cartographic Source	☑	☑	☐	☐	☐
		005	Reported Information	☑	☑	☐	☐	☐
		006	Multispectral	☑	☑	☐	☐	☐
		007	Hyperspectral	☑	☑	☐	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	txt	Text Attribute		☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☐	☐	☐
		015	Mean Sea Level	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☐	☐	☐
	wid	Width		☑	☑	☐	☐	☐
	zv2	Highest Z-Value		☑	☑	☐	☐	☐
AK160	**US-Stadium/Amphitheater UK-Stadium/Ampitheatre**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☑	☐	☐
		003	Lit	☑	☑	☑	☐	☐
		004	Unlit	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☑	☐	☐
		018	Receipt	☑	☑	☑	☐	☐
		019	Source	☑	☑	☑	☐	☐
		024	Up-to-dateness/revision	☑	☑	☑	☐	☐
	cdv	Calendar Date Value		☑	☑	☑	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☑	☐	☐
		001	Uni	☑	☑	☑	☐	☐
		002	Bi	☑	☑	☑	☐	☐
		003	Omni	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☑	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AK160	**US-Stadium/Amphitheater UK-Stadium/Ampitheatre**							
	exs	Existence Category						
		005	Under Construction	☑	☑	☑	☐	☐
		007	Destroyed	☑	☑	☑	☐	☐
		008	Dismantled	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level		☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☑	☐	☐
		300	World Geodetic System 1984	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	len	Length/Diameter		☑	☑	☑	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☑	☐	☐
		020	Composition	☑	☑	☑	☐	☐
		021	Concrete	☑	☑	☑	☐	☐
		062	Masonry (Brick/Stone)	☑	☑	☑	☐	☐
		064	Metal	☑	☑	☑	☐	☐
		072	Part Metal	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☑	☐	☐
		002	Temporary	☑	☑	☑	☐	☐
	qle	Releasability		☑	☑	☑	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☑	☐	☐
		001	Top Secret	☑	☑	☑	☐	☐
		002	Secret	☑	☑	☑	☐	☐
		003	Confidential	☑	☑	☑	☐	☐
		004	Restricted	☑	☑	☑	☐	☐
		005	Unclassified	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	ssc	Structure Shape Category						
		000	Unknown	☑	☑	☑	☐	☐
		024	Enclosed	☑	☑	☐	☐	☐
		046	Open	☑	☑	☐	☐	☐
		999	Other	☑	☑	☑	☐	☐
	ssr	Structure Shape of Roof						
		000	Unknown	☑	☑	☑	☐	☐
		040	Dome	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AK160	**US-Stadium/Amphitheater UK-Stadium/Ampitheatre**						
	stc	Source Type Code					
		001 Survey Source	☑	☑	☑	☐	☐
		002 Stereo Imagery Exploitation	☑	☑	☑	☐	☐
		003 Mono Imagery Exploitation	☑	☑	☑	☐	☐
		004 Cartographic Source	☑	☑	☑	☐	☐
		005 Reported Information	☑	☑	☑	☐	☐
		006 Multispectral	☑	☑	☑	☐	☐
		007 Hyperspectral	☑	☑	☑	☐	☐
		008 Synthetic Aperture Radar (SAR)	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	txt	Text Attribute	☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category					
		000 Unknown	☑	☑	☑	☐	☐
		015 Mean Sea Level	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier	☑	☑	☑	☐	☐
	wid	Width	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	☑	☑	☑	☐	☐
AL015	**Building**						
	afa	Available Facilities					
		000 Unknown	☑	☑	☑	☐	☐
		019 Helipad	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	aha	Absolute Horizontal Accuracy in Meters	☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	☑	☑	☑	☐	☐
	atn	Aids to Navigation					
		000 Unknown	☑	☑	☑	☐	☐
		003 Lit	☑	☑	☑	☐	☐
		004 Unlit	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	☑	☑	☑	☐	☐
	bfc	Building Function Category					
		000 Unknown	☑	☑	☑	☐	☐
		002 Government Building	☑	☑	☑	☐	☐
		003 Capitol Building	☑	☑	☑	☐	☐
		006 Hospital	☑	☑	☑	☐	☐
		007 House of Worship	☑	☑	☑	☐	☐
		010 Observatory	☑	☑	☑	☐	☐
		011 Palace	☑	☑	☑	☐	☐
		013 Prison	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AL015	**Building**							
	bfc	Building Function Category						
		015	School	☑	☑	☑	☐	☐
		016	House	☑	☑	☑	☐	☐
		017	Multi Unit Dwelling	☑	☑	☑	☐	☐
		028	Administration Building	☑	☑	☑	☐	☐
		029	Aircraft Maintenance Shop	☑	☑	☑	☐	☐
		030	Hangar	☑	☑	☑	☐	☐
		053	Bank	☑	☑	☑	☐	☐
		058	Observation	☑	☑	☑	☐	☐
		105	Reformatory	☑	☑	☑	☐	☐
		106	Sanitarium	☑	☑	☑	☐	☐
		111	Sportsplex	☑	☑	☑	☐	☐
		122	Shopping Center	☑	☑	☑	☐	☐
		129	Airport Terminal	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	bss	Building Superstructure Shape						
		000	Unknown	☑	☑	☑	☐	☐
		001	Monitor	☑	☑	☑	☐	☐
		002	Steeple	☑	☑	☑	☐	☐
		003	Cupola	☑	☑	☑	☐	☐
		004	Turret	☑	☑	☑	☐	☐
		005	Tower	☑	☑	☑	☐	☐
		006	Minaret	☑	☑	☑	☐	☐
		998	Not Applicable	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☑	☐	☐
		018	Receipt	☑	☑	☑	☐	☐
		019	Source	☑	☑	☑	☐	☐
		024	Up-to-dateness/revision	☑	☑	☑	☐	☐
	cdv	Calendar Date Value		☑	☑	☑	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☑	☐	☐
		001	Uni	☑	☑	☑	☐	☐
		002	Bi	☑	☑	☑	☐	☐
		003	Omni	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☑	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☑	☐	☐
		005	Under Construction	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AL015	**Building**							
	exs	Existence Category						
		007	Destroyed	☑	☑	☑	☐	☐
		008	Dismantled	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level		☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☑	☐	☐
		300	World Geodetic System 1984	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	len	Length/Diameter		☑	☑	☑	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☑	☐	☐
		020	Composition	☑	☑	☑	☐	☐
		021	Concrete	☑	☑	☑	☐	☐
		062	Masonry (Brick/Stone)	☑	☑	☑	☐	☐
		064	Metal	☑	☑	☑	☐	☐
		072	Part Metal	☑	☑	☑	☐	☐
		107	Steel	☑	☑	☑	☐	☐
		117	Wood	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☑	☐	☐
		002	Temporary	☑	☑	☑	☐	☐
	qle	Releasability		☑	☑	☑	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☑	☐	☐
		001	Top Secret	☑	☑	☑	☐	☐
		002	Secret	☑	☑	☑	☐	☐
		003	Confidential	☑	☑	☑	☐	☐
		004	Restricted	☑	☑	☑	☐	☐
		005	Unclassified	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	ssc	Structure Shape Category						
		000	Unknown	☑	☑	☑	☐	☐
		012	Pyramid	☑	☑	☑	☐	☐
		017	Spherical (Hemispherical)	☑	☑	☑	☐	☐
		079	Round	☑	☑	☑	☐	☐
		080	Rectangular	☑	☑	☑	☐	☐
		083	Square	☑	☑	☑	☐	☐
		084	Irregular	☑	☑	☑	☐	☐
		109	Obelisk	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AL015	**Building**							
	ssc	Structure Shape Category						
		999	Other	☑	☑	☑	☐	☐
	ssr	Structure Shape of Roof						
		000	Unknown	☑	☑	☑	☐	☐
		006	Conical/Peaked/NUN	☑	☑	☑	☐	☐
		038	Curved/Round (Quonset)	☑	☑	☑	☐	☐
		040	Dome	☑	☑	☑	☐	☐
		041	Flat	☑	☑	☑	☐	☐
		042	Gable (Pitched)	☑	☑	☑	☐	☐
		047	Sawtooth	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☑	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☑	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☑	☐	☐
		004	Cartographic Source	☑	☑	☑	☐	☐
		005	Reported Information	☑	☑	☑	☐	☐
		006	Multispectral	☑	☑	☑	☐	☐
		007	Hyperspectral	☑	☑	☑	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	txt	Text Attribute		☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☑	☐	☐
		015	Mean Sea Level	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☑	☐	☐
	wid	Width		☑	☑	☑	☐	☐
	zv2	Highest Z-Value		☑	☑	☑	☐	☐
AL018	**Building Superstructure Addition**							
	afa	Available Facilities						
		000	Unknown	☑	☑	☑	☐	☐
		019	Helipad	☑	☑	☑	☐	☐
		995	None	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☑	☐	☐
		003	Lit	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AL018	**Building Superstructure Addition**							
	atn	Aids to Navigation						
		004	Unlit	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☑	☐	☐
	bfc	Building Function Category						
		000	Unknown	☑	☑	☑	☐	☐
		002	Government Building	☑	☑	☑	☐	☐
		003	Capitol Building	☑	☑	☑	☐	☐
		006	Hospital	☑	☑	☑	☐	☐
		007	House of Worship	☑	☑	☑	☐	☐
		010	Observatory	☑	☑	☑	☐	☐
		011	Palace	☑	☑	☑	☐	☐
		013	Prison	☑	☑	☑	☐	☐
		015	School	☑	☑	☑	☐	☐
		016	House	☑	☑	☑	☐	☐
		017	Multi Unit Dwelling	☑	☑	☑	☐	☐
		028	Administration Building	☑	☑	☑	☐	☐
		053	Bank	☑	☑	☑	☐	☐
		058	Observation	☑	☑	☑	☐	☐
		105	Reformatory	☑	☑	☑	☐	☐
		106	Sanitarium	☑	☑	☑	☐	☐
		111	Sportsplex	☑	☑	☑	☐	☐
		122	Shopping Center	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	bss	Building Superstructure Shape						
		000	Unknown	☑	☑	☐	☐	☐
		001	Monitor	☑	☑	☐	☐	☐
		002	Steeple	☑	☑	☐	☐	☐
		003	Cupola	☑	☑	☐	☐	☐
		004	Turret	☑	☑	☐	☐	☐
		005	Tower	☑	☑	☐	☐	☐
		006	Minaret	☑	☑	☐	☐	☐
		998	Not Applicable	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☑	☐	☐
		018	Receipt	☑	☑	☑	☐	☐
		019	Source	☑	☑	☑	☐	☐
		024	Up-to-dateness/revision	☑	☑	☑	☐	☐
	cdv	Calendar Date Value		☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AL018	**Building Superstructure Addition**							
	dir	Directivity						
		000	Unknown	☑	☑	☑	☐	☐
		001	Uni	☑	☑	☑	☐	☐
		002	Bi	☑	☑	☑	☐	☐
		003	Omni	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☑	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☑	☐	☐
		005	Under Construction	☑	☑	☑	☐	☐
		007	Destroyed	☑	☑	☑	☐	☐
		008	Dismantled	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level		☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☑	☐	☐
		300	World Geodetic System 1984	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	len	Length/Diameter		☑	☑	☑	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☑	☐	☐
		020	Composition	☑	☑	☑	☐	☐
		021	Concrete	☑	☑	☑	☐	☐
		062	Masonry (Brick/Stone)	☑	☑	☑	☐	☐
		064	Metal	☑	☑	☑	☐	☐
		072	Part Metal	☑	☑	☑	☐	☐
		107	Steel	☑	☑	☑	☐	☐
		117	Wood	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☑	☐	☐
		002	Temporary	☑	☑	☑	☐	☐
	qle	Releasability		☑	☑	☑	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☑	☐	☐
		001	Top Secret	☑	☑	☑	☐	☐
		002	Secret	☑	☑	☑	☐	☐
		003	Confidential	☑	☑	☑	☐	☐
		004	Restricted	☑	☑	☑	☐	☐
		005	Unclassified	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AL018	**Building Superstructure Addition**							
	ssr	Structure Shape of Roof						
		000	Unknown	☑	☑	☑	☐	☐
		006	Conical/Peaked/NUN	☑	☑	☑	☐	☐
		038	Curved/Round (Quonset)	☑	☑	☑	☐	☐
		040	Dome	☑	☑	☑	☐	☐
		041	Flat	☑	☑	☑	☐	☐
		042	Gable (Pitched)	☑	☑	☑	☐	☐
		047	Sawtooth	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☑	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☑	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☑	☐	☐
		004	Cartographic Source	☑	☑	☑	☐	☐
		005	Reported Information	☑	☑	☑	☐	☐
		006	Multispectral	☑	☑	☑	☐	☐
		007	Hyperspectral	☑	☑	☑	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	txt	Text Attribute		☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☑	☐	☐
		015	Mean Sea Level	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☑	☐	☐
	wid	Width		☑	☑	☑	☐	☐
	zv2	Highest Z-Value		☑	☑	☑	☐	☐
AL050	**US-Display Sign UK-Display Sign/Notice Board**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☐	☐	☐
		003	Lit	☑	☑	☐	☐	☐
		004	Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☐	☐	☐
		018	Receipt	☑	☑	☐	☐	☐
		019	Source	☑	☑	☐	☐	☐
		024	Up-to-dateness/revision	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AL050	**US-Display Sign**	**UK-Display Sign/Notice Board**						
	cdv	Calendar Date Value		☑	☑	☐	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☐	☐	☐
		001	Uni	☑	☑	☐	☐	☐
		002	Bi	☑	☑	☐	☐	☐
		003	Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☐	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☐	☐	☐
		005	Under Construction	☑	☑	☐	☐	☐
		007	Destroyed	☑	☑	☐	☐	☐
		008	Dismantled	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level		☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☐	☐	☐
		300	World Geodetic System 1984	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	len	Length/Diameter		☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☐	☐	☐
		020	Composition	☑	☑	☐	☐	☐
		021	Concrete	☑	☑	☐	☐	☐
		062	Masonry (Brick/Stone)	☑	☑	☐	☐	☐
		064	Metal	☑	☑	☐	☐	☐
		072	Part Metal	☑	☑	☐	☐	☐
		107	Steel	☑	☑	☐	☐	☐
		117	Wood	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☐	☐	☐
		002	Temporary	☑	☑	☐	☐	☐
	qle	Releasability		☑	☑	☐	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☐	☐	☐
		001	Top Secret	☑	☑	☐	☐	☐
		002	Secret	☑	☑	☐	☐	☐
		003	Confidential	☑	☑	☐	☐	☐
		004	Restricted	☑	☑	☐	☐	☐
		005	Unclassified	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AL050	**US-Display Sign UK-Display Sign/Notice Board**							
	stc	Source Type Code						
		001	Survey Source	☑	☑	☐	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004	Cartographic Source	☑	☑	☐	☐	☐
		005	Reported Information	☑	☑	☐	☐	☐
		006	Multispectral	☑	☑	☐	☐	☐
		007	Hyperspectral	☑	☑	☐	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	txt	Text Attribute		☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☐	☐	☐
		015	Mean Sea Level	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☐	☐	☐
	wid	Width		☑	☑	☐	☐	☐
	zv2	Highest Z-Value		☑	☑	☐	☐	☐
AL110	**US-Light Standard/Light Support UK-Light Standard/Light Support/Lamp Post**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☑	☐	☐
		003	Lit	☑	☑	☑	☐	☐
		004	Unlit	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☑	☐	☐
		018	Receipt	☑	☑	☑	☐	☐
		019	Source	☑	☑	☑	☐	☐
		024	Up-to-dateness/revision	☑	☑	☑	☐	☐
	cdv	Calendar Date Value		☑	☑	☑	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☑	☐	☐
		003	Omni	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☑	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☑	☐	☐
		005	Under Construction	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AL110	**US-Light Standard/Light Support UK-Light Standard/Light Support/Lamp Post**							
	exs	Existence Category						
		007	Destroyed	☑	☑	☑	☐	☐
		008	Dismantled	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	gug	Guyed or Unguyed Category						
		000	Unknown	☑	☑	☑	☐	☐
		001	Guyed	☑	☑	☑	☐	☐
		002	Unguyed	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level		☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☑	☐	☐
		300	World Geodetic System 1984	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	len	Length/Diameter		☑	☑	☑	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☑	☐	☐
		020	Composition	☑	☑	☑	☐	☐
		021	Concrete	☑	☑	☑	☐	☐
		062	Masonry (Brick/Stone)	☑	☑	☑	☐	☐
		064	Metal	☑	☑	☑	☐	☐
		072	Part Metal	☑	☑	☑	☐	☐
		107	Steel	☑	☑	☑	☐	☐
		117	Wood	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☑	☐	☐
		002	Temporary	☑	☑	☑	☐	☐
	qle	Releasability		☑	☑	☑	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☑	☐	☐
		001	Top Secret	☑	☑	☑	☐	☐
		002	Secret	☑	☑	☑	☐	☐
		003	Confidential	☑	☑	☑	☐	☐
		004	Restricted	☑	☑	☑	☐	☐
		005	Unclassified	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	ssc	Structure Shape Category						
		000	Unknown	☑	☑	☑	☐	☐
		052	'A' Frame	☑	☑	☑	☐	☐
		053	'H' Frame	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AL110	**US-Light Standard/Light Support UK-Light Standard/Light Support/Lamp Post**							
	ssc	Structure Shape Category						
		054	'I' Frame	☑	☑	☑	☐	☐
		056	'Y' Frame	☑	☑	☑	☐	☐
		060	Mast	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☑	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☑	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☑	☐	☐
		004	Cartographic Source	☑	☑	☑	☐	☐
		005	Reported Information	☑	☑	☑	☐	☐
		006	Multispectral	☑	☑	☑	☐	☐
		007	Hyperspectral	☑	☑	☑	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	txt	Text Attribute		☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☑	☐	☐
		015	Mean Sea Level	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☑	☐	☐
	wid	Width		☑	☑	☑	☐	☐
	zv2	Highest Z-Value		☑	☑	☑	☐	☐
AL130	**US-Monument UK-Monument/Folly**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☑	☐	☐
		003	Lit	☑	☑	☑	☐	☐
		004	Unlit	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☑	☐	☐
	bss	Building Superstructure Shape						
		000	Unknown	☑	☑	☑	☐	☐
		001	Monitor	☑	☑	☑	☐	☐
		002	Steeple	☑	☑	☑	☐	☐
		003	Cupola	☑	☑	☑	☐	☐
		004	Turret	☑	☑	☑	☐	☐
		005	Tower	☑	☑	☑	☐	☐
		006	Minaret	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AL130	**US-Monument**	**UK-Monument/Folly**						
	bss	Building Superstructure Shape						
		998	Not Applicable	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☑	☐	☐
		018	Receipt	☑	☑	☑	☐	☐
		019	Source	☑	☑	☑	☐	☐
		024	Up-to-dateness/revision	☑	☑	☑	☐	☐
	cdv	Calendar Date Value		☑	☑	☑	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☑	☐	☐
		001	Uni	☑	☑	☑	☐	☐
		002	Bi	☑	☑	☑	☐	☐
		003	Omni	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☑	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☑	☐	☐
		005	Under Construction	☑	☑	☑	☐	☐
		007	Destroyed	☑	☑	☑	☐	☐
		008	Dismantled	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level		☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☑	☐	☐
		300	World Geodetic System 1984	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	len	Length/Diameter		☑	☑	☑	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☑	☐	☐
		020	Composition	☑	☑	☑	☐	☐
		021	Concrete	☑	☑	☑	☐	☐
		062	Masonry (Brick/Stone)	☑	☑	☑	☐	☐
		064	Metal	☑	☑	☑	☐	☐
		072	Part Metal	☑	☑	☑	☐	☐
		107	Steel	☑	☑	☑	☐	☐
		117	Wood	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☑	☐	☐
		002	Temporary	☑	☑	☑	☐	☐
	qle	Releasability		☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AL130	**US-Monument**	**UK-Monument/Folly**						
	sec	Security Classification						
		000	Unknown	☑	☑	☑	☐	☐
		001	Top Secret	☑	☑	☑	☐	☐
		002	Secret	☑	☑	☑	☐	☐
		003	Confidential	☑	☑	☑	☐	☐
		004	Restricted	☑	☑	☑	☐	☐
		005	Unclassified	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	ssc	Structure Shape Category						
		000	Unknown	☑	☑	☑	☐	☐
		012	Pyramid	☑	☑	☑	☐	☐
		017	Spherical (Hemispherical)	☑	☑	☑	☐	☐
		052	'A' Frame	☑	☑	☑	☐	☐
		053	'H' Frame	☑	☑	☑	☐	☐
		054	'I' Frame	☑	☑	☑	☐	☐
		056	'Y' Frame	☑	☑	☑	☐	☐
		060	Mast	☑	☑	☑	☐	☐
		065	Cylindrical with flat top	☑	☑	☑	☐	☐
		066	Cylindrical with domed top	☑	☑	☑	☐	☐
		071	Cylindrical/Peaked	☑	☑	☑	☐	☐
		077	Arch	☑	☑	☑	☐	☐
		079	Round	☑	☑	☑	☐	☐
		080	Rectangular	☑	☑	☑	☐	☐
		083	Square	☑	☑	☑	☐	☐
		084	Irregular	☑	☑	☑	☐	☐
		109	Obelisk	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	ssr	Structure Shape of Roof						
		000	Unknown	☑	☑	☑	☐	☐
		006	Conical/Peaked/NUN	☑	☑	☑	☐	☐
		038	Curved/Round (Quonset)	☑	☑	☑	☐	☐
		040	Dome	☑	☑	☑	☐	☐
		041	Flat	☑	☑	☑	☐	☐
		042	Gable (Pitched)	☑	☑	☑	☐	☐
		047	Sawtooth	☑	☑	☑	☐	☐
		998	Not Applicable	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☑	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AL130	**US-Monument UK-Monument/Folly**							
	stc	Source Type Code						
		003	Mono Imagery Exploitation	☑	☑	☑	☐	☐
		004	Cartographic Source	☑	☑	☑	☐	☐
		005	Reported Information	☑	☑	☑	☐	☐
		006	Multispectral	☑	☑	☑	☐	☐
		007	Hyperspectral	☑	☑	☑	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	txt	Text Attribute		☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☑	☐	☐
		015	Mean Sea Level	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☑	☐	☐
	wid	Width		☑	☑	☑	☐	☐
	zv2	Highest Z-Value		☑	☑	☑	☐	☐
AL240	**Tower (Non-Communication)**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☑	☐	☐
		003	Lit	☑	☑	☑	☐	☐
		004	Unlit	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☑	☐	☐
	bss	Building Superstructure Shape						
		000	Unknown	☑	☑	☑	☐	☐
		002	Steeple	☑	☑	☑	☐	☐
		003	Cupola	☑	☑	☑	☐	☐
		006	Minaret	☑	☑	☑	☐	☐
		998	Not Applicable	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☑	☐	☐
		018	Receipt	☑	☑	☑	☐	☐
		019	Source	☑	☑	☑	☐	☐
		024	Up-to-dateness/revision	☑	☑	☑	☐	☐
	cdv	Calendar Date Value		☑	☑	☑	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☑	☐	☐
		003	Omni	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AL240	**Tower (Non-Communication)**						
	dmf	Density Measure (Feature Count)	☑	☑	☑	☐	☐
	exs	Existence Category					
		000 Unknown	☑	☑	☑	☐	☐
		005 Under Construction	☑	☑	☑	☐	☐
		007 Destroyed	☑	☑	☑	☐	☐
		008 Dismantled	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	gug	Guyed or Unguyed Category					
		000 Unknown	☑	☑	☑	☐	☐
		001 Guyed	☑	☑	☑	☐	☐
		002 Unguyed	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level	☑	☑	☑	☐	☐
	hzd	Horizontal Datum					
		000 Unknown	☑	☑	☑	☐	☐
		300 World Geodetic System 1984	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	len	Length/Diameter	☑	☑	☑	☐	☐
	mcc	Material Composition Category					
		000 Unknown	☑	☑	☑	☐	☐
		020 Composition	☑	☑	☑	☐	☐
		021 Concrete	☑	☑	☑	☐	☐
		062 Masonry (Brick/Stone)	☑	☑	☑	☐	☐
		064 Metal	☑	☑	☑	☐	☐
		072 Part Metal	☑	☑	☑	☐	☐
		107 Steel	☑	☑	☑	☐	☐
		117 Wood	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	prm	Permanency					
		001 Permanent	☑	☑	☑	☐	☐
		002 Temporary	☑	☑	☑	☐	☐
	qle	Releasability	☑	☑	☑	☐	☐
	sec	Security Classification					
		000 Unknown	☑	☑	☑	☐	☐
		001 Top Secret	☑	☑	☑	☐	☐
		002 Secret	☑	☑	☑	☐	☐
		003 Confidential	☑	☑	☑	☐	☐
		004 Restricted	☑	☑	☑	☐	☐
		005 Unclassified	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	ssc	Structure Shape Category					
		000 Unknown	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AL240	**Tower (Non-Communication)**							
	ssc	Structure Shape Category						
		052	'A' Frame	☑	☑	☑	☐	☐
		053	'H' Frame	☑	☑	☑	☐	☐
		054	'I' Frame	☑	☑	☑	☐	☐
		056	'Y' Frame	☑	☑	☑	☐	☐
		060	Mast	☑	☑	☑	☐	☐
		079	Round	☑	☑	☑	☐	☐
		080	Rectangular	☑	☑	☑	☐	☐
		083	Square	☑	☑	☑	☐	☐
		084	Irregular	☑	☑	☑	☐	☐
		109	Obelisk	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	ssr	Structure Shape of Roof						
		000	Unknown	☑	☑	☑	☐	☐
		006	Conical/Peaked/NUN	☑	☑	☑	☐	☐
		038	Curved/Round (Quonset)	☑	☑	☑	☐	☐
		040	Dome	☑	☑	☑	☐	☐
		041	Flat	☑	☑	☑	☐	☐
		042	Gable (Pitched)	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☑	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☑	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☑	☐	☐
		004	Cartographic Source	☑	☑	☑	☐	☐
		005	Reported Information	☑	☑	☑	☐	☐
		006	Multispectral	☑	☑	☑	☐	☐
		007	Hyperspectral	☑	☑	☑	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	ttc	Tower Type Category						
		000	Unknown	☑	☑	☑	☐	☐
		002	Observation/Lookout	☑	☑	☑	☐	☐
		012	Fire	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	txt	Text Attribute		☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☑	☐	☐
		015	Mean Sea Level	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AL240	**Tower (Non-Communication)**						
	voi	Vertical Obstruction Identifier	☑	☑	☑	☐	☐
	wid	Width	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	☑	☑	☑	☐	☐
AM010	**Depot (Storage)**						
	aha	Absolute Horizontal Accuracy in Meters	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	☑	☑	☐	☐	☐
	cdp	Calendar Date Type					
		000 Unknown	☑	☑	☐	☐	☐
		018 Receipt	☑	☑	☐	☐	☐
		019 Source	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	☑	☑	☐	☐	☐
	dir	Directivity					
		002 Bi	☑	☑	☐	☐	☐
		003 Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	☑	☑	☐	☐	☐
	exs	Existence Category					
		000 Unknown	☑	☑	☐	☐	☐
		005 Under Construction	☑	☑	☐	☐	☐
		007 Destroyed	☑	☑	☐	☐	☐
		008 Dismantled	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	☑	☑	☐	☐	☐
	hzd	Horizontal Datum					
		000 Unknown	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	mcc	Material Composition Category					
		000 Unknown	☑	☑	☐	☐	☐
		020 Composition	☑	☑	☐	☐	☐
		021 Concrete	☑	☑	☐	☐	☐
		062 Masonry (Brick/Stone)	☑	☑	☐	☐	☐
		064 Metal	☑	☑	☐	☐	☐
		072 Part Metal	☑	☑	☐	☐	☐
		107 Steel	☑	☑	☐	☐	☐
		117 Wood	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	pfg	Predominant Feature Height With greater than 1 meter resolution	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AM010	**Depot (Storage)**						
	prm	Permanency					
		001 Permanent	☑	☑	☐	☐	☐
		002 Temporary	☑	☑	☐	☐	☐
	qle	Releasability	☑	☑	☐	☐	☐
	sec	Security Classification					
		000 Unknown	☑	☑	☐	☐	☐
		001 Top Secret	☑	☑	☐	☐	☐
		002 Secret	☑	☑	☐	☐	☐
		003 Confidential	☑	☑	☐	☐	☐
		004 Restricted	☑	☑	☐	☐	☐
		005 Unclassified	☑	☐	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	stc	Source Type Code					
		001 Survey Source	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004 Cartographic Source	☑	☑	☐	☐	☐
		005 Reported Information	☑	☑	☐	☐	☐
		006 Multispectral	☑	☑	☐	☐	☐
		007 Hyperspectral	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	txt	Text Attribute	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category					
		000 Unknown	☑	☑	☐	☐	☐
		015 Mean Sea Level	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	☑	☑	☐	☐	☐
AM020	**Grain Bin/Silo**						
	aha	Absolute Horizontal Accuracy in Meters	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	☑	☑	☐	☐	☐
	atn	Aids to Navigation					
		000 Unknown	☑	☑	☐	☐	☐
		003 Lit	☑	☑	☐	☐	☐
		004 Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	☑	☑	☐	☐	☐
	cdp	Calendar Date Type					
		000 Unknown	☑	☑	☐	☐	☐
		018 Receipt	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AM020	**Grain Bin/Silo**						
	cdp	Calendar Date Type					
		019 Source	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	☑	☑	☐	☐	☐
	dir	Directivity					
		000 Unknown	☑	☑	☐	☐	☐
		003 Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	☑	☑	☐	☐	☐
	exs	Existence Category					
		000 Unknown	☑	☑	☐	☐	☐
		005 Under Construction	☑	☑	☐	☐	☐
		007 Destroyed	☑	☑	☐	☐	☐
		008 Dismantled	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	☑	☑	☐	☐	☐
	hzd	Horizontal Datum					
		000 Unknown	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	mcc	Material Composition Category					
		000 Unknown	☑	☑	☐	☐	☐
		020 Composition	☑	☑	☐	☐	☐
		021 Concrete	☑	☑	☐	☐	☐
		062 Masonry (Brick/Stone)	☑	☑	☐	☐	☐
		064 Metal	☑	☑	☐	☐	☐
		072 Part Metal	☑	☑	☐	☐	☐
		107 Steel	☑	☑	☐	☐	☐
		117 Wood	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	prm	Permanency					
		001 Permanent	☑	☑	☐	☐	☐
		002 Temporary	☑	☑	☐	☐	☐
	qle	Releasability	☑	☑	☐	☐	☐
	sec	Security Classification					
		000 Unknown	☑	☑	☐	☐	☐
		001 Top Secret	☑	☑	☐	☐	☐
		002 Secret	☑	☑	☐	☐	☐
		003 Confidential	☑	☑	☐	☐	☐
		004 Restricted	☑	☑	☐	☐	☐
		005 Unclassified	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AM020	**Grain Bin/Silo**							
	ssc	Structure Shape Category						
		000	Unknown	☑	☑	☐	☐	☐
		012	Pyramid	☑	☑	☐	☐	☐
		017	Spherical (Hemispherical)	☑	☑	☐	☐	☐
		079	Round	☑	☑	☐	☐	☐
		080	Rectangular	☑	☑	☐	☐	☐
		083	Square	☑	☑	☐	☐	☐
		084	Irregular	☑	☑	☐	☐	☐
		109	Obelisk	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	ssr	Structure Shape of Roof						
		000	Unknown	☑	☑	☐	☐	☐
		006	Conical/Peaked/NUN	☑	☑	☐	☐	☐
		038	Curved/Round (Quonset)	☑	☑	☐	☐	☐
		040	Dome	☑	☑	☐	☐	☐
		041	Flat	☑	☑	☐	☐	☐
		042	Gable (Pitched)	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☐	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004	Cartographic Source	☑	☑	☐	☐	☐
		005	Reported Information	☑	☑	☐	☐	☐
		006	Multispectral	☑	☑	☐	☐	☐
		007	Hyperspectral	☑	☑	☐	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	txt	Text Attribute		☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☐	☐	☐
		015	Mean Sea Level	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☐	☐	☐
	zv2	Highest Z-Value		☑	☑	☐	☐	☐
AM030	**Grain Elevator**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AM030	**Grain Elevator**						
	atn	Aids to Navigation					
		003 Lit	☑	☑	☐	☐	☐
		004 Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	☑	☑	☐	☐	☐
	cdp	Calendar Date Type					
		000 Unknown	☑	☑	☐	☐	☐
		018 Receipt	☑	☑	☐	☐	☐
		019 Source	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	☑	☑	☐	☐	☐
	dir	Directivity					
		000 Unknown	☑	☑	☐	☐	☐
		003 Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	☑	☑	☐	☐	☐
	exs	Existence Category					
		000 Unknown	☑	☑	☐	☐	☐
		005 Under Construction	☑	☑	☐	☐	☐
		007 Destroyed	☑	☑	☐	☐	☐
		008 Dismantled	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	☑	☑	☐	☐	☐
	hzd	Horizontal Datum					
		000 Unknown	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	mcc	Material Composition Category					
		000 Unknown	☑	☑	☐	☐	☐
		020 Composition	☑	☑	☐	☐	☐
		021 Concrete	☑	☑	☐	☐	☐
		062 Masonry (Brick/Stone)	☑	☑	☐	☐	☐
		064 Metal	☑	☑	☐	☐	☐
		072 Part Metal	☑	☑	☐	☐	☐
		107 Steel	☑	☑	☐	☐	☐
		117 Wood	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	prm	Permanency					
		001 Permanent	☑	☑	☐	☐	☐
		002 Temporary	☑	☑	☐	☐	☐
	qle	Releasability	☑	☑	☐	☐	☐
	sec	Security Classification					
		000 Unknown	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AM030	**Grain Elevator**						
	sec	Security Classification					
		001 Top Secret	☑	☑	☐	☐	☐
		002 Secret	☑	☑	☐	☐	☐
		003 Confidential	☑	☑	☐	☐	☐
		004 Restricted	☑	☑	☐	☐	☐
		005 Unclassified	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	ssc	Structure Shape Category					
		000 Unknown	☑	☑	☐	☐	☐
		012 Pyramid	☑	☑	☐	☐	☐
		017 Spherical (Hemispherical)	☑	☑	☐	☐	☐
		079 Round	☑	☑	☐	☐	☐
		080 Rectangular	☑	☑	☐	☐	☐
		083 Square	☑	☑	☐	☐	☐
		084 Irregular	☑	☑	☐	☐	☐
		109 Obelisk	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	ssr	Structure Shape of Roof					
		000 Unknown	☑	☑	☐	☐	☐
		006 Conical/Peaked/NUN	☑	☑	☐	☐	☐
		038 Curved/Round (Quonset)	☑	☑	☐	☐	☐
		040 Dome	☑	☑	☐	☐	☐
		041 Flat	☑	☑	☐	☐	☐
		042 Gable (Pitched)	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	stc	Source Type Code					
		001 Survey Source	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004 Cartographic Source	☑	☑	☐	☐	☐
		005 Reported Information	☑	☑	☐	☐	☐
		006 Multispectral	☑	☑	☐	☐	☐
		007 Hyperspectral	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	txt	Text Attribute	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category					
		000 Unknown	☑	☑	☐	☐	☐
		015 Mean Sea Level	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AM030	**Grain Elevator**							
	voi	Vertical Obstruction Identifier		☑	☑	☐	☐	☐
	zv2	Highest Z-Value		☑	☑	☐	☐	☐
AM070	**Tank**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☑	☐	☐
		003	Lit	☑	☑	☑	☐	☐
		004	Unlit	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☑	☐	☐
		018	Receipt	☑	☑	☑	☐	☐
		019	Source	☑	☑	☑	☐	☐
		024	Up-to-dateness/revision	☑	☑	☑	☐	☐
	cdv	Calendar Date Value		☑	☑	☑	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☑	☐	☐
		003	Omni	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☑	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☑	☐	☐
		005	Under Construction	☑	☑	☑	☐	☐
		007	Destroyed	☑	☑	☑	☐	☐
		008	Dismantled	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level		☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☑	☐	☐
		300	World Geodetic System 1984	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☑	☐	☐
		020	Composition	☑	☑	☑	☐	☐
		021	Concrete	☑	☑	☑	☐	☐
		062	Masonry (Brick/Stone)	☑	☑	☑	☐	☐
		064	Metal	☑	☑	☑	☐	☐
		072	Part Metal	☑	☑	☑	☐	☐
		107	Steel	☑	☑	☑	☐	☐
		117	Wood	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AM070	**Tank**						
	mcc	Material Composition Category					
		999 Other	☑	☑	☑	☐	☐
	pfg	Predominant Feature Height With greater than 1 meter resolution	☑	☑	☑	☐	☐
	prm	Permanency					
		001 Permanent	☑	☑	☑	☐	☐
		002 Temporary	☑	☑	☑	☐	☐
	qle	Releasability	☑	☑	☑	☐	☐
	sec	Security Classification					
		000 Unknown	☑	☑	☑	☐	☐
		001 Top Secret	☑	☑	☑	☐	☐
		002 Secret	☑	☑	☑	☐	☐
		003 Confidential	☑	☑	☑	☐	☐
		004 Restricted	☑	☑	☑	☐	☐
		005 Unclassified	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	ssc	Structure Shape Category					
		000 Unknown	☑	☑	☑	☐	☐
		004 Bullet	☑	☑	☑	☐	☐
		012 Pyramid	☑	☑	☑	☐	☐
		017 Spherical (Hemispherical)	☑	☑	☑	☐	☐
		059 Telescoping Gasholder (Gasometer)	☑	☑	☑	☐	☐
		079 Round	☑	☑	☑	☐	☐
		080 Rectangular	☑	☑	☑	☐	☐
		083 Square	☑	☑	☑	☐	☐
		084 Irregular	☑	☑	☑	☐	☐
		109 Obelisk	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	ssr	Structure Shape of Roof					
		000 Unknown	☑	☑	☑	☐	☐
		006 Conical/Peaked/NUN	☑	☑	☑	☐	☐
		038 Curved/Round (Quonset)	☑	☑	☑	☐	☐
		040 Dome	☑	☑	☑	☐	☐
		041 Flat	☑	☑	☑	☐	☐
		042 Gable (Pitched)	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	stc	Source Type Code					
		001 Survey Source	☑	☑	☑	☐	☐
		002 Stereo Imagery Exploitation	☑	☑	☑	☐	☐
		003 Mono Imagery Exploitation	☑	☑	☑	☐	☐
		004 Cartographic Source	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AM070	**Tank**							
	stc	Source Type Code						
		005	Reported Information	☑	☑	☑	☐	☐
		006	Multispectral	☑	☑	☑	☐	☐
		007	Hyperspectral	☑	☑	☑	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	txt	Text Attribute		☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☑	☐	☐
		015	Mean Sea Level	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☑	☐	☐
	zv2	Highest Z-Value		☑	☑	☑	☐	☐
AM080	**Water Tower**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☐	☐	☐
		003	Lit	☑	☑	☐	☐	☐
		004	Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☐	☐	☐
		018	Receipt	☑	☑	☐	☐	☐
		019	Source	☑	☑	☐	☐	☐
		024	Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value		☑	☑	☐	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☐	☐	☐
		003	Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☐	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☐	☐	☐
		005	Under Construction	☑	☑	☐	☐	☐
		007	Destroyed	☑	☑	☐	☐	☐
		008	Dismantled	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level		☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AM080	**Water Tower**						
	hzd	Horizontal Datum					
		300 World Geodetic System 1984	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	mcc	Material Composition Category					
		000 Unknown	☑	☑	☐	☐	☐
		020 Composition	☑	☑	☐	☐	☐
		021 Concrete	☑	☑	☐	☐	☐
		062 Masonry (Brick/Stone)	☑	☑	☐	☐	☐
		064 Metal	☑	☑	☐	☐	☐
		072 Part Metal	☑	☑	☐	☐	☐
		107 Steel	☑	☑	☐	☐	☐
		117 Wood	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	prm	Permanency					
		001 Permanent	☑	☑	☐	☐	☐
		002 Temporary	☑	☑	☐	☐	☐
	qle	Releasability	☑	☑	☐	☐	☐
	sec	Security Classification					
		000 Unknown	☑	☑	☐	☐	☐
		001 Top Secret	☑	☑	☐	☐	☐
		002 Secret	☑	☑	☐	☐	☐
		003 Confidential	☑	☑	☐	☐	☐
		004 Restricted	☑	☑	☐	☐	☐
		005 Unclassified	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	ssc	Structure Shape Category					
		000 Unknown	☑	☑	☐	☐	☐
		007 Cylindrical (Upright)/CAN	☑	☑	☐	☐	☐
		012 Pyramid	☑	☑	☐	☐	☐
		017 Spherical (Hemispherical)	☑	☑	☐	☐	☐
		065 Cylindrical with flat top	☑	☑	☐	☐	☐
		066 Cylindrical with domed top	☑	☑	☐	☐	☐
		071 Cylindrical/Peaked	☑	☑	☐	☐	☐
		079 Round	☑	☑	☐	☐	☐
		080 Rectangular	☑	☑	☐	☐	☐
		083 Square	☑	☑	☐	☐	☐
		084 Irregular	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	stc	Source Type Code					
		001 Survey Source	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AM080	**Water Tower**						
	stc	Source Type Code					
		003 Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004 Cartographic Source	☑	☑	☐	☐	☐
		005 Reported Information	☑	☑	☐	☐	☐
		006 Multispectral	☑	☑	☐	☐	☐
		007 Hyperspectral	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	txt	Text Attribute	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category					
		000 Unknown	☑	☑	☐	☐	☐
		015 Mean Sea Level	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	☑	☑	☐	☐	☐
AQ010	**US-Aerial Cableway Lines/Ski Lift Lines UK-Aerial Cableway Lines/Ski Lift Cables**						
	aha	Absolute Horizontal Accuracy in Meters	☐	☐	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	☐	☐	☑	☐	☐
	atn	Aids to Navigation					
		000 Unknown	☐	☐	☑	☐	☐
		003 Lit	☐	☐	☑	☐	☐
		004 Unlit	☐	☐	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	☐	☐	☑	☐	☐
	cdp	Calendar Date Type					
		000 Unknown	☐	☐	☑	☐	☐
		018 Receipt	☐	☐	☑	☐	☐
		019 Source	☐	☐	☑	☐	☐
		024 Up-to-dateness/revision	☐	☐	☑	☐	☐
	cdv	Calendar Date Value	☐	☐	☑	☐	☐
	dir	Directivity					
		000 Unknown	☐	☐	☑	☐	☐
		002 Bi	☐	☐	☑	☐	☐
	dmf	Density Measure (Feature Count)	☐	☐	☑	☐	☐
	exs	Existence Category					
		000 Unknown	☐	☐	☑	☐	☐
		005 Under Construction	☐	☐	☑	☐	☐
		007 Destroyed	☐	☐	☑	☐	☐
		008 Dismantled	☐	☐	☑	☐	☐
		999 Other	☐	☐	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AQ010	**US-Aerial Cableway Lines/Ski Lift Lines UK-Aerial Cableway Lines/Ski Lift Cables**						
	hgt	Height Above Surface Level	☐	☐	☑	☐	☐
	hzd	Horizontal Datum					
		000 Unknown	☐	☐	☑	☐	☐
		300 World Geodetic System 1984	☐	☐	☑	☐	☐
		999 Other	☐	☐	☑	☐	☐
	len	Length/Diameter	☐	☐	☑	☐	☐
	mcc	Material Composition Category					
		064 Metal	☐	☐	☑	☐	☐
		072 Part Metal	☐	☐	☑	☐	☐
		107 Steel	☐	☐	☑	☐	☐
		999 Other	☐	☐	☑	☐	☐
	prm	Permanency					
		001 Permanent	☐	☐	☑	☐	☐
		002 Temporary	☐	☐	☑	☐	☐
	qle	Releasability	☐	☐	☑	☐	☐
	sec	Security Classification					
		000 Unknown	☐	☐	☑	☐	☐
		001 Top Secret	☐	☐	☑	☐	☐
		002 Secret	☐	☐	☑	☐	☐
		003 Confidential	☐	☐	☑	☐	☐
		004 Restricted	☐	☐	☑	☐	☐
		005 Unclassified	☐	☐	☑	☐	☐
		999 Other	☐	☐	☑	☐	☐
	stc	Source Type Code					
		001 Survey Source	☐	☐	☑	☐	☐
		002 Stereo Imagery Exploitation	☐	☐	☑	☐	☐
		003 Mono Imagery Exploitation	☐	☐	☑	☐	☐
		004 Cartographic Source	☐	☐	☑	☐	☐
		005 Reported Information	☐	☐	☑	☐	☐
		006 Multispectral	☐	☐	☑	☐	☐
		007 Hyperspectral	☐	☐	☑	☐	☐
		008 Synthetic Aperture Radar (SAR)	☐	☐	☑	☐	☐
		999 Other	☐	☐	☑	☐	☐
	txt	Text Attribute	☐	☐	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category					
		000 Unknown	☐	☐	☑	☐	☐
		015 Mean Sea Level	☐	☐	☑	☐	☐
		999 Other	☐	☐	☑	☐	☐
	voi	Vertical Obstruction Identifier	☐	☐	☑	☐	☐
	zv2	Highest Z-Value	☐	☐	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AQ020	**Aerial Cableway Pylon/Ski Pylon**						
	aha	Absolute Horizontal Accuracy in Meters	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	☑	☑	☐	☐	☐
	atn	Aids to Navigation					
		000 Unknown	☑	☑	☐	☐	☐
		003 Lit	☑	☑	☐	☐	☐
		004 Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	☑	☑	☐	☐	☐
	cdp	Calendar Date Type					
		000 Unknown	☑	☑	☐	☐	☐
		018 Receipt	☑	☑	☐	☐	☐
		019 Source	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	☑	☑	☐	☐	☐
	dir	Directivity					
		000 Unknown	☑	☑	☐	☐	☐
		001 Uni	☑	☑	☐	☐	☐
		003 Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	☑	☑	☐	☐	☐
	exs	Existence Category					
		000 Unknown	☑	☑	☐	☐	☐
		005 Under Construction	☑	☑	☐	☐	☐
		007 Destroyed	☑	☑	☐	☐	☐
		008 Dismantled	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	gug	Guyed or Unguyed Category					
		000 Unknown	☑	☑	☐	☐	☐
		001 Guyed	☑	☑	☐	☐	☐
		002 Unguyed	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	☑	☑	☐	☐	☐
	hzd	Horizontal Datum					
		000 Unknown	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	len	Length/Diameter	☑	☑	☐	☐	☐
	mcc	Material Composition Category					
		000 Unknown	☑	☑	☐	☐	☐
		020 Composition	☑	☑	☐	☐	☐
		021 Concrete	☑	☑	☐	☐	☐
		062 Masonry (Brick/Stone)	☑	☑	☐	☐	☐
		064 Metal	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AQ020	**Aerial Cableway Pylon/Ski Pylon**							
	mcc	Material Composition Category						
		072	Part Metal	☑	☑	☐	☐	☐
		107	Steel	☑	☑	☐	☐	☐
		117	Wood	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☐	☐	☐
		002	Temporary	☑	☑	☐	☐	☐
	qle	Releasability		☑	☑	☐	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☐	☐	☐
		001	Top Secret	☑	☑	☐	☐	☐
		002	Secret	☑	☑	☐	☐	☐
		003	Confidential	☑	☑	☐	☐	☐
		004	Restricted	☑	☑	☐	☐	☐
		005	Unclassified	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	ssc	Structure Shape Category						
		000	Unknown	☑	☑	☐	☐	☐
		010	Pillar/Spindle	☑	☑	☐	☐	☐
		012	Pyramid	☑	☑	☐	☐	☐
		052	'A' Frame	☑	☑	☐	☐	☐
		053	'H' Frame	☑	☑	☐	☐	☐
		054	'I' Frame	☑	☑	☐	☐	☐
		056	'Y' Frame	☑	☑	☐	☐	☐
		074	'T' Frame	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☐	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004	Cartographic Source	☑	☑	☐	☐	☐
		005	Reported Information	☑	☑	☐	☐	☐
		006	Multispectral	☑	☑	☐	☐	☐
		007	Hyperspectral	☑	☑	☐	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	txt	Text Attribute		☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☐	☐	☐
		015	Mean Sea Level	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AQ020	**Aerial Cableway Pylon/Ski Pylon**						
	vdc	Vertical (Sounding) Datum Category					
		999 Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	☑	☑	☐	☐	☐
	wid	Width	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	☑	☑	☐	☐	☐
AQ040	**Bridge/Overpass/Viaduct**						
	aha	Absolute Horizontal Accuracy in Meters	☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	☑	☑	☑	☐	☐
	atn	Aids to Navigation					
		000 Unknown	☑	☑	☑	☐	☐
		003 Lit	☑	☑	☑	☐	☐
		004 Unlit	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	☑	☑	☑	☐	☐
	bot	Bridge Opening Type					
		000 Unknown	☑	☑	☑	☐	☐
		004 Draw/Bascule	☑	☑	☑	☐	☐
		010 Swing	☑	☑	☑	☐	☐
		011 Lift	☑	☑	☑	☐	☐
		013 Not Applicable	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	bsc	Bridge/Bridge Superstructure Category					
		000 Unknown	☑	☑	☑	☐	☐
		001 Arch (assume open spandrel)	☑	☑	☑	☐	☐
		002 Cantilever	☑	☑	☑	☐	☐
		003 Deck	☑	☑	☑	☐	☐
		006 Girder	☑	☑	☑	☐	☐
		007 Tower Suspension	☑	☑	☑	☐	☐
		008 Truss	☑	☑	☑	☐	☐
		009 Suspension	☑	☑	☑	☐	☐
		012 Transporter	☑	☑	☑	☐	☐
		015 Slab	☑	☑	☑	☐	☐
		016 Stringer (beam)	☑	☑	☑	☐	☐
		017 Arch Suspension	☑	☑	☑	☐	☐
		026 Arch (closed spandrel)	☑	☑	☑	☐	☐
		027 Cable Stayed	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	cdp	Calendar Date Type					
		000 Unknown	☑	☑	☑	☐	☐
		018 Receipt	☑	☑	☑	☐	☐
		019 Source	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AQ040	**Bridge/Overpass/Viaduct**							
	cdp	Calendar Date Type						
		024	Up-to-dateness/revision	☑	☑	☑	☐	☐
	cdv	Calendar Date Value		☑	☑	☑	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☑	☐	☐
		002	Bi	☑	☑	☑	☐	☐
		003	Omni	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☑	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☑	☐	☐
		005	Under Construction	☑	☑	☑	☐	☐
		007	Destroyed	☑	☑	☑	☐	☐
		008	Dismantled	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level		☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☑	☐	☐
		300	World Geodetic System 1984	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	len	Length/Diameter		☑	☑	☑	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☑	☐	☐
		020	Composition	☑	☑	☑	☐	☐
		021	Concrete	☑	☑	☑	☐	☐
		062	Masonry (Brick/Stone)	☑	☑	☑	☐	☐
		064	Metal	☑	☑	☑	☐	☐
		072	Part Metal	☑	☑	☑	☐	☐
		107	Steel	☑	☑	☑	☐	☐
		117	Wood	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☑	☐	☐
		002	Temporary	☑	☑	☑	☐	☐
	qle	Releasability		☑	☑	☑	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☑	☐	☐
		001	Top Secret	☑	☑	☑	☐	☐
		002	Secret	☑	☑	☑	☐	☐
		003	Confidential	☑	☑	☑	☐	☐
		004	Restricted	☑	☑	☑	☐	☐
		005	Unclassified	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AQ040	**Bridge/Overpass/Viaduct**						
	sec	Security Classification					
		999 Other	☑	☑	☑	☐	☐
	stc	Source Type Code					
		001 Survey Source	☑	☑	☑	☐	☐
		002 Stereo Imagery Exploitation	☑	☑	☑	☐	☐
		003 Mono Imagery Exploitation	☑	☑	☑	☐	☐
		004 Cartographic Source	☑	☑	☑	☐	☐
		005 Reported Information	☑	☑	☑	☐	☐
		006 Multispectral	☑	☑	☑	☐	☐
		007 Hyperspectral	☑	☑	☑	☐	☐
		008 Synthetic Aperture Radar (SAR)	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	txt	Text Attribute	☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category					
		000 Unknown	☑	☑	☑	☐	☐
		015 Mean Sea Level	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier	☑	☑	☑	☐	☐
	wid	Width	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	☑	☑	☑	☐	☐
AQ050	**Bridge Superstructure**						
	aha	Absolute Horizontal Accuracy in Meters	☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	☑	☑	☑	☐	☐
	atn	Aids to Navigation					
		000 Unknown	☑	☑	☑	☐	☐
		003 Lit	☑	☑	☑	☐	☐
		004 Unlit	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	☑	☑	☑	☐	☐
	bsc	Bridge/Bridge Superstructure Category					
		000 Unknown	☑	☑	☑	☐	☐
		001 Arch (assume open spandrel)	☑	☑	☑	☐	☐
		002 Cantilever	☑	☑	☑	☐	☐
		003 Deck	☑	☑	☑	☐	☐
		006 Girder	☑	☑	☑	☐	☐
		007 Tower Suspension	☑	☑	☑	☐	☐
		008 Truss	☑	☑	☑	☐	☐
		009 Suspension	☑	☑	☑	☐	☐
		012 Transporter	☑	☑	☑	☐	☐
		015 Slab	☑	☑	☑	☐	☐
		016 Stringer (beam)	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AQ050	**Bridge Superstructure**							
	bsc	Bridge/Bridge Superstructure Category						
		017	Arch Suspension	☑	☑	☑	☐	☐
		026	Arch (closed spandrel)	☑	☑	☑	☐	☐
		027	Cable Stayed	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☑	☐	☐
		018	Receipt	☑	☑	☑	☐	☐
		019	Source	☑	☑	☑	☐	☐
		024	Up-to-dateness/revision	☑	☑	☑	☐	☐
	cdv	Calendar Date Value		☑	☑	☑	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☑	☐	☐
		002	Bi	☑	☑	☑	☐	☐
		003	Omni	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☑	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☑	☐	☐
		005	Under Construction	☑	☑	☑	☐	☐
		007	Destroyed	☑	☑	☑	☐	☐
		008	Dismantled	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level		☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☑	☐	☐
		300	World Geodetic System 1984	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	len	Length/Diameter		☑	☑	☑	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☑	☐	☐
		020	Composition	☑	☑	☑	☐	☐
		021	Concrete	☑	☑	☑	☐	☐
		062	Masonry (Brick/Stone)	☑	☑	☑	☐	☐
		064	Metal	☑	☑	☑	☐	☐
		072	Part Metal	☑	☑	☑	☐	☐
		107	Steel	☑	☑	☑	☐	☐
		117	Wood	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☑	☐	☐
		002	Temporary	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AQ050	**Bridge Superstructure**							
	qle	Releasability		☑	☑	☑	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☑	☐	☐
		001	Top Secret	☑	☑	☑	☐	☐
		002	Secret	☑	☑	☑	☐	☐
		003	Confidential	☑	☑	☑	☐	☐
		004	Restricted	☑	☑	☑	☐	☐
		005	Unclassified	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☑	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☑	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☑	☐	☐
		004	Cartographic Source	☑	☑	☑	☐	☐
		005	Reported Information	☑	☑	☑	☐	☐
		006	Multispectral	☑	☑	☑	☐	☐
		007	Hyperspectral	☑	☑	☑	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	txt	Text Attribute		☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☑	☐	☐
		015	Mean Sea Level	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☑	☐	☐
	wid	Width		☑	☑	☑	☐	☐
	zv2	Highest Z-Value		☑	☑	☑	☐	☐
AQ055	**Bridge Tower/Bridge Pylon**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☐	☐	☐
		003	Lit	☑	☑	☐	☐	☐
		004	Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☐	☐	☐
		018	Receipt	☑	☑	☐	☐	☐
		019	Source	☑	☑	☐	☐	☐
		024	Up-to-dateness/revision	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AQ055	**Bridge Tower/Bridge Pylon**							
	cdv	Calendar Date Value		☑	☑	☐	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☐	☐	☐
		003	Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☐	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☐	☐	☐
		005	Under Construction	☑	☑	☐	☐	☐
		007	Destroyed	☑	☑	☐	☐	☐
		008	Dismantled	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level		☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☐	☐	☐
		300	World Geodetic System 1984	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	len	Length/Diameter		☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☐	☐	☐
		020	Composition	☑	☑	☐	☐	☐
		021	Concrete	☑	☑	☐	☐	☐
		062	Masonry (Brick/Stone)	☑	☑	☐	☐	☐
		064	Metal	☑	☑	☐	☐	☐
		072	Part Metal	☑	☑	☐	☐	☐
		107	Steel	☑	☑	☐	☐	☐
		117	Wood	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☐	☐	☐
		002	Temporary	☑	☑	☐	☐	☐
	qle	Releasability		☑	☑	☐	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☐	☐	☐
		001	Top Secret	☑	☑	☐	☐	☐
		002	Secret	☑	☑	☐	☐	☐
		003	Confidential	☑	☑	☐	☐	☐
		004	Restricted	☑	☑	☐	☐	☐
		005	Unclassified	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	ssc	Structure Shape Category						
		000	Unknown	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AQ055	**Bridge Tower/Bridge Pylon**						
	ssc	Structure Shape Category					
		052 'A' Frame	☑	☑	☐	☐	☐
		053 'H' Frame	☑	☑	☐	☐	☐
		054 'I' Frame	☑	☑	☐	☐	☐
		060 Mast	☑	☑	☐	☐	☐
		079 Round	☑	☑	☐	☐	☐
		080 Rectangular	☑	☑	☐	☐	☐
		083 Square	☑	☑	☐	☐	☐
		084 Irregular	☑	☑	☐	☐	☐
		109 Obelisk	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	stc	Source Type Code					
		001 Survey Source	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004 Cartographic Source	☑	☑	☐	☐	☐
		005 Reported Information	☑	☑	☐	☐	☐
		006 Multispectral	☑	☑	☐	☐	☐
		007 Hyperspectral	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	txt	Text Attribute	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category					
		000 Unknown	☑	☑	☐	☐	☐
		015 Mean Sea Level	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	☑	☑	☐	☐	☐
	wid	Width	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	☑	☑	☐	☐	☐
AQ060	**Control Tower**						
	aha	Absolute Horizontal Accuracy in Meters	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	☑	☑	☐	☐	☐
	atn	Aids to Navigation					
		000 Unknown	☑	☑	☐	☐	☐
		003 Lit	☑	☑	☐	☐	☐
		004 Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	☑	☑	☐	☐	☐
	cdp	Calendar Date Type					
		000 Unknown	☑	☑	☐	☐	☐
		018 Receipt	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AQ060	**Control Tower**							
	cdp	Calendar Date Type						
		019	Source	☑	☑	☐	☐	☐
		024	Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value		☑	☑	☐	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☐	☐	☐
		002	Bi	☑	☑	☐	☐	☐
		003	Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☐	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☐	☐	☐
		005	Under Construction	☑	☑	☐	☐	☐
		007	Destroyed	☑	☑	☐	☐	☐
		008	Dismantled	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	gug	Guyed or Unguyed Category						
		000	Unknown	☑	☑	☐	☐	☐
		001	Guyed	☑	☑	☐	☐	☐
		002	Unguyed	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level		☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☐	☐	☐
		300	World Geodetic System 1984	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	len	Length/Diameter		☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☐	☐	☐
		020	Composition	☑	☑	☐	☐	☐
		021	Concrete	☑	☑	☐	☐	☐
		062	Masonry (Brick/Stone)	☑	☑	☐	☐	☐
		064	Metal	☑	☑	☐	☐	☐
		072	Part Metal	☑	☑	☐	☐	☐
		107	Steel	☑	☑	☐	☐	☐
		117	Wood	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☐	☐	☐
		002	Temporary	☑	☑	☐	☐	☐
	qle	Releasability		☑	☑	☐	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AQ060	**Control Tower**						
	sec	Security Classification					
		001 Top Secret	☑	☑	☐	☐	☐
		002 Secret	☑	☑	☐	☐	☐
		003 Confidential	☑	☑	☐	☐	☐
		004 Restricted	☑	☑	☐	☐	☐
		005 Unclassified	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	ssr	Structure Shape of Roof					
		000 Unknown	☑	☑	☐	☐	☐
		006 Conical/Peaked/NUN	☑	☑	☐	☐	☐
		038 Curved/Round (Quonset)	☑	☑	☐	☐	☐
		040 Dome	☑	☑	☐	☐	☐
		041 Flat	☑	☑	☐	☐	☐
		042 Gable (Pitched)	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	stc	Source Type Code					
		001 Survey Source	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004 Cartographic Source	☑	☑	☐	☐	☐
		005 Reported Information	☑	☑	☐	☐	☐
		006 Multispectral	☑	☑	☐	☐	☐
		007 Hyperspectral	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	txt	Text Attribute	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category					
		000 Unknown	☑	☑	☐	☐	☐
		015 Mean Sea Level	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	☑	☑	☐	☐	☐
	wid	Width	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	☑	☑	☐	☐	☐
AQ110	**Mooring Mast**						
	aha	Absolute Horizontal Accuracy in Meters	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	☑	☑	☐	☐	☐
	atn	Aids to Navigation					
		000 Unknown	☑	☑	☐	☐	☐
		003 Lit	☑	☑	☐	☐	☐
		004 Unlit	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AQ110	**Mooring Mast**						
	ava	Absolute Vertical Accuracy in Meters	☑	☑	☐	☐	☐
	cdp	Calendar Date Type					
		000 Unknown	☑	☑	☐	☐	☐
		018 Receipt	☑	☑	☐	☐	☐
		019 Source	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	☑	☑	☐	☐	☐
	dir	Directivity					
		000 Unknown	☑	☑	☐	☐	☐
		003 Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	☑	☑	☐	☐	☐
	exs	Existence Category					
		000 Unknown	☑	☑	☐	☐	☐
		005 Under Construction	☑	☑	☐	☐	☐
		007 Destroyed	☑	☑	☐	☐	☐
		008 Dismantled	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	gug	Guyed or Unguyed Category					
		000 Unknown	☑	☑	☐	☐	☐
		001 Guyed	☑	☑	☐	☐	☐
		002 Unguyed	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	☑	☑	☐	☐	☐
	hzd	Horizontal Datum					
		000 Unknown	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	len	Length/Diameter	☑	☑	☐	☐	☐
	mcc	Material Composition Category					
		000 Unknown	☑	☑	☐	☐	☐
		020 Composition	☑	☑	☐	☐	☐
		021 Concrete	☑	☑	☐	☐	☐
		062 Masonry (Brick/Stone)	☑	☑	☐	☐	☐
		064 Metal	☑	☑	☐	☐	☐
		072 Part Metal	☑	☑	☐	☐	☐
		107 Steel	☑	☑	☐	☐	☐
		117 Wood	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	prm	Permanency					
		001 Permanent	☑	☑	☐	☐	☐
		002 Temporary	☑	☑	☐	☐	☐
	qle	Releasability	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AQ110	**Mooring Mast**							
	sec	Security Classification						
		000	Unknown	☑	☑	☐	☐	☐
		001	Top Secret	☑	☑	☐	☐	☐
		002	Secret	☑	☑	☐	☐	☐
		003	Confidential	☑	☑	☐	☐	☐
		004	Restricted	☑	☑	☐	☐	☐
		005	Unclassified	☑	☐	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	ssc	Structure Shape Category						
		000	Unknown	☑	☑	☐	☐	☐
		052	'A' Frame	☑	☑	☐	☐	☐
		054	'I' Frame	☑	☑	☐	☐	☐
		060	Mast	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☐	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004	Cartographic Source	☑	☑	☐	☐	☐
		005	Reported Information	☑	☑	☐	☐	☐
		006	Multispectral	☑	☑	☐	☐	☐
		007	Hyperspectral	☑	☑	☐	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	txt	Text Attribute		☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☐	☐	☐
		015	Mean Sea Level	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☐	☐	☐
	wid	Width		☑	☑	☐	☐	☐
	zv2	Highest Z-Value		☑	☑	☐	☐	☐
AQ113	**Pipeline/Pipe**							
	aha	Absolute Horizontal Accuracy in Meters		☐	☐	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☐	☐	☑	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☐	☐	☑	☐	☐
		003	Lit	☐	☐	☑	☐	☐
		004	Unlit	☐	☐	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☐	☐	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AQ113	**Pipeline/Pipe**							
	cdp	Calendar Date Type						
		000	Unknown	☐	☐	☑	☐	☐
		018	Receipt	☐	☐	☑	☐	☐
		019	Source	☐	☐	☑	☐	☐
		024	Up-to-dateness/revision	☐	☐	☑	☐	☐
	cdv	Calendar Date Value		☐	☐	☑	☐	☐
	dir	Directivity						
		000	Unknown	☐	☐	☑	☐	☐
		002	Bi	☐	☐	☑	☐	☐
		003	Omni	☐	☐	☑	☐	☐
	dmf	Density Measure (Feature Count)		☐	☐	☑	☐	☐
	exs	Existence Category						
		000	Unknown	☐	☐	☑	☐	☐
		005	Under Construction	☐	☐	☑	☐	☐
		007	Destroyed	☐	☐	☑	☐	☐
		008	Dismantled	☐	☐	☑	☐	☐
		999	Other	☐	☐	☑	☐	☐
	hgt	Height Above Surface Level		☐	☐	☑	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☐	☐	☑	☐	☐
		300	World Geodetic System 1984	☐	☐	☑	☐	☐
		999	Other	☐	☐	☑	☐	☐
	len	Length/Diameter		☐	☐	☑	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☐	☐	☑	☐	☐
		021	Concrete	☐	☐	☑	☐	☐
		062	Masonry (Brick/Stone)	☐	☐	☑	☐	☐
		064	Metal	☐	☐	☑	☐	☐
		072	Part Metal	☐	☐	☑	☐	☐
		107	Steel	☐	☐	☑	☐	☐
		117	Wood	☐	☐	☑	☐	☐
		999	Other	☐	☐	☑	☐	☐
	prm	Permanency						
		001	Permanent	☐	☐	☑	☐	☐
		002	Temporary	☐	☐	☑	☐	☐
	qle	Releasability		☐	☐	☑	☐	☐
	sec	Security Classification						
		000	Unknown	☐	☐	☑	☐	☐
		001	Top Secret	☐	☐	☑	☐	☐
		002	Secret	☐	☐	☑	☐	☐
		003	Confidential	☐	☐	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AQ113	**Pipeline/Pipe**							
	sec	Security Classification						
		004	Restricted	☐	☐	☑	☐	☐
		005	Unclassified	☐	☐	☑	☐	☐
		999	Other	☐	☐	☑	☐	☐
	stc	Source Type Code						
		001	Survey Source	☐	☐	☑	☐	☐
		002	Stereo Imagery Exploitation	☐	☐	☑	☐	☐
		003	Mono Imagery Exploitation	☐	☐	☑	☐	☐
		004	Cartographic Source	☐	☐	☑	☐	☐
		005	Reported Information	☐	☐	☑	☐	☐
		006	Multispectral	☐	☐	☑	☐	☐
		007	Hyperspectral	☐	☐	☑	☐	☐
		008	Synthetic Aperture Radar (SAR)	☐	☐	☑	☐	☐
		999	Other	☐	☐	☑	☐	☐
	txt	Text Attribute		☐	☐	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☐	☐	☑	☐	☐
		015	Mean Sea Level	☐	☐	☑	☐	☐
		999	Other	☐	☐	☑	☐	☐
	voi	Vertical Obstruction Identifier		☐	☐	☑	☐	☐
	zv2	Highest Z-Value		☐	☐	☑	☐	☐
AT006	**Overhead Cable**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☐	☐	☐
		018	Receipt	☑	☑	☐	☐	☐
		019	Source	☑	☑	☐	☐	☐
		024	Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value		☑	☑	☐	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☐	☐	☐
		002	Bi	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☐	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☐	☐	☐
		005	Under Construction	☑	☑	☐	☐	☐
		007	Destroyed	☑	☑	☐	☐	☐
		008	Dismantled	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AT006	**Overhead Cable**						
	exs	Existence Category					
		999 Other	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	☑	☑	☐	☐	☐
	hzd	Horizontal Datum					
		000 Unknown	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	len	Length/Diameter	☑	☑	☐	☐	☐
	mcc	Material Composition Category					
		000 Unknown	☑	☑	☐	☐	☐
		064 Metal	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	prm	Permanency					
		001 Permanent	☑	☑	☐	☐	☐
		002 Temporary	☑	☑	☐	☐	☐
	qle	Releasability	☑	☑	☐	☐	☐
	sec	Security Classification					
		000 Unknown	☑	☑	☐	☐	☐
		001 Top Secret	☑	☑	☐	☐	☐
		002 Secret	☑	☑	☐	☐	☐
		003 Confidential	☑	☑	☐	☐	☐
		004 Restricted	☑	☑	☐	☐	☐
		005 Unclassified	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	stc	Source Type Code					
		001 Survey Source	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004 Cartographic Source	☑	☑	☐	☐	☐
		005 Reported Information	☑	☑	☐	☐	☐
		006 Multispectral	☑	☑	☐	☐	☐
		007 Hyperspectral	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	tst	Transmission Line Suspension					
		000 Unknown	☑	☑	☐	☐	☐
		001 Normal Suspension	☑	☑	☐	☐	☐
		002 Catenary (Over Mountains)	☑	☑	☐	☐	☐
		003 Catenary (Over Water)	☑	☑	☐	☐	☐
		998 Not Applicable	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AT006	**Overhead Cable**						
	txt	Text Attribute	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category					
		000 Unknown	☑	☑	☐	☐	☐
		015 Mean Sea Level	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	☑	☑	☐	☐	☐
AT010	**US-Disk/Dish UK-Disk Aerial/Dish Aerial**						
	aha	Absolute Horizontal Accuracy in Meters	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	☑	☑	☐	☐	☐
	atn	Aids to Navigation					
		000 Unknown	☑	☑	☐	☐	☐
		003 Lit	☑	☑	☐	☐	☐
		004 Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	☑	☑	☐	☐	☐
	cdp	Calendar Date Type					
		000 Unknown	☑	☑	☐	☐	☐
		018 Receipt	☑	☑	☐	☐	☐
		019 Source	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	☑	☑	☐	☐	☐
	dir	Directivity					
		000 Unknown	☑	☑	☐	☐	☐
		003 Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	☑	☑	☐	☐	☐
	exs	Existence Category					
		000 Unknown	☑	☑	☐	☐	☐
		005 Under Construction	☑	☑	☐	☐	☐
		007 Destroyed	☑	☑	☐	☐	☐
		008 Dismantled	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	☑	☑	☐	☐	☐
	hzd	Horizontal Datum					
		000 Unknown	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	len	Length/Diameter	☑	☑	☐	☐	☐
	mcc	Material Composition Category					
		000 Unknown	☑	☑	☐	☐	☐
		064 Metal	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AT010	**US-Disk/Dish UK-Disk Aerial/Dish Aerial**						
	mcc	Material Composition Category					
		072 Part Metal	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	prm	Permanency					
		001 Permanent	☑	☑	☐	☐	☐
		002 Temporary	☑	☑	☐	☐	☐
	qle	Releasability	☑	☑	☐	☐	☐
	sec	Security Classification					
		000 Unknown	☑	☑	☐	☐	☐
		001 Top Secret	☑	☑	☐	☐	☐
		002 Secret	☑	☑	☐	☐	☐
		003 Confidential	☑	☑	☐	☐	☐
		004 Restricted	☑	☑	☐	☐	☐
		005 Unclassified	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	stc	Source Type Code					
		001 Survey Source	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004 Cartographic Source	☑	☑	☐	☐	☐
		005 Reported Information	☑	☑	☐	☐	☐
		006 Multispectral	☑	☑	☐	☐	☐
		007 Hyperspectral	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	txt	Text Attribute	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category					
		000 Unknown	☑	☑	☐	☐	☐
		015 Mean Sea Level	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	☑	☑	☐	☐	☐
AT030	**Power Transmission Line**						
	aha	Absolute Horizontal Accuracy in Meters	☐	☐	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	☐	☐	☑	☐	☐
	atn	Aids to Navigation					
		000 Unknown	☐	☐	☑	☐	☐
		003 Lit	☐	☐	☑	☐	☐
		004 Unlit	☐	☐	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	☐	☐	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AT030	**Power Transmission Line**						
	cdp	Calendar Date Type					
		000 Unknown	☐	☐	☑	☐	☐
		018 Receipt	☐	☐	☑	☐	☐
		019 Source	☐	☐	☑	☐	☐
		024 Up-to-dateness/revision	☐	☐	☑	☐	☐
	cdv	Calendar Date Value	☐	☐	☑	☐	☐
	dir	Directivity					
		000 Unknown	☐	☐	☑	☐	☐
		002 Bi	☐	☐	☑	☐	☐
	dmf	Density Measure (Feature Count)	☐	☐	☑	☐	☐
	exs	Existence Category					
		000 Unknown	☐	☐	☑	☐	☐
		005 Under Construction	☐	☐	☑	☐	☐
		007 Destroyed	☐	☐	☑	☐	☐
		008 Dismantled	☐	☐	☑	☐	☐
		999 Other	☐	☐	☑	☐	☐
	hgt	Height Above Surface Level	☐	☐	☑	☐	☐
	hzd	Horizontal Datum					
		000 Unknown	☐	☐	☑	☐	☐
		300 World Geodetic System 1984	☐	☐	☑	☐	☐
		999 Other	☐	☐	☑	☐	☐
	kva	Kilovolt Capacity Attribute	☐	☐	☑	☐	☐
	len	Length/Diameter	☐	☐	☑	☐	☐
	mcc	Material Composition Category					
		000 Unknown	☐	☐	☑	☐	☐
		064 Metal	☐	☐	☑	☐	☐
		999 Other	☐	☐	☑	☐	☐
	pfg	Predominant Feature Height With greater than 1 meter resolution	☐	☐	☑	☐	☐
	prm	Permanency					
		001 Permanent	☐	☐	☑	☐	☐
		002 Temporary	☐	☐	☑	☐	☐
	qle	Releasability	☐	☐	☑	☐	☐
	sec	Security Classification					
		000 Unknown	☐	☐	☑	☐	☐
		001 Top Secret	☐	☐	☑	☐	☐
		002 Secret	☐	☐	☑	☐	☐
		003 Confidential	☐	☐	☑	☐	☐
		004 Restricted	☐	☐	☑	☐	☐
		005 Unclassified	☐	☐	☑	☐	☐
		999 Other	☐	☐	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AT030	**Power Transmission Line**							
	stc	Source Type Code						
		001	Survey Source	☐	☐	☑	☐	☐
		002	Stereo Imagery Exploitation	☐	☐	☑	☐	☐
		003	Mono Imagery Exploitation	☐	☐	☑	☐	☐
		004	Cartographic Source	☐	☐	☑	☐	☐
		005	Reported Information	☐	☐	☑	☐	☐
		006	Multispectral	☐	☐	☑	☐	☐
		007	Hyperspectral	☐	☐	☑	☐	☐
		008	Synthetic Aperture Radar (SAR)	☐	☐	☑	☐	☐
		999	Other	☐	☐	☑	☐	☐
	tst	Transmission Line Suspension						
		000	Unknown	☐	☐	☑	☐	☐
		001	Normal Suspension	☐	☐	☑	☐	☐
		002	Catenary (Over Mountains)	☐	☐	☑	☐	☐
		003	Catenary (Over Water)	☐	☐	☑	☐	☐
		998	Not Applicable	☐	☐	☑	☐	☐
		999	Other	☐	☐	☑	☐	☐
	txt	Text Attribute		☐	☐	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☐	☐	☑	☐	☐
		015	Mean Sea Level	☐	☐	☑	☐	☐
		999	Other	☐	☐	☑	☐	☐
	voi	Vertical Obstruction Identifier		☐	☐	☑	☐	☐
	zv2	Highest Z-Value		☐	☐	☑	☐	☐
AT040	**US-Power Transmission Pylon UK-Power Transmission Pylon/Pole**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☐	☐	☐
		003	Lit	☑	☑	☐	☐	☐
		004	Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☐	☐	☐
		018	Receipt	☑	☑	☐	☐	☐
		019	Source	☑	☑	☐	☐	☐
		024	Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value		☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AT040	**US-Power Transmission Pylon UK-Power Transmission Pylon/Pole**						
	dir	Directivity					
		000 Unknown	☑	☑	☐	☐	☐
		003 Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	☑	☑	☐	☐	☐
	exs	Existence Category					
		000 Unknown	☑	☑	☐	☐	☐
		005 Under Construction	☑	☑	☐	☐	☐
		007 Destroyed	☑	☑	☐	☐	☐
		008 Dismantled	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	gug	Guyed or Unguyed Category					
		000 Unknown	☑	☑	☐	☐	☐
		001 Guyed	☑	☑	☐	☐	☐
		002 Unguyed	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	☑	☑	☐	☐	☐
	hzd	Horizontal Datum					
		000 Unknown	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	len	Length/Diameter	☑	☑	☐	☐	☐
	mcc	Material Composition Category					
		000 Unknown	☑	☑	☐	☐	☐
		020 Composition	☑	☑	☐	☐	☐
		021 Concrete	☑	☑	☐	☐	☐
		062 Masonry (Brick/Stone)	☑	☑	☐	☐	☐
		064 Metal	☑	☑	☐	☐	☐
		072 Part Metal	☑	☑	☐	☐	☐
		107 Steel	☑	☑	☐	☐	☐
		117 Wood	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	prm	Permanency					
		001 Permanent	☑	☑	☐	☐	☐
		002 Temporary	☑	☑	☐	☐	☐
	qle	Releasability	☑	☑	☐	☐	☐
	sec	Security Classification					
		000 Unknown	☑	☑	☐	☐	☐
		001 Top Secret	☑	☑	☐	☐	☐
		002 Secret	☑	☑	☐	☐	☐
		003 Confidential	☑	☑	☐	☐	☐
		004 Restricted	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AT040	**US-Power Transmission Pylon UK-Power Transmission Pylon/Pole**						
	sec	Security Classification					
		005 Unclassified	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	ssc	Structure Shape Category					
		000 Unknown	☑	☑	☐	☐	☐
		012 Pyramid	☑	☑	☐	☐	☐
		052 'A' Frame	☑	☑	☐	☐	☐
		053 'H' Frame	☑	☑	☐	☐	☐
		054 'I' Frame	☑	☑	☐	☐	☐
		056 'Y' Frame	☑	☑	☐	☐	☐
		060 Mast	☑	☑	☐	☐	☐
		074 'T' Frame	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	stc	Source Type Code					
		001 Survey Source	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004 Cartographic Source	☑	☑	☐	☐	☐
		005 Reported Information	☑	☑	☐	☐	☐
		006 Multispectral	☑	☑	☐	☐	☐
		007 Hyperspectral	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	txt	Text Attribute	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category					
		000 Unknown	☑	☑	☐	☐	☐
		015 Mean Sea Level	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	☑	☑	☐	☐	☐
AT050	**Communication Building**						
	aha	Absolute Horizontal Accuracy in Meters	☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	☑	☑	☑	☐	☐
	atn	Aids to Navigation					
		000 Unknown	☑	☑	☑	☐	☐
		003 Lit	☑	☑	☑	☐	☐
		004 Unlit	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AT050	**Communication Building**							
	bfc	Building Function Category						
		000	Unknown	☑	☑	☑	☐	☐
		040	Telephone Switching Station	☑	☑	☑	☐	☐
		086	Telephone Exchange (Main)	☑	☑	☑	☐	☐
	bss	Building Superstructure Shape						
		000	Unknown	☑	☑	☑	☐	☐
		005	Tower	☑	☑	☑	☐	☐
		998	Not Applicable	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☑	☐	☐
		018	Receipt	☑	☑	☑	☐	☐
		019	Source	☑	☑	☑	☐	☐
		024	Up-to-dateness/revision	☑	☑	☑	☐	☐
	cdv	Calendar Date Value		☑	☑	☑	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☑	☐	☐
		002	Bi	☑	☑	☑	☐	☐
		003	Omni	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☑	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☑	☐	☐
		005	Under Construction	☑	☑	☑	☐	☐
		007	Destroyed	☑	☑	☑	☐	☐
		008	Dismantled	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level		☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☑	☐	☐
		300	World Geodetic System 1984	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	len	Length/Diameter		☑	☑	☑	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☑	☐	☐
		020	Composition	☑	☑	☑	☐	☐
		021	Concrete	☑	☑	☑	☐	☐
		062	Masonry (Brick/Stone)	☑	☑	☑	☐	☐
		064	Metal	☑	☑	☑	☐	☐
		072	Part Metal	☑	☑	☑	☐	☐
		107	Steel	☑	☑	☑	☐	☐
		117	Wood	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AT050	**Communication Building**						
	mcc	Material Composition Category					
		999 Other	☑	☑	☑	☐	☐
	prm	Permanency					
		001 Permanent	☑	☑	☑	☐	☐
		002 Temporary	☑	☑	☑	☐	☐
	qle	Releasability	☑	☑	☑	☐	☐
	sec	Security Classification					
		000 Unknown	☑	☑	☑	☐	☐
		001 Top Secret	☑	☑	☑	☐	☐
		002 Secret	☑	☑	☑	☐	☐
		003 Confidential	☑	☑	☑	☐	☐
		004 Restricted	☑	☑	☑	☐	☐
		005 Unclassified	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	ssc	Structure Shape Category					
		000 Unknown	☑	☑	☑	☐	☐
		079 Round	☑	☑	☑	☐	☐
		080 Rectangular	☑	☑	☑	☐	☐
		083 Square	☑	☑	☑	☐	☐
		084 Irregular	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	ssr	Structure Shape of Roof					
		000 Unknown	☑	☑	☑	☐	☐
		040 Dome	☑	☑	☑	☐	☐
		041 Flat	☑	☑	☑	☐	☐
		042 Gable (Pitched)	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	stc	Source Type Code					
		001 Survey Source	☑	☑	☑	☐	☐
		002 Stereo Imagery Exploitation	☑	☑	☑	☐	☐
		003 Mono Imagery Exploitation	☑	☑	☑	☐	☐
		004 Cartographic Source	☑	☑	☑	☐	☐
		005 Reported Information	☑	☑	☑	☐	☐
		006 Multispectral	☑	☑	☑	☐	☐
		007 Hyperspectral	☑	☑	☑	☐	☐
		008 Synthetic Aperture Radar (SAR)	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	txt	Text Attribute	☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category					
		000 Unknown	☑	☑	☑	☐	☐
		015 Mean Sea Level	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AT050	**Communication Building**						
	vdc	Vertical (Sounding) Datum Category					
		999 Other	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	☑	☑	☑	☐	☐
AT060	**Telephone Line/Telegraph Line**						
	aha	Absolute Horizontal Accuracy in Meters	☐	☐	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	☐	☐	☑	☐	☐
	atn	Aids to Navigation					
		000 Unknown	☐	☐	☑	☐	☐
		003 Lit	☐	☐	☑	☐	☐
		004 Unlit	☐	☐	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	☐	☐	☑	☐	☐
	cdp	Calendar Date Type					
		000 Unknown	☐	☐	☑	☐	☐
		018 Receipt	☐	☐	☑	☐	☐
		019 Source	☐	☐	☑	☐	☐
		024 Up-to-dateness/revision	☐	☐	☑	☐	☐
	cdv	Calendar Date Value	☐	☐	☑	☐	☐
	dir	Directivity					
		000 Unknown	☐	☐	☑	☐	☐
		002 Bi	☐	☐	☑	☐	☐
	dmf	Density Measure (Feature Count)	☐	☐	☑	☐	☐
	exs	Existence Category					
		000 Unknown	☐	☐	☑	☐	☐
		005 Under Construction	☐	☐	☑	☐	☐
		007 Destroyed	☐	☐	☑	☐	☐
		008 Dismantled	☐	☐	☑	☐	☐
		999 Other	☐	☐	☑	☐	☐
	hgt	Height Above Surface Level	☐	☐	☑	☐	☐
	hzd	Horizontal Datum					
		000 Unknown	☐	☐	☑	☐	☐
		300 World Geodetic System 1984	☐	☐	☑	☐	☐
		999 Other	☐	☐	☑	☐	☐
	len	Length/Diameter	☐	☐	☑	☐	☐
	mcc	Material Composition Category					
		000 Unknown	☐	☐	☑	☐	☐
		064 Metal	☐	☐	☑	☐	☐
		999 Other	☐	☐	☑	☐	☐
	pfg	Predominant Feature Height With greater than 1 meter resolution	☐	☐	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AT060	**Telephone Line/Telegraph Line**							
	prm	Permanency						
		001	Permanent	☐	☐	☑	☐	☐
		002	Temporary	☐	☐	☑	☐	☐
	qle	Releasability		☐	☐	☑	☐	☐
	sec	Security Classification						
		000	Unknown	☐	☐	☑	☐	☐
		001	Top Secret	☐	☐	☑	☐	☐
		002	Secret	☐	☐	☑	☐	☐
		003	Confidential	☐	☐	☑	☐	☐
		004	Restricted	☐	☐	☑	☐	☐
		005	Unclassified	☐	☐	☑	☐	☐
		999	Other	☐	☐	☑	☐	☐
	stc	Source Type Code						
		001	Survey Source	☐	☐	☑	☐	☐
		002	Stereo Imagery Exploitation	☐	☐	☑	☐	☐
		003	Mono Imagery Exploitation	☐	☐	☑	☐	☐
		004	Cartographic Source	☐	☐	☑	☐	☐
		005	Reported Information	☐	☐	☑	☐	☐
		006	Multispectral	☐	☐	☑	☐	☐
		007	Hyperspectral	☐	☐	☑	☐	☐
		008	Synthetic Aperture Radar (SAR)	☐	☐	☑	☐	☐
		999	Other	☐	☐	☑	☐	☐
	tst	Transmission Line Suspension						
		000	Unknown	☐	☐	☑	☐	☐
		001	Normal Suspension	☐	☐	☑	☐	☐
		002	Catenary (Over Mountains)	☐	☐	☑	☐	☐
		003	Catenary (Over Water)	☐	☐	☑	☐	☐
		998	Not Applicable	☐	☐	☑	☐	☐
		999	Other	☐	☐	☑	☐	☐
	txt	Text Attribute		☐	☐	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☐	☐	☑	☐	☐
		015	Mean Sea Level	☐	☐	☑	☐	☐
		999	Other	☐	☐	☑	☐	☐
	voi	Vertical Obstruction Identifier		☐	☐	☑	☐	☐
	zv2	Highest Z-Value		☐	☐	☑	☐	☐
AT070	**Telephone-Telegraph Pylon/Pole**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AT070	**Telephone-Telegraph Pylon/Pole**							
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☐	☐	☐
		003	Lit	☑	☑	☐	☐	☐
		004	Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☐	☐	☐
		018	Receipt	☑	☑	☐	☐	☐
		019	Source	☑	☑	☐	☐	☐
		024	Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value		☑	☑	☐	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☐	☐	☐
		003	Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☐	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☐	☐	☐
		005	Under Construction	☑	☑	☐	☐	☐
		007	Destroyed	☑	☑	☐	☐	☐
		008	Dismantled	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	gug	Guyed or Unguyed Category						
		000	Unknown	☑	☑	☐	☐	☐
		001	Guyed	☑	☑	☐	☐	☐
		002	Unguyed	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level		☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☐	☐	☐
		300	World Geodetic System 1984	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	len	Length/Diameter		☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☐	☐	☐
		020	Composition	☑	☑	☐	☐	☐
		021	Concrete	☑	☑	☐	☐	☐
		062	Masonry (Brick/Stone)	☑	☑	☐	☐	☐
		064	Metal	☑	☑	☐	☐	☐
		072	Part Metal	☑	☑	☐	☐	☐
		107	Steel	☑	☑	☐	☐	☐
		117	Wood	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
AT070	**Telephone-Telegraph Pylon/Pole**							
	prm	Permanency						
		001	Permanent	☑	☑	☐	☐	☐
		002	Temporary	☑	☑	☐	☐	☐
	qle	Releasability		☑	☑	☐	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☐	☐	☐
		001	Top Secret	☑	☑	☐	☐	☐
		002	Secret	☑	☑	☐	☐	☐
		003	Confidential	☑	☑	☐	☐	☐
		004	Restricted	☑	☑	☐	☐	☐
		005	Unclassified	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	ssc	Structure Shape Category						
		000	Unknown	☑	☑	☐	☐	☐
		012	Pyramid	☑	☑	☐	☐	☐
		052	'A' Frame	☑	☑	☐	☐	☐
		053	'H' Frame	☑	☑	☐	☐	☐
		054	'I' Frame	☑	☑	☐	☐	☐
		056	'Y' Frame	☑	☑	☐	☐	☐
		060	Mast	☑	☑	☐	☐	☐
		074	'T' Frame	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☐	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004	Cartographic Source	☑	☑	☐	☐	☐
		005	Reported Information	☑	☑	☐	☐	☐
		006	Multispectral	☑	☑	☐	☐	☐
		007	Hyperspectral	☑	☑	☐	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	txt	Text Attribute		☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☐	☐	☐
		015	Mean Sea Level	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☐	☐	☐
	zv2	Highest Z-Value		☑	☑	☐	☐	☐
AT080	**Communication Tower**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AT080	**Communication Tower**						
	aho	Accuracy of Obstruction Height Above Ground Level	☑	☑	☑	☐	☐
	atn	Aids to Navigation					
		000 Unknown	☑	☑	☑	☐	☐
		003 Lit	☑	☑	☑	☐	☐
		004 Unlit	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	☑	☑	☑	☐	☐
	cdp	Calendar Date Type					
		000 Unknown	☑	☑	☑	☐	☐
		018 Receipt	☑	☑	☑	☐	☐
		019 Source	☑	☑	☑	☐	☐
		024 Up-to-dateness/revision	☑	☑	☑	☐	☐
	cdv	Calendar Date Value	☑	☑	☑	☐	☐
	dir	Directivity					
		000 Unknown	☑	☑	☑	☐	☐
		003 Omni	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)	☑	☑	☑	☐	☐
	exs	Existence Category					
		000 Unknown	☑	☑	☑	☐	☐
		005 Under Construction	☑	☑	☑	☐	☐
		007 Destroyed	☑	☑	☑	☐	☐
		008 Dismantled	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	gug	Guyed or Unguyed Category					
		000 Unknown	☑	☑	☑	☐	☐
		001 Guyed	☑	☑	☑	☐	☐
		002 Unguyed	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level	☑	☑	☑	☐	☐
	hzd	Horizontal Datum					
		000 Unknown	☑	☑	☑	☐	☐
		300 World Geodetic System 1984	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	len	Length/Diameter	☑	☑	☑	☐	☐
	mcc	Material Composition Category					
		000 Unknown	☑	☑	☑	☐	☐
		020 Composition	☑	☑	☑	☐	☐
		021 Concrete	☑	☑	☑	☐	☐
		062 Masonry (Brick/Stone)	☑	☑	☑	☐	☐
		064 Metal	☑	☑	☑	☐	☐
		072 Part Metal	☑	☑	☑	☐	☐
		107 Steel	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AT080	**Communication Tower**						
	mcc	Material Composition Category					
		117 Wood	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	nst	Navigation System Types					
		000 Unknown	☑	☑	☑	☐	☐
		012 Radio	☑	☑	☑	☐	☐
		015 TV	☑	☑	☑	☐	☐
		016 Microwave	☑	☑	☑	☐	☐
		998 Not Applicable	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	pfg	Predominant Feature Height With greater than 1 meter resolution	☑	☑	☑	☐	☐
	prm	Permanency					
		001 Permanent	☑	☑	☑	☐	☐
		002 Temporary	☑	☑	☑	☐	☐
	qle	Releasability	☑	☑	☑	☐	☐
	sec	Security Classification					
		000 Unknown	☑	☑	☑	☐	☐
		001 Top Secret	☑	☑	☑	☐	☐
		002 Secret	☑	☑	☑	☐	☐
		003 Confidential	☑	☑	☑	☐	☐
		004 Restricted	☑	☑	☑	☐	☐
		005 Unclassified	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	ssc	Structure Shape Category					
		000 Unknown	☑	☑	☑	☐	☐
		052 'A' Frame	☑	☑	☑	☐	☐
		053 'H' Frame	☑	☑	☑	☐	☐
		054 'I' Frame	☑	☑	☑	☐	☐
		056 'Y' Frame	☑	☑	☑	☐	☐
		060 Mast	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	stc	Source Type Code					
		001 Survey Source	☑	☑	☑	☐	☐
		002 Stereo Imagery Exploitation	☑	☑	☑	☐	☐
		003 Mono Imagery Exploitation	☑	☑	☑	☐	☐
		004 Cartographic Source	☑	☑	☑	☐	☐
		005 Reported Information	☑	☑	☑	☐	☐
		006 Multispectral	☑	☑	☑	☐	☐
		007 Hyperspectral	☑	☑	☑	☐	☐
		008 Synthetic Aperture Radar (SAR)	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
AT080	**Communication Tower**						
	stc	Source Type Code					
		999 Other	☑	☑	☑	☐	☐
	txt	Text Attribute	☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category					
		000 Unknown	☑	☑	☑	☐	☐
		015 Mean Sea Level	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	☑	☑	☑	☐	☐
BC040	**Light**						
	aha	Absolute Horizontal Accuracy in Meters	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	☑	☑	☐	☐	☐
	atn	Aids to Navigation					
		000 Unknown	☑	☑	☐	☐	☐
		003 Lit	☑	☑	☐	☐	☐
		004 Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	☑	☑	☐	☐	☐
	cdp	Calendar Date Type					
		000 Unknown	☑	☑	☐	☐	☐
		018 Receipt	☑	☑	☐	☐	☐
		019 Source	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	☑	☑	☐	☐	☐
	dir	Directivity					
		000 Unknown	☑	☑	☐	☐	☐
		003 Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	☑	☑	☐	☐	☐
	exs	Existence Category					
		000 Unknown	☑	☑	☐	☐	☐
		005 Under Construction	☑	☑	☐	☐	☐
		007 Destroyed	☑	☑	☐	☐	☐
		008 Dismantled	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	gug	Guyed or Unguyed Category					
		000 Unknown	☑	☑	☐	☐	☐
		001 Guyed	☑	☑	☐	☐	☐
		002 Unguyed	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	☑	☑	☐	☐	☐
	hzd	Horizontal Datum					
		000 Unknown	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
BC040	**Light**						
	hzd	Horizontal Datum					
		300 World Geodetic System 1984	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	mcc	Material Composition Category					
		000 Unknown	☑	☑	☐	☐	☐
		072 Part Metal	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	prm	Permanency					
		001 Permanent	☑	☑	☐	☐	☐
		002 Temporary	☑	☑	☐	☐	☐
	qle	Releasability	☑	☑	☐	☐	☐
	sec	Security Classification					
		000 Unknown	☑	☑	☐	☐	☐
		001 Top Secret	☑	☑	☐	☐	☐
		002 Secret	☑	☑	☐	☐	☐
		003 Confidential	☑	☑	☐	☐	☐
		004 Restricted	☑	☑	☐	☐	☐
		005 Unclassified	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	stc	Source Type Code					
		001 Survey Source	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004 Cartographic Source	☑	☑	☐	☐	☐
		005 Reported Information	☑	☑	☐	☐	☐
		006 Multispectral	☑	☑	☐	☐	☐
		007 Hyperspectral	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	txt	Text Attribute	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category					
		000 Unknown	☑	☑	☐	☐	☐
		015 Mean Sea Level	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	☑	☑	☐	☐	☐
BC050	**Lighthouse**						
	aha	Absolute Horizontal Accuracy in Meters	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
BC050	**Lighthouse**							
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☐	☐	☐
		018	Receipt	☑	☑	☐	☐	☐
		019	Source	☑	☑	☐	☐	☐
		024	Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value		☑	☑	☐	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☐	☐	☐
		003	Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☐	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☐	☐	☐
		005	Under Construction	☑	☑	☐	☐	☐
		007	Destroyed	☑	☑	☐	☐	☐
		008	Dismantled	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level		☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☐	☐	☐
		300	World Geodetic System 1984	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☐	☐	☐
		021	Concrete	☑	☑	☐	☐	☐
		072	Part Metal	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☐	☐	☐
		002	Temporary	☑	☑	☐	☐	☐
	qle	Releasability		☑	☑	☐	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☐	☐	☐
		001	Top Secret	☑	☑	☐	☐	☐
		002	Secret	☑	☑	☐	☐	☐
		003	Confidential	☑	☑	☐	☐	☐
		004	Restricted	☑	☑	☐	☐	☐
		005	Unclassified	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☐	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
BC050	**Lighthouse**							
	stc	Source Type Code						
		003	Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004	Cartographic Source	☑	☑	☐	☐	☐
		005	Reported Information	☑	☑	☐	☐	☐
		006	Multispectral	☑	☑	☐	☐	☐
		007	Hyperspectral	☑	☑	☐	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	txt	Text Attribute		☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☐	☐	☐
		015	Mean Sea Level	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☐	☐	☐
	zv2	Highest Z-Value		☑	☑	☐	☐	☐
BC070	**Light Vessel/Lightship**							
	afa	Available Facilities						
		000	Unknown	☑	☑	☐	☐	☐
		019	Helipad	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☐	☐	☐
		018	Receipt	☑	☑	☐	☐	☐
		019	Source	☑	☑	☐	☐	☐
		024	Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value		☑	☑	☐	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☐	☐	☐
		003	Omni	☑	☑	☐	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☐	☐	☐
		008	Dismantled	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level		☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☐	☐	☐
		300	World Geodetic System 1984	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
BC070	**Light Vessel/Lightship**							
	hzd	Horizontal Datum						
		999	Other	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☐	☐	☐
		064	Metal	☑	☑	☐	☐	☐
		107	Steel	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☐	☐	☐
		002	Temporary	☑	☑	☐	☐	☐
	qle	Releasability		☑	☑	☐	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☐	☐	☐
		001	Top Secret	☑	☑	☐	☐	☐
		002	Secret	☑	☑	☐	☐	☐
		003	Confidential	☑	☑	☐	☐	☐
		004	Restricted	☑	☑	☐	☐	☐
		005	Unclassified	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☐	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004	Cartographic Source	☑	☑	☐	☐	☐
		005	Reported Information	☑	☑	☐	☐	☐
		006	Multispectral	☑	☑	☐	☐	☐
		007	Hyperspectral	☑	☑	☐	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	txt	Text Attribute		☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☐	☐	☐
		015	Mean Sea Level	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☐	☐	☐
	zv2	Highest Z-Value		☑	☑	☐	☐	☐
BD110	**Platform**							
	afa	Available Facilities						
		000	Unknown	☑	☑	☐	☐	☐
		019	Helipad	☑	☑	☐	☐	☐
		995	None	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
BD110	**Platform**						
	afa	Available Facilities					
		999 Other	☑	☑	☐	☐	☐
	aha	Absolute Horizontal Accuracy in Meters	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	☑	☑	☐	☐	☐
	atn	Aids to Navigation					
		000 Unknown	☑	☑	☐	☐	☐
		003 Lit	☑	☑	☐	☐	☐
		004 Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	☑	☑	☐	☐	☐
	cdp	Calendar Date Type					
		000 Unknown	☑	☑	☐	☐	☐
		018 Receipt	☑	☑	☐	☐	☐
		019 Source	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	☑	☑	☐	☐	☐
	dir	Directivity					
		000 Unknown	☑	☑	☐	☐	☐
		003 Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	☑	☑	☐	☐	☐
	exs	Existence Category					
		000 Unknown	☑	☑	☐	☐	☐
		005 Under Construction	☑	☑	☐	☐	☐
		007 Destroyed	☑	☑	☐	☐	☐
		008 Dismantled	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	☑	☑	☐	☐	☐
	hzd	Horizontal Datum					
		000 Unknown	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	mcc	Material Composition Category					
		000 Unknown	☑	☑	☐	☐	☐
		021 Concrete	☑	☑	☐	☐	☐
		064 Metal	☑	☑	☐	☐	☐
		072 Part Metal	☑	☑	☐	☐	☐
		107 Steel	☑	☑	☐	☐	☐
		117 Wood	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	opc	Offshore Platform Classification					
		010 Navigation Aid Support	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
BD110	**Platform**							
	prm	Permanency						
		001	Permanent	☑	☑	☐	☐	☐
		002	Temporary	☑	☑	☐	☐	☐
	qle	Releasability		☑	☑	☐	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☐	☐	☐
		001	Top Secret	☑	☑	☐	☐	☐
		002	Secret	☑	☑	☐	☐	☐
		003	Confidential	☑	☑	☐	☐	☐
		004	Restricted	☑	☑	☐	☐	☐
		005	Unclassified	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☐	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004	Cartographic Source	☑	☑	☐	☐	☐
		005	Reported Information	☑	☑	☐	☐	☐
		006	Multispectral	☑	☑	☐	☐	☐
		007	Hyperspectral	☑	☑	☐	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	txt	Text Attribute		☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☐	☐	☐
		015	Mean Sea Level	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☐	☐	☐
	zv2	Highest Z-Value		☑	☑	☐	☐	☐
BH010	**Aqueduct**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☑	☐	☐
		003	Lit	☑	☑	☑	☐	☐
		004	Unlit	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☑	☐	☐
		018	Receipt	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
BH010	**Aqueduct**							
	cdp	Calendar Date Type						
		019	Source	☑	☑	☑	☐	☐
		024	Up-to-dateness/revision	☑	☑	☑	☐	☐
	cdv	Calendar Date Value		☑	☑	☑	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☑	☐	☐
		001	Uni	☑	☑	☑	☐	☐
		002	Bi	☑	☑	☑	☐	☐
		003	Omni	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☑	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☑	☐	☐
		005	Under Construction	☑	☑	☑	☐	☐
		007	Destroyed	☑	☑	☑	☐	☐
		008	Dismantled	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level		☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☑	☐	☐
		300	World Geodetic System 1984	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	len	Length/Diameter		☑	☑	☑	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☑	☐	☐
		021	Concrete	☑	☑	☑	☐	☐
		064	Metal	☑	☑	☑	☐	☐
		072	Part Metal	☑	☑	☑	☐	☐
		107	Steel	☑	☑	☑	☐	☐
		108	Stone	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☑	☐	☐
		002	Temporary	☑	☑	☑	☐	☐
	qle	Releasability		☑	☑	☑	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☑	☐	☐
		001	Top Secret	☑	☑	☑	☐	☐
		002	Secret	☑	☑	☑	☐	☐
		003	Confidential	☑	☑	☑	☐	☐
		004	Restricted	☑	☑	☑	☐	☐
		005	Unclassified	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
BH010	**Aqueduct**							
	sec	Security Classification						
		999	Other	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☑	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☑	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☑	☐	☐
		004	Cartographic Source	☑	☑	☑	☐	☐
		005	Reported Information	☑	☑	☑	☐	☐
		006	Multispectral	☑	☑	☑	☐	☐
		007	Hyperspectral	☑	☑	☑	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	txt	Text Attribute		☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☑	☐	☐
		015	Mean Sea Level	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☑	☐	☐
	wid	Width		☑	☑	☑	☐	☐
	zv2	Highest Z-Value		☑	☑	☑	☐	☐
BI020	**Dam/Weir**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☑	☐	☐
		003	Lit	☑	☑	☑	☐	☐
		004	Unlit	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☑	☐	☐
		018	Receipt	☑	☑	☑	☐	☐
		019	Source	☑	☑	☑	☐	☐
		024	Up-to-dateness/revision	☑	☑	☑	☐	☐
	cdv	Calendar Date Value		☑	☑	☑	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☑	☐	☐
		001	Uni	☑	☑	☑	☐	☐
		002	Bi	☑	☑	☑	☐	☐
		003	Omni	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
BI020	**Dam/Weir**							
	exs	Existence Category						
		000	Unknown	☑	☑	☑	☐	☐
		005	Under Construction	☑	☑	☑	☐	☐
		007	Destroyed	☑	☑	☑	☐	☐
		008	Dismantled	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level		☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☑	☐	☐
		300	World Geodetic System 1984	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	len	Length/Diameter		☑	☑	☑	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☑	☐	☐
		020	Composition	☑	☑	☑	☐	☐
		021	Concrete	☑	☑	☑	☐	☐
		030	Earthen	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☑	☐	☐
		002	Temporary	☑	☑	☑	☐	☐
	qle	Releasability		☑	☑	☑	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☑	☐	☐
		001	Top Secret	☑	☑	☑	☐	☐
		002	Secret	☑	☑	☑	☐	☐
		003	Confidential	☑	☑	☑	☐	☐
		004	Restricted	☑	☑	☑	☐	☐
		005	Unclassified	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☑	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☑	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☑	☐	☐
		004	Cartographic Source	☑	☑	☑	☐	☐
		005	Reported Information	☑	☑	☑	☐	☐
		006	Multispectral	☑	☑	☑	☐	☐
		007	Hyperspectral	☑	☑	☑	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	txt	Text Attribute		☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
BI020	**Dam/Weir**							
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☑	☐	☐
		015	Mean Sea Level	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☑	☐	☐
	wid	Width		☑	☑	☑	☐	☐
	zv2	Highest Z-Value		☑	☑	☑	☐	☐
BI050	**Water Intake Tower**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☐	☐	☐
		003	Lit	☑	☑	☐	☐	☐
		004	Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☐	☐	☐
		018	Receipt	☑	☑	☐	☐	☐
		019	Source	☑	☑	☐	☐	☐
		024	Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value		☑	☑	☐	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☐	☐	☐
		003	Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☐	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☐	☐	☐
		005	Under Construction	☑	☑	☐	☐	☐
		007	Destroyed	☑	☑	☐	☐	☐
		008	Dismantled	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level		☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☐	☐	☐
		300	World Geodetic System 1984	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	len	Length/Diameter		☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☐	☐	☐
		020	Composition	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
BI050	**Water Intake Tower**							
	mcc	Material Composition Category						
		021	Concrete	☑	☑	☐	☐	☐
		062	Masonry (Brick/Stone)	☑	☑	☐	☐	☐
		064	Metal	☑	☑	☐	☐	☐
		072	Part Metal	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☐	☐	☐
		002	Temporary	☑	☑	☐	☐	☐
	qle	Releasability		☑	☑	☐	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☐	☐	☐
		001	Top Secret	☑	☑	☐	☐	☐
		002	Secret	☑	☑	☐	☐	☐
		003	Confidential	☑	☑	☐	☐	☐
		004	Restricted	☑	☑	☐	☐	☐
		005	Unclassified	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☐	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004	Cartographic Source	☑	☑	☐	☐	☐
		005	Reported Information	☑	☑	☐	☐	☐
		006	Multispectral	☑	☑	☐	☐	☐
		007	Hyperspectral	☑	☑	☐	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	txt	Text Attribute		☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☐	☐	☐
		015	Mean Sea Level	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☐	☐	☐
	wid	Width		☑	☑	☐	☐	☐
	zv2	Highest Z-Value		☑	☑	☐	☐	☐
GA035	**NAVAIDS (Aeronautical)**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
GA035	**NAVAIDS (Aeronautical)**							
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☑	☐	☐
		003	Lit	☑	☑	☑	☐	☐
		004	Unlit	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☑	☐	☐
		018	Receipt	☑	☑	☑	☐	☐
		019	Source	☑	☑	☑	☐	☐
		024	Up-to-dateness/revision	☑	☑	☑	☐	☐
	cdv	Calendar Date Value		☑	☑	☑	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☑	☐	☐
		003	Omni	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☑	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☑	☐	☐
		005	Under Construction	☑	☑	☑	☐	☐
		007	Destroyed	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level		☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☑	☐	☐
		300	World Geodetic System 1984	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	len	Length/Diameter		☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☑	☐	☐
		021	Concrete	☑	☑	☑	☐	☐
		072	Part Metal	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	nst	Navigation System Types						
		000	Unknown	☑	☑	☑	☐	☐
		007	Long Range Air Navigation System (LORAN)	☑	☑	☑	☐	☐
		010	Radar Responder Beacon (RACON)	☑	☑	☑	☐	☐
		011	Radar	☑	☑	☑	☐	☐
		020	VHF Omni Directional Radio Range (VOR)	☑	☑	☑	☐	☐
		021	VHF Omni Directional Radio Range/Distance Measuring Equipment (VOR/DME)	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
GA035	**NAVAIDS (Aeronautical)**							
	nst	Navigation System Types						
		022	VHF Omni Directional Radio Range and TACAN (VORTAC)	☑	☑	☑	☐	☐
		023	Tactical Air Navigation Equipment (TACAN)	☑	☑	☑	☐	☐
		026	Localizer (LOC)	☑	☑	☑	☐	☐
		027	Localizer/Distance Measuring Equipment (LOC/DME)	☑	☑	☑	☐	☐
		035	Radar Antenna	☑	☑	☑	☐	☐
		037	Precision Approach Radar (PAR)	☑	☑	☑	☐	☐
		040	Radio Beacon	☑	☑	☑	☐	☐
		045	Radar Station	☑	☑	☑	☐	☐
		055	Radar reflector	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	prm	Permanency						
		001	Permanent	☑	☑	☑	☐	☐
		002	Temporary	☑	☑	☑	☐	☐
	qle	Releasability		☑	☑	☑	☐	☐
	sec	Security Classification						
		000	Unknown	☑	☑	☑	☐	☐
		001	Top Secret	☑	☑	☑	☐	☐
		002	Secret	☑	☑	☑	☐	☐
		003	Confidential	☑	☑	☑	☐	☐
		004	Restricted	☑	☑	☑	☐	☐
		005	Unclassified	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	ssc	Structure Shape Category						
		000	Unknown	☑	☑	☑	☐	☐
		087	Dome	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☑	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☑	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☑	☐	☐
		004	Cartographic Source	☑	☑	☑	☐	☐
		005	Reported Information	☑	☑	☑	☐	☐
		006	Multispectral	☑	☑	☑	☐	☐
		007	Hyperspectral	☑	☑	☑	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	txt	Text Attribute		☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
GA035	**NAVAIDS (Aeronautical)**							
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☑	☐	☐
		015	Mean Sea Level	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☑	☐	☐
	wid	Width		☑	☑	☑	☐	☐
	zv2	Highest Z-Value		☑	☑	☑	☐	☐
GB040	**Launch Pad**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☐	☐	☐
		003	Lit	☑	☑	☐	☐	☐
		004	Unlit	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☐	☐	☐
		018	Receipt	☑	☑	☐	☐	☐
		019	Source	☑	☑	☐	☐	☐
		024	Up-to-dateness/revision	☑	☑	☐	☐	☐
	cdv	Calendar Date Value		☑	☑	☐	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☐	☐	☐
		001	Uni	☑	☑	☐	☐	☐
		002	Bi	☑	☑	☐	☐	☐
		003	Omni	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)		☑	☑	☐	☐	☐
	exs	Existence Category						
		000	Unknown	☑	☑	☐	☐	☐
		005	Under Construction	☑	☑	☐	☐	☐
		007	Destroyed	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level		☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000	Unknown	☑	☑	☐	☐	☐
		300	World Geodetic System 1984	☑	☑	☐	☐	☐
		999	Other	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000	Unknown	☑	☑	☐	☐	☐
		020	Composition	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
GB040	**Launch Pad**						
	mcc	Material Composition Category					
		021 Concrete	☑	☑	☐	☐	☐
		064 Metal	☑	☑	☐	☐	☐
		072 Part Metal	☑	☑	☐	☐	☐
		107 Steel	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	prm	Permanency					
		001 Permanent	☑	☑	☐	☐	☐
		002 Temporary	☑	☑	☐	☐	☐
	qle	Releasability	☑	☑	☐	☐	☐
	sec	Security Classification					
		000 Unknown	☑	☑	☐	☐	☐
		001 Top Secret	☑	☑	☐	☐	☐
		002 Secret	☑	☑	☐	☐	☐
		003 Confidential	☑	☑	☐	☐	☐
		004 Restricted	☑	☑	☐	☐	☐
		005 Unclassified	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	stc	Source Type Code					
		001 Survey Source	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	☑	☑	☐	☐	☐
		004 Cartographic Source	☑	☑	☐	☐	☐
		005 Reported Information	☑	☑	☐	☐	☐
		006 Multispectral	☑	☑	☐	☐	☐
		007 Hyperspectral	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	txt	Text Attribute	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category					
		000 Unknown	☑	☑	☐	☐	☐
		015 Mean Sea Level	☑	☑	☐	☐	☐
		999 Other	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	☑	☑	☐	☐	☐
GB220	**Air Obstruction**						
	aha	Absolute Horizontal Accuracy in Meters	☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	☑	☑	☑	☐	☐
	atn	Aids to Navigation					
		000 Unknown	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
GB220	**Air Obstruction**						
	atn	Aids to Navigation					
		003 Lit	☑	☑	☑	☐	☐
		004 Unlit	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	☑	☑	☑	☐	☐
	cdp	Calendar Date Type					
		000 Unknown	☑	☑	☑	☐	☐
		018 Receipt	☑	☑	☑	☐	☐
		019 Source	☑	☑	☑	☐	☐
		024 Up-to-dateness/revision	☑	☑	☑	☐	☐
	cdv	Calendar Date Value	☑	☑	☑	☐	☐
	dir	Directivity					
		000 Unknown	☑	☑	☑	☐	☐
		001 Uni	☑	☑	☑	☐	☐
		002 Bi	☑	☑	☑	☐	☐
		003 Omni	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)	☑	☑	☑	☐	☐
	exs	Existence Category					
		000 Unknown	☑	☑	☑	☐	☐
		005 Under Construction	☑	☑	☑	☐	☐
		007 Destroyed	☑	☑	☑	☐	☐
		008 Dismantled	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level	☑	☑	☑	☐	☐
	hzd	Horizontal Datum					
		000 Unknown	☑	☑	☑	☐	☐
		300 World Geodetic System 1984	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	len	Length/Diameter	☑	☑	☑	☐	☐
	mcc	Material Composition Category					
		000 Unknown	☑	☑	☑	☐	☐
		117 Wood	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	pfg	Predominant Feature Height With greater than 1 meter resolution	☑	☑	☑	☐	☐
	prm	Permanency					
		001 Permanent	☑	☑	☑	☐	☐
		002 Temporary	☑	☑	☑	☐	☐
	qle	Releasability	☑	☑	☑	☐	☐
	sec	Security Classification					
		000 Unknown	☑	☑	☑	☐	☐
		001 Top Secret	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
GB220	**Air Obstruction**							
	sec	Security Classification						
		002	Secret	☑	☑	☑	☐	☐
		003	Confidential	☑	☑	☑	☐	☐
		004	Restricted	☑	☑	☑	☐	☐
		005	Unclassified	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☑	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☑	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☑	☐	☐
		004	Cartographic Source	☑	☑	☑	☐	☐
		005	Reported Information	☑	☑	☑	☐	☐
		006	Multispectral	☑	☑	☑	☐	☐
		007	Hyperspectral	☑	☑	☑	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	txt	Text Attribute		☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☑	☐	☐
		015	Mean Sea Level	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier		☑	☑	☑	☐	☐
	wid	Width		☑	☑	☑	☐	☐
	zv2	Highest Z-Value		☑	☑	☑	☐	☐
GB221	**Miscellaneous Air Obstruction**							
	aha	Absolute Horizontal Accuracy in Meters		☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000	Unknown	☑	☑	☑	☐	☐
		003	Lit	☑	☑	☑	☐	☐
		004	Unlit	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters		☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000	Unknown	☑	☑	☑	☐	☐
		018	Receipt	☑	☑	☑	☐	☐
		019	Source	☑	☑	☑	☐	☐
		024	Up-to-dateness/revision	☑	☑	☑	☐	☐
	cdv	Calendar Date Value		☑	☑	☑	☐	☐
	dir	Directivity						
		000	Unknown	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
GB221	**Miscellaneous Air Obstruction**						
	dir	Directivity					
		001 Uni	☑	☑	☑	☐	☐
		002 Bi	☑	☑	☑	☐	☐
		003 Omni	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)	☑	☑	☑	☐	☐
	exs	Existence Category					
		000 Unknown	☑	☑	☑	☐	☐
		005 Under Construction	☑	☑	☑	☐	☐
		007 Destroyed	☑	☑	☑	☐	☐
		008 Dismantled	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	gug	Guyed or Unguyed Category					
		000 Unknown	☑	☑	☑	☐	☐
		001 Guyed	☑	☑	☑	☐	☐
		002 Unguyed	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level	☑	☑	☑	☐	☐
	hzd	Horizontal Datum					
		000 Unknown	☑	☑	☑	☐	☐
		300 World Geodetic System 1984	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	len	Length/Diameter	☑	☑	☑	☐	☐
	mcc	Material Composition Category					
		000 Unknown	☑	☑	☑	☐	☐
		020 Composition	☑	☑	☑	☐	☐
		021 Concrete	☑	☑	☑	☐	☐
		030 Earthen	☑	☑	☑	☐	☐
		062 Masonry (Brick/Stone)	☑	☑	☑	☐	☐
		064 Metal	☑	☑	☑	☐	☐
		072 Part Metal	☑	☑	☑	☐	☐
		107 Steel	☑	☑	☑	☐	☐
		117 Wood	☑	☑	☑	☐	☐
		999 Other	☑	☑	☑	☐	☐
	pfg	Predominant Feature Height With greater than 1 meter resolution	☑	☑	☑	☐	☐
	prm	Permanency					
		001 Permanent	☑	☑	☑	☐	☐
		002 Temporary	☑	☑	☑	☐	☐
	qle	Releasability	☑	☑	☑	☐	☐
	sec	Security Classification					
		000 Unknown	☑	☑	☑	☐	☐
		001 Top Secret	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value		END	CND	EDG	FAC	TXT
obs Obstructions								
GB221	**Miscellaneous Air Obstruction**							
	sec	Security Classification						
		002	Secret	☑	☑	☑	☐	☐
		003	Confidential	☑	☑	☑	☐	☐
		004	Restricted	☑	☑	☑	☐	☐
		005	Unclassified	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	ssc	Structure Shape Category						
		000	Unknown	☑	☑	☑	☐	☐
		004	Bullet	☑	☑	☑	☐	☐
		010	Pillar/Spindle	☑	☑	☑	☐	☐
		012	Pyramid	☑	☑	☑	☐	☐
		017	Spherical (Hemispherical)	☑	☑	☑	☐	☐
		021	Artificial Mountain	☑	☑	☑	☐	☐
		052	'A' Frame	☑	☑	☑	☐	☐
		053	'H' Frame	☑	☑	☑	☐	☐
		054	'I' Frame	☑	☑	☑	☐	☐
		056	'Y' Frame	☑	☑	☑	☐	☐
		060	Mast	☑	☑	☑	☐	☐
		074	'T' Frame	☑	☑	☑	☐	☐
		077	Arch	☑	☑	☑	☐	☐
		079	Round	☑	☑	☑	☐	☐
		080	Rectangular	☑	☑	☑	☐	☐
		083	Square	☑	☑	☑	☐	☐
		084	Irregular	☑	☑	☑	☐	☐
		109	Obelisk	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001	Survey Source	☑	☑	☑	☐	☐
		002	Stereo Imagery Exploitation	☑	☑	☑	☐	☐
		003	Mono Imagery Exploitation	☑	☑	☑	☐	☐
		004	Cartographic Source	☑	☑	☑	☐	☐
		005	Reported Information	☑	☑	☑	☐	☐
		006	Multispectral	☑	☑	☑	☐	☐
		007	Hyperspectral	☑	☑	☑	☐	☐
		008	Synthetic Aperture Radar (SAR)	☑	☑	☑	☐	☐
		999	Other	☑	☑	☑	☐	☐
	txt	Text Attribute		☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000	Unknown	☑	☑	☑	☐	☐
		015	Mean Sea Level	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-1 VVOD FACC Feature and Attribute Codes Sorted by Coverage

Feature	Attribute	Attribute Value	END	CND	EDG	FAC	TXT
obs Obstructions							
GB221	**Miscellaneous Air Obstruction**						
	vdc	Vertical (Sounding) Datum Category					
		999 Other	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier	☑	☑	☑	☐	☐
	wid	Width	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AA040	**Rig/Superstructure**							
	afa	Available Facilities						
		000 Unknown	obs	☑	☑	☐	☐	☐
		019 Helipad	obs	☑	☑	☐	☐	☐
		995 None	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Lit	obs	☑	☑	☐	☐	☐
		004 Unlit	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☐	☐	☐
		018 Receipt	obs	☑	☑	☐	☐	☐
		019 Source	obs	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		005 Under Construction	obs	☑	☑	☐	☐	☐
		007 Destroyed	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	loc	Location Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		008 On Ground Surface	obs	☑	☑	☐	☐	☐
		022 Off Shore	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		064 Metal	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AA040	**Rig/Superstructure**							
	mcc	Material Composition Category						
	107	Steel	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
	001	Permanent	obs	☑	☑	☐	☐	☐
	002	Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
	000	Unknown	obs	☑	☑	☐	☐	☐
	001	Top Secret	obs	☑	☑	☐	☐	☐
	002	Secret	obs	☑	☑	☐	☐	☐
	003	Confidential	obs	☑	☑	☐	☐	☐
	004	Restricted	obs	☑	☑	☐	☐	☐
	005	Unclassified	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	ssc	Structure Shape Category						
	000	Unknown	obs	☑	☑	☐	☐	☐
	052	'A' Frame	obs	☑	☑	☐	☐	☐
	054	'I' Frame	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
	001	Survey Source	obs	☑	☑	☐	☐	☐
	002	Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
	003	Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
	004	Cartographic Source	obs	☑	☑	☐	☐	☐
	005	Reported Information	obs	☑	☑	☐	☐	☐
	006	Multispectral	obs	☑	☑	☐	☐	☐
	007	Hyperspectral	obs	☑	☑	☐	☐	☐
	008	Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
	000	Unknown	obs	☑	☑	☐	☐	☐
	015	Mean Sea Level	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
AB000	**US-Disposal Site/Waste Pile UK-Refuse Tip/Slag Heap**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AB000	**US-Disposal Site/Waste Pile UK-Refuse Tip/Slag Heap**							
	atn	Aids to Navigation						
	000	Unknown	obs	☑	☑	☐	☐	☐
	003	Lit	obs	☑	☑	☐	☐	☐
	004	Unlit	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
	000	Unknown	obs	☑	☑	☐	☐	☐
	018	Receipt	obs	☑	☑	☐	☐	☐
	019	Source	obs	☑	☑	☐	☐	☐
	024	Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
	000	Unknown	obs	☑	☑	☐	☐	☐
	003	Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
	000	Unknown	obs	☑	☑	☐	☐	☐
	005	Under Construction	obs	☑	☑	☐	☐	☐
	007	Destroyed	obs	☑	☑	☐	☐	☐
	008	Dismantled	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
	000	Unknown	obs	☑	☑	☐	☐	☐
	300	World Geodetic System 1984	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
	000	Unknown	obs	☑	☑	☐	☐	☐
	064	Metal	obs	☑	☑	☐	☐	☐
	072	Part Metal	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
	001	Permanent	obs	☑	☑	☐	☐	☐
	002	Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
	000	Unknown	obs	☑	☑	☐	☐	☐
	001	Top Secret	obs	☑	☑	☐	☐	☐
	002	Secret	obs	☑	☑	☐	☐	☐
	003	Confidential	obs	☑	☑	☐	☐	☐
	004	Restricted	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AB000	**US-Disposal Site/Waste Pile UK-Refuse Tip/Slag Heap**							
	sec	Security Classification						
	005	Unclassified	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
	001	Survey Source	obs	☑	☑	☐	☐	☐
	002	Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
	003	Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
	004	Cartographic Source	obs	☑	☑	☐	☐	☐
	005	Reported Information	obs	☑	☑	☐	☐	☐
	006	Multispectral	obs	☑	☑	☐	☐	☐
	007	Hyperspectral	obs	☑	☑	☐	☐	☐
	008	Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
	000	Unknown	obs	☑	☑	☐	☐	☐
	015	Mean Sea Level	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
AC000	**Processing Plant/Treatment Plant**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	atn	Aids to Navigation						
	000	Unknown	obs	☑	☑	☐	☐	☐
	003	Lit	obs	☑	☑	☐	☐	☐
	004	Unlit	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	bss	Building Superstructure Shape						
	000	Unknown	obs	☑	☑	☐	☐	☐
	001	Monitor	obs	☑	☑	☐	☐	☐
	004	Turret	obs	☑	☑	☐	☐	☐
	005	Tower	obs	☑	☑	☐	☐	☐
	998	Not Applicable	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
	000	Unknown	obs	☑	☑	☐	☐	☐
	018	Receipt	obs	☑	☑	☐	☐	☐
	019	Source	obs	☑	☑	☐	☐	☐
	024	Up-to-dateness/revision	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AC000	**Processing Plant/Treatment Plant**							
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		002 Bi	obs	☑	☑	☐	☐	☐
		003 Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		005 Under Construction	obs	☑	☑	☐	☐	☐
		007 Destroyed	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		020 Composition	obs	☑	☑	☐	☐	☐
		021 Concrete	obs	☑	☑	☐	☐	☐
		062 Masonry (Brick/Stone)	obs	☑	☑	☐	☐	☐
		064 Metal	obs	☑	☑	☐	☐	☐
		072 Part Metal	obs	☑	☑	☐	☐	☐
		107 Steel	obs	☑	☑	☐	☐	☐
		117 Wood	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	pfg	Predominant Feature Height With greater than 1 meter resolution	obs	☑	☑	☐	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☐	☐	☐
		002 Temporary	obs	☑	☑	☐	☐	☐
	pro	Product Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		013 Chemical	obs	☑	☑	☐	☐	☐
		017 Coal	obs	☑	☑	☐	☐	☐
		019 Coke	obs	☑	☑	☐	☐	☐
		038 Gas	obs	☑	☑	☐	☐	☐
		064 Metal	obs	☑	☑	☐	☐	☐
		067 Oil	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AC000	**Processing Plant/Treatment Plant**							
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Top Secret	obs	☑	☑	☐	☐	☐
		002 Secret	obs	☑	☑	☐	☐	☐
		003 Confidential	obs	☑	☑	☐	☐	☐
		004 Restricted	obs	☑	☑	☐	☐	☐
		005 Unclassified	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	ssr	Structure Shape of Roof						
		000 Unknown	obs	☑	☑	☐	☐	☐
		006 Conical/Peaked/NUN	obs	☑	☑	☐	☐	☐
		038 Curved/Round (Quonset)	obs	☑	☑	☐	☐	☐
		040 Dome	obs	☑	☑	☐	☐	☐
		041 Flat	obs	☑	☑	☐	☐	☐
		042 Gable (Pitched)	obs	☑	☑	☐	☐	☐
		047 Sawtooth	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
		004 Cartographic Source	obs	☑	☑	☐	☐	☐
		005 Reported Information	obs	☑	☑	☐	☐	☐
		006 Multispectral	obs	☑	☑	☐	☐	☐
		007 Hyperspectral	obs	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		015 Mean Sea Level	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
AC010	**Blast Furnace**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Lit	obs	☑	☑	☐	☐	☐
		004 Unlit	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AC010	**Blast Furnace**							
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☐	☐	☐
		018 Receipt	obs	☑	☑	☐	☐	☐
		019 Source	obs	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		005 Under Construction	obs	☑	☑	☐	☐	☐
		007 Destroyed	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		021 Concrete	obs	☑	☑	☐	☐	☐
		062 Masonry (Brick/Stone)	obs	☑	☑	☐	☐	☐
		064 Metal	obs	☑	☑	☐	☐	☐
		072 Part Metal	obs	☑	☑	☐	☐	☐
		107 Steel	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☐	☐	☐
		002 Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Top Secret	obs	☑	☑	☐	☐	☐
		002 Secret	obs	☑	☑	☐	☐	☐
		003 Confidential	obs	☑	☑	☐	☐	☐
		004 Restricted	obs	☑	☑	☐	☐	☐
		005 Unclassified	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AC010	**Blast Furnace**							
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
		004 Cartographic Source	obs	☑	☑	☐	☐	☐
		005 Reported Information	obs	☑	☑	☐	☐	☐
		006 Multispectral	obs	☑	☑	☐	☐	☐
		007 Hyperspectral	obs	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		015 Mean Sea Level	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
AC020	**Catalytic Cracker**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Lit	obs	☑	☑	☐	☐	☐
		004 Unlit	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☐	☐	☐
		018 Receipt	obs	☑	☑	☐	☐	☐
		019 Source	obs	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		005 Under Construction	obs	☑	☑	☐	☐	☐
		007 Destroyed	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AC020	**Catalytic Cracker**							
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		020 Composition	obs	☑	☑	☐	☐	☐
		021 Concrete	obs	☑	☑	☐	☐	☐
		062 Masonry (Brick/Stone)	obs	☑	☑	☐	☐	☐
		064 Metal	obs	☑	☑	☐	☐	☐
		072 Part Metal	obs	☑	☑	☐	☐	☐
		107 Steel	obs	☑	☑	☐	☐	☐
		117 Wood	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☐	☐	☐
		002 Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Top Secret	obs	☑	☑	☐	☐	☐
		002 Secret	obs	☑	☑	☐	☐	☐
		003 Confidential	obs	☑	☑	☐	☐	☐
		004 Restricted	obs	☑	☑	☐	☐	☐
		005 Unclassified	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
		004 Cartographic Source	obs	☑	☑	☐	☐	☐
		005 Reported Information	obs	☑	☑	☐	☐	☐
		006 Multispectral	obs	☑	☑	☐	☐	☐
		007 Hyperspectral	obs	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		015 Mean Sea Level	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AC020	**Catalytic Cracker**							
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
AD010	**US-Power Plant UK-Power Station**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☑	☐	☐
		003 Lit	obs	☑	☑	☑	☐	☐
		004 Unlit	obs	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☑	☐	☐
	bss	Building Superstructure Shape						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Monitor	obs	☑	☑	☑	☐	☐
		004 Turret	obs	☑	☑	☑	☐	☐
		005 Tower	obs	☑	☑	☑	☐	☐
		998 Not Applicable	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☑	☐	☐
		018 Receipt	obs	☑	☑	☑	☐	☐
		019 Source	obs	☑	☑	☑	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☑	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☑	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☑	☐	☐
		003 Omni	obs	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☑	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		005 Under Construction	obs	☑	☑	☑	☐	☐
		007 Destroyed	obs	☑	☑	☑	☐	☐
		008 Dismantled	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☑	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		020 Composition	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AD010	**US-Power Plant UK-Power Station**							
	mcc	Material Composition Category						
	021	Concrete	obs	☑	☑	☑	☐	☐
	062	Masonry (Brick/Stone)	obs	☑	☑	☑	☐	☐
	064	Metal	obs	☑	☑	☑	☐	☐
	072	Part Metal	obs	☑	☑	☑	☐	☐
	107	Steel	obs	☑	☑	☑	☐	☐
	117	Wood	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	ppc	Power Plant Category						
	000	Unknown	obs	☑	☑	☑	☐	☐
	001	Hydro-electric	obs	☑	☑	☑	☐	☐
	002	Nuclear	obs	☑	☑	☑	☐	☐
	003	Solar	obs	☑	☑	☑	☐	☐
	004	Thermal	obs	☑	☑	☑	☐	☐
	005	Wind	obs	☑	☑	☑	☐	☐
	006	Tidal	obs	☑	☑	☑	☐	☐
	007	Internal Combustion	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	prm	Permanency						
	001	Permanent	obs	☑	☑	☑	☐	☐
	002	Temporary	obs	☑	☑	☑	☐	☐
	qle	Releasability	obs	☑	☑	☑	☐	☐
	sec	Security Classification						
	000	Unknown	obs	☑	☑	☑	☐	☐
	001	Top Secret	obs	☑	☑	☑	☐	☐
	002	Secret	obs	☑	☑	☑	☐	☐
	003	Confidential	obs	☑	☑	☑	☐	☐
	004	Restricted	obs	☑	☑	☑	☐	☐
	005	Unclassified	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	ssr	Structure Shape of Roof						
	000	Unknown	obs	☑	☑	☑	☐	☐
	006	Conical/Peaked/NUN	obs	☑	☑	☑	☐	☐
	038	Curved/Round (Quonset)	obs	☑	☑	☑	☐	☐
	040	Dome	obs	☑	☑	☑	☐	☐
	041	Flat	obs	☑	☑	☑	☐	☐
	042	Gable (Pitched)	obs	☑	☑	☑	☐	☐
	047	Sawtooth	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	stc	Source Type Code						
	001	Survey Source	obs	☑	☑	☑	☐	☐
	002	Stereo Imagery Exploitation	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AD010	**US-Power Plant UK-Power Station**							
	stc	Source Type Code						
		003 Mono Imagery Exploitation	obs	☑	☑	☑	☐	☐
		004 Cartographic Source	obs	☑	☑	☑	☐	☐
		005 Reported Information	obs	☑	☑	☑	☐	☐
		006 Multispectral	obs	☑	☑	☑	☐	☐
		007 Hyperspectral	obs	☑	☑	☑	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	txt	Text Attribute	obs	☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		015 Mean Sea Level	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☑	☐	☐
AD030	**Substation/Transformer Yard**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Lit	obs	☑	☑	☐	☐	☐
		004 Unlit	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☐	☐	☐
		018 Receipt	obs	☑	☑	☐	☐	☐
		019 Source	obs	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		005 Under Construction	obs	☑	☑	☐	☐	☐
		007 Destroyed	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AD030	**Substation/Transformer Yard**							
	hzd	Horizontal Datum						
	000	Unknown	obs	☑	☑	☐	☐	☐
	300	World Geodetic System 1984	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	len	Length/Diameter	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
	000	Unknown	obs	☑	☑	☐	☐	☐
	021	Concrete	obs	☑	☑	☐	☐	☐
	062	Masonry (Brick/Stone)	obs	☑	☑	☐	☐	☐
	064	Metal	obs	☑	☑	☐	☐	☐
	107	Steel	obs	☑	☑	☐	☐	☐
	117	Wood	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
	001	Permanent	obs	☑	☑	☐	☐	☐
	002	Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
	000	Unknown	obs	☑	☑	☐	☐	☐
	001	Top Secret	obs	☑	☑	☐	☐	☐
	002	Secret	obs	☑	☑	☐	☐	☐
	003	Confidential	obs	☑	☑	☐	☐	☐
	004	Restricted	obs	☑	☑	☐	☐	☐
	005	Unclassified	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	ssc	Structure Shape Category						
	000	Unknown	obs	☑	☑	☐	☐	☐
	052	'A' Frame	obs	☑	☑	☐	☐	☐
	053	'H' Frame	obs	☑	☑	☐	☐	☐
	054	'I' Frame	obs	☑	☑	☐	☐	☐
	056	'Y' Frame	obs	☑	☑	☐	☐	☐
	074	'T' Frame	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
	001	Survey Source	obs	☑	☑	☐	☐	☐
	002	Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
	003	Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
	004	Cartographic Source	obs	☑	☑	☐	☐	☐
	005	Reported Information	obs	☑	☑	☐	☐	☐
	006	Multispectral	obs	☑	☑	☐	☐	☐
	007	Hyperspectral	obs	☑	☑	☐	☐	☐
	008	Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AD030	**Substation/Transformer Yard**							
	stc	Source Type Code						
		999 Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		015 Mean Sea Level	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
AF010	**Chimney/Smokestack**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☑	☐	☐
		003 Lit	obs	☑	☑	☑	☐	☐
		004 Unlit	obs	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☑	☐	☐
		018 Receipt	obs	☑	☑	☑	☐	☐
		019 Source	obs	☑	☑	☑	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☑	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☑	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☑	☐	☐
		003 Omni	obs	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☑	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		005 Under Construction	obs	☑	☑	☑	☐	☐
		007 Destroyed	obs	☑	☑	☑	☐	☐
		008 Dismantled	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☑	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		021 Concrete	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AF010	**Chimney/Smokestack**							
	mcc	Material Composition Category						
		062 Masonry (Brick/Stone)	obs	☑	☑	☑	☐	☐
		064 Metal	obs	☑	☑	☑	☐	☐
		072 Part Metal	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	ppc	Power Plant Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		002 Nuclear	obs	☑	☑	☑	☐	☐
		004 Thermal	obs	☑	☑	☑	☐	☐
		007 Internal Combustion	obs	☑	☑	☑	☐	☐
		998 Not Applicable	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☑	☐	☐
		002 Temporary	obs	☑	☑	☑	☐	☐
	qle	Releasability	obs	☑	☑	☑	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Top Secret	obs	☑	☑	☑	☐	☐
		002 Secret	obs	☑	☑	☑	☐	☐
		003 Confidential	obs	☑	☑	☑	☐	☐
		004 Restricted	obs	☑	☑	☑	☐	☐
		005 Unclassified	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☑	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☑	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☑	☐	☐
		004 Cartographic Source	obs	☑	☑	☑	☐	☐
		005 Reported Information	obs	☑	☑	☑	☐	☐
		006 Multispectral	obs	☑	☑	☑	☐	☐
		007 Hyperspectral	obs	☑	☑	☑	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	txt	Text Attribute	obs	☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		015 Mean Sea Level	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AF020	**Conveyor**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☑	☐	☐
		003 Lit	obs	☑	☑	☑	☐	☐
		004 Unlit	obs	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☑	☐	☐
		018 Receipt	obs	☑	☑	☑	☐	☐
		019 Source	obs	☑	☑	☑	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☑	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☑	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☑	☐	☐
		002 Bi	obs	☑	☑	☑	☐	☐
		003 Omni	obs	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☑	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		005 Under Construction	obs	☑	☑	☑	☐	☐
		007 Destroyed	obs	☑	☑	☑	☐	☐
		008 Dismantled	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☑	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		021 Concrete	obs	☑	☑	☑	☐	☐
		062 Masonry (Brick/Stone)	obs	☑	☑	☑	☐	☐
		064 Metal	obs	☑	☑	☑	☐	☐
		072 Part Metal	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☑	☐	☐
		002 Temporary	obs	☑	☑	☑	☐	☐
	qle	Releasability	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AF020	**Conveyor**							
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Top Secret	obs	☑	☑	☑	☐	☐
		002 Secret	obs	☑	☑	☑	☐	☐
		003 Confidential	obs	☑	☑	☑	☐	☐
		004 Restricted	obs	☑	☑	☑	☐	☐
		005 Unclassified	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☑	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☑	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☑	☐	☐
		004 Cartographic Source	obs	☑	☑	☑	☐	☐
		005 Reported Information	obs	☑	☑	☑	☐	☐
		006 Multispectral	obs	☑	☑	☑	☐	☐
		007 Hyperspectral	obs	☑	☑	☑	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	txt	Text Attribute	obs	☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		015 Mean Sea Level	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☑	☐	☐
AF030	**Cooling Tower**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Lit	obs	☑	☑	☐	☐	☐
		004 Unlit	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☐	☐	☐
		018 Receipt	obs	☑	☑	☐	☐	☐
		019 Source	obs	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AF030	**Cooling Tower**							
	dir	Directivity						
		003 Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		005 Under Construction	obs	☑	☑	☐	☐	☐
		007 Destroyed	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		020 Composition	obs	☑	☑	☐	☐	☐
		021 Concrete	obs	☑	☑	☐	☐	☐
		062 Masonry (Brick/Stone)	obs	☑	☑	☐	☐	☐
		064 Metal	obs	☑	☑	☐	☐	☐
		072 Part Metal	obs	☑	☑	☐	☐	☐
		107 Steel	obs	☑	☑	☐	☐	☐
		117 Wood	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	ppc	Power Plant Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		002 Nuclear	obs	☑	☑	☐	☐	☐
		004 Thermal	obs	☑	☑	☐	☐	☐
		007 Internal Combustion	obs	☑	☑	☐	☐	☐
		998 Not Applicable	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☐	☐	☐
		002 Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Top Secret	obs	☑	☑	☐	☐	☐
		002 Secret	obs	☑	☑	☐	☐	☐
		003 Confidential	obs	☑	☑	☐	☐	☐
		004 Restricted	obs	☑	☑	☐	☐	☐
		005 Unclassified	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AF030	**Cooling Tower**							
	sec	Security Classification						
	999	Other	obs	☑	☑	☐	☐	☐
	ssc	Structure Shape Category						
	000	Unknown	obs	☑	☑	☐	☐	☐
	079	Round	obs	☑	☑	☐	☐	☐
	080	Rectangular	obs	☑	☑	☐	☐	☐
	083	Square	obs	☑	☑	☐	☐	☐
	084	Irregular	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
	001	Survey Source	obs	☑	☑	☐	☐	☐
	002	Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
	003	Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
	004	Cartographic Source	obs	☑	☑	☐	☐	☐
	005	Reported Information	obs	☑	☑	☐	☐	☐
	006	Multispectral	obs	☑	☑	☐	☐	☐
	007	Hyperspectral	obs	☑	☑	☐	☐	☐
	008	Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
	000	Unknown	obs	☑	☑	☐	☐	☐
	015	Mean Sea Level	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
AF040	**Crane**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	atn	Aids to Navigation						
	000	Unknown	obs	☑	☑	☐	☐	☐
	003	Lit	obs	☑	☑	☐	☐	☐
	004	Unlit	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
	000	Unknown	obs	☑	☑	☐	☐	☐
	018	Receipt	obs	☑	☑	☐	☐	☐
	019	Source	obs	☑	☑	☐	☐	☐
	024	Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AF040	**Crane**							
	cra	Crane Type Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		002 Bridge/Gantry	obs	☑	☑	☐	☐	☐
		003 Rotating	obs	☑	☑	☐	☐	☐
		998 Not Applicable	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	crm	Crane Mobility Type						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Fixed	obs	☑	☑	☐	☐	☐
		002 Traveling	obs	☑	☑	☐	☐	☐
		003 Floating	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		002 Bi	obs	☑	☑	☐	☐	☐
		003 Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		005 Under Construction	obs	☑	☑	☐	☐	☐
		007 Destroyed	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	gug	Guyed or Unguyed Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Guyed	obs	☑	☑	☐	☐	☐
		002 Unguyed	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		064 Metal	obs	☑	☑	☐	☐	☐
		107 Steel	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☐	☐	☐
		002 Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value		Coverage	END	CND	EDG	FAC	TXT
AF040	**Crane**								
	sec	Security Classification							
		001	Top Secret	obs	☑	☑	☐	☐	☐
		002	Secret	obs	☑	☑	☐	☐	☐
		003	Confidential	obs	☑	☑	☐	☐	☐
		004	Restricted	obs	☑	☑	☐	☐	☐
		005	Unclassified	obs	☑	☑	☐	☐	☐
		999	Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code							
		001	Survey Source	obs	☑	☑	☐	☐	☐
		002	Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
		003	Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
		004	Cartographic Source	obs	☑	☑	☐	☐	☐
		005	Reported Information	obs	☑	☑	☐	☐	☐
		006	Multispectral	obs	☑	☑	☐	☐	☐
		007	Hyperspectral	obs	☑	☑	☐	☐	☐
		008	Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
		999	Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute		obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category							
		000	Unknown	obs	☑	☑	☐	☐	☐
		015	Mean Sea Level	obs	☑	☑	☐	☐	☐
		999	Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier		obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value		obs	☑	☑	☐	☐	☐
AF050	**US-Dredge/Powershovel/Dragline UK-Dredger/Powershovel/Dragline**								
	aha	Absolute Horizontal Accuracy in Meters		obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		obs	☑	☑	☐	☐	☐
	atn	Aids to Navigation							
		000	Unknown	obs	☑	☑	☐	☐	☐
		003	Lit	obs	☑	☑	☐	☐	☐
		004	Unlit	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters		obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type							
		000	Unknown	obs	☑	☑	☐	☐	☐
		018	Receipt	obs	☑	☑	☐	☐	☐
		019	Source	obs	☑	☑	☐	☐	☐
		024	Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value		obs	☑	☑	☐	☐	☐
	dir	Directivity							
		002	Bi	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AF050	**US-Dredge/Powershovel/Dragline UK-Dredger/Powershovel/Dragline**							
	dir	Directivity						
		003 Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		005 Under Construction	obs	☑	☑	☐	☐	☐
		007 Destroyed	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		064 Metal	obs	☑	☑	☐	☐	☐
		072 Part Metal	obs	☑	☑	☐	☐	☐
		107 Steel	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☐	☐	☐
		002 Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Top Secret	obs	☑	☑	☐	☐	☐
		002 Secret	obs	☑	☑	☐	☐	☐
		003 Confidential	obs	☑	☑	☐	☐	☐
		004 Restricted	obs	☑	☑	☐	☐	☐
		005 Unclassified	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	ssc	Structure Shape Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		052 'A' Frame	obs	☑	☑	☐	☐	☐
		054 'I' Frame	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AF050	**US-Dredge/Powershovel/Dragline UK-Dredger/Powershovel/Dragline**							
	stc	Source Type Code						
		004 Cartographic Source	obs	☑	☑	☐	☐	☐
		005 Reported Information	obs	☑	☑	☐	☐	☐
		006 Multispectral	obs	☑	☑	☐	☐	☐
		007 Hyperspectral	obs	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		015 Mean Sea Level	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
AF070	**Flare Pipe**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Lit	obs	☑	☑	☐	☐	☐
		004 Unlit	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☐	☐	☐
		018 Receipt	obs	☑	☑	☐	☐	☐
		019 Source	obs	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		005 Under Construction	obs	☑	☑	☐	☐	☐
		007 Destroyed	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	gug	Guyed or Unguyed Category						
		000 Unknown	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AF070	**Flare Pipe**							
	gug	Guyed or Unguyed Category						
	001	Guyed	obs	☑	☑	☐	☐	☐
	002	Unguyed	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
	000	Unknown	obs	☑	☑	☐	☐	☐
	300	World Geodetic System 1984	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	loc	Location Category						
	000	Unknown	obs	☑	☑	☐	☐	☐
	008	On Ground Surface	obs	☑	☑	☐	☐	☐
	022	Off Shore	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
	000	Unknown	obs	☑	☑	☐	☐	☐
	021	Concrete	obs	☑	☑	☐	☐	☐
	062	Masonry (Brick/Stone)	obs	☑	☑	☐	☐	☐
	064	Metal	obs	☑	☑	☐	☐	☐
	107	Steel	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
	001	Permanent	obs	☑	☑	☐	☐	☐
	002	Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
	000	Unknown	obs	☑	☑	☐	☐	☐
	001	Top Secret	obs	☑	☑	☐	☐	☐
	002	Secret	obs	☑	☑	☐	☐	☐
	003	Confidential	obs	☑	☑	☐	☐	☐
	004	Restricted	obs	☑	☑	☐	☐	☐
	005	Unclassified	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
	001	Survey Source	obs	☑	☑	☐	☐	☐
	002	Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
	003	Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
	004	Cartographic Source	obs	☑	☑	☐	☐	☐
	005	Reported Information	obs	☑	☑	☐	☐	☐
	006	Multispectral	obs	☑	☑	☐	☐	☐
	007	Hyperspectral	obs	☑	☑	☐	☐	☐
	008	Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AF070	**Flare Pipe**							
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		015 Mean Sea Level	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
AF080	**Hopper**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Lit	obs	☑	☑	☐	☐	☐
		004 Unlit	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☐	☐	☐
		018 Receipt	obs	☑	☑	☐	☐	☐
		019 Source	obs	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		002 Bi	obs	☑	☑	☐	☐	☐
		003 Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		005 Under Construction	obs	☑	☑	☐	☐	☐
		007 Destroyed	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		020 Composition	obs	☑	☑	☐	☐	☐
		021 Concrete	obs	☑	☑	☐	☐	☐
		062 Masonry (Brick/Stone)	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AF080	**Hopper**							
	mcc	Material Composition Category						
	064	Metal	obs	☑	☑	☐	☐	☐
	072	Part Metal	obs	☑	☑	☐	☐	☐
	107	Steel	obs	☑	☑	☐	☐	☐
	117	Wood	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
	001	Permanent	obs	☑	☑	☐	☐	☐
	002	Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
	000	Unknown	obs	☑	☑	☐	☐	☐
	001	Top Secret	obs	☑	☑	☐	☐	☐
	002	Secret	obs	☑	☑	☐	☐	☐
	003	Confidential	obs	☑	☑	☐	☐	☐
	004	Restricted	obs	☑	☑	☐	☐	☐
	005	Unclassified	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	ssc	Structure Shape Category						
	000	Unknown	obs	☑	☑	☐	☐	☐
	076	Funnel	obs	☑	☑	☐	☐	☐
	079	Round	obs	☑	☑	☐	☐	☐
	080	Rectangular	obs	☑	☑	☐	☐	☐
	083	Square	obs	☑	☑	☐	☐	☐
	084	Irregular	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
	001	Survey Source	obs	☑	☑	☐	☐	☐
	002	Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
	003	Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
	004	Cartographic Source	obs	☑	☑	☐	☐	☐
	005	Reported Information	obs	☑	☑	☐	☐	☐
	006	Multispectral	obs	☑	☑	☐	☐	☐
	007	Hyperspectral	obs	☑	☑	☐	☐	☐
	008	Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
	000	Unknown	obs	☑	☑	☐	☐	☐
	015	Mean Sea Level	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AF080	**Hopper**							
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
AH050	**Fortification**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☑	☐	☐
		003 Lit	obs	☑	☑	☑	☐	☐
		004 Unlit	obs	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☑	☐	☐
	bfc	Building Function Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		004 Castle	obs	☑	☑	☑	☐	☐
		013 Prison	obs	☑	☑	☑	☐	☐
		099 Battery	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	bss	Building Superstructure Shape						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Monitor	obs	☑	☑	☑	☐	☐
		002 Steeple	obs	☑	☑	☑	☐	☐
		004 Turret	obs	☑	☑	☑	☐	☐
		005 Tower	obs	☑	☑	☑	☐	☐
		998 Not Applicable	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☑	☐	☐
		018 Receipt	obs	☑	☑	☑	☐	☐
		019 Source	obs	☑	☑	☑	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☑	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☑	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Uni	obs	☑	☑	☐	☐	☐
		002 Bi	obs	☑	☑	☑	☐	☐
		003 Omni	obs	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☑	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		005 Under Construction	obs	☑	☑	☑	☐	☐
		007 Destroyed	obs	☑	☑	☑	☐	☐
		008 Dismantled	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AH050	**Fortification**							
	hgt	Height Above Surface Level	obs	☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☑	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	len	Length/Diameter	obs	☑	☑	☑	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		020 Composition	obs	☑	☑	☑	☐	☐
		021 Concrete	obs	☑	☑	☑	☐	☐
		062 Masonry (Brick/Stone)	obs	☑	☑	☑	☐	☐
		064 Metal	obs	☑	☑	☑	☐	☐
		072 Part Metal	obs	☑	☑	☑	☐	☐
		117 Wood	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☑	☐	☐
		002 Temporary	obs	☑	☑	☑	☐	☐
	qle	Releasability	obs	☑	☑	☑	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Top Secret	obs	☑	☑	☑	☐	☐
		002 Secret	obs	☑	☑	☑	☐	☐
		003 Confidential	obs	☑	☑	☑	☐	☐
		004 Restricted	obs	☑	☑	☑	☐	☐
		005 Unclassified	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	ssr	Structure Shape of Roof						
		000 Unknown	obs	☑	☑	☑	☐	☐
		041 Flat	obs	☑	☑	☑	☐	☐
		042 Gable (Pitched)	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☑	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☑	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☑	☐	☐
		004 Cartographic Source	obs	☑	☑	☑	☐	☐
		005 Reported Information	obs	☑	☑	☑	☐	☐
		006 Multispectral	obs	☑	☑	☑	☐	☐
		007 Hyperspectral	obs	☑	☑	☑	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AH050	**Fortification**							
	txt	Text Attribute	obs	☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		015 Mean Sea Level	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☑	☐	☐
	wid	Width	obs	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☑	☐	☐
AJ050	**Windmill**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Lit	obs	☑	☑	☐	☐	☐
		004 Unlit	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☐	☐	☐
		018 Receipt	obs	☑	☑	☐	☐	☐
		019 Source	obs	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		005 Under Construction	obs	☑	☑	☐	☐	☐
		007 Destroyed	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	gug	Guyed or Unguyed Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Guyed	obs	☑	☑	☐	☐	☐
		002 Unguyed	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AJ050	**Windmill**							
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		020 Composition	obs	☑	☑	☐	☐	☐
		021 Concrete	obs	☑	☑	☐	☐	☐
		062 Masonry (Brick/Stone)	obs	☑	☑	☐	☐	☐
		064 Metal	obs	☑	☑	☐	☐	☐
		072 Part Metal	obs	☑	☑	☐	☐	☐
		107 Steel	obs	☑	☑	☐	☐	☐
		117 Wood	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☐	☐	☐
		002 Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Top Secret	obs	☑	☑	☐	☐	☐
		002 Secret	obs	☑	☑	☐	☐	☐
		003 Confidential	obs	☑	☑	☐	☐	☐
		004 Restricted	obs	☑	☑	☐	☐	☐
		005 Unclassified	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	ssc	Structure Shape Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		060 Mast	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
		004 Cartographic Source	obs	☑	☑	☐	☐	☐
		005 Reported Information	obs	☑	☑	☐	☐	☐
		006 Multispectral	obs	☑	☑	☐	☐	☐
		007 Hyperspectral	obs	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		015 Mean Sea Level	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AJ050	**Windmill**							
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
AJ051	**Windmotor**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☑	☐	☐
		003 Lit	obs	☑	☑	☑	☐	☐
		004 Unlit	obs	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☑	☐	☐
		018 Receipt	obs	☑	☑	☑	☐	☐
		019 Source	obs	☑	☑	☑	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☑	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☑	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☑	☐	☐
		003 Omni	obs	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☑	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		005 Under Construction	obs	☑	☑	☑	☐	☐
		007 Destroyed	obs	☑	☑	☑	☐	☐
		008 Dismantled	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	gug	Guyed or Unguyed Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Guyed	obs	☑	☑	☑	☐	☐
		002 Unguyed	obs	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☑	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	loc	Location Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		008 On Ground Surface	obs	☑	☑	☑	☐	☐
		022 Off Shore	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AJ051	**Windmotor**							
	mcc	Material Composition Category						
		020 Composition	obs	☑	☑	☑	☐	☐
		021 Concrete	obs	☑	☑	☑	☐	☐
		062 Masonry (Brick/Stone)	obs	☑	☑	☑	☐	☐
		064 Metal	obs	☑	☑	☑	☐	☐
		072 Part Metal	obs	☑	☑	☑	☐	☐
		107 Steel	obs	☑	☑	☑	☐	☐
		117 Wood	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☑	☐	☐
		002 Temporary	obs	☑	☑	☑	☐	☐
	qle	Releasability	obs	☑	☑	☑	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Top Secret	obs	☑	☑	☑	☐	☐
		002 Secret	obs	☑	☑	☑	☐	☐
		003 Confidential	obs	☑	☑	☑	☐	☐
		004 Restricted	obs	☑	☑	☑	☐	☐
		005 Unclassified	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	ssc	Structure Shape Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		060 Mast	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☑	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☑	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☑	☐	☐
		004 Cartographic Source	obs	☑	☑	☑	☐	☐
		005 Reported Information	obs	☑	☑	☑	☐	☐
		006 Multispectral	obs	☑	☑	☑	☐	☐
		007 Hyperspectral	obs	☑	☑	☑	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	txt	Text Attribute	obs	☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		015 Mean Sea Level	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AK020	**Amusement Park Attraction**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Lit	obs	☑	☑	☐	☐	☐
		004 Unlit	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☐	☐	☐
		018 Receipt	obs	☑	☑	☐	☐	☐
		019 Source	obs	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Uni	obs	☑	☑	☐	☐	☐
		002 Bi	obs	☑	☑	☐	☐	☐
		003 Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		005 Under Construction	obs	☑	☑	☐	☐	☐
		007 Destroyed	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	gug	Guyed or Unguyed Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Guyed	obs	☑	☑	☐	☐	☐
		002 Unguyed	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	len	Length/Diameter	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		020 Composition	obs	☑	☑	☐	☐	☐
		021 Concrete	obs	☑	☑	☐	☐	☐
		062 Masonry (Brick/Stone)	obs	☑	☑	☐	☐	☐
		064 Metal	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AK020	**Amusement Park Attraction**							
	mcc	Material Composition Category						
	072	Part Metal	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
	001	Permanent	obs	☑	☑	☐	☐	☐
	002	Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
	000	Unknown	obs	☑	☑	☐	☐	☐
	001	Top Secret	obs	☑	☑	☐	☐	☐
	002	Secret	obs	☑	☑	☐	☐	☐
	003	Confidential	obs	☑	☑	☐	☐	☐
	004	Restricted	obs	☑	☑	☐	☐	☐
	005	Unclassified	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	ssc	Structure Shape Category						
	000	Unknown	obs	☑	☑	☐	☐	☐
	017	Spherical (Hemispherical)	obs	☑	☑	☐	☐	☐
	021	Artificial Mountain	obs	☑	☑	☐	☐	☐
	023	Ferris Wheel	obs	☑	☑	☐	☐	☐
	025	Roller Coaster	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
	001	Survey Source	obs	☑	☑	☐	☐	☐
	002	Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
	003	Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
	004	Cartographic Source	obs	☑	☑	☐	☐	☐
	005	Reported Information	obs	☑	☑	☐	☐	☐
	006	Multispectral	obs	☑	☑	☐	☐	☐
	007	Hyperspectral	obs	☑	☑	☐	☐	☐
	008	Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
	000	Unknown	obs	☑	☑	☐	☐	☐
	015	Mean Sea Level	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	wid	Width	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
AK150	**Ski Jump**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AK150	**Ski Jump**							
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Lit	obs	☑	☑	☐	☐	☐
		004 Unlit	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☐	☐	☐
		018 Receipt	obs	☑	☑	☐	☐	☐
		019 Source	obs	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☐	☐	☐
		002 Bi	obs	☑	☑	☐	☐	☐
		003 Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		005 Under Construction	obs	☑	☑	☐	☐	☐
		007 Destroyed	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	len	Length/Diameter	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		020 Composition	obs	☑	☑	☐	☐	☐
		021 Concrete	obs	☑	☑	☐	☐	☐
		062 Masonry (Brick/Stone)	obs	☑	☑	☐	☐	☐
		064 Metal	obs	☑	☑	☐	☐	☐
		072 Part Metal	obs	☑	☑	☐	☐	☐
		107 Steel	obs	☑	☑	☐	☐	☐
		117 Wood	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AK150	**Ski Jump**							
	prm	Permanency						
		002 Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Top Secret	obs	☑	☑	☐	☐	☐
		002 Secret	obs	☑	☑	☐	☐	☐
		003 Confidential	obs	☑	☑	☐	☐	☐
		004 Restricted	obs	☑	☑	☐	☐	☐
		005 Unclassified	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
		004 Cartographic Source	obs	☑	☑	☐	☐	☐
		005 Reported Information	obs	☑	☑	☐	☐	☐
		006 Multispectral	obs	☑	☑	☐	☐	☐
		007 Hyperspectral	obs	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		015 Mean Sea Level	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	wid	Width	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
AK160	**US-Stadium/Amphitheater UK-Stadium/Ampitheatre**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☑	☐	☐
		003 Lit	obs	☑	☑	☑	☐	☐
		004 Unlit	obs	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☑	☐	☐
		018 Receipt	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AK160	**US-Stadium/Amphitheater UK-Stadium/Ampitheatre**							
	cdp	Calendar Date Type						
	019	Source	obs	☑	☑	☑	☐	☐
	024	Up-to-dateness/revision	obs	☑	☑	☑	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☑	☐	☐
	dir	Directivity						
	000	Unknown	obs	☑	☑	☑	☐	☐
	001	Uni	obs	☑	☑	☑	☐	☐
	002	Bi	obs	☑	☑	☑	☐	☐
	003	Omni	obs	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☑	☐	☐
	exs	Existence Category						
	000	Unknown	obs	☑	☑	☑	☐	☐
	005	Under Construction	obs	☑	☑	☑	☐	☐
	007	Destroyed	obs	☑	☑	☑	☐	☐
	008	Dismantled	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
	000	Unknown	obs	☑	☑	☑	☐	☐
	300	World Geodetic System 1984	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	len	Length/Diameter	obs	☑	☑	☑	☐	☐
	mcc	Material Composition Category						
	000	Unknown	obs	☑	☑	☑	☐	☐
	020	Composition	obs	☑	☑	☑	☐	☐
	021	Concrete	obs	☑	☑	☑	☐	☐
	062	Masonry (Brick/Stone)	obs	☑	☑	☑	☐	☐
	064	Metal	obs	☑	☑	☑	☐	☐
	072	Part Metal	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	prm	Permanency						
	001	Permanent	obs	☑	☑	☑	☐	☐
	002	Temporary	obs	☑	☑	☑	☐	☐
	qle	Releasability	obs	☑	☑	☑	☐	☐
	sec	Security Classification						
	000	Unknown	obs	☑	☑	☑	☐	☐
	001	Top Secret	obs	☑	☑	☑	☐	☐
	002	Secret	obs	☑	☑	☑	☐	☐
	003	Confidential	obs	☑	☑	☑	☐	☐
	004	Restricted	obs	☑	☑	☑	☐	☐
	005	Unclassified	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AK160	**US-Stadium/Amphitheater UK-Stadium/Ampitheatre**							
	sec	Security Classification						
		999 Other	obs	☑	☑	☑	☐	☐
	ssc	Structure Shape Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		024 Enclosed	obs	☑	☑	☐	☐	☐
		046 Open	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	ssr	Structure Shape of Roof						
		000 Unknown	obs	☑	☑	☑	☐	☐
		040 Dome	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☑	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☑	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☑	☐	☐
		004 Cartographic Source	obs	☑	☑	☑	☐	☐
		005 Reported Information	obs	☑	☑	☑	☐	☐
		006 Multispectral	obs	☑	☑	☑	☐	☐
		007 Hyperspectral	obs	☑	☑	☑	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	txt	Text Attribute	obs	☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		015 Mean Sea Level	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☑	☐	☐
	wid	Width	obs	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☑	☐	☐
AL015	**Building**							
	afa	Available Facilities						
		000 Unknown	obs	☑	☑	☑	☐	☐
		019 Helipad	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☑	☐	☐
		003 Lit	obs	☑	☑	☑	☐	☐
		004 Unlit	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value		Coverage	END	CND	EDG	FAC	TXT
AL015	**Building**								
	ava	Absolute Vertical Accuracy in Meters		obs	☑	☑	☑	☐	☐
	bfc	Building Function Category							
		000	Unknown	obs	☑	☑	☑	☐	☐
		002	Government Building	obs	☑	☑	☑	☐	☐
		003	Capitol Building	obs	☑	☑	☑	☐	☐
		006	Hospital	obs	☑	☑	☑	☐	☐
		007	House of Worship	obs	☑	☑	☑	☐	☐
		010	Observatory	obs	☑	☑	☑	☐	☐
		011	Palace	obs	☑	☑	☑	☐	☐
		013	Prison	obs	☑	☑	☑	☐	☐
		015	School	obs	☑	☑	☑	☐	☐
		016	House	obs	☑	☑	☑	☐	☐
		017	Multi Unit Dwelling	obs	☑	☑	☑	☐	☐
		028	Administration Building	obs	☑	☑	☑	☐	☐
		029	Aircraft Maintenance Shop	obs	☑	☑	☑	☐	☐
		030	Hangar	obs	☑	☑	☑	☐	☐
		053	Bank	obs	☑	☑	☑	☐	☐
		058	Observation	obs	☑	☑	☑	☐	☐
		105	Reformatory	obs	☑	☑	☑	☐	☐
		106	Sanitarium	obs	☑	☑	☑	☐	☐
		111	Sportsplex	obs	☑	☑	☑	☐	☐
		122	Shopping Center	obs	☑	☑	☑	☐	☐
		129	Airport Terminal	obs	☑	☑	☑	☐	☐
		999	Other	obs	☑	☑	☑	☐	☐
	bss	Building Superstructure Shape							
		000	Unknown	obs	☑	☑	☑	☐	☐
		001	Monitor	obs	☑	☑	☑	☐	☐
		002	Steeple	obs	☑	☑	☑	☐	☐
		003	Cupola	obs	☑	☑	☑	☐	☐
		004	Turret	obs	☑	☑	☑	☐	☐
		005	Tower	obs	☑	☑	☑	☐	☐
		006	Minaret	obs	☑	☑	☑	☐	☐
		998	Not Applicable	obs	☑	☑	☑	☐	☐
		999	Other	obs	☑	☑	☑	☐	☐
	cdp	Calendar Date Type							
		000	Unknown	obs	☑	☑	☑	☐	☐
		018	Receipt	obs	☑	☑	☑	☐	☐
		019	Source	obs	☑	☑	☑	☐	☐
		024	Up-to-dateness/revision	obs	☑	☑	☑	☐	☐
	cdv	Calendar Date Value		obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AL015	**Building**							
	dir	Directivity						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Uni	obs	☑	☑	☑	☐	☐
		002 Bi	obs	☑	☑	☑	☐	☐
		003 Omni	obs	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☑	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		005 Under Construction	obs	☑	☑	☑	☐	☐
		007 Destroyed	obs	☑	☑	☑	☐	☐
		008 Dismantled	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☑	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	len	Length/Diameter	obs	☑	☑	☑	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		020 Composition	obs	☑	☑	☑	☐	☐
		021 Concrete	obs	☑	☑	☑	☐	☐
		062 Masonry (Brick/Stone)	obs	☑	☑	☑	☐	☐
		064 Metal	obs	☑	☑	☑	☐	☐
		072 Part Metal	obs	☑	☑	☑	☐	☐
		107 Steel	obs	☑	☑	☑	☐	☐
		117 Wood	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☑	☐	☐
		002 Temporary	obs	☑	☑	☑	☐	☐
	qle	Releasability	obs	☑	☑	☑	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Top Secret	obs	☑	☑	☑	☐	☐
		002 Secret	obs	☑	☑	☑	☐	☐
		003 Confidential	obs	☑	☑	☑	☐	☐
		004 Restricted	obs	☑	☑	☑	☐	☐
		005 Unclassified	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	ssc	Structure Shape Category						
		000 Unknown	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AL015	**Building**							
	ssc	Structure Shape Category						
		012 Pyramid	obs	☑	☑	☑	☐	☐
		017 Spherical (Hemispherical)	obs	☑	☑	☑	☐	☐
		079 Round	obs	☑	☑	☑	☐	☐
		080 Rectangular	obs	☑	☑	☑	☐	☐
		083 Square	obs	☑	☑	☑	☐	☐
		084 Irregular	obs	☑	☑	☑	☐	☐
		109 Obelisk	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	ssr	Structure Shape of Roof						
		000 Unknown	obs	☑	☑	☑	☐	☐
		006 Conical/Peaked/NUN	obs	☑	☑	☑	☐	☐
		038 Curved/Round (Quonset)	obs	☑	☑	☑	☐	☐
		040 Dome	obs	☑	☑	☑	☐	☐
		041 Flat	obs	☑	☑	☑	☐	☐
		042 Gable (Pitched)	obs	☑	☑	☑	☐	☐
		047 Sawtooth	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☑	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☑	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☑	☐	☐
		004 Cartographic Source	obs	☑	☑	☑	☐	☐
		005 Reported Information	obs	☑	☑	☑	☐	☐
		006 Multispectral	obs	☑	☑	☑	☐	☐
		007 Hyperspectral	obs	☑	☑	☑	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	txt	Text Attribute	obs	☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		015 Mean Sea Level	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☑	☐	☐
	wid	Width	obs	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☑	☐	☐
AL018	**Building Superstructure Addition**							
	afa	Available Facilities						
		000 Unknown	obs	☑	☑	☑	☐	☐
		019 Helipad	obs	☑	☑	☑	☐	☐
		995 None	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AL018	**Building Superstructure Addition**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☑	☐	☐
		003 Lit	obs	☑	☑	☑	☐	☐
		004 Unlit	obs	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☑	☐	☐
	bfc	Building Function Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		002 Government Building	obs	☑	☑	☑	☐	☐
		003 Capitol Building	obs	☑	☑	☑	☐	☐
		006 Hospital	obs	☑	☑	☑	☐	☐
		007 House of Worship	obs	☑	☑	☑	☐	☐
		010 Observatory	obs	☑	☑	☑	☐	☐
		011 Palace	obs	☑	☑	☑	☐	☐
		013 Prison	obs	☑	☑	☑	☐	☐
		015 School	obs	☑	☑	☑	☐	☐
		016 House	obs	☑	☑	☑	☐	☐
		017 Multi Unit Dwelling	obs	☑	☑	☑	☐	☐
		028 Administration Building	obs	☑	☑	☑	☐	☐
		053 Bank	obs	☑	☑	☑	☐	☐
		058 Observation	obs	☑	☑	☑	☐	☐
		105 Reformatory	obs	☑	☑	☑	☐	☐
		106 Sanitarium	obs	☑	☑	☑	☐	☐
		111 Sportsplex	obs	☑	☑	☑	☐	☐
		122 Shopping Center	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	bss	Building Superstructure Shape						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Monitor	obs	☑	☑	☐	☐	☐
		002 Steeple	obs	☑	☑	☐	☐	☐
		003 Cupola	obs	☑	☑	☐	☐	☐
		004 Turret	obs	☑	☑	☐	☐	☐
		005 Tower	obs	☑	☑	☐	☐	☐
		006 Minaret	obs	☑	☑	☐	☐	☐
		998 Not Applicable	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☑	☐	☐
		018 Receipt	obs	☑	☑	☑	☐	☐
		019 Source	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AL018	**Building Superstructure Addition**							
	cdp	Calendar Date Type						
		024 Up-to-dateness/revision	obs	☑	☑	☑	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☑	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Uni	obs	☑	☑	☑	☐	☐
		002 Bi	obs	☑	☑	☑	☐	☐
		003 Omni	obs	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☑	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		005 Under Construction	obs	☑	☑	☑	☐	☐
		007 Destroyed	obs	☑	☑	☑	☐	☐
		008 Dismantled	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☑	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	len	Length/Diameter	obs	☑	☑	☑	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		020 Composition	obs	☑	☑	☑	☐	☐
		021 Concrete	obs	☑	☑	☑	☐	☐
		062 Masonry (Brick/Stone)	obs	☑	☑	☑	☐	☐
		064 Metal	obs	☑	☑	☑	☐	☐
		072 Part Metal	obs	☑	☑	☑	☐	☐
		107 Steel	obs	☑	☑	☑	☐	☐
		117 Wood	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☑	☐	☐
		002 Temporary	obs	☑	☑	☑	☐	☐
	qle	Releasability	obs	☑	☑	☑	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Top Secret	obs	☑	☑	☑	☐	☐
		002 Secret	obs	☑	☑	☑	☐	☐
		003 Confidential	obs	☑	☑	☑	☐	☐
		004 Restricted	obs	☑	☑	☑	☐	☐
		005 Unclassified	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AL018	**Building Superstructure Addition**							
	sec	Security Classification						
	999	Other	obs	☑	☑	☑	☐	☐
	ssr	Structure Shape of Roof						
	000	Unknown	obs	☑	☑	☑	☐	☐
	006	Conical/Peaked/NUN	obs	☑	☑	☑	☐	☐
	038	Curved/Round (Quonset)	obs	☑	☑	☑	☐	☐
	040	Dome	obs	☑	☑	☑	☐	☐
	041	Flat	obs	☑	☑	☑	☐	☐
	042	Gable (Pitched)	obs	☑	☑	☑	☐	☐
	047	Sawtooth	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	stc	Source Type Code						
	001	Survey Source	obs	☑	☑	☑	☐	☐
	002	Stereo Imagery Exploitation	obs	☑	☑	☑	☐	☐
	003	Mono Imagery Exploitation	obs	☑	☑	☑	☐	☐
	004	Cartographic Source	obs	☑	☑	☑	☐	☐
	005	Reported Information	obs	☑	☑	☑	☐	☐
	006	Multispectral	obs	☑	☑	☑	☐	☐
	007	Hyperspectral	obs	☑	☑	☑	☐	☐
	008	Synthetic Aperture Radar (SAR)	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	txt	Text Attribute	obs	☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
	000	Unknown	obs	☑	☑	☑	☐	☐
	015	Mean Sea Level	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☑	☐	☐
	wid	Width	obs	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☑	☐	☐
AL050	**US-Display Sign UK-Display Sign/Notice Board**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	atn	Aids to Navigation						
	000	Unknown	obs	☑	☑	☐	☐	☐
	003	Lit	obs	☑	☑	☐	☐	☐
	004	Unlit	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
	000	Unknown	obs	☑	☑	☐	☐	☐
	018	Receipt	obs	☑	☑	☐	☐	☐
	019	Source	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AL050	**US-Display Sign UK-Display Sign/Notice Board**							
	cdp	Calendar Date Type						
	024	Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
	000	Unknown	obs	☑	☑	☐	☐	☐
	001	Uni	obs	☑	☑	☐	☐	☐
	002	Bi	obs	☑	☑	☐	☐	☐
	003	Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
	000	Unknown	obs	☑	☑	☐	☐	☐
	005	Under Construction	obs	☑	☑	☐	☐	☐
	007	Destroyed	obs	☑	☑	☐	☐	☐
	008	Dismantled	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
	000	Unknown	obs	☑	☑	☐	☐	☐
	300	World Geodetic System 1984	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	len	Length/Diameter	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
	000	Unknown	obs	☑	☑	☐	☐	☐
	020	Composition	obs	☑	☑	☐	☐	☐
	021	Concrete	obs	☑	☑	☐	☐	☐
	062	Masonry (Brick/Stone)	obs	☑	☑	☐	☐	☐
	064	Metal	obs	☑	☑	☐	☐	☐
	072	Part Metal	obs	☑	☑	☐	☐	☐
	107	Steel	obs	☑	☑	☐	☐	☐
	117	Wood	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
	001	Permanent	obs	☑	☑	☐	☐	☐
	002	Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
	000	Unknown	obs	☑	☑	☐	☐	☐
	001	Top Secret	obs	☑	☑	☐	☐	☐
	002	Secret	obs	☑	☑	☐	☐	☐
	003	Confidential	obs	☑	☑	☐	☐	☐
	004	Restricted	obs	☑	☑	☐	☐	☐
	005	Unclassified	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AL050	**US-Display Sign UK-Display Sign/Notice Board**							
	sec	Security Classification						
		999 Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
		004 Cartographic Source	obs	☑	☑	☐	☐	☐
		005 Reported Information	obs	☑	☑	☐	☐	☐
		006 Multispectral	obs	☑	☑	☐	☐	☐
		007 Hyperspectral	obs	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		015 Mean Sea Level	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	wid	Width	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
AL110	**US-Light Standard/Light Support UK-Light Standard/Light Support/Lamp Post**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☑	☐	☐
		003 Lit	obs	☑	☑	☑	☐	☐
		004 Unlit	obs	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☑	☐	☐
		018 Receipt	obs	☑	☑	☑	☐	☐
		019 Source	obs	☑	☑	☑	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☑	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☑	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☑	☐	☐
		003 Omni	obs	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☑	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AL110	**US-Light Standard/Light Support UK-Light Standard/Light Support/Lamp Post**							
	exs	Existence Category						
	005	Under Construction	obs	☑	☑	☑	☐	☐
	007	Destroyed	obs	☑	☑	☑	☐	☐
	008	Dismantled	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	gug	Guyed or Unguyed Category						
	000	Unknown	obs	☑	☑	☑	☐	☐
	001	Guyed	obs	☑	☑	☑	☐	☐
	002	Unguyed	obs	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
	000	Unknown	obs	☑	☑	☑	☐	☐
	300	World Geodetic System 1984	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	len	Length/Diameter	obs	☑	☑	☑	☐	☐
	mcc	Material Composition Category						
	000	Unknown	obs	☑	☑	☑	☐	☐
	020	Composition	obs	☑	☑	☑	☐	☐
	021	Concrete	obs	☑	☑	☑	☐	☐
	062	Masonry (Brick/Stone)	obs	☑	☑	☑	☐	☐
	064	Metal	obs	☑	☑	☑	☐	☐
	072	Part Metal	obs	☑	☑	☑	☐	☐
	107	Steel	obs	☑	☑	☑	☐	☐
	117	Wood	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	prm	Permanency						
	001	Permanent	obs	☑	☑	☑	☐	☐
	002	Temporary	obs	☑	☑	☑	☐	☐
	qle	Releasability	obs	☑	☑	☑	☐	☐
	sec	Security Classification						
	000	Unknown	obs	☑	☑	☑	☐	☐
	001	Top Secret	obs	☑	☑	☑	☐	☐
	002	Secret	obs	☑	☑	☑	☐	☐
	003	Confidential	obs	☑	☑	☑	☐	☐
	004	Restricted	obs	☑	☑	☑	☐	☐
	005	Unclassified	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	ssc	Structure Shape Category						
	000	Unknown	obs	☑	☑	☑	☐	☐
	052	'A' Frame	obs	☑	☑	☑	☐	☐
	053	'H' Frame	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AL110	**US-Light Standard/Light Support UK-Light Standard/Light Support/Lamp Post**							
	ssc	Structure Shape Category						
		054 'I' Frame	obs	☑	☑	☑	☐	☐
		056 'Y' Frame	obs	☑	☑	☑	☐	☐
		060 Mast	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☑	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☑	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☑	☐	☐
		004 Cartographic Source	obs	☑	☑	☑	☐	☐
		005 Reported Information	obs	☑	☑	☑	☐	☐
		006 Multispectral	obs	☑	☑	☑	☐	☐
		007 Hyperspectral	obs	☑	☑	☑	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	txt	Text Attribute	obs	☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		015 Mean Sea Level	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☑	☐	☐
	wid	Width	obs	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☑	☐	☐
AL130	**US-Monument UK-Monument/Folly**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☑	☐	☐
		003 Lit	obs	☑	☑	☑	☐	☐
		004 Unlit	obs	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☑	☐	☐
	bss	Building Superstructure Shape						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Monitor	obs	☑	☑	☑	☐	☐
		002 Steeple	obs	☑	☑	☑	☐	☐
		003 Cupola	obs	☑	☑	☑	☐	☐
		004 Turret	obs	☑	☑	☑	☐	☐
		005 Tower	obs	☑	☑	☑	☐	☐
		006 Minaret	obs	☑	☑	☑	☐	☐
		998 Not Applicable	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AL130	**US-Monument**	**UK-Monument/Folly**						
	bss	Building Superstructure Shape						
	999	Other	obs	☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
	000	Unknown	obs	☑	☑	☑	☐	☐
	018	Receipt	obs	☑	☑	☑	☐	☐
	019	Source	obs	☑	☑	☑	☐	☐
	024	Up-to-dateness/revision	obs	☑	☑	☑	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☑	☐	☐
	dir	Directivity						
	000	Unknown	obs	☑	☑	☑	☐	☐
	001	Uni	obs	☑	☑	☑	☐	☐
	002	Bi	obs	☑	☑	☑	☐	☐
	003	Omni	obs	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☑	☐	☐
	exs	Existence Category						
	000	Unknown	obs	☑	☑	☑	☐	☐
	005	Under Construction	obs	☑	☑	☑	☐	☐
	007	Destroyed	obs	☑	☑	☑	☐	☐
	008	Dismantled	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
	000	Unknown	obs	☑	☑	☑	☐	☐
	300	World Geodetic System 1984	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	len	Length/Diameter	obs	☑	☑	☑	☐	☐
	mcc	Material Composition Category						
	000	Unknown	obs	☑	☑	☑	☐	☐
	020	Composition	obs	☑	☑	☑	☐	☐
	021	Concrete	obs	☑	☑	☑	☐	☐
	062	Masonry (Brick/Stone)	obs	☑	☑	☑	☐	☐
	064	Metal	obs	☑	☑	☑	☐	☐
	072	Part Metal	obs	☑	☑	☑	☐	☐
	107	Steel	obs	☑	☑	☑	☐	☐
	117	Wood	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	prm	Permanency						
	001	Permanent	obs	☑	☑	☑	☐	☐
	002	Temporary	obs	☑	☑	☑	☐	☐
	qle	Releasability	obs	☑	☑	☑	☐	☐
	sec	Security Classification						
	000	Unknown	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AL130	**US-Monument**	**UK-Monument/Folly**						
	sec	Security Classification						
	001	Top Secret	obs	☑	☑	☑	☐	☐
	002	Secret	obs	☑	☑	☑	☐	☐
	003	Confidential	obs	☑	☑	☑	☐	☐
	004	Restricted	obs	☑	☑	☑	☐	☐
	005	Unclassified	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	ssc	Structure Shape Category						
	000	Unknown	obs	☑	☑	☑	☐	☐
	012	Pyramid	obs	☑	☑	☑	☐	☐
	017	Spherical (Hemispherical)	obs	☑	☑	☑	☐	☐
	052	'A' Frame	obs	☑	☑	☑	☐	☐
	053	'H' Frame	obs	☑	☑	☑	☐	☐
	054	'I' Frame	obs	☑	☑	☑	☐	☐
	056	'Y' Frame	obs	☑	☑	☑	☐	☐
	060	Mast	obs	☑	☑	☑	☐	☐
	065	Cylindrical with flat top	obs	☑	☑	☑	☐	☐
	066	Cylindrical with domed top	obs	☑	☑	☑	☐	☐
	071	Cylindrical/Peaked	obs	☑	☑	☑	☐	☐
	077	Arch	obs	☑	☑	☑	☐	☐
	079	Round	obs	☑	☑	☑	☐	☐
	080	Rectangular	obs	☑	☑	☑	☐	☐
	083	Square	obs	☑	☑	☑	☐	☐
	084	Irregular	obs	☑	☑	☑	☐	☐
	109	Obelisk	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	ssr	Structure Shape of Roof						
	000	Unknown	obs	☑	☑	☑	☐	☐
	006	Conical/Peaked/NUN	obs	☑	☑	☑	☐	☐
	038	Curved/Round (Quonset)	obs	☑	☑	☑	☐	☐
	040	Dome	obs	☑	☑	☑	☐	☐
	041	Flat	obs	☑	☑	☑	☐	☐
	042	Gable (Pitched)	obs	☑	☑	☑	☐	☐
	047	Sawtooth	obs	☑	☑	☑	☐	☐
	998	Not Applicable	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	stc	Source Type Code						
	001	Survey Source	obs	☑	☑	☑	☐	☐
	002	Stereo Imagery Exploitation	obs	☑	☑	☑	☐	☐
	003	Mono Imagery Exploitation	obs	☑	☑	☑	☐	☐
	004	Cartographic Source	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AL130	**US-Monument UK-Monument/Folly**							
	stc	Source Type Code						
	005	Reported Information	obs	☑	☑	☑	☐	☐
	006	Multispectral	obs	☑	☑	☑	☐	☐
	007	Hyperspectral	obs	☑	☑	☑	☐	☐
	008	Synthetic Aperture Radar (SAR)	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	txt	Text Attribute	obs	☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
	000	Unknown	obs	☑	☑	☑	☐	☐
	015	Mean Sea Level	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☑	☐	☐
	wid	Width	obs	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☑	☐	☐
AL240	**Tower (Non-Communication)**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☑	☐	☐
	atn	Aids to Navigation						
	000	Unknown	obs	☑	☑	☑	☐	☐
	003	Lit	obs	☑	☑	☑	☐	☐
	004	Unlit	obs	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☑	☐	☐
	bss	Building Superstructure Shape						
	000	Unknown	obs	☑	☑	☑	☐	☐
	002	Steeple	obs	☑	☑	☑	☐	☐
	003	Cupola	obs	☑	☑	☑	☐	☐
	006	Minaret	obs	☑	☑	☑	☐	☐
	998	Not Applicable	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
	000	Unknown	obs	☑	☑	☑	☐	☐
	018	Receipt	obs	☑	☑	☑	☐	☐
	019	Source	obs	☑	☑	☑	☐	☐
	024	Up-to-dateness/revision	obs	☑	☑	☑	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☑	☐	☐
	dir	Directivity						
	000	Unknown	obs	☑	☑	☑	☐	☐
	003	Omni	obs	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☑	☐	☐
	exs	Existence Category						
	000	Unknown	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AL240	**Tower (Non-Communication)**							
	exs	Existence Category						
		005 Under Construction	obs	☑	☑	☑	☐	☐
		007 Destroyed	obs	☑	☑	☑	☐	☐
		008 Dismantled	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	gug	Guyed or Unguyed Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Guyed	obs	☑	☑	☑	☐	☐
		002 Unguyed	obs	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☑	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	len	Length/Diameter	obs	☑	☑	☑	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		020 Composition	obs	☑	☑	☑	☐	☐
		021 Concrete	obs	☑	☑	☑	☐	☐
		062 Masonry (Brick/Stone)	obs	☑	☑	☑	☐	☐
		064 Metal	obs	☑	☑	☑	☐	☐
		072 Part Metal	obs	☑	☑	☑	☐	☐
		107 Steel	obs	☑	☑	☑	☐	☐
		117 Wood	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☑	☐	☐
		002 Temporary	obs	☑	☑	☑	☐	☐
	qle	Releasability	obs	☑	☑	☑	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Top Secret	obs	☑	☑	☑	☐	☐
		002 Secret	obs	☑	☑	☑	☐	☐
		003 Confidential	obs	☑	☑	☑	☐	☐
		004 Restricted	obs	☑	☑	☑	☐	☐
		005 Unclassified	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	ssc	Structure Shape Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		052 'A' Frame	obs	☑	☑	☑	☐	☐
		053 'H' Frame	obs	☑	☑	☑	☐	☐
		054 'I' Frame	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AL240	**Tower (Non-Communication)**							
	ssc	Structure Shape Category						
		056 'Y' Frame	obs	☑	☑	☑	☐	☐
		060 Mast	obs	☑	☑	☑	☐	☐
		079 Round	obs	☑	☑	☑	☐	☐
		080 Rectangular	obs	☑	☑	☑	☐	☐
		083 Square	obs	☑	☑	☑	☐	☐
		084 Irregular	obs	☑	☑	☑	☐	☐
		109 Obelisk	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	ssr	Structure Shape of Roof						
		000 Unknown	obs	☑	☑	☑	☐	☐
		006 Conical/Peaked/NUN	obs	☑	☑	☑	☐	☐
		038 Curved/Round (Quonset)	obs	☑	☑	☑	☐	☐
		040 Dome	obs	☑	☑	☑	☐	☐
		041 Flat	obs	☑	☑	☑	☐	☐
		042 Gable (Pitched)	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☑	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☑	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☑	☐	☐
		004 Cartographic Source	obs	☑	☑	☑	☐	☐
		005 Reported Information	obs	☑	☑	☑	☐	☐
		006 Multispectral	obs	☑	☑	☑	☐	☐
		007 Hyperspectral	obs	☑	☑	☑	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	ttc	Tower Type Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		002 Observation/Lookout	obs	☑	☑	☑	☐	☐
		012 Fire	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	txt	Text Attribute	obs	☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		015 Mean Sea Level	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☑	☐	☐
	wid	Width	obs	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☑	☐	☐
AM010	**Depot (Storage)**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AM010	**Depot (Storage)**							
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☐	☐	☐
		018 Receipt	obs	☑	☑	☐	☐	☐
		019 Source	obs	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		002 Bi	obs	☑	☑	☐	☐	☐
		003 Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		005 Under Construction	obs	☑	☑	☐	☐	☐
		007 Destroyed	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		020 Composition	obs	☑	☑	☐	☐	☐
		021 Concrete	obs	☑	☑	☐	☐	☐
		062 Masonry (Brick/Stone)	obs	☑	☑	☐	☐	☐
		064 Metal	obs	☑	☑	☐	☐	☐
		072 Part Metal	obs	☑	☑	☐	☐	☐
		107 Steel	obs	☑	☑	☐	☐	☐
		117 Wood	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	pfg	Predominant Feature Height With greater than 1 meter resolution	obs	☑	☑	☐	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☐	☐	☐
		002 Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AM010	**Depot (Storage)**							
	sec	Security Classification						
		001 Top Secret	obs	☑	☑	☐	☐	☐
		002 Secret	obs	☑	☑	☐	☐	☐
		003 Confidential	obs	☑	☑	☐	☐	☐
		004 Restricted	obs	☑	☑	☐	☐	☐
		005 Unclassified	obs	☑	☐	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
		004 Cartographic Source	obs	☑	☑	☐	☐	☐
		005 Reported Information	obs	☑	☑	☐	☐	☐
		006 Multispectral	obs	☑	☑	☐	☐	☐
		007 Hyperspectral	obs	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		015 Mean Sea Level	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
AM020	**Grain Bin/Silo**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Lit	obs	☑	☑	☐	☐	☐
		004 Unlit	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☐	☐	☐
		018 Receipt	obs	☑	☑	☐	☐	☐
		019 Source	obs	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Omni	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AM020	**Grain Bin/Silo**							
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		005 Under Construction	obs	☑	☑	☐	☐	☐
		007 Destroyed	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		020 Composition	obs	☑	☑	☐	☐	☐
		021 Concrete	obs	☑	☑	☐	☐	☐
		062 Masonry (Brick/Stone)	obs	☑	☑	☐	☐	☐
		064 Metal	obs	☑	☑	☐	☐	☐
		072 Part Metal	obs	☑	☑	☐	☐	☐
		107 Steel	obs	☑	☑	☐	☐	☐
		117 Wood	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☐	☐	☐
		002 Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Top Secret	obs	☑	☑	☐	☐	☐
		002 Secret	obs	☑	☑	☐	☐	☐
		003 Confidential	obs	☑	☑	☐	☐	☐
		004 Restricted	obs	☑	☑	☐	☐	☐
		005 Unclassified	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	ssc	Structure Shape Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		012 Pyramid	obs	☑	☑	☐	☐	☐
		017 Spherical (Hemispherical)	obs	☑	☑	☐	☐	☐
		079 Round	obs	☑	☑	☐	☐	☐
		080 Rectangular	obs	☑	☑	☐	☐	☐
		083 Square	obs	☑	☑	☐	☐	☐
		084 Irregular	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AM020	**Grain Bin/Silo**							
	ssc	Structure Shape Category						
		109 Obelisk	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	ssr	Structure Shape of Roof						
		000 Unknown	obs	☑	☑	☐	☐	☐
		006 Conical/Peaked/NUN	obs	☑	☑	☐	☐	☐
		038 Curved/Round (Quonset)	obs	☑	☑	☐	☐	☐
		040 Dome	obs	☑	☑	☐	☐	☐
		041 Flat	obs	☑	☑	☐	☐	☐
		042 Gable (Pitched)	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
		004 Cartographic Source	obs	☑	☑	☐	☐	☐
		005 Reported Information	obs	☑	☑	☐	☐	☐
		006 Multispectral	obs	☑	☑	☐	☐	☐
		007 Hyperspectral	obs	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		015 Mean Sea Level	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
AM030	**Grain Elevator**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Lit	obs	☑	☑	☐	☐	☐
		004 Unlit	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☐	☐	☐
		018 Receipt	obs	☑	☑	☐	☐	☐
		019 Source	obs	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AM030	**Grain Elevator**							
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		005 Under Construction	obs	☑	☑	☐	☐	☐
		007 Destroyed	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		020 Composition	obs	☑	☑	☐	☐	☐
		021 Concrete	obs	☑	☑	☐	☐	☐
		062 Masonry (Brick/Stone)	obs	☑	☑	☐	☐	☐
		064 Metal	obs	☑	☑	☐	☐	☐
		072 Part Metal	obs	☑	☑	☐	☐	☐
		107 Steel	obs	☑	☑	☐	☐	☐
		117 Wood	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☐	☐	☐
		002 Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Top Secret	obs	☑	☑	☐	☐	☐
		002 Secret	obs	☑	☑	☐	☐	☐
		003 Confidential	obs	☑	☑	☐	☐	☐
		004 Restricted	obs	☑	☑	☐	☐	☐
		005 Unclassified	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	ssc	Structure Shape Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		012 Pyramid	obs	☑	☑	☐	☐	☐
		017 Spherical (Hemispherical)	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AM030	**Grain Elevator**							
	ssc	Structure Shape Category						
		079 Round	obs	☑	☑	☐	☐	☐
		080 Rectangular	obs	☑	☑	☐	☐	☐
		083 Square	obs	☑	☑	☐	☐	☐
		084 Irregular	obs	☑	☑	☐	☐	☐
		109 Obelisk	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	ssr	Structure Shape of Roof						
		000 Unknown	obs	☑	☑	☐	☐	☐
		006 Conical/Peaked/NUN	obs	☑	☑	☐	☐	☐
		038 Curved/Round (Quonset)	obs	☑	☑	☐	☐	☐
		040 Dome	obs	☑	☑	☐	☐	☐
		041 Flat	obs	☑	☑	☐	☐	☐
		042 Gable (Pitched)	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
		004 Cartographic Source	obs	☑	☑	☐	☐	☐
		005 Reported Information	obs	☑	☑	☐	☐	☐
		006 Multispectral	obs	☑	☑	☐	☐	☐
		007 Hyperspectral	obs	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		015 Mean Sea Level	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
AM070	**Tank**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☑	☐	☐
		003 Lit	obs	☑	☑	☑	☐	☐
		004 Unlit	obs	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AM070	**Tank**							
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☑	☐	☐
		018 Receipt	obs	☑	☑	☑	☐	☐
		019 Source	obs	☑	☑	☑	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☑	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☑	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☑	☐	☐
		003 Omni	obs	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☑	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		005 Under Construction	obs	☑	☑	☑	☐	☐
		007 Destroyed	obs	☑	☑	☑	☐	☐
		008 Dismantled	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☑	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		020 Composition	obs	☑	☑	☑	☐	☐
		021 Concrete	obs	☑	☑	☑	☐	☐
		062 Masonry (Brick/Stone)	obs	☑	☑	☑	☐	☐
		064 Metal	obs	☑	☑	☑	☐	☐
		072 Part Metal	obs	☑	☑	☑	☐	☐
		107 Steel	obs	☑	☑	☑	☐	☐
		117 Wood	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	pfg	Predominant Feature Height With greater than 1 meter resolution	obs	☑	☑	☑	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☑	☐	☐
		002 Temporary	obs	☑	☑	☑	☐	☐
	qle	Releasability	obs	☑	☑	☑	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Top Secret	obs	☑	☑	☑	☐	☐
		002 Secret	obs	☑	☑	☑	☐	☐
		003 Confidential	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AM070	**Tank**							
	sec	Security Classification						
		004 Restricted	obs	☑	☑	☑	☐	☐
		005 Unclassified	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	ssc	Structure Shape Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		004 Bullet	obs	☑	☑	☑	☐	☐
		012 Pyramid	obs	☑	☑	☑	☐	☐
		017 Spherical (Hemispherical)	obs	☑	☑	☑	☐	☐
		059 Telescoping Gasholder (Gasometer)	obs	☑	☑	☑	☐	☐
		079 Round	obs	☑	☑	☑	☐	☐
		080 Rectangular	obs	☑	☑	☑	☐	☐
		083 Square	obs	☑	☑	☑	☐	☐
		084 Irregular	obs	☑	☑	☑	☐	☐
		109 Obelisk	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	ssr	Structure Shape of Roof						
		000 Unknown	obs	☑	☑	☑	☐	☐
		006 Conical/Peaked/NUN	obs	☑	☑	☑	☐	☐
		038 Curved/Round (Quonset)	obs	☑	☑	☑	☐	☐
		040 Dome	obs	☑	☑	☑	☐	☐
		041 Flat	obs	☑	☑	☑	☐	☐
		042 Gable (Pitched)	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☑	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☑	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☑	☐	☐
		004 Cartographic Source	obs	☑	☑	☑	☐	☐
		005 Reported Information	obs	☑	☑	☑	☐	☐
		006 Multispectral	obs	☑	☑	☑	☐	☐
		007 Hyperspectral	obs	☑	☑	☑	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	txt	Text Attribute	obs	☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		015 Mean Sea Level	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AM080	**Water Tower**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Lit	obs	☑	☑	☐	☐	☐
		004 Unlit	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☐	☐	☐
		018 Receipt	obs	☑	☑	☐	☐	☐
		019 Source	obs	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		005 Under Construction	obs	☑	☑	☐	☐	☐
		007 Destroyed	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		020 Composition	obs	☑	☑	☐	☐	☐
		021 Concrete	obs	☑	☑	☐	☐	☐
		062 Masonry (Brick/Stone)	obs	☑	☑	☐	☐	☐
		064 Metal	obs	☑	☑	☐	☐	☐
		072 Part Metal	obs	☑	☑	☐	☐	☐
		107 Steel	obs	☑	☑	☐	☐	☐
		117 Wood	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☐	☐	☐
		002 Temporary	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AM080	**Water Tower**							
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Top Secret	obs	☑	☑	☐	☐	☐
		002 Secret	obs	☑	☑	☐	☐	☐
		003 Confidential	obs	☑	☑	☐	☐	☐
		004 Restricted	obs	☑	☑	☐	☐	☐
		005 Unclassified	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	ssc	Structure Shape Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		007 Cylindrical (Upright)/CAN	obs	☑	☑	☐	☐	☐
		012 Pyramid	obs	☑	☑	☐	☐	☐
		017 Spherical (Hemispherical)	obs	☑	☑	☐	☐	☐
		065 Cylindrical with flat top	obs	☑	☑	☐	☐	☐
		066 Cylindrical with domed top	obs	☑	☑	☐	☐	☐
		071 Cylindrical/Peaked	obs	☑	☑	☐	☐	☐
		079 Round	obs	☑	☑	☐	☐	☐
		080 Rectangular	obs	☑	☑	☐	☐	☐
		083 Square	obs	☑	☑	☐	☐	☐
		084 Irregular	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
		004 Cartographic Source	obs	☑	☑	☐	☐	☐
		005 Reported Information	obs	☑	☑	☐	☐	☐
		006 Multispectral	obs	☑	☑	☐	☐	☐
		007 Hyperspectral	obs	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		015 Mean Sea Level	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
AQ010	**US-Aerial Cableway Lines/Ski Lift Lines UK-Aerial Cableway Lines/Ski Lift Cables**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☐	☐	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AQ010	**US-Aerial Cableway Lines/Ski Lift Lines UK-Aerial Cableway Lines/Ski Lift Cables**							
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☐	☐	☑	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☐	☐	☑	☐	☐
		003 Lit	obs	☐	☐	☑	☐	☐
		004 Unlit	obs	☐	☐	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☐	☐	☑	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☐	☐	☑	☐	☐
		018 Receipt	obs	☐	☐	☑	☐	☐
		019 Source	obs	☐	☐	☑	☐	☐
		024 Up-to-dateness/revision	obs	☐	☐	☑	☐	☐
	cdv	Calendar Date Value	obs	☐	☐	☑	☐	☐
	dir	Directivity						
		000 Unknown	obs	☐	☐	☑	☐	☐
		002 Bi	obs	☐	☐	☑	☐	☐
	dmf	Density Measure (Feature Count)	obs	☐	☐	☑	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☐	☐	☑	☐	☐
		005 Under Construction	obs	☐	☐	☑	☐	☐
		007 Destroyed	obs	☐	☐	☑	☐	☐
		008 Dismantled	obs	☐	☐	☑	☐	☐
		999 Other	obs	☐	☐	☑	☐	☐
	hgt	Height Above Surface Level	obs	☐	☐	☑	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☐	☐	☑	☐	☐
		300 World Geodetic System 1984	obs	☐	☐	☑	☐	☐
		999 Other	obs	☐	☐	☑	☐	☐
	len	Length/Diameter	obs	☐	☐	☑	☐	☐
	mcc	Material Composition Category						
		064 Metal	obs	☐	☐	☑	☐	☐
		072 Part Metal	obs	☐	☐	☑	☐	☐
		107 Steel	obs	☐	☐	☑	☐	☐
		999 Other	obs	☐	☐	☑	☐	☐
	prm	Permanency						
		001 Permanent	obs	☐	☐	☑	☐	☐
		002 Temporary	obs	☐	☐	☑	☐	☐
	qle	Releasability	obs	☐	☐	☑	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☐	☐	☑	☐	☐
		001 Top Secret	obs	☐	☐	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AQ010	**US-Aerial Cableway Lines/Ski Lift Lines UK-Aerial Cableway Lines/Ski Lift Cables**							
	sec	Security Classification						
		002 Secret	obs	☐	☐	☑	☐	☐
		003 Confidential	obs	☐	☐	☑	☐	☐
		004 Restricted	obs	☐	☐	☑	☐	☐
		005 Unclassified	obs	☐	☐	☑	☐	☐
		999 Other	obs	☐	☐	☑	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☐	☐	☑	☐	☐
		002 Stereo Imagery Exploitation	obs	☐	☐	☑	☐	☐
		003 Mono Imagery Exploitation	obs	☐	☐	☑	☐	☐
		004 Cartographic Source	obs	☐	☐	☑	☐	☐
		005 Reported Information	obs	☐	☐	☑	☐	☐
		006 Multispectral	obs	☐	☐	☑	☐	☐
		007 Hyperspectral	obs	☐	☐	☑	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☐	☐	☑	☐	☐
		999 Other	obs	☐	☐	☑	☐	☐
	txt	Text Attribute	obs	☐	☐	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☐	☐	☑	☐	☐
		015 Mean Sea Level	obs	☐	☐	☑	☐	☐
		999 Other	obs	☐	☐	☑	☐	☐
	voi	Vertical Obstruction Identifier	obs	☐	☐	☑	☐	☐
	zv2	Highest Z-Value	obs	☐	☐	☑	☐	☐
AQ020	**Aerial Cableway Pylon/Ski Pylon**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Lit	obs	☑	☑	☐	☐	☐
		004 Unlit	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☐	☐	☐
		018 Receipt	obs	☑	☑	☐	☐	☐
		019 Source	obs	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Uni	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AQ020	**Aerial Cableway Pylon/Ski Pylon**							
	dir	Directivity						
	003	Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
	000	Unknown	obs	☑	☑	☐	☐	☐
	005	Under Construction	obs	☑	☑	☐	☐	☐
	007	Destroyed	obs	☑	☑	☐	☐	☐
	008	Dismantled	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	gug	Guyed or Unguyed Category						
	000	Unknown	obs	☑	☑	☐	☐	☐
	001	Guyed	obs	☑	☑	☐	☐	☐
	002	Unguyed	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
	000	Unknown	obs	☑	☑	☐	☐	☐
	300	World Geodetic System 1984	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	len	Length/Diameter	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
	000	Unknown	obs	☑	☑	☐	☐	☐
	020	Composition	obs	☑	☑	☐	☐	☐
	021	Concrete	obs	☑	☑	☐	☐	☐
	062	Masonry (Brick/Stone)	obs	☑	☑	☐	☐	☐
	064	Metal	obs	☑	☑	☐	☐	☐
	072	Part Metal	obs	☑	☑	☐	☐	☐
	107	Steel	obs	☑	☑	☐	☐	☐
	117	Wood	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
	001	Permanent	obs	☑	☑	☐	☐	☐
	002	Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
	000	Unknown	obs	☑	☑	☐	☐	☐
	001	Top Secret	obs	☑	☑	☐	☐	☐
	002	Secret	obs	☑	☑	☐	☐	☐
	003	Confidential	obs	☑	☑	☐	☐	☐
	004	Restricted	obs	☑	☑	☐	☐	☐
	005	Unclassified	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value		Coverage	END	CND	EDG	FAC	TXT
AQ020	**Aerial Cableway Pylon/Ski Pylon**								
	ssc	Structure Shape Category							
		000	Unknown	obs	☑	☑	☐	☐	☐
		010	Pillar/Spindle	obs	☑	☑	☐	☐	☐
		012	Pyramid	obs	☑	☑	☐	☐	☐
		052	'A' Frame	obs	☑	☑	☐	☐	☐
		053	'H' Frame	obs	☑	☑	☐	☐	☐
		054	'I' Frame	obs	☑	☑	☐	☐	☐
		056	'Y' Frame	obs	☑	☑	☐	☐	☐
		074	'T' Frame	obs	☑	☑	☐	☐	☐
		999	Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code							
		001	Survey Source	obs	☑	☑	☐	☐	☐
		002	Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
		003	Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
		004	Cartographic Source	obs	☑	☑	☐	☐	☐
		005	Reported Information	obs	☑	☑	☐	☐	☐
		006	Multispectral	obs	☑	☑	☐	☐	☐
		007	Hyperspectral	obs	☑	☑	☐	☐	☐
		008	Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
		999	Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute		obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category							
		000	Unknown	obs	☑	☑	☐	☐	☐
		015	Mean Sea Level	obs	☑	☑	☐	☐	☐
		999	Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier		obs	☑	☑	☐	☐	☐
	wid	Width		obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value		obs	☑	☑	☐	☐	☐
AQ040	**Bridge/Overpass/Viaduct**								
	aha	Absolute Horizontal Accuracy in Meters		obs	☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		obs	☑	☑	☑	☐	☐
	atn	Aids to Navigation							
		000	Unknown	obs	☑	☑	☑	☐	☐
		003	Lit	obs	☑	☑	☑	☐	☐
		004	Unlit	obs	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters		obs	☑	☑	☑	☐	☐
	bot	Bridge Opening Type							
		000	Unknown	obs	☑	☑	☑	☐	☐
		004	Draw/Bascule	obs	☑	☑	☑	☐	☐
		010	Swing	obs	☑	☑	☑	☐	☐
		011	Lift	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AQ040	**Bridge/Overpass/Viaduct**							
	bot	Bridge Opening Type						
		013 Not Applicable	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	bsc	Bridge/Bridge Superstructure Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Arch (assume open spandrel)	obs	☑	☑	☑	☐	☐
		002 Cantilever	obs	☑	☑	☑	☐	☐
		003 Deck	obs	☑	☑	☑	☐	☐
		006 Girder	obs	☑	☑	☑	☐	☐
		007 Tower Suspension	obs	☑	☑	☑	☐	☐
		008 Truss	obs	☑	☑	☑	☐	☐
		009 Suspension	obs	☑	☑	☑	☐	☐
		012 Transporter	obs	☑	☑	☑	☐	☐
		015 Slab	obs	☑	☑	☑	☐	☐
		016 Stringer (beam)	obs	☑	☑	☑	☐	☐
		017 Arch Suspension	obs	☑	☑	☑	☐	☐
		026 Arch (closed spandrel)	obs	☑	☑	☑	☐	☐
		027 Cable Stayed	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☑	☐	☐
		018 Receipt	obs	☑	☑	☑	☐	☐
		019 Source	obs	☑	☑	☑	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☑	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☑	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☑	☐	☐
		002 Bi	obs	☑	☑	☑	☐	☐
		003 Omni	obs	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☑	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		005 Under Construction	obs	☑	☑	☑	☐	☐
		007 Destroyed	obs	☑	☑	☑	☐	☐
		008 Dismantled	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☑	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	len	Length/Diameter	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AQ040	**Bridge/Overpass/Viaduct**							
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		020 Composition	obs	☑	☑	☑	☐	☐
		021 Concrete	obs	☑	☑	☑	☐	☐
		062 Masonry (Brick/Stone)	obs	☑	☑	☑	☐	☐
		064 Metal	obs	☑	☑	☑	☐	☐
		072 Part Metal	obs	☑	☑	☑	☐	☐
		107 Steel	obs	☑	☑	☑	☐	☐
		117 Wood	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☑	☐	☐
		002 Temporary	obs	☑	☑	☑	☐	☐
	qle	Releasability	obs	☑	☑	☑	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Top Secret	obs	☑	☑	☑	☐	☐
		002 Secret	obs	☑	☑	☑	☐	☐
		003 Confidential	obs	☑	☑	☑	☐	☐
		004 Restricted	obs	☑	☑	☑	☐	☐
		005 Unclassified	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☑	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☑	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☑	☐	☐
		004 Cartographic Source	obs	☑	☑	☑	☐	☐
		005 Reported Information	obs	☑	☑	☑	☐	☐
		006 Multispectral	obs	☑	☑	☑	☐	☐
		007 Hyperspectral	obs	☑	☑	☑	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	txt	Text Attribute	obs	☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		015 Mean Sea Level	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☑	☐	☐
	wid	Width	obs	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☑	☐	☐
AQ050	**Bridge Superstructure**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value		Coverage	END	CND	EDG	FAC	TXT
AQ050	**Bridge Superstructure**								
	aho	Accuracy of Obstruction Height Above Ground Level		obs	☑	☑	☑	☐	☐
	atn	Aids to Navigation							
		000	Unknown	obs	☑	☑	☑	☐	☐
		003	Lit	obs	☑	☑	☑	☐	☐
		004	Unlit	obs	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters		obs	☑	☑	☑	☐	☐
	bsc	Bridge/Bridge Superstructure Category							
		000	Unknown	obs	☑	☑	☑	☐	☐
		001	Arch (assume open spandrel)	obs	☑	☑	☑	☐	☐
		002	Cantilever	obs	☑	☑	☑	☐	☐
		003	Deck	obs	☑	☑	☑	☐	☐
		006	Girder	obs	☑	☑	☑	☐	☐
		007	Tower Suspension	obs	☑	☑	☑	☐	☐
		008	Truss	obs	☑	☑	☑	☐	☐
		009	Suspension	obs	☑	☑	☑	☐	☐
		012	Transporter	obs	☑	☑	☑	☐	☐
		015	Slab	obs	☑	☑	☑	☐	☐
		016	Stringer (beam)	obs	☑	☑	☑	☐	☐
		017	Arch Suspension	obs	☑	☑	☑	☐	☐
		026	Arch (closed spandrel)	obs	☑	☑	☑	☐	☐
		027	Cable Stayed	obs	☑	☑	☑	☐	☐
		999	Other	obs	☑	☑	☑	☐	☐
	cdp	Calendar Date Type							
		000	Unknown	obs	☑	☑	☑	☐	☐
		018	Receipt	obs	☑	☑	☑	☐	☐
		019	Source	obs	☑	☑	☑	☐	☐
		024	Up-to-dateness/revision	obs	☑	☑	☑	☐	☐
	cdv	Calendar Date Value		obs	☑	☑	☑	☐	☐
	dir	Directivity							
		000	Unknown	obs	☑	☑	☑	☐	☐
		002	Bi	obs	☑	☑	☑	☐	☐
		003	Omni	obs	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)		obs	☑	☑	☑	☐	☐
	exs	Existence Category							
		000	Unknown	obs	☑	☑	☑	☐	☐
		005	Under Construction	obs	☑	☑	☑	☐	☐
		007	Destroyed	obs	☑	☑	☑	☐	☐
		008	Dismantled	obs	☑	☑	☑	☐	☐
		999	Other	obs	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level		obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AQ050	**Bridge Superstructure**							
	hzd	Horizontal Datum						
	000	Unknown	obs	☑	☑	☑	☐	☐
	300	World Geodetic System 1984	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	len	Length/Diameter	obs	☑	☑	☑	☐	☐
	mcc	Material Composition Category						
	000	Unknown	obs	☑	☑	☑	☐	☐
	020	Composition	obs	☑	☑	☑	☐	☐
	021	Concrete	obs	☑	☑	☑	☐	☐
	062	Masonry (Brick/Stone)	obs	☑	☑	☑	☐	☐
	064	Metal	obs	☑	☑	☑	☐	☐
	072	Part Metal	obs	☑	☑	☑	☐	☐
	107	Steel	obs	☑	☑	☑	☐	☐
	117	Wood	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	prm	Permanency						
	001	Permanent	obs	☑	☑	☑	☐	☐
	002	Temporary	obs	☑	☑	☑	☐	☐
	qle	Releasability	obs	☑	☑	☑	☐	☐
	sec	Security Classification						
	000	Unknown	obs	☑	☑	☑	☐	☐
	001	Top Secret	obs	☑	☑	☑	☐	☐
	002	Secret	obs	☑	☑	☑	☐	☐
	003	Confidential	obs	☑	☑	☑	☐	☐
	004	Restricted	obs	☑	☑	☑	☐	☐
	005	Unclassified	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	stc	Source Type Code						
	001	Survey Source	obs	☑	☑	☑	☐	☐
	002	Stereo Imagery Exploitation	obs	☑	☑	☑	☐	☐
	003	Mono Imagery Exploitation	obs	☑	☑	☑	☐	☐
	004	Cartographic Source	obs	☑	☑	☑	☐	☐
	005	Reported Information	obs	☑	☑	☑	☐	☐
	006	Multispectral	obs	☑	☑	☑	☐	☐
	007	Hyperspectral	obs	☑	☑	☑	☐	☐
	008	Synthetic Aperture Radar (SAR)	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	txt	Text Attribute	obs	☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
	000	Unknown	obs	☑	☑	☑	☐	☐
	015	Mean Sea Level	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AQ050	**Bridge Superstructure**							
	voi	Vertical Obstruction Identifier	obs	☑	☑	☑	☐	☐
	wid	Width	obs	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☑	☐	☐
AQ055	**Bridge Tower/Bridge Pylon**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Lit	obs	☑	☑	☐	☐	☐
		004 Unlit	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☐	☐	☐
		018 Receipt	obs	☑	☑	☐	☐	☐
		019 Source	obs	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		005 Under Construction	obs	☑	☑	☐	☐	☐
		007 Destroyed	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	len	Length/Diameter	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		020 Composition	obs	☑	☑	☐	☐	☐
		021 Concrete	obs	☑	☑	☐	☐	☐
		062 Masonry (Brick/Stone)	obs	☑	☑	☐	☐	☐
		064 Metal	obs	☑	☑	☐	☐	☐
		072 Part Metal	obs	☑	☑	☐	☐	☐
		107 Steel	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AQ055	**Bridge Tower/Bridge Pylon**							
	mcc	Material Composition Category						
	117	Wood	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
	001	Permanent	obs	☑	☑	☐	☐	☐
	002	Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
	000	Unknown	obs	☑	☑	☐	☐	☐
	001	Top Secret	obs	☑	☑	☐	☐	☐
	002	Secret	obs	☑	☑	☐	☐	☐
	003	Confidential	obs	☑	☑	☐	☐	☐
	004	Restricted	obs	☑	☑	☐	☐	☐
	005	Unclassified	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	ssc	Structure Shape Category						
	000	Unknown	obs	☑	☑	☐	☐	☐
	052	'A' Frame	obs	☑	☑	☐	☐	☐
	053	'H' Frame	obs	☑	☑	☐	☐	☐
	054	'I' Frame	obs	☑	☑	☐	☐	☐
	060	Mast	obs	☑	☑	☐	☐	☐
	079	Round	obs	☑	☑	☐	☐	☐
	080	Rectangular	obs	☑	☑	☐	☐	☐
	083	Square	obs	☑	☑	☐	☐	☐
	084	Irregular	obs	☑	☑	☐	☐	☐
	109	Obelisk	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
	001	Survey Source	obs	☑	☑	☐	☐	☐
	002	Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
	003	Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
	004	Cartographic Source	obs	☑	☑	☐	☐	☐
	005	Reported Information	obs	☑	☑	☐	☐	☐
	006	Multispectral	obs	☑	☑	☐	☐	☐
	007	Hyperspectral	obs	☑	☑	☐	☐	☐
	008	Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
	000	Unknown	obs	☑	☑	☐	☐	☐
	015	Mean Sea Level	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AQ055	**Bridge Tower/Bridge Pylon**							
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	wid	Width	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
AQ060	**Control Tower**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Lit	obs	☑	☑	☐	☐	☐
		004 Unlit	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☐	☐	☐
		018 Receipt	obs	☑	☑	☐	☐	☐
		019 Source	obs	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☐	☐	☐
		002 Bi	obs	☑	☑	☐	☐	☐
		003 Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		005 Under Construction	obs	☑	☑	☐	☐	☐
		007 Destroyed	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	gug	Guyed or Unguyed Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Guyed	obs	☑	☑	☐	☐	☐
		002 Unguyed	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	len	Length/Diameter	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		020 Composition	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AQ060	**Control Tower**							
	mcc	Material Composition Category						
		021 Concrete	obs	☑	☑	☐	☐	☐
		062 Masonry (Brick/Stone)	obs	☑	☑	☐	☐	☐
		064 Metal	obs	☑	☑	☐	☐	☐
		072 Part Metal	obs	☑	☑	☐	☐	☐
		107 Steel	obs	☑	☑	☐	☐	☐
		117 Wood	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☐	☐	☐
		002 Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Top Secret	obs	☑	☑	☐	☐	☐
		002 Secret	obs	☑	☑	☐	☐	☐
		003 Confidential	obs	☑	☑	☐	☐	☐
		004 Restricted	obs	☑	☑	☐	☐	☐
		005 Unclassified	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	ssr	Structure Shape of Roof						
		000 Unknown	obs	☑	☑	☐	☐	☐
		006 Conical/Peaked/NUN	obs	☑	☑	☐	☐	☐
		038 Curved/Round (Quonset)	obs	☑	☑	☐	☐	☐
		040 Dome	obs	☑	☑	☐	☐	☐
		041 Flat	obs	☑	☑	☐	☐	☐
		042 Gable (Pitched)	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
		004 Cartographic Source	obs	☑	☑	☐	☐	☐
		005 Reported Information	obs	☑	☑	☐	☐	☐
		006 Multispectral	obs	☑	☑	☐	☐	☐
		007 Hyperspectral	obs	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		015 Mean Sea Level	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AQ060	**Control Tower**							
	vdc	Vertical (Sounding) Datum Category						
		999 Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	wid	Width	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
AQ110	**Mooring Mast**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Lit	obs	☑	☑	☐	☐	☐
		004 Unlit	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☐	☐	☐
		018 Receipt	obs	☑	☑	☐	☐	☐
		019 Source	obs	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		005 Under Construction	obs	☑	☑	☐	☐	☐
		007 Destroyed	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	gug	Guyed or Unguyed Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Guyed	obs	☑	☑	☐	☐	☐
		002 Unguyed	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	len	Length/Diameter	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AQ110	**Mooring Mast**							
	mcc	Material Composition Category						
		020 Composition	obs	☑	☑	☐	☐	☐
		021 Concrete	obs	☑	☑	☐	☐	☐
		062 Masonry (Brick/Stone)	obs	☑	☑	☐	☐	☐
		064 Metal	obs	☑	☑	☐	☐	☐
		072 Part Metal	obs	☑	☑	☐	☐	☐
		107 Steel	obs	☑	☑	☐	☐	☐
		117 Wood	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☐	☐	☐
		002 Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Top Secret	obs	☑	☑	☐	☐	☐
		002 Secret	obs	☑	☑	☐	☐	☐
		003 Confidential	obs	☑	☑	☐	☐	☐
		004 Restricted	obs	☑	☑	☐	☐	☐
		005 Unclassified	obs	☑	☐	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	ssc	Structure Shape Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		052 'A' Frame	obs	☑	☑	☐	☐	☐
		054 'I' Frame	obs	☑	☑	☐	☐	☐
		060 Mast	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
		004 Cartographic Source	obs	☑	☑	☐	☐	☐
		005 Reported Information	obs	☑	☑	☐	☐	☐
		006 Multispectral	obs	☑	☑	☐	☐	☐
		007 Hyperspectral	obs	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		015 Mean Sea Level	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AQ110	**Mooring Mast**							
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	wid	Width	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
AQ113	**Pipeline/Pipe**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☐	☐	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☐	☐	☑	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☐	☐	☑	☐	☐
		003 Lit	obs	☐	☐	☑	☐	☐
		004 Unlit	obs	☐	☐	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☐	☐	☑	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☐	☐	☑	☐	☐
		018 Receipt	obs	☐	☐	☑	☐	☐
		019 Source	obs	☐	☐	☑	☐	☐
		024 Up-to-dateness/revision	obs	☐	☐	☑	☐	☐
	cdv	Calendar Date Value	obs	☐	☐	☑	☐	☐
	dir	Directivity						
		000 Unknown	obs	☐	☐	☑	☐	☐
		002 Bi	obs	☐	☐	☑	☐	☐
		003 Omni	obs	☐	☐	☑	☐	☐
	dmf	Density Measure (Feature Count)	obs	☐	☐	☑	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☐	☐	☑	☐	☐
		005 Under Construction	obs	☐	☐	☑	☐	☐
		007 Destroyed	obs	☐	☐	☑	☐	☐
		008 Dismantled	obs	☐	☐	☑	☐	☐
		999 Other	obs	☐	☐	☑	☐	☐
	hgt	Height Above Surface Level	obs	☐	☐	☑	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☐	☐	☑	☐	☐
		300 World Geodetic System 1984	obs	☐	☐	☑	☐	☐
		999 Other	obs	☐	☐	☑	☐	☐
	len	Length/Diameter	obs	☐	☐	☑	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☐	☐	☑	☐	☐
		021 Concrete	obs	☐	☐	☑	☐	☐
		062 Masonry (Brick/Stone)	obs	☐	☐	☑	☐	☐
		064 Metal	obs	☐	☐	☑	☐	☐
		072 Part Metal	obs	☐	☐	☑	☐	☐
		107 Steel	obs	☐	☐	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AQ113	**Pipeline/Pipe**							
	mcc	Material Composition Category						
	117	Wood	obs	☐	☐	☑	☐	☐
	999	Other	obs	☐	☐	☑	☐	☐
	prm	Permanency						
	001	Permanent	obs	☐	☐	☑	☐	☐
	002	Temporary	obs	☐	☐	☑	☐	☐
	qle	Releasability	obs	☐	☐	☑	☐	☐
	sec	Security Classification						
	000	Unknown	obs	☐	☐	☑	☐	☐
	001	Top Secret	obs	☐	☐	☑	☐	☐
	002	Secret	obs	☐	☐	☑	☐	☐
	003	Confidential	obs	☐	☐	☑	☐	☐
	004	Restricted	obs	☐	☐	☑	☐	☐
	005	Unclassified	obs	☐	☐	☑	☐	☐
	999	Other	obs	☐	☐	☑	☐	☐
	stc	Source Type Code						
	001	Survey Source	obs	☐	☐	☑	☐	☐
	002	Stereo Imagery Exploitation	obs	☐	☐	☑	☐	☐
	003	Mono Imagery Exploitation	obs	☐	☐	☑	☐	☐
	004	Cartographic Source	obs	☐	☐	☑	☐	☐
	005	Reported Information	obs	☐	☐	☑	☐	☐
	006	Multispectral	obs	☐	☐	☑	☐	☐
	007	Hyperspectral	obs	☐	☐	☑	☐	☐
	008	Synthetic Aperture Radar (SAR)	obs	☐	☐	☑	☐	☐
	999	Other	obs	☐	☐	☑	☐	☐
	txt	Text Attribute	obs	☐	☐	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
	000	Unknown	obs	☐	☐	☑	☐	☐
	015	Mean Sea Level	obs	☐	☐	☑	☐	☐
	999	Other	obs	☐	☐	☑	☐	☐
	voi	Vertical Obstruction Identifier	obs	☐	☐	☑	☐	☐
	zv2	Highest Z-Value	obs	☐	☐	☑	☐	☐
AT006	**Overhead Cable**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
	000	Unknown	obs	☑	☑	☐	☐	☐
	018	Receipt	obs	☑	☑	☐	☐	☐
	019	Source	obs	☑	☑	☐	☐	☐
	024	Up-to-dateness/revision	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AT006	**Overhead Cable**							
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☐	☐	☐
		002 Bi	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		005 Under Construction	obs	☑	☑	☐	☐	☐
		007 Destroyed	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	len	Length/Diameter	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		064 Metal	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☐	☐	☐
		002 Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Top Secret	obs	☑	☑	☐	☐	☐
		002 Secret	obs	☑	☑	☐	☐	☐
		003 Confidential	obs	☑	☑	☐	☐	☐
		004 Restricted	obs	☑	☑	☐	☐	☐
		005 Unclassified	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
		004 Cartographic Source	obs	☑	☑	☐	☐	☐
		005 Reported Information	obs	☑	☑	☐	☐	☐
		006 Multispectral	obs	☑	☑	☐	☐	☐
		007 Hyperspectral	obs	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AT006	**Overhead Cable**							
	stc	Source Type Code						
	999	Other	obs	☑	☑	☐	☐	☐
	tst	Transmission Line Suspension						
	000	Unknown	obs	☑	☑	☐	☐	☐
	001	Normal Suspension	obs	☑	☑	☐	☐	☐
	002	Catenary (Over Mountains)	obs	☑	☑	☐	☐	☐
	003	Catenary (Over Water)	obs	☑	☑	☐	☐	☐
	998	Not Applicable	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
	000	Unknown	obs	☑	☑	☐	☐	☐
	015	Mean Sea Level	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
AT010	**US-Disk/Dish UK-Disk Aerial/Dish Aerial**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	atn	Aids to Navigation						
	000	Unknown	obs	☑	☑	☐	☐	☐
	003	Lit	obs	☑	☑	☐	☐	☐
	004	Unlit	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
	000	Unknown	obs	☑	☑	☐	☐	☐
	018	Receipt	obs	☑	☑	☐	☐	☐
	019	Source	obs	☑	☑	☐	☐	☐
	024	Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
	000	Unknown	obs	☑	☑	☐	☐	☐
	003	Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
	000	Unknown	obs	☑	☑	☐	☐	☐
	005	Under Construction	obs	☑	☑	☐	☐	☐
	007	Destroyed	obs	☑	☑	☐	☐	☐
	008	Dismantled	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AT010	**US-Disk/Dish UK-Disk Aerial/Dish Aerial**							
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	len	Length/Diameter	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		064 Metal	obs	☑	☑	☐	☐	☐
		072 Part Metal	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☐	☐	☐
		002 Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Top Secret	obs	☑	☑	☐	☐	☐
		002 Secret	obs	☑	☑	☐	☐	☐
		003 Confidential	obs	☑	☑	☐	☐	☐
		004 Restricted	obs	☑	☑	☐	☐	☐
		005 Unclassified	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
		004 Cartographic Source	obs	☑	☑	☐	☐	☐
		005 Reported Information	obs	☑	☑	☐	☐	☐
		006 Multispectral	obs	☑	☑	☐	☐	☐
		007 Hyperspectral	obs	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		015 Mean Sea Level	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
AT030	**Power Transmission Line**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☐	☐	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AT030	**Power Transmission Line**							
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☐	☐	☑	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☐	☐	☑	☐	☐
		003 Lit	obs	☐	☐	☑	☐	☐
		004 Unlit	obs	☐	☐	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☐	☐	☑	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☐	☐	☑	☐	☐
		018 Receipt	obs	☐	☐	☑	☐	☐
		019 Source	obs	☐	☐	☑	☐	☐
		024 Up-to-dateness/revision	obs	☐	☐	☑	☐	☐
	cdv	Calendar Date Value	obs	☐	☐	☑	☐	☐
	dir	Directivity						
		000 Unknown	obs	☐	☐	☑	☐	☐
		002 Bi	obs	☐	☐	☑	☐	☐
	dmf	Density Measure (Feature Count)	obs	☐	☐	☑	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☐	☐	☑	☐	☐
		005 Under Construction	obs	☐	☐	☑	☐	☐
		007 Destroyed	obs	☐	☐	☑	☐	☐
		008 Dismantled	obs	☐	☐	☑	☐	☐
		999 Other	obs	☐	☐	☑	☐	☐
	hgt	Height Above Surface Level	obs	☐	☐	☑	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☐	☐	☑	☐	☐
		300 World Geodetic System 1984	obs	☐	☐	☑	☐	☐
		999 Other	obs	☐	☐	☑	☐	☐
	kva	Kilovolt Capacity Attribute	obs	☐	☐	☑	☐	☐
	len	Length/Diameter	obs	☐	☐	☑	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☐	☐	☑	☐	☐
		064 Metal	obs	☐	☐	☑	☐	☐
		999 Other	obs	☐	☐	☑	☐	☐
	pfg	Predominant Feature Height With greater than 1 meter resolution	obs	☐	☐	☑	☐	☐
	prm	Permanency						
		001 Permanent	obs	☐	☐	☑	☐	☐
		002 Temporary	obs	☐	☐	☑	☐	☐
	qle	Releasability	obs	☐	☐	☑	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☐	☐	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AT030	**Power Transmission Line**							
	sec	Security Classification						
		001 Top Secret	obs	☐	☐	☑	☐	☐
		002 Secret	obs	☐	☐	☑	☐	☐
		003 Confidential	obs	☐	☐	☑	☐	☐
		004 Restricted	obs	☐	☐	☑	☐	☐
		005 Unclassified	obs	☐	☐	☑	☐	☐
		999 Other	obs	☐	☐	☑	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☐	☐	☑	☐	☐
		002 Stereo Imagery Exploitation	obs	☐	☐	☑	☐	☐
		003 Mono Imagery Exploitation	obs	☐	☐	☑	☐	☐
		004 Cartographic Source	obs	☐	☐	☑	☐	☐
		005 Reported Information	obs	☐	☐	☑	☐	☐
		006 Multispectral	obs	☐	☐	☑	☐	☐
		007 Hyperspectral	obs	☐	☐	☑	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☐	☐	☑	☐	☐
		999 Other	obs	☐	☐	☑	☐	☐
	tst	Transmission Line Suspension						
		000 Unknown	obs	☐	☐	☑	☐	☐
		001 Normal Suspension	obs	☐	☐	☑	☐	☐
		002 Catenary (Over Mountains)	obs	☐	☐	☑	☐	☐
		003 Catenary (Over Water)	obs	☐	☐	☑	☐	☐
		998 Not Applicable	obs	☐	☐	☑	☐	☐
		999 Other	obs	☐	☐	☑	☐	☐
	txt	Text Attribute	obs	☐	☐	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☐	☐	☑	☐	☐
		015 Mean Sea Level	obs	☐	☐	☑	☐	☐
		999 Other	obs	☐	☐	☑	☐	☐
	voi	Vertical Obstruction Identifier	obs	☐	☐	☑	☐	☐
	zv2	Highest Z-Value	obs	☐	☐	☑	☐	☐
AT040	**US-Power Transmission Pylon UK-Power Transmission Pylon/Pole**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Lit	obs	☑	☑	☐	☐	☐
		004 Unlit	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AT040	**US-Power Transmission Pylon UK-Power Transmission Pylon/Pole**							
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☐	☐	☐
		018 Receipt	obs	☑	☑	☐	☐	☐
		019 Source	obs	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		005 Under Construction	obs	☑	☑	☐	☐	☐
		007 Destroyed	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	gug	Guyed or Unguyed Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Guyed	obs	☑	☑	☐	☐	☐
		002 Unguyed	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	len	Length/Diameter	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		020 Composition	obs	☑	☑	☐	☐	☐
		021 Concrete	obs	☑	☑	☐	☐	☐
		062 Masonry (Brick/Stone)	obs	☑	☑	☐	☐	☐
		064 Metal	obs	☑	☑	☐	☐	☐
		072 Part Metal	obs	☑	☑	☐	☐	☐
		107 Steel	obs	☑	☑	☐	☐	☐
		117 Wood	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☐	☐	☐
		002 Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value		Coverage	END	CND	EDG	FAC	TXT
AT040	**US-Power Transmission Pylon UK-Power Transmission Pylon/Pole**								
	sec	Security Classification							
		000	Unknown	obs	☑	☑	☐	☐	☐
		001	Top Secret	obs	☑	☑	☐	☐	☐
		002	Secret	obs	☑	☑	☐	☐	☐
		003	Confidential	obs	☑	☑	☐	☐	☐
		004	Restricted	obs	☑	☑	☐	☐	☐
		005	Unclassified	obs	☑	☑	☐	☐	☐
		999	Other	obs	☑	☑	☐	☐	☐
	ssc	Structure Shape Category							
		000	Unknown	obs	☑	☑	☐	☐	☐
		012	Pyramid	obs	☑	☑	☐	☐	☐
		052	'A' Frame	obs	☑	☑	☐	☐	☐
		053	'H' Frame	obs	☑	☑	☐	☐	☐
		054	'I' Frame	obs	☑	☑	☐	☐	☐
		056	'Y' Frame	obs	☑	☑	☐	☐	☐
		060	Mast	obs	☑	☑	☐	☐	☐
		074	'T' Frame	obs	☑	☑	☐	☐	☐
		999	Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code							
		001	Survey Source	obs	☑	☑	☐	☐	☐
		002	Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
		003	Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
		004	Cartographic Source	obs	☑	☑	☐	☐	☐
		005	Reported Information	obs	☑	☑	☐	☐	☐
		006	Multispectral	obs	☑	☑	☐	☐	☐
		007	Hyperspectral	obs	☑	☑	☐	☐	☐
		008	Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
		999	Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute		obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category							
		000	Unknown	obs	☑	☑	☐	☐	☐
		015	Mean Sea Level	obs	☑	☑	☐	☐	☐
		999	Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier		obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value		obs	☑	☑	☐	☐	☐
AT050	**Communication Building**								
	aha	Absolute Horizontal Accuracy in Meters		obs	☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level		obs	☑	☑	☑	☐	☐
	atn	Aids to Navigation							
		000	Unknown	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AT050	**Communication Building**							
	atn	Aids to Navigation						
	003	Lit	obs	☑	☑	☑	☐	☐
	004	Unlit	obs	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☑	☐	☐
	bfc	Building Function Category						
	000	Unknown	obs	☑	☑	☑	☐	☐
	040	Telephone Switching Station	obs	☑	☑	☑	☐	☐
	086	Telephone Exchange (Main)	obs	☑	☑	☑	☐	☐
	bss	Building Superstructure Shape						
	000	Unknown	obs	☑	☑	☑	☐	☐
	005	Tower	obs	☑	☑	☑	☐	☐
	998	Not Applicable	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
	000	Unknown	obs	☑	☑	☑	☐	☐
	018	Receipt	obs	☑	☑	☑	☐	☐
	019	Source	obs	☑	☑	☑	☐	☐
	024	Up-to-dateness/revision	obs	☑	☑	☑	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☑	☐	☐
	dir	Directivity						
	000	Unknown	obs	☑	☑	☑	☐	☐
	002	Bi	obs	☑	☑	☑	☐	☐
	003	Omni	obs	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☑	☐	☐
	exs	Existence Category						
	000	Unknown	obs	☑	☑	☑	☐	☐
	005	Under Construction	obs	☑	☑	☑	☐	☐
	007	Destroyed	obs	☑	☑	☑	☐	☐
	008	Dismantled	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
	000	Unknown	obs	☑	☑	☑	☐	☐
	300	World Geodetic System 1984	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	len	Length/Diameter	obs	☑	☑	☑	☐	☐
	mcc	Material Composition Category						
	000	Unknown	obs	☑	☑	☑	☐	☐
	020	Composition	obs	☑	☑	☑	☐	☐
	021	Concrete	obs	☑	☑	☑	☐	☐
	062	Masonry (Brick/Stone)	obs	☑	☑	☑	☐	☐
	064	Metal	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AT050	**Communication Building**							
	mcc	Material Composition Category						
		072 Part Metal	obs	☑	☑	☑	☐	☐
		107 Steel	obs	☑	☑	☑	☐	☐
		117 Wood	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☑	☐	☐
		002 Temporary	obs	☑	☑	☑	☐	☐
	qle	Releasability	obs	☑	☑	☑	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Top Secret	obs	☑	☑	☑	☐	☐
		002 Secret	obs	☑	☑	☑	☐	☐
		003 Confidential	obs	☑	☑	☑	☐	☐
		004 Restricted	obs	☑	☑	☑	☐	☐
		005 Unclassified	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	ssc	Structure Shape Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		079 Round	obs	☑	☑	☑	☐	☐
		080 Rectangular	obs	☑	☑	☑	☐	☐
		083 Square	obs	☑	☑	☑	☐	☐
		084 Irregular	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	ssr	Structure Shape of Roof						
		000 Unknown	obs	☑	☑	☑	☐	☐
		040 Dome	obs	☑	☑	☑	☐	☐
		041 Flat	obs	☑	☑	☑	☐	☐
		042 Gable (Pitched)	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☑	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☑	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☑	☐	☐
		004 Cartographic Source	obs	☑	☑	☑	☐	☐
		005 Reported Information	obs	☑	☑	☑	☐	☐
		006 Multispectral	obs	☑	☑	☑	☐	☐
		007 Hyperspectral	obs	☑	☑	☑	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	txt	Text Attribute	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AT050	**Communication Building**							
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		015 Mean Sea Level	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☑	☐	☐
AT060	**Telephone Line/Telegraph Line**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☐	☐	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☐	☐	☑	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☐	☐	☑	☐	☐
		003 Lit	obs	☐	☐	☑	☐	☐
		004 Unlit	obs	☐	☐	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☐	☐	☑	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☐	☐	☑	☐	☐
		018 Receipt	obs	☐	☐	☑	☐	☐
		019 Source	obs	☐	☐	☑	☐	☐
		024 Up-to-dateness/revision	obs	☐	☐	☑	☐	☐
	cdv	Calendar Date Value	obs	☐	☐	☑	☐	☐
	dir	Directivity						
		000 Unknown	obs	☐	☐	☑	☐	☐
		002 Bi	obs	☐	☐	☑	☐	☐
	dmf	Density Measure (Feature Count)	obs	☐	☐	☑	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☐	☐	☑	☐	☐
		005 Under Construction	obs	☐	☐	☑	☐	☐
		007 Destroyed	obs	☐	☐	☑	☐	☐
		008 Dismantled	obs	☐	☐	☑	☐	☐
		999 Other	obs	☐	☐	☑	☐	☐
	hgt	Height Above Surface Level	obs	☐	☐	☑	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☐	☐	☑	☐	☐
		300 World Geodetic System 1984	obs	☐	☐	☑	☐	☐
		999 Other	obs	☐	☐	☑	☐	☐
	len	Length/Diameter	obs	☐	☐	☑	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☐	☐	☑	☐	☐
		064 Metal	obs	☐	☐	☑	☐	☐
		999 Other	obs	☐	☐	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AT060	**Telephone Line/Telegraph Line**							
	pfg	Predominant Feature Height With greater than 1 meter resolution	obs	☐	☐	☑	☐	☐
	prm	Permanency						
		001 Permanent	obs	☐	☐	☑	☐	☐
		002 Temporary	obs	☐	☐	☑	☐	☐
	qle	Releasability	obs	☐	☐	☑	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☐	☐	☑	☐	☐
		001 Top Secret	obs	☐	☐	☑	☐	☐
		002 Secret	obs	☐	☐	☑	☐	☐
		003 Confidential	obs	☐	☐	☑	☐	☐
		004 Restricted	obs	☐	☐	☑	☐	☐
		005 Unclassified	obs	☐	☐	☑	☐	☐
		999 Other	obs	☐	☐	☑	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☐	☐	☑	☐	☐
		002 Stereo Imagery Exploitation	obs	☐	☐	☑	☐	☐
		003 Mono Imagery Exploitation	obs	☐	☐	☑	☐	☐
		004 Cartographic Source	obs	☐	☐	☑	☐	☐
		005 Reported Information	obs	☐	☐	☑	☐	☐
		006 Multispectral	obs	☐	☐	☑	☐	☐
		007 Hyperspectral	obs	☐	☐	☑	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☐	☐	☑	☐	☐
		999 Other	obs	☐	☐	☑	☐	☐
	tst	Transmission Line Suspension						
		000 Unknown	obs	☐	☐	☑	☐	☐
		001 Normal Suspension	obs	☐	☐	☑	☐	☐
		002 Catenary (Over Mountains)	obs	☐	☐	☑	☐	☐
		003 Catenary (Over Water)	obs	☐	☐	☑	☐	☐
		998 Not Applicable	obs	☐	☐	☑	☐	☐
		999 Other	obs	☐	☐	☑	☐	☐
	txt	Text Attribute	obs	☐	☐	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☐	☐	☑	☐	☐
		015 Mean Sea Level	obs	☐	☐	☑	☐	☐
		999 Other	obs	☐	☐	☑	☐	☐
	voi	Vertical Obstruction Identifier	obs	☐	☐	☑	☐	☐
	zv2	Highest Z-Value	obs	☐	☐	☑	☐	☐
AT070	**Telephone-Telegraph Pylon/Pole**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AT070	**Telephone-Telegraph Pylon/Pole**							
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Lit	obs	☑	☑	☐	☐	☐
		004 Unlit	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☐	☐	☐
		018 Receipt	obs	☑	☑	☐	☐	☐
		019 Source	obs	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		005 Under Construction	obs	☑	☑	☐	☐	☐
		007 Destroyed	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	gug	Guyed or Unguyed Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Guyed	obs	☑	☑	☐	☐	☐
		002 Unguyed	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	len	Length/Diameter	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		020 Composition	obs	☑	☑	☐	☐	☐
		021 Concrete	obs	☑	☑	☐	☐	☐
		062 Masonry (Brick/Stone)	obs	☑	☑	☐	☐	☐
		064 Metal	obs	☑	☑	☐	☐	☐
		072 Part Metal	obs	☑	☑	☐	☐	☐
		107 Steel	obs	☑	☑	☐	☐	☐
		117 Wood	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AT070	**Telephone-Telegraph Pylon/Pole**							
	prm	Permanency						
		001 Permanent	obs	☑	☑	☐	☐	☐
		002 Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Top Secret	obs	☑	☑	☐	☐	☐
		002 Secret	obs	☑	☑	☐	☐	☐
		003 Confidential	obs	☑	☑	☐	☐	☐
		004 Restricted	obs	☑	☑	☐	☐	☐
		005 Unclassified	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	ssc	Structure Shape Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		012 Pyramid	obs	☑	☑	☐	☐	☐
		052 'A' Frame	obs	☑	☑	☐	☐	☐
		053 'H' Frame	obs	☑	☑	☐	☐	☐
		054 'I' Frame	obs	☑	☑	☐	☐	☐
		056 'Y' Frame	obs	☑	☑	☐	☐	☐
		060 Mast	obs	☑	☑	☐	☐	☐
		074 'T' Frame	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
		004 Cartographic Source	obs	☑	☑	☐	☐	☐
		005 Reported Information	obs	☑	☑	☐	☐	☐
		006 Multispectral	obs	☑	☑	☐	☐	☐
		007 Hyperspectral	obs	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		015 Mean Sea Level	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
AT080	**Communication Tower**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AT080	**Communication Tower**							
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☑	☐	☐
		003 Lit	obs	☑	☑	☑	☐	☐
		004 Unlit	obs	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☑	☐	☐
		018 Receipt	obs	☑	☑	☑	☐	☐
		019 Source	obs	☑	☑	☑	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☑	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☑	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☑	☐	☐
		003 Omni	obs	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☑	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		005 Under Construction	obs	☑	☑	☑	☐	☐
		007 Destroyed	obs	☑	☑	☑	☐	☐
		008 Dismantled	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	gug	Guyed or Unguyed Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Guyed	obs	☑	☑	☑	☐	☐
		002 Unguyed	obs	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☑	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	len	Length/Diameter	obs	☑	☑	☑	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		020 Composition	obs	☑	☑	☑	☐	☐
		021 Concrete	obs	☑	☑	☑	☐	☐
		062 Masonry (Brick/Stone)	obs	☑	☑	☑	☐	☐
		064 Metal	obs	☑	☑	☑	☐	☐
		072 Part Metal	obs	☑	☑	☑	☐	☐
		107 Steel	obs	☑	☑	☑	☐	☐
		117 Wood	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AT080	**Communication Tower**							
	mcc	Material Composition Category						
	999	Other	obs	☑	☑	☑	☐	☐
	nst	Navigation System Types						
	000	Unknown	obs	☑	☑	☑	☐	☐
	012	Radio	obs	☑	☑	☑	☐	☐
	015	TV	obs	☑	☑	☑	☐	☐
	016	Microwave	obs	☑	☑	☑	☐	☐
	998	Not Applicable	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	pfg	Predominant Feature Height With greater than 1 meter resolution	obs	☑	☑	☑	☐	☐
	prm	Permanency						
	001	Permanent	obs	☑	☑	☑	☐	☐
	002	Temporary	obs	☑	☑	☑	☐	☐
	qle	Releasability	obs	☑	☑	☑	☐	☐
	sec	Security Classification						
	000	Unknown	obs	☑	☑	☑	☐	☐
	001	Top Secret	obs	☑	☑	☑	☐	☐
	002	Secret	obs	☑	☑	☑	☐	☐
	003	Confidential	obs	☑	☑	☑	☐	☐
	004	Restricted	obs	☑	☑	☑	☐	☐
	005	Unclassified	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	ssc	Structure Shape Category						
	000	Unknown	obs	☑	☑	☑	☐	☐
	052	'A' Frame	obs	☑	☑	☑	☐	☐
	053	'H' Frame	obs	☑	☑	☑	☐	☐
	054	'I' Frame	obs	☑	☑	☑	☐	☐
	056	'Y' Frame	obs	☑	☑	☑	☐	☐
	060	Mast	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	stc	Source Type Code						
	001	Survey Source	obs	☑	☑	☑	☐	☐
	002	Stereo Imagery Exploitation	obs	☑	☑	☑	☐	☐
	003	Mono Imagery Exploitation	obs	☑	☑	☑	☐	☐
	004	Cartographic Source	obs	☑	☑	☑	☐	☐
	005	Reported Information	obs	☑	☑	☑	☐	☐
	006	Multispectral	obs	☑	☑	☑	☐	☐
	007	Hyperspectral	obs	☑	☑	☑	☐	☐
	008	Synthetic Aperture Radar (SAR)	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	txt	Text Attribute	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
AT080	**Communication Tower**							
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		015 Mean Sea Level	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☑	☐	☐
BC040	**Light**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Lit	obs	☑	☑	☐	☐	☐
		004 Unlit	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☐	☐	☐
		018 Receipt	obs	☑	☑	☐	☐	☐
		019 Source	obs	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		005 Under Construction	obs	☑	☑	☐	☐	☐
		007 Destroyed	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	gug	Guyed or Unguyed Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Guyed	obs	☑	☑	☐	☐	☐
		002 Unguyed	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
BC040	**Light**							
	mcc	Material Composition Category						
	072	Part Metal	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
	001	Permanent	obs	☑	☑	☐	☐	☐
	002	Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
	000	Unknown	obs	☑	☑	☐	☐	☐
	001	Top Secret	obs	☑	☑	☐	☐	☐
	002	Secret	obs	☑	☑	☐	☐	☐
	003	Confidential	obs	☑	☑	☐	☐	☐
	004	Restricted	obs	☑	☑	☐	☐	☐
	005	Unclassified	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
	001	Survey Source	obs	☑	☑	☐	☐	☐
	002	Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
	003	Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
	004	Cartographic Source	obs	☑	☑	☐	☐	☐
	005	Reported Information	obs	☑	☑	☐	☐	☐
	006	Multispectral	obs	☑	☑	☐	☐	☐
	007	Hyperspectral	obs	☑	☑	☐	☐	☐
	008	Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
	000	Unknown	obs	☑	☑	☐	☐	☐
	015	Mean Sea Level	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
BC050	**Lighthouse**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
	000	Unknown	obs	☑	☑	☐	☐	☐
	018	Receipt	obs	☑	☑	☐	☐	☐
	019	Source	obs	☑	☑	☐	☐	☐
	024	Up-to-dateness/revision	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
BC050	**Lighthouse**							
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		005 Under Construction	obs	☑	☑	☐	☐	☐
		007 Destroyed	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		021 Concrete	obs	☑	☑	☐	☐	☐
		072 Part Metal	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☐	☐	☐
		002 Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Top Secret	obs	☑	☑	☐	☐	☐
		002 Secret	obs	☑	☑	☐	☐	☐
		003 Confidential	obs	☑	☑	☐	☐	☐
		004 Restricted	obs	☑	☑	☐	☐	☐
		005 Unclassified	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
		004 Cartographic Source	obs	☑	☑	☐	☐	☐
		005 Reported Information	obs	☑	☑	☐	☐	☐
		006 Multispectral	obs	☑	☑	☐	☐	☐
		007 Hyperspectral	obs	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
BC050	**Lighthouse**							
	stc	Source Type Code						
		999 Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		015 Mean Sea Level	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
BC070	**Light Vessel/Lightship**							
	afa	Available Facilities						
		000 Unknown	obs	☑	☑	☐	☐	☐
		019 Helipad	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☐	☐	☐
		018 Receipt	obs	☑	☑	☐	☐	☐
		019 Source	obs	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Omni	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		064 Metal	obs	☑	☑	☐	☐	☐
		107 Steel	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
BC070	**Light Vessel/Lightship**							
	prm	Permanency						
		001 Permanent	obs	☑	☑	☐	☐	☐
		002 Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Top Secret	obs	☑	☑	☐	☐	☐
		002 Secret	obs	☑	☑	☐	☐	☐
		003 Confidential	obs	☑	☑	☐	☐	☐
		004 Restricted	obs	☑	☑	☐	☐	☐
		005 Unclassified	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
		004 Cartographic Source	obs	☑	☑	☐	☐	☐
		005 Reported Information	obs	☑	☑	☐	☐	☐
		006 Multispectral	obs	☑	☑	☐	☐	☐
		007 Hyperspectral	obs	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		015 Mean Sea Level	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
BD110	**Platform**							
	afa	Available Facilities						
		000 Unknown	obs	☑	☑	☐	☐	☐
		019 Helipad	obs	☑	☑	☐	☐	☐
		995 None	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Lit	obs	☑	☑	☐	☐	☐
		004 Unlit	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
BD110	**Platform**							
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☐	☐	☐
		018 Receipt	obs	☑	☑	☐	☐	☐
		019 Source	obs	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		005 Under Construction	obs	☑	☑	☐	☐	☐
		007 Destroyed	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		021 Concrete	obs	☑	☑	☐	☐	☐
		064 Metal	obs	☑	☑	☐	☐	☐
		072 Part Metal	obs	☑	☑	☐	☐	☐
		107 Steel	obs	☑	☑	☐	☐	☐
		117 Wood	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	opc	Offshore Platform Classification						
		010 Navigation Aid Support	obs	☑	☑	☐	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☐	☐	☐
		002 Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Top Secret	obs	☑	☑	☐	☐	☐
		002 Secret	obs	☑	☑	☐	☐	☐
		003 Confidential	obs	☑	☑	☐	☐	☐
		004 Restricted	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
BD110	**Platform**							
	sec	Security Classification						
		005 Unclassified	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
		004 Cartographic Source	obs	☑	☑	☐	☐	☐
		005 Reported Information	obs	☑	☑	☐	☐	☐
		006 Multispectral	obs	☑	☑	☐	☐	☐
		007 Hyperspectral	obs	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		015 Mean Sea Level	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
BH010	**Aqueduct**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☑	☐	☐
		003 Lit	obs	☑	☑	☑	☐	☐
		004 Unlit	obs	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☑	☐	☐
		018 Receipt	obs	☑	☑	☑	☐	☐
		019 Source	obs	☑	☑	☑	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☑	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☑	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Uni	obs	☑	☑	☑	☐	☐
		002 Bi	obs	☑	☑	☑	☐	☐
		003 Omni	obs	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
BH010	**Aqueduct**							
	exs	Existence Category						
	000	Unknown	obs	☑	☑	☑	☐	☐
	005	Under Construction	obs	☑	☑	☑	☐	☐
	007	Destroyed	obs	☑	☑	☑	☐	☐
	008	Dismantled	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
	000	Unknown	obs	☑	☑	☑	☐	☐
	300	World Geodetic System 1984	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	len	Length/Diameter	obs	☑	☑	☑	☐	☐
	mcc	Material Composition Category						
	000	Unknown	obs	☑	☑	☑	☐	☐
	021	Concrete	obs	☑	☑	☑	☐	☐
	064	Metal	obs	☑	☑	☑	☐	☐
	072	Part Metal	obs	☑	☑	☑	☐	☐
	107	Steel	obs	☑	☑	☑	☐	☐
	108	Stone	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	prm	Permanency						
	001	Permanent	obs	☑	☑	☑	☐	☐
	002	Temporary	obs	☑	☑	☑	☐	☐
	qle	Releasability	obs	☑	☑	☑	☐	☐
	sec	Security Classification						
	000	Unknown	obs	☑	☑	☑	☐	☐
	001	Top Secret	obs	☑	☑	☑	☐	☐
	002	Secret	obs	☑	☑	☑	☐	☐
	003	Confidential	obs	☑	☑	☑	☐	☐
	004	Restricted	obs	☑	☑	☑	☐	☐
	005	Unclassified	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	stc	Source Type Code						
	001	Survey Source	obs	☑	☑	☑	☐	☐
	002	Stereo Imagery Exploitation	obs	☑	☑	☑	☐	☐
	003	Mono Imagery Exploitation	obs	☑	☑	☑	☐	☐
	004	Cartographic Source	obs	☑	☑	☑	☐	☐
	005	Reported Information	obs	☑	☑	☑	☐	☐
	006	Multispectral	obs	☑	☑	☑	☐	☐
	007	Hyperspectral	obs	☑	☑	☑	☐	☐
	008	Synthetic Aperture Radar (SAR)	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
BH010	**Aqueduct**							
	txt	Text Attribute	obs	☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		015 Mean Sea Level	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☑	☐	☐
	wid	Width	obs	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☑	☐	☐
BI020	**Dam/Weir**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☑	☐	☐
		003 Lit	obs	☑	☑	☑	☐	☐
		004 Unlit	obs	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☑	☐	☐
		018 Receipt	obs	☑	☑	☑	☐	☐
		019 Source	obs	☑	☑	☑	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☑	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☑	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Uni	obs	☑	☑	☑	☐	☐
		002 Bi	obs	☑	☑	☑	☐	☐
		003 Omni	obs	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☑	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		005 Under Construction	obs	☑	☑	☑	☐	☐
		007 Destroyed	obs	☑	☑	☑	☐	☐
		008 Dismantled	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☑	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	len	Length/Diameter	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
BI020	**Dam/Weir**							
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		020 Composition	obs	☑	☑	☑	☐	☐
		021 Concrete	obs	☑	☑	☑	☐	☐
		030 Earthen	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☑	☐	☐
		002 Temporary	obs	☑	☑	☑	☐	☐
	qle	Releasability	obs	☑	☑	☑	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Top Secret	obs	☑	☑	☑	☐	☐
		002 Secret	obs	☑	☑	☑	☐	☐
		003 Confidential	obs	☑	☑	☑	☐	☐
		004 Restricted	obs	☑	☑	☑	☐	☐
		005 Unclassified	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☑	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☑	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☑	☐	☐
		004 Cartographic Source	obs	☑	☑	☑	☐	☐
		005 Reported Information	obs	☑	☑	☑	☐	☐
		006 Multispectral	obs	☑	☑	☑	☐	☐
		007 Hyperspectral	obs	☑	☑	☑	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	txt	Text Attribute	obs	☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		015 Mean Sea Level	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☑	☐	☐
	wid	Width	obs	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☑	☐	☐
BI050	**Water Intake Tower**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
BI050	**Water Intake Tower**							
	atn	Aids to Navigation						
		003 Lit	obs	☑	☑	☐	☐	☐
		004 Unlit	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☐	☐	☐
		018 Receipt	obs	☑	☑	☐	☐	☐
		019 Source	obs	☑	☑	☐	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		005 Under Construction	obs	☑	☑	☐	☐	☐
		007 Destroyed	obs	☑	☑	☐	☐	☐
		008 Dismantled	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☐	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	len	Length/Diameter	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		020 Composition	obs	☑	☑	☐	☐	☐
		021 Concrete	obs	☑	☑	☐	☐	☐
		062 Masonry (Brick/Stone)	obs	☑	☑	☐	☐	☐
		064 Metal	obs	☑	☑	☐	☐	☐
		072 Part Metal	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☐	☐	☐
		002 Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☐	☐	☐
		001 Top Secret	obs	☑	☑	☐	☐	☐
		002 Secret	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
BI050	**Water Intake Tower**							
	sec	Security Classification						
		003 Confidential	obs	☑	☑	☐	☐	☐
		004 Restricted	obs	☑	☑	☐	☐	☐
		005 Unclassified	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
		004 Cartographic Source	obs	☑	☑	☐	☐	☐
		005 Reported Information	obs	☑	☑	☐	☐	☐
		006 Multispectral	obs	☑	☑	☐	☐	☐
		007 Hyperspectral	obs	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		015 Mean Sea Level	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	wid	Width	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
GA035	**NAVAIDS (Aeronautical)**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☑	☐	☐
		003 Lit	obs	☑	☑	☑	☐	☐
		004 Unlit	obs	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☑	☐	☐
		018 Receipt	obs	☑	☑	☑	☐	☐
		019 Source	obs	☑	☑	☑	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☑	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☑	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☑	☐	☐
		003 Omni	obs	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
GA035	**NAVAIDS (Aeronautical)**							
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		005 Under Construction	obs	☑	☑	☑	☐	☐
		007 Destroyed	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☑	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	len	Length/Diameter	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		021 Concrete	obs	☑	☑	☑	☐	☐
		072 Part Metal	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	nst	Navigation System Types						
		000 Unknown	obs	☑	☑	☑	☐	☐
		007 Long Range Air Navigation System (LORAN)	obs	☑	☑	☑	☐	☐
		010 Radar Responder Beacon (RACON)	obs	☑	☑	☑	☐	☐
		011 Radar	obs	☑	☑	☑	☐	☐
		020 VHF Omni Directional Radio Range (VOR)	obs	☑	☑	☑	☐	☐
		021 VHF Omni Directional Radio Range/Distance Measuring Equipment (VOR/DME)	obs	☑	☑	☑	☐	☐
		022 VHF Omni Directional Radio Range and TACAN (VORTAC)	obs	☑	☑	☑	☐	☐
		023 Tactical Air Navigation Equipment (TACAN)	obs	☑	☑	☑	☐	☐
		026 Localizer (LOC)	obs	☑	☑	☑	☐	☐
		027 Localizer/Distance Measuring Equipment (LOC/DME)	obs	☑	☑	☑	☐	☐
		035 Radar Antenna	obs	☑	☑	☑	☐	☐
		037 Precision Approach Radar (PAR)	obs	☑	☑	☑	☐	☐
		040 Radio Beacon	obs	☑	☑	☑	☐	☐
		045 Radar Station	obs	☑	☑	☑	☐	☐
		055 Radar reflector	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☑	☐	☐
		002 Temporary	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
GA035	**NAVAIDS (Aeronautical)**							
	qle	Releasability	obs	☑	☑	☑	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Top Secret	obs	☑	☑	☑	☐	☐
		002 Secret	obs	☑	☑	☑	☐	☐
		003 Confidential	obs	☑	☑	☑	☐	☐
		004 Restricted	obs	☑	☑	☑	☐	☐
		005 Unclassified	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	ssc	Structure Shape Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		087 Dome	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☑	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☑	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☑	☐	☐
		004 Cartographic Source	obs	☑	☑	☑	☐	☐
		005 Reported Information	obs	☑	☑	☑	☐	☐
		006 Multispectral	obs	☑	☑	☑	☐	☐
		007 Hyperspectral	obs	☑	☑	☑	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	txt	Text Attribute	obs	☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		015 Mean Sea Level	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☑	☐	☐
	wid	Width	obs	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☑	☐	☐
GB040	**Launch Pad**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☐	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☐	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☐	☐	☐
		003 Lit	obs	☑	☑	☐	☐	☐
		004 Unlit	obs	☑	☑	☐	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☐	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
GB040	**Launch Pad**							
	cdp	Calendar Date Type						
	018	Receipt	obs	☑	☑	☐	☐	☐
	019	Source	obs	☑	☑	☐	☐	☐
	024	Up-to-dateness/revision	obs	☑	☑	☐	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☐	☐	☐
	dir	Directivity						
	000	Unknown	obs	☑	☑	☐	☐	☐
	001	Uni	obs	☑	☑	☐	☐	☐
	002	Bi	obs	☑	☑	☐	☐	☐
	003	Omni	obs	☑	☑	☐	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☐	☐	☐
	exs	Existence Category						
	000	Unknown	obs	☑	☑	☐	☐	☐
	005	Under Construction	obs	☑	☑	☐	☐	☐
	007	Destroyed	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☐	☐	☐
	hzd	Horizontal Datum						
	000	Unknown	obs	☑	☑	☐	☐	☐
	300	World Geodetic System 1984	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	mcc	Material Composition Category						
	000	Unknown	obs	☑	☑	☐	☐	☐
	020	Composition	obs	☑	☑	☐	☐	☐
	021	Concrete	obs	☑	☑	☐	☐	☐
	064	Metal	obs	☑	☑	☐	☐	☐
	072	Part Metal	obs	☑	☑	☐	☐	☐
	107	Steel	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐
	prm	Permanency						
	001	Permanent	obs	☑	☑	☐	☐	☐
	002	Temporary	obs	☑	☑	☐	☐	☐
	qle	Releasability	obs	☑	☑	☐	☐	☐
	sec	Security Classification						
	000	Unknown	obs	☑	☑	☐	☐	☐
	001	Top Secret	obs	☑	☑	☐	☐	☐
	002	Secret	obs	☑	☑	☐	☐	☐
	003	Confidential	obs	☑	☑	☐	☐	☐
	004	Restricted	obs	☑	☑	☐	☐	☐
	005	Unclassified	obs	☑	☑	☐	☐	☐
	999	Other	obs	☑	☑	☐	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
GB040	**Launch Pad**							
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☐	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☐	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☐	☐	☐
		004 Cartographic Source	obs	☑	☑	☐	☐	☐
		005 Reported Information	obs	☑	☑	☐	☐	☐
		006 Multispectral	obs	☑	☑	☐	☐	☐
		007 Hyperspectral	obs	☑	☑	☐	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	txt	Text Attribute	obs	☑	☑	☐	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☐	☐	☐
		015 Mean Sea Level	obs	☑	☑	☐	☐	☐
		999 Other	obs	☑	☑	☐	☐	☐
	voi	Vertical Obstruction Identifier	obs	☑	☑	☐	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☐	☐	☐
GB220	**Air Obstruction**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☑	☐	☐
		003 Lit	obs	☑	☑	☑	☐	☐
		004 Unlit	obs	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☑	☐	☐
		018 Receipt	obs	☑	☑	☑	☐	☐
		019 Source	obs	☑	☑	☑	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☑	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☑	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Uni	obs	☑	☑	☑	☐	☐
		002 Bi	obs	☑	☑	☑	☐	☐
		003 Omni	obs	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☑	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		005 Under Construction	obs	☑	☑	☑	☐	☐
		007 Destroyed	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
GB220	**Air Obstruction**							
	exs	Existence Category						
		008 Dismantled	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☑	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	len	Length/Diameter	obs	☑	☑	☑	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		117 Wood	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	pfg	Predominant Feature Height With greater than 1 meter resolution	obs	☑	☑	☑	☐	☐
	prm	Permanency						
		001 Permanent	obs	☑	☑	☑	☐	☐
		002 Temporary	obs	☑	☑	☑	☐	☐
	qle	Releasability	obs	☑	☑	☑	☐	☐
	sec	Security Classification						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Top Secret	obs	☑	☑	☑	☐	☐
		002 Secret	obs	☑	☑	☑	☐	☐
		003 Confidential	obs	☑	☑	☑	☐	☐
		004 Restricted	obs	☑	☑	☑	☐	☐
		005 Unclassified	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	stc	Source Type Code						
		001 Survey Source	obs	☑	☑	☑	☐	☐
		002 Stereo Imagery Exploitation	obs	☑	☑	☑	☐	☐
		003 Mono Imagery Exploitation	obs	☑	☑	☑	☐	☐
		004 Cartographic Source	obs	☑	☑	☑	☐	☐
		005 Reported Information	obs	☑	☑	☑	☐	☐
		006 Multispectral	obs	☑	☑	☑	☐	☐
		007 Hyperspectral	obs	☑	☑	☑	☐	☐
		008 Synthetic Aperture Radar (SAR)	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	txt	Text Attribute	obs	☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		015 Mean Sea Level	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
GB220	**Air Obstruction**							
	voi	Vertical Obstruction Identifier	obs	☑	☑	☑	☐	☐
	wid	Width	obs	☑	☑	☑	☐	☐
	zv2	Highest Z-Value	obs	☑	☑	☑	☐	☐
GB221	**Miscellaneous Air Obstruction**							
	aha	Absolute Horizontal Accuracy in Meters	obs	☑	☑	☑	☐	☐
	aho	Accuracy of Obstruction Height Above Ground Level	obs	☑	☑	☑	☐	☐
	atn	Aids to Navigation						
		000 Unknown	obs	☑	☑	☑	☐	☐
		003 Lit	obs	☑	☑	☑	☐	☐
		004 Unlit	obs	☑	☑	☑	☐	☐
	ava	Absolute Vertical Accuracy in Meters	obs	☑	☑	☑	☐	☐
	cdp	Calendar Date Type						
		000 Unknown	obs	☑	☑	☑	☐	☐
		018 Receipt	obs	☑	☑	☑	☐	☐
		019 Source	obs	☑	☑	☑	☐	☐
		024 Up-to-dateness/revision	obs	☑	☑	☑	☐	☐
	cdv	Calendar Date Value	obs	☑	☑	☑	☐	☐
	dir	Directivity						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Uni	obs	☑	☑	☑	☐	☐
		002 Bi	obs	☑	☑	☑	☐	☐
		003 Omni	obs	☑	☑	☑	☐	☐
	dmf	Density Measure (Feature Count)	obs	☑	☑	☑	☐	☐
	exs	Existence Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		005 Under Construction	obs	☑	☑	☑	☐	☐
		007 Destroyed	obs	☑	☑	☑	☐	☐
		008 Dismantled	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	gug	Guyed or Unguyed Category						
		000 Unknown	obs	☑	☑	☑	☐	☐
		001 Guyed	obs	☑	☑	☑	☐	☐
		002 Unguyed	obs	☑	☑	☑	☐	☐
	hgt	Height Above Surface Level	obs	☑	☑	☑	☐	☐
	hzd	Horizontal Datum						
		000 Unknown	obs	☑	☑	☑	☐	☐
		300 World Geodetic System 1984	obs	☑	☑	☑	☐	☐
		999 Other	obs	☑	☑	☑	☐	☐
	len	Length/Diameter	obs	☑	☑	☑	☐	☐
	mcc	Material Composition Category						
		000 Unknown	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value	Coverage	END	CND	EDG	FAC	TXT
GB221	**Miscellaneous Air Obstruction**							
	mcc	Material Composition Category						
	020	Composition	obs	☑	☑	☑	☐	☐
	021	Concrete	obs	☑	☑	☑	☐	☐
	030	Earthen	obs	☑	☑	☑	☐	☐
	062	Masonry (Brick/Stone)	obs	☑	☑	☑	☐	☐
	064	Metal	obs	☑	☑	☑	☐	☐
	072	Part Metal	obs	☑	☑	☑	☐	☐
	107	Steel	obs	☑	☑	☑	☐	☐
	117	Wood	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	pfg	Predominant Feature Height With greater than 1 meter resolution	obs	☑	☑	☑	☐	☐
	prm	Permanency						
	001	Permanent	obs	☑	☑	☑	☐	☐
	002	Temporary	obs	☑	☑	☑	☐	☐
	qle	Releasability	obs	☑	☑	☑	☐	☐
	sec	Security Classification						
	000	Unknown	obs	☑	☑	☑	☐	☐
	001	Top Secret	obs	☑	☑	☑	☐	☐
	002	Secret	obs	☑	☑	☑	☐	☐
	003	Confidential	obs	☑	☑	☑	☐	☐
	004	Restricted	obs	☑	☑	☑	☐	☐
	005	Unclassified	obs	☑	☑	☑	☐	☐
	999	Other	obs	☑	☑	☑	☐	☐
	ssc	Structure Shape Category						
	000	Unknown	obs	☑	☑	☑	☐	☐
	004	Bullet	obs	☑	☑	☑	☐	☐
	010	Pillar/Spindle	obs	☑	☑	☑	☐	☐
	012	Pyramid	obs	☑	☑	☑	☐	☐
	017	Spherical (Hemispherical)	obs	☑	☑	☑	☐	☐
	021	Artificial Mountain	obs	☑	☑	☑	☐	☐
	052	'A' Frame	obs	☑	☑	☑	☐	☐
	053	'H' Frame	obs	☑	☑	☑	☐	☐
	054	'I' Frame	obs	☑	☑	☑	☐	☐
	056	'Y' Frame	obs	☑	☑	☑	☐	☐
	060	Mast	obs	☑	☑	☑	☐	☐
	074	'T' Frame	obs	☑	☑	☑	☐	☐
	077	Arch	obs	☑	☑	☑	☐	☐
	079	Round	obs	☑	☑	☑	☐	☐
	080	Rectangular	obs	☑	☑	☑	☐	☐
	083	Square	obs	☑	☑	☑	☐	☐
	084	Irregular	obs	☑	☑	☑	☐	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value		Coverage	END	CND	EDG	FAC	TXT
GB221	**Miscellaneous Air Obstruction**								
	ssc	Structure Shape Category							
		109	Obelisk	obs	☑	☑	☑	☐	☐
		999	Other	obs	☑	☑	☑	☐	☐
	stc	Source Type Code							
		001	Survey Source	obs	☑	☑	☑	☐	☐
		002	Stereo Imagery Exploitation	obs	☑	☑	☑	☐	☐
		003	Mono Imagery Exploitation	obs	☑	☑	☑	☐	☐
		004	Cartographic Source	obs	☑	☑	☑	☐	☐
		005	Reported Information	obs	☑	☑	☑	☐	☐
		006	Multispectral	obs	☑	☑	☑	☐	☐
		007	Hyperspectral	obs	☑	☑	☑	☐	☐
		008	Synthetic Aperture Radar (SAR)	obs	☑	☑	☑	☐	☐
		999	Other	obs	☑	☑	☑	☐	☐
	txt	Text Attribute		obs	☑	☑	☑	☐	☐
	vdc	Vertical (Sounding) Datum Category							
		000	Unknown	obs	☑	☑	☑	☐	☐
		015	Mean Sea Level	obs	☑	☑	☑	☐	☐
		999	Other	obs	☑	☑	☑	☐	☐
	voi	Vertical Obstruction Identifier		obs	☑	☑	☑	☐	☐
	wid	Width		obs	☑	☑	☑	☐	☐
	zv2	Highest Z-Value		obs	☑	☑	☑	☐	☐
N/A	**Featureless Feature Table**								
	aha	Absolute Horizontal Accuracy in Meters		dq	☐	☐	☐	☑	☐
	ava	Absolute Vertical Accuracy in Meters		dq	☐	☐	☐	☑	☐
	dqd	Data Quality Description		dq	☐	☐	☑	☑	☐
	mcd	Map Compilation Date		dq	☐	☐	☐	☑	☐
	mpd	Map Print Date		dq	☐	☐	☐	☑	☐
	mrd	Map Revision Date		dq	☐	☐	☐	☑	☐
	mse	Map Sheet Edition		dq	☐	☐	☐	☑	☐
	sdp	Source Description		dq	☐	☐	☐	☑	☐
	sin	Source Identification		dq	☐	☐	☐	☑	☐
	ss1	First Source Sheet or Data Identifier		dq	☐	☐	☑	☐	☐
	ss2	Second Source Sheet or Data Identifier		dq	☐	☐	☑	☐	☐
	thl	Data Quality Thematic Layer		dq	☐	☐	☑	☑	☐
ZD020	**Void Collection Area**								
	vca	Void Collection Attribute							
		000	Unknown	dq	☐	☐	☐	☑	☐
		001	Data Not Requested By User	dq	☐	☐	☐	☑	☐
		002	Area Too Rough to Collect	dq	☐	☐	☐	☑	☐
		003	No Available Imagery	dq	☐	☐	☐	☑	☐
		006	No Available Map Source	dq	☐	☐	☐	☑	☐
		007	No Suitable Imagery	dq	☐	☐	☐	☑	☐

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Table D-2 VVOD FACC Feature and Attribute Codes Sorted by Feature (Continued)

Feature	Attribute	Attribute Value		Coverage	END	CND	EDG	FAC	TXT
ZD020	**Void Collection Area**								
	vct	Void Collection Type							
		000	Unknown	dq	☐	☐	☐	☑	☐
		001	Relief	dq	☐	☐	☐	☑	☐
		999	Other	dq	☐	☐	☐	☑	☐
ZD045	**Text Description**								
	n/a	No Attributes Required		dq	☐	☐	☐	☐	☑

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

D.3.2 VVOD FACC Feature Glossary

A - Culture

AA - Culture-Extraction

AA040 Rig/Superstructure (DIGEST Status: Published FACC)
A vertical structure fitted for drilling or lifting operations.

AB - Culture-Disposal

AB000 US-Disposal Site/Waste Pile UK-Refuse Tip/Slag Heap (DIGEST Status: Published FACC)
A site for the collecting/depositing of refuse or discarded material. (See also AB010, AM010 and AM040)

AC - Culture-Processing Industry

AC000 Processing Plant/Treatment Plant (DIGEST Status: Published FACC)
A site used for changing or refining a particular material.

AC010 Blast Furnace (DIGEST Status: Published FACC)
A heat chamber used for smelting iron ore.

AC020 Catalytic Cracker (DIGEST Status: Published FACC)
A unit in which petroleum separation is carried out in the presence of a catalyst.

AD - Culture-Power Generation

AD010 US-Power Plant UK-Power Station (DIGEST Status: Published FACC)
The building(s) and equipment necessary for the generation of electric power. (See also AD020)

AD030 Substation/Transformer Yard (DIGEST Status: Published FACC)
A facility, along a power line route, in which electric current is transformed and/or distributed.

AF - Culture-Associated Industrial Structures

AF010 Chimney/Smokestack (DIGEST Status: Published FACC)
A vertical structure containing a passage or flue for discharging smoke and gases of combustion.

AF020 Conveyor (DIGEST Status: Published FACC)
An apparatus for moving materials from place to place on a moving belt or series of rollers.

AF030 Cooling Tower (DIGEST Status: Published FACC)
A tower used to cool liquids.

AF040 Crane (DIGEST Status: Published FACC)
A machine for lifting, shifting, and lowering objects or materials by means of a swinging boom or with the lifting apparatus supported on an overhead track.

AF050 US-Dredge/Powershovel/Dragline UK-Dredger/Powershovel/Dragline (DIGEST Status: Published FACC)
An excavating machine for removing earth or materials.

AF070 Flare Pipe (DIGEST Status: Published FACC)
An open-ended pipe at which waste gases are burned.

AF080 Hopper (DIGEST Status: Published FACC)
A top-loaded funnel-shaped structure for temporary holding of loose material which will be dispensed from its bottom.

AH - Culture-Institutional/Government

AH050 Fortification (DIGEST Status: Published FACC)
A facility constructed for the military defense of a site. (See also AM060)

AJ - Culture-Agriculture

AJ050 Windmill (DIGEST Status: Published FACC)
A wind-driven system of vanes attached to a tower like structure (excluding wind-generated power plants).

AJ051 Windmotor (DIGEST Status: Published FACC)
A modern structure used for wind power.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

D.3.2 VVOD FACC Feature Glossary (Continued)

AK - Culture-Recreational

AK020 Amusement Park Attraction (DIGEST Status: Published FACC)
A large structure located in an Amusement Park.

AK150 Ski Jump (DIGEST Status: Published FACC)
A ramp used for ski jumping.

AK160 US-Stadium/Amphitheater UK-Stadium/Ampitheatre (DIGEST Status: Published FACC)
An arena for holding and viewing events.

AL - Culture-Miscellaneous Features

AL015 Building (DIGEST Status: Published FACC)
A relatively permanent structure, roofed and usually walled and designed for some particular use. (See also AL100)

AL018 Building Superstructure Addition (DIGEST Status: Published FACC)
A supplemental portion of a building which rises from the roof but is not considered to be part of the general roof line.

AL050 US-Display Sign UK-Display Sign/Notice Board (DIGEST Status: Published FACC)
An upright panel used to convey visual information. (See also AL080)

AL110 US-Light Standard/Light Support UK-Light Standard/Light Support/Lamp Post (DIGEST Status: Published FACC)
A structure serving as a support for lighting.

AL130 US-Monument UK-Monument/Folly (DIGEST Status: Published FACC)
A structure erected or maintained as a memorial to a person or event. (See also AL025 and AL090)

AL240 Tower (Non-Communication) (DIGEST Status: Published FACC)
A relatively tall structure which may be used for observation, support, or storage, etc. (See also AF030, AM080, AQ060, and BI050)

AM - Culture-Storage

AM010 Depot (Storage) (DIGEST Status: Published FACC)
An area used for the storage of products or supplies. (See also AB000)

AM020 Grain Bin/Silo (DIGEST Status: Published FACC)
An enclosed container, used for storing grain or fodder. (See also AM011, AM070, and AM080)

AM030 Grain Elevator (DIGEST Status: Published FACC)
A tall structure, equipped for loading, unloading, processing and storing grain.

AM070 Tank (DIGEST Status: Published FACC)
A container used for the storage of liquids or gases. (See also AM011, AM020, and AM080)

AM080 Water Tower (DIGEST Status: Published FACC)
An elevated container and its supporting structure used to hold water. (See also AM011, AM020, and AM070)

AQ - Culture-Associated Transportation

AQ010 US-Aerial Cableway Lines/Ski Lift Lines UK-Aerial Cableway Lines/Ski Lift Cables (DIGEST Status: Published FACC)
Cables which are strung between elevated supports as part of a conveyor system on which cars, buckets, or other carrier units are suspended. (See also AF020)

AQ020 Aerial Cableway Pylon/Ski Pylon (DIGEST Status: Published FACC)
A tower supporting steel cables which convey cars, buckets, or other suspended carrier units.

AQ040 Bridge/Overpass/Viaduct (DIGEST Status: Published FACC)
A man-made structure spanning and providing passage over a body of water, depression, or other obstacles.

AQ050 Bridge Superstructure (DIGEST Status: Published FACC)
Those elements of the bridge structure which are above the lowest deck. (See also AQ055)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

D.3.2 VVOD FACC Feature Glossary (Continued)

AQ - Culture-Associated Transportation

AQ055 Bridge Tower/Bridge Pylon (DIGEST Status: Published FACC)
A tower or pylon from which a bridge's deck is suspended.

AQ060 Control Tower (DIGEST Status: Published FACC)
A tower-like structure that houses the persons and equipment used to control the flow of air, rail, or marine traffic. (See also AL240)

AQ110 Mooring Mast (DIGEST Status: Published FACC)
A tower-like structure used to secure an airship.

AQ113 Pipeline/Pipe (DIGEST Status: Published FACC)
A tube for the conveyance of solids, liquids or gases.

AT - Culture-Communications/Transmission

AT006 Overhead Cable (DIGEST Status: Published FACC)
An insulated wire, or group of wires formed into one continuous strand and located above ground or above water surface. (See also AT005, AT030 and AT060)

AT010 US-Disk/Dish UK-Disk Aerial/Dish Aerial (DIGEST Status: Published FACC)
A concave object used for transmitting or receiving electronic signals.

AT030 Power Transmission Line (DIGEST Status: Published FACC)
A system of above ground wires including their supports, which transmits electricity over distance. (See also AT005, AT006 and AT060)

AT040 US-Power Transmission Pylon UK-Power Transmission Pylon/Pole (DIGEST Status: Published FACC)
A pylon or pole used to support a power transmission line.

AT050 Communication Building (DIGEST Status: Published FACC)
A building in which communication signals are processed or controlled.

AT060 Telephone Line/Telegraph Line (DIGEST Status: Published FACC)
A system of above ground wires, including their supports, which transmit electrical signals over distance. (See also AT005, AT006, and AT030)

AT070 Telephone-Telegraph Pylon/Pole (DIGEST Status: Published FACC)
A pylon or pole used to support a telephone or telegraph line.

AT080 Communication Tower (DIGEST Status: Published FACC)
A relatively tall structure used for transmitting and/or receiving electronic communication signals. (See also AQ060)

B - Hydrography

BC - Hydrography-NAVAIDs

BC040 Light (DIGEST Status: Published FACC)
A specially constructed device which displays a luminous or lighted aid to navigation. (See also BC050)

BC050 Lighthouse (DIGEST Status: Published FACC)
A distinctive structure exhibiting light(s) designed to serve as an aid to navigation. (See also BC040)

BC070 Light Vessel/Lightship (DIGEST Status: Published FACC)
A distinctively marked manned vessel anchored or moored at a defined point to serve as an aid to navigation.

BD - Hydrography-Dangers/Hazards

BD110 Platform (DIGEST Status: Published FACC)
A flat surface raised above the sea, as a working stage for conducting offshore operations.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

D.3.2 VVOD FACC Feature Glossary (Continued)

BH - Hydrography-Inland Water

BH010 Aqueduct (DIGEST Status: Published FACC)

A pipe or artificial channel designed to transport water from a remote source, usually by gravity. (See also BH110)

BI - Hydrography-Miscellaneous Inland Water

BI020 Dam/Weir (DIGEST Status: Published FACC)

A permanent barrier across a watercourse used to impound water or to control its flow. (See also BI040)

BI050 Water Intake Tower (DIGEST Status: Published FACC)

A tower-like structure associated with a dam or water source and used for the intake of water.

G - Aeronautical Information

GA - Aeronautical Information-Air Routes

GA035 NAVAIDS (Aeronautical) (DIGEST Status: Published FACC)

Any visual or electronic device which provides point-to-point guidance information or position data.

GB - Aeronautical Information-Aerodrome

GB040 Launch Pad (DIGEST Status: Published FACC)

A designated area or structure from which a rocket or missile is launched.

GB220 Air Obstruction (DIGEST Status: Published FACC)

An existing object of natural growth, or terrain at a fixed location within prescribed area with a reference to which vertical clearance is or must be provided during flight operations.

GB221 Miscellaneous Air Obstruction (DIGEST Status: Published FACC)

A generic man-made air obstruction.

Z - General

ZD - General-Miscellaneous

ZD020 Void Collection Area (DIGEST Status: Published FACC)

An area lacking suitable source coverage, or where data is not required.

ZD045 Text Description (DIGEST Status: Published FACC)

An area in which a characteristic or an activity pertaining to the area can be described and possibly labeled on a product if deemed important at the time the product is being produced.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

D.3.3 VVOD FACC Attribute Glossary

AFA Available Facilities (DIGEST Status: Published FACC)

Facilities available at or in the near vicinity.

000 Unknown (Published FACC)
019 Helipad (Published FACC)
995 None (Published FACC)
999 Other (Published FACC)

AHA Absolute Horizontal Accuracy in Meters (DIGEST Status: Published FACC)

The difference between the recorded horizontal coordinates of features and their true positions expressed as a circular error at 90% probability.

0 Actual Value

Units	Format	Range	Increment	Maximum Characters
Metres	Floating Point	N/A	m	N/A

AHO Accuracy of Obstruction Height Above Ground Level (DIGEST Status: Published FACC)

Indicates the difference between the recorded heights above ground level of features and their true heights at 90% probability.

0 Actual Value

Units	Format	Range	Increment	Maximum Characters
Metres	Floating Point	N/A	m	N/A

ATN Aids to Navigation (DIGEST Status: Published FACC)

Indicates whether a feature is marked or unmarked by an aid to navigation.

000 Unknown (Published FACC)
003 Lit (Published FACC)
004 Unlit (Published FACC)

AVA Absolute Vertical Accuracy in Meters (DIGEST Status: Published FACC)

The difference between the recorded elevations of features and their true elevations at a specific point referenced to the same vertical datum at 90% probability.

0 Actual Value

Units	Format	Range	Increment	Maximum Characters
Metres	Floating Point	N/A	m	N/A

BFC Building Function Category (DIGEST Status: Published FACC)

Type or purpose of the building.

000 Unknown (Published FACC)
002 Government Building (Published FACC)
003 Capitol Building (Published FACC)
004 Castle (Published FACC)
006 Hospital (Published FACC)
007 House of Worship (Published FACC)
010 Observatory (Published FACC)
011 Palace (Published FACC)
013 Prison (Published FACC)
015 School (Published FACC)
016 House (Published FACC)
017 Multi Unit Dwelling (Published FACC)
028 Administration Building (Published FACC)
029 Aircraft Maintenance Shop (Published FACC)
030 Hangar (Published FACC)
040 Telephone Switching Station (Published FACC)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

D.3.3 VVOD FACC Attribute Glossary (Continued)

BFC Building Function Category (DIGEST Status: Published FACC)

Type or purpose of the building.

053 Bank (Published FACC)
058 Observation (Published FACC)
086 Telephone Exchange (Main) (Published FACC)
099 Battery (Published FACC)
105 Reformatory (Published FACC)
106 Sanitarium (Published FACC)
111 Sportsplex (Published FACC)
122 Shopping Center (Published FACC)
129 Airport Terminal (Published FACC)
999 Other (Published FACC)

BOT Bridge Opening Type (DIGEST Status: Published FACC)

The type of structure or mechanism by which a portion of a bridge is moved to allow passage of a vessel.

000 Unknown (Published FACC)
004 Draw/Bascule (Published FACC)
010 Swing (Published FACC)
011 Lift (Published FACC)
013 Not Applicable (Published FACC)
999 Other (Published FACC)

BSC Bridge/Bridge Superstructure Category (DIGEST Status: Published FACC)

Structural design characteristics.

000 Unknown (Published FACC)
001 Arch (assume open spandrel) (Published FACC)
002 Cantilever (Published FACC)
003 Deck (Published FACC)
006 Girder (Published FACC)
007 Tower Suspension (Published FACC)
008 Truss (Published FACC)
009 Suspension (Published FACC)
012 Transporter (Published FACC)
015 Slab (Published FACC)
016 Stringer (beam) (Published FACC)
017 Arch Suspension (Published FACC)
026 Arch (closed spandrel) (Published FACC)
027 Cable Stayed (Published FACC)
999 Other (Published FACC)

BSS Building Superstructure Shape (DIGEST Status: Published FACC)

Classification of types of building superstructures which extend above the general roofline of a structure.

000 Unknown (Published FACC)
001 Monitor (Published FACC)
002 Steeple (Published FACC)
003 Cupola (Published FACC)
004 Turret (Published FACC)
005 Tower (Published FACC)
006 Minaret (Published FACC)
998 Not Applicable (Published FACC)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

D.3.3 VVOD FACC Attribute Glossary (Continued)

BSS Building Superstructure Shape (DIGEST Status: Published FACC)

Classification of types of building superstructures which extend above the general roofline of a structure.

999 Other (Published FACC)

CDP Calendar Date Type (DIGEST Status: Published FACC)

The type of report or activity.

000 Unknown (Published FACC)
018 Receipt (Published FACC)
019 Source (Published FACC)
024 Up-to-dateness/revision (Published FACC)

CDV Calendar Date Value (DIGEST Status: Published FACC)

The calendar date as specified by ISO 8601.

0 Actual Value

Units	Format	Range	Increment	Maximum Characters
Date	ASCII Text	N/A	N/A	See Appendix C

CRA Crane Type Category (DIGEST Status: Published FACC)

Type of crane.

000 Unknown (Published FACC)
002 Bridge/Gantry (Published FACC)
003 Rotating (Published FACC)
998 Not Applicable (Published FACC)
999 Other (Published FACC)

CRM Crane Mobility Type (DIGEST Status: Published FACC)

Indicates the mobility of a crane type. (See CRA.)

000 Unknown (Published FACC)
001 Fixed (Published FACC)
002 Traveling (Published FACC)
003 Floating (Published FACC)
999 Other (Published FACC)

DIR Directivity (DIGEST Status: Published FACC)

The side or sides of a feature which produces the greatest reflectivity potential.

000 Unknown (Published FACC)
001 Uni (Published FACC)
002 Bi (Published FACC)
003 Omni (Published FACC)

DMF Density Measure (Feature Count) (DIGEST Status: Published FACC)

Indicates the number of features of this type within an area.

0 Actual Value

Units	Format	Range	Increment	Maximum Characters
Features	Short Integer	-32767 to 32767	1 feature	*N/A*

DQD Data Quality Description (DIGEST Status: Published FACC)

Contains a text string describing specific conditions occurring within a coverage at the location identified by the dq feature. Typically this refers to edgematch problems observed between two source maps and identifies any steps taken to ameliorate the problem.

0 Actual Value

Units	Format	Range	Increment	Maximum Characters
Text	ASCII Text	N/A	N/A	See Appendix C

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

D.3.3 VVOD FACC Attribute Glossary (Continued)

DQD Data Quality Description (DIGEST Status: Published FACC)

Contains a text string describing specific conditions occurring within a coverage at the location identified by the dq feature. Typically this refers to edgematch problems observed between two source maps and identifies any steps taken to ameliorate the problem.

EXS Existence Category (DIGEST Status: Published FACC)

The state or condition of the feature.

000 Unknown (Published FACC)
005 Under Construction (Published FACC)
007 Destroyed (Published FACC)
008 Dismantled (Published FACC)
999 Other (Published FACC)

GUG Guyed or Unguyed Category (DIGEST Status: Published FACC)

Presence of support wires.

000 Unknown (Published FACC)
001 Guyed (Published FACC)
002 Unguyed (Published FACC)

HGT Height Above Surface Level (DIGEST Status: Published FACC)

Distance measured from the lowest point of the base at ground or water level (downhill side/downstream side) to the tallest point of the feature.

0 Actual Value

Units	Format	Range	Increment	Maximum Characters
Metres	Short Integer	-32767 to 32767	1 m	*N/A*

HZD Horizontal Datum (DIGEST Status: Published FACC)

Horizontal geodetic datum. (This attribute should only be used for a feature whose datum is different from that of the geo data set (see Part 3-6.2).)

000 Unknown (Published FACC)
300 World Geodetic System 1984 (Published FACC)
999 Other (Published FACC)

KVA Kilovolt Capacity Attribute (DIGEST Status: Published FACC)

Maximum voltage available on the line, as reported in kilovolts.

0 Actual Value

Units	Format	Range	Increment	Maximum Characters
Kilovolts	Short Integer	N/A	1 kv	N/A

LEN Length/Diameter (DIGEST Status: Published FACC)

A measurement of the longer of two linear axes in meters. For a square feature, measure either axis. For a round feature, measure the diameter. For a bridge, the length is the distance between the bridge abutments.

0 Actual Value

Units	Format	Range	Increment	Maximum Characters
Metres	Short Integer	-32767 to 32767	1 m	*N/A*

LOC Location Category (DIGEST Status: Published FACC)

Status of feature relative to surrounding area or water.

000 Unknown (Published FACC)
008 On Ground Surface (Published FACC)
022 Off Shore (Published FACC)
999 Other (Published FACC)

MCC Material Composition Category (DIGEST Status: Published FACC)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

D.3.3 VVOD FACC Attribute Glossary (Continued)

000 Unknown (Published FACC)
020 Composition (Published FACC)
021 Concrete (Published FACC)
030 Earthen (Published FACC)
062 Masonry (Brick/Stone) (Published FACC)
064 Metal (Published FACC)
072 Part Metal (Published FACC)
107 Steel (Published FACC)
108 Stone (Published FACC)
117 Wood (Published FACC)
999 Other (Published FACC)

MCD Map Compilation Date (DIGEST Status: Published FACC)

Appropriate date of compilation of map or dataset. Coded YYYYMMDD.

0 Actual Value

Units	Format	Range	Increment	Maximum Characters
Date	ASCII Text	N/A	N/A	See Appendix C

MPD Map Print Date (DIGEST Status: Withdrawn/Rejected)

Print date of map or dataset.

0 Actual Value

Units	Format	Range	Increment	Maximum Characters
Date	Date	N/A	N/A	See Appendix C

MRD Map Revision Date (DIGEST Status: Withdrawn/Rejected)

Revision date of map or dataset.

0 Actual Value

Units	Format	Range	Increment	Maximum Characters
Date	Date	N/A	N/A	See Appendix C

MSE Map Sheet Edition (DIGEST Status: Published FACC)

Alphanumeric String containing the edition of the map sheet.

0 Actual Value

Units	Format	Range	Increment	Maximum Characters
Text	ASCII Text	N/A	N/A	See Appendix C

N/A No Attributes Required (DIGEST Status: No Attributes Required)

No attributes are required for this feature.

NST Navigation System Types (DIGEST Status: Published FACC)

Type of equipment or system used in electronic navigation (primary system).

000 Unknown (Published FACC)
007 Long Range Air Navigation System (LORAN) (Published FACC)
010 Radar Responder Beacon (RACON) (Published FACC)
011 Radar (Published FACC)
012 Radio (Published FACC)
015 TV (Published FACC)
016 Microwave (Published FACC)
020 VHF Omni Directional Radio Range (VOR) (Published FACC)
021 VHF Omni Directional Radio Range/Distance Measuring Equipment (VOR/DME) (Published FACC)
022 VHF Omni Directional Radio Range and TACAN (VORTAC) (Published FACC)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

D.3.3 VVOD FACC Attribute Glossary (Continued)

NST Navigation System Types (DIGEST Status: Published FACC)

Type of equipment or system used in electronic navigation (primary system).

023 Tactical Air Navigation Equipment (TACAN) (Published FACC)
026 Localizer (LOC) (Published FACC)
027 Localizer/Distance Measuring Equipment (LOC/DME) (Published FACC)
035 Radar Antenna (Published FACC)
037 Precision Approach Radar (PAR) (Published FACC)
040 Radio Beacon (Published FACC)
045 Radar Station (Published FACC)
055 Radar reflector (Published FACC)
998 Not Applicable (Published FACC)
999 Other (Published FACC)

OPC Offshore Platform Classification (DIGEST Status: Published FACC)

Tabulates types of offshore platforms.

010 Navigation Aid Support (Published FACC)

PFG Predominant Feature Height With greater than 1 meter resolution (DIGEST Status: Published FACC)

Predominant height within delineation of feature.

0 Actual Value

Units	Format	Range	Increment	Maximum Characters
Metres	Floating Point	N/A	m	N/A

PPC Power Plant Category (DIGEST Status: Published FACC)

Energy source used to generate power.

000 Unknown (Published FACC)
001 Hydro-electric (Published FACC)
002 Nuclear (Published FACC)
003 Solar (Published FACC)
004 Thermal (Published FACC)
005 Wind (Published FACC)
006 Tidal (Published FACC)
007 Internal Combustion (Published FACC)
998 Not Applicable (Published FACC)
999 Other (Published FACC)

PRM Permanency (DIGEST Status: Published FACC)

Indicates whether an object is temporary or permanent. See EXS 11 and EXS 18.

001 Permanent (Published FACC)
002 Temporary (Published FACC)

PRO Product Category (DIGEST Status: Published FACC)

Principal material involved or product resulting from activity at site.

000 Unknown (Published FACC)
013 Chemical (Published FACC)
017 Coal (Published FACC)
019 Coke (Published FACC)
038 Gas (Published FACC)
064 Metal (Published FACC)
067 Oil (Published FACC)
999 Other (Published FACC)

QLE Releasability (DIGEST Status: Published FACC)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

D.3.3 VVOD FACC Attribute Glossary (Continued)

0 Actual Value

Units	Format	Range	Increment	Maximum Characters
Text	Lexical	N/A	N/A	See Appendix C

SDP Source Description (DIGEST Status: Published FACC)

Title or description of source.

0 Actual Value

Units	Format	Range	Increment	Maximum Characters
Text	ASCII Text	N/A	N/A	See Appendix C

SEC Security Classification (DIGEST Status: Published FACC)

Defines the highest level of security associated with a feature.

000 Unknown (Published FACC)
001 Top Secret (Published FACC)
002 Secret (Published FACC)
003 Confidential (Published FACC)
004 Restricted (Published FACC)
005 Unclassified (Published FACC)
999 Other (Published FACC)

SIN Source Identification (DIGEST Status: Published FACC)

Alphanumeric string containing the map sheet, source name or source identification number.

0 Actual Value

Units	Format	Range	Increment	Maximum Characters
Text	ASCII Text	N/A	N/A	See Appendix C

SS1 First Source Sheet or Data Identifier (DIGEST Status: Withdrawn/Rejected)

This item contains the name of the first map sheet number or other source where a line feature crosses or runs along the source boundary, and requires a data quality description.

0 Actual Value

Units	Format	Range	Increment	Maximum Characters
Text	ASCII Text	N/A	N/A	See Appendix C

SS2 Second Source Sheet or Data Identifier (DIGEST Status: Withdrawn/Rejected)

This item contains the name of the second map sheet number or other source where a line feature crosses or runs along the source boundary, and requires a data quality description.

0 Actual Value

Units	Format	Range	Increment	Maximum Characters
Text	ASCII Text	N/A	N/A	See Appendix C

SSC Structure Shape Category (DIGEST Status: Published FACC)

Geometric form, appearance, or configuration of the feature.

000 Unknown (Published FACC)
004 Bullet (Published FACC)
007 Cylindrical (Upright)/CAN (Published FACC)
010 Pillar/Spindle (Published FACC)
012 Pyramid (Published FACC)
017 Spherical (Hemispherical) (Published FACC)
021 Artificial Mountain (Published FACC)
023 Ferris Wheel (Published FACC)
024 Enclosed (Published FACC)
025 Roller Coaster (Published FACC)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

D.3.3 VVOD FACC Attribute Glossary (Continued)

SSC Structure Shape Category (DIGEST Status: Published FACC)

Geometric form, appearance, or configuration of the feature.

046 Open (Published FACC)
052 'A' Frame (Published FACC)
053 'H' Frame (Published FACC)
054 'I' Frame (Published FACC)
056 'Y' Frame (Published FACC)
059 Telescoping Gasholder (Gasometer) (Published FACC)
060 Mast (Published FACC)
065 Cylindrical with flat top (Published FACC)
066 Cylindrical with domed top (Published FACC)
071 Cylindrical/Peaked (Published FACC)
074 'T' Frame (Published FACC)
076 Funnel (Published FACC)
077 Arch (Published FACC)
079 Round (Published FACC)
080 Rectangular (Published FACC)
083 Square (Published FACC)
084 Irregular (Published FACC)
087 Dome (Published FACC)
109 Obelisk (Published FACC)
999 Other (Published FACC)

SSR Structure Shape of Roof (DIGEST Status: Published FACC)

Roof shape.

000 Unknown (Published FACC)
006 Conical/Peaked/NUN (Published FACC)
038 Curved/Round (Quonset) (Published FACC)
040 Dome (Published FACC)
041 Flat (Published FACC)
042 Gable (Pitched) (Published FACC)
047 Sawtooth (Published FACC)
998 Not Applicable (Published FACC)
999 Other (Published FACC)

STC Source Type Code (DIGEST Status: Published FACC)

The source from which features are captured or upgraded.

001 Survey Source (Published FACC)
002 Stereo Imagery Exploitation (Published FACC)
003 Mono Imagery Exploitation (Published FACC)
004 Cartographic Source (Published FACC)
005 Reported Information (Published FACC)
006 Multispectral (Published FACC)
007 Hyperspectral (Published FACC)
008 Synthetic Aperture Radar (SAR) (Published FACC)
999 Other (Published FACC)

THL Data Quality Thematic Layer (DIGEST Status: Published FACC)

The thematic layer identifier for each layer in the database.

0 Actual Value

Units	Format	Range	Increment	Maximum Characters
Text	ASCII Text	N/A	N/A	See Appendix C

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

D.3.3 VVOD FACC Attribute Glossary (Continued)

THL Data Quality Thematic Layer (DIGEST Status: Published FACC)
The thematic layer identifier for each layer in the database.

TST Transmission Line Suspension (DIGEST Status: Published FACC)
Types of suspension of power transmission lines between pylons.

000 Unknown (Published FACC)
001 Normal Suspension (Published FACC)
002 Catenary (Over Mountains) (Published FACC)
003 Catenary (Over Water) (Published FACC)
998 Not Applicable (Published FACC)
999 Other (Published FACC)

TTC Tower Type Category (DIGEST Status: Published FACC)
Appearance or configuration of the feature.

000 Unknown (Published FACC)
002 Observation/Lookout (Published FACC)
012 Fire (Published FACC)
999 Other (Published FACC)

TXT Text Attribute (DIGEST Status: Published FACC)
Narrative or other description.

0 Actual Value

Units	Format	Range	Increment	Maximum Characters
Text	Lexical	N/A	N/A	See Appendix C

VCA Void Collection Attribute (DIGEST Status: Published FACC)
Reason data is not collected.

000 Unknown (Published FACC)
001 Data Not Requested By User (Published FACC)
002 Area Too Rough to Collect (Published FACC)
003 No Available Imagery (Published FACC)
006 No Available Map Source (Published FACC)
007 No Suitable Imagery (Published FACC)

VCT Void Collection Type (DIGEST Status: Published FACC)
Identifies type of missing information.

000 Unknown (Published FACC)
001 Relief (Published FACC)
999 Other (Published FACC)

VDC Vertical (Sounding) Datum Category (DIGEST Status: Published FACC)
The tidal datum to which soundings and drying heights are referenced. It is usually taken to correspond to a low water stage of the tide. (Also known as Chart Sounding Datum).

000 Unknown (Published FACC)
015 Mean Sea Level (Published FACC)
999 Other (Published FACC)

VOI Vertical Obstruction Identifier (DIGEST Status: Published FACC)
Identification code that uniquely identifies a feature that is a vertical obstruction to low-level flight. (1-2 First two characters of NA4 - Country Code; 3-6 World Aeronautical Chart (WAC) Identifier; 7-10 Unique Obstruction Identification Number; 11 Producer Code)

0 Actual Value

Units	Format	Range	Increment	Maximum Characters
Text	ASCII Text	N/A	N/A	See Appendix C

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

D.3.3 VVOD FACC Attribute Glossary (Continued)

WID Width (DIGEST Status: Published FACC)

A measurement of the shorter of two linear axes. For a square feature, measure either axis. For a round feature, width shall be equal to LEN. For a bridge, the width is the measurement perpendicular to the axis between the abutments.

0 Actual Value

Units	Format	Range	Increment	Maximum Characters
Metres	Short Integer	-32767 to 32767	1 m	*N/A*

ZV2 Highest Z-Value (DIGEST Status: Published FACC)

Elevation above a given datum to the highest portion of the feature.

0 Actual Value

Units	Format	Range	Increment	Maximum Characters
Metres	Short Integer	-400 to 30000	1 m	*N/A*

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Paragraph	Section	Page
Absolute horizontal accuracy	3.2.1	3
Absolute vertical accuracy	3.2.2	3
Accuracy	3.2	3
Acquisition requirements	6.2	12
Acronyms	6.4.1	12
Applicable Documents	2.	1
Applicable Documents	A.2	14
Applicable Documents	B.2	15
Applicable Documents	C.2	21
Applicable Documents	D.2	221
Cardboard sleeve mailer	3.14.4	11
CD labeling	3.14.1	9
CD-ROM labeling and packaging	3.14	9
Changes from previous issue	6.6	13
Continuity	3.6	4
Coordinate system	3.4	4
Coverage attribute table	B.3.2.3	19
Coverage directory files	3.11.4	7
Coverage metadata	3.11.4.1	7
Coverage topology	3.11.4.3	7
Cross-tile topology	3.12.2	9
Data coverages	3.11.4.2	7
Data dictionary organization	A.3.1	14
Data Quality Coverage	C.3.1.1	21
Data Quality Table	B.3.2.4	20
Database and library naming conventions	3.11.2	6
Database directory files	3.11.1	5
Database header table	B.3.1.1	15
Database-level record layout	B.3.1	15
Datum	3.3	3
Definitions	6.4	12
Dimensions	3.8	5
Distribution medium	3.13	9
Feature and attribute coding scheme	3.9	5
Feature class structure level	3.11.5	7
Feature Codes by Coverage and Feature Type	D.3	221
Feature table structure and contents	3.11.5.1	8
First article	3.1	3
General	2.1	1
General	C.3.1	21
Geographic reference table	B.3.2.2	18
Government documents	2.2	1
Handling caveat	3.5.2.1	4
Horizontal datum	3.3.1	4
Information booklet	3.14.2	10
Information booklet text	3.14.2.2	10
Information booklet VVOD specific items	3.14.2.1	10

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Paragraph	Section	Page
Intended use	6.1	11
Jewel case liner (back cover of case)	3.14.3	11
Library attribute table	B.3.1.2	17
Library directory files	3.11.3	6
Library metadata	3.11.3.1	7
Library reference coverages	3.11.3.2	7
Library-level record layout	B.3.2	17
NGA operational help desk	6.7	13
Non-Government publications	2.3	2
Notes	6.	11
Notes related attribute table	3.11.5.2.1	8
Obstructions Coverage	C.3.2	22
Order of precedence	2.4	3
Other Government documents, drawings, and publications	2.2.2	2
Packaging	5.	11
Packaging	5.1	11
Primitive tables and associated files	3.11.6	8
Purpose	1.2	1
Related attribute tables	3.11.5.2	8
Relative accuracy	3.2.3	3
Requirements	3.	3
Scope	1.	1
Scope	1.1	1
Scope	A.1	14
Scope	A.1.1	14
Scope	B.1	15
Scope	B.1.1	15
Scope	C.1	21
Scope	C.1.1	21
Scope	D.1	221
Scope	D.1.1	221
Security	3.5	4
Security classification	3.5.1	4
Security classification of product	3.5.2	4
Security classification of specification	3.5.3	4
Sources	6.1.1	11
Specific VVOD labeling items	3.14.1.1	9
Specifications, standards, and handbooks	2.2.1	1
Subject term (key word) listing	6.5	12
Supersession	6.3	12
Symbol related attribute table	3.11.5.2.2	8
Text feature class	3.11.5.3	8
Thematic layer organization	3.7	4
Units of emasure	3.8.1	5
Verification	4.	11

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Paragraph	Section	Page
Vertical datum	3.3.2	4
Vertical obstruction information currency	6.1.2	11
VPF structure levels, tables and files	3.11	5
VVOD Data Dictionary Organization	A.3	14
VVOD database	3.10.1	5
VVOD Database and Library VPF Table Contents	B.3	15
VVOD directory organization	3.10	5
VVOD feature and attribute data dictionary organization	D.3.1	221
VVOD library header table	B.3.2.1	17
VVOD Thematic Coverage Directory Record Layout	C.3	21
VVOD tiling scheme	3.12.1	9
VVOD tiling schemes	3.12	9

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.

Custodians:
Air Force: 09
Army: TI
Navy: NO

Preparing activity:
NGA - MP

(Project GINT-0308)

Review Activities:
Air Force: 33, 99
Army: AV, CE2
Coast Guard: CG
DISA: DC2
DCMA: CM
DIA: DI
DMSO: DMS
Marine Corps: MC
NSA: NS
USNORTHCOM: US
USSOCOM

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above by using the ASSIST Online database at http://assist.daps.dla.mil/.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T04:55Z
Check the source to verify that this is the current version before use.