A-A-51131A
January 30, 1990
SUPERSEDING
A-A-51131
July 2, 1984

COMMERCIAL ITEM DESCRIPTION

TOOL HOLDER, SHAPER EXTENSION

The General Services Administration has authorized the use of this commercial item description.

1. SCOPE

1.1 Scope. This description covers tool holders with shaper extension bar and holder of the standard, heavy duty, commercial type, which are used in a production environment.

1.2 Classification. Tool holders covered by this description shall be of the sizes specified in table I. The size to be furnished shall be as specified (see 6.1). Shaper extension bar sizes and bushing sizes for the shaper extension holder shall be of the sizes listed in tables II and III. The sizes to be furnished shall be as specified (see 6.1). The tolerances for all dimensional data shall be the manufacturer's standard as specified on their part drawings.

TABLE I. Tool holder, size and dimensions.

Tool holder size	Thickness of shank; inches	Height of shank; inches	Length of shank; inches	Diameter of bar hole; inches
3	3/8	7/8	4	3/4
0	1/2	1-1/8	5	3/4
1	5/8	1-3/8	5-3/4	15/16
2	3/4	1-5/8	7	1-1/8

TABLE II. Shaper extension bar, size and dimensions.

Extension bar size	Diameter of extension bar; inches	Length of extension bar; inches	Size of square tool bit channel; inches
01	1/2	7-1/2	3/16
02	5/8	8-1/2	1/4
03	3/4	10	5/16
04	15/16	12	3/8
05	1-1/8	14	7/16

Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any data which may improve this document should be sent to: Defense Industrial Plant Equipment Center, ATTN: DIPEC-SSG, 2163 Airways Blvd., Memphis, TN 38114-5051.

AMSC N/A FSC 3460
DISTRIBUTION STATEMENT A. Approved for public release; distribution unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.

TABLE III. Bushing size for shaper extension holder and dimensions.

Bushing size	Outside work diameter; inches	Inside work diameter; inches	Length of bushing; inches	
			min.	max.
10	3/4	1/2	1-3/4	1-7/8
11	3/4	5/8	1-3/4	1-7/8
12	15/16	1/2	2-3/16	2-5/16
13	15/16	5/8	2-3/16	2-5/16
14	15/16	3/4	2-3/16	2-5/16
20	1-1/8	1/2	2-5/8	2-3/4
21	1-1/8	5/8	2-5/8	2-3/4
22	1-1/8	3/4	2-5/8	2-3/4
23	1-1/8	15/16	2-5/8	2-3/4

2. APPLICABLE DOCUMENTS

2.1 Documents. The following documents of the issue in effect on the date of invitation for bids or request for proposals form a part of this description to the extent specified herein.

Federal Specification PPP-P-40 - Preservation and Packing of Hand Tools and Tool Accessories for Power Driven, Metal and Woodworking Machinery.

Federal Standard FED-STD-376 - Preferred Metric Units for General Use by the Federal Government.

American Society for Testing and Materials ASTM D 3951 - Standard Practice for Commercial Packaging.

3. SALIENT CHARACTERISTICS

3.1 Design. The tool holder shall be new and of the manufacturer's commercial design in effect on the date of the solicitation. The tool holder shall meet the requirements specified herein and conform to current industrial practice.

3.2 Materials and hardness. The body shall have an integral shank and a bar holding head, shall be of drop-forged alloy steel, heat-treated to a Rockwell "C" 25 to 34 hardness on the head, or alloy steel surface hardened to a Rockwell "C" 50 to 55 on the shank and 40 to 45 on the head.

3.3 Bar holding head The head shall be a split spring section style to provide an adjustable support for the extension bar.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.

3.4 Extension bar. The extension bar shall be of steel with a tool bit channel 90 degrees to the axis and as near the end of the bar as practicable.

3.5 Clamping device. There shall be a clamping device for clamping the extension bar in the head and one for clamping the tool bit in the channel of the extension bar.

3.6 Bushing. The bushing shall be of steel and have a split section for adapting various sizes of extension bars to the holder.

3.7 Wrenches. A wrench to fit the clamping device of the tool holder and one to fit the clamping device of tool bit channel of the extension shall be furnished with each tool holder.

3.8 Measurement system. All dimensions in this description are given in US units. These dimensions may be converted to SI units through the use of conversion factors and methods specified in FED-STD-376.

3.9 Regulatory requirements. In accordance with section 23.403 of the Federal Acquisition Regulations, the Government's policy is to acquire items composed of the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition without adversely affecting performance requirements or exposing suppliers' employees to undue hazards from the recovered materials.

3.10 Workmanship. Workmanship of the tool holder shall be of a quality equal to that of comparable products furnished to the commercial market.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection, examination, and test requirements specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections, examinations, or tests set forth in this description where such inspections, examinations, and tests are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Responsibility for compliance. All items shall meet all requirements of sections 3 and 5. The inspection set forth in this description shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the description shall not relieve the contractor of the responsibility of ensuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling inspection, as part of manufacturing operations, is an acceptable practice to ascertain conformance to requirements, however, this does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to accept defective material.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.

4.2 Sampling inspection. As a minimum sampling inspection, the supplier shall randomly select the number of samples in table IV that are applicable to the quantity of items being purchased. Each sample item shall be inspected to determine conformance with the examination in 4.3 and the dimensional inspection in 4.4. Should any of the samples fail to meet either the examination or inspection below, the entire lot shall be considered defective and unsuitable for acceptance. A lot is defined as all items of the same type, style, size, and class presented at one time for acceptance.

TABLE IV . Sampling plan.

Quantity of items being purchased	Sample size	Quantity of items being purchased	Sample size
2 to 8	2	91 to 150	20
9 to 15	3	151 to 280	32
16 to 25	5	281 to 500	50
26 to 50	8	501 to 1200	80
51 to 90	13		

4.3 Examination. Each tool holder submitted for sample inspection shall be visually examined to determine conformance with all requirements of this description except the hardness tests.

4.4 Dimensional inspection. Each tool holder submitted for sample inspection shall be inspected to assure conformance with all dimensional and tolerance requirements specified herein.

4.5 Hardness test. After the sample inspection has been completed, a hardness test shall be performed on 10 per cent of the sample shanks and bar holding heads. If any of the test samples fail to meet the applicable hardness specified herein, the total lot from which the samples were selected shall be rejected.

4.6 Packaging inspection. Packaging shall be inspected for conformance with section 5.

5. PACKAGING

5.1 Preservation, packing, and marking. Unless otherwise specified in the contract or purchase order preservation, packing, and marking shall be in accordance with ASTM D 3951. When specified (see 6.1) preservation, packing, and marking shall be in accordance with PPP-P-40, level as specified.

6. NOTES

6.1 Ordering data. Purchasers should select the preferred options permitted herein, and include the following information in procurement documents:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.

a. Title, number, and date of this commercial item description.

b. Size tool holder, size shaper extension bar, size bushing for shaper extension holder, and quanity required (see 1.2).


c. Packaging in accordance with PPP-P-40, level specify as required (see 5.1).

6.2 Cross reference. Cross reference between this CID and preceeding documents is as follows:

A-A-51131	A-A-51131A	A-A-51131	A-A-51131A
Tool holder number	Tool holder size	Bushing number	Bushing size
J-S-3	3	H-00	10
J-S-0	0	H-01	11
J-S-1	1	H-10	12
J-S-2	2	H-11	13
		H-12	14
Extension	Extension	H-20	20
bar number	bar size	H-21	21
E-B-1	01	H-22	22
E-B-2	02	H-23	23
E-B-3	03		
E-B-4	04		
E-B-5	05		

6.3 CID based part identification number. The following part identification numbering procedure is for Government purposes and does not constitute a requirement for the contractor. Where applicable Arabic numbers shall be substituted for Roman numerals.

A51131A X XX XX



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.

MILITARY INTEREST:

Custodians

Army - AL
Air Force - 99

Review Activities

Air Force - 84

User Activity

Navy - MC

CIVIL AGENCY COORDINATION ACTIVITY:

GSA - FSS

PREPARING ACTIVITY:
DLA - IP

Project 3460-0144

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
A-A-51131A	

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*:

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.