A-A-51132A
January 28, 1991
SUPERSEDING
A-A-51132
July 19, 1984

COMMERCIAL ITEM DESCRIPTION

SOCKET, STRAIGHT SHANK (TURRET TOOL HOLDER)

The General Services Administration has authorized the use of this commercial item description in preference to A-A-51132, type I.

Abstract. This description covers a socket which converts a tool with a tapered shank to a straight shank for use with chucks and turning machine turret tool sockets. The sockets shall be similar to figure 1.




FIGURE 1. Socket, straight shank.

Salient characteristics.

1. Materials. Materials used in the manufacture of the sockets shall be of a quality necessary to produce a product that conforms to the requirements specified herein.

2. Design. The sockets shall have a drift slot. The dimensions of the internal taper and diameter at gage line shall conform to American National Standard Self Holding Machine Tapers as described in ANSI B5.10.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: Defense Industrial Plant Equipment Center, ATTN: DIPEC-SSG, 2163 Airways Blvd., Memphis TN 38114-5051.

AMSC N/A FSC 3460
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.

3. Socket length. Unless otherwise specified (see ordering data), the length of the socket to be furnished shall be selected from table I. The tolerance shall be ± 1/16 inch.

TABLE I. Socket length.

Socket length 1/ (B)	Length designation 2/	Socket length 1/ (B)	Length designation 2/
2-3/8	01	7	09
2-15/16	02	7-1/4	10
3-19/32	03	8-1/2	11
4	04	9	12
4-1/2	05	9-1/2	13
5-3/4	06	10	14
6-1/4	07	10-1/8	15
6-3/4	08	11	16

1/ All dimensions are in inches.
2/ The length designation is for use in developing the CID based part identification number only (see notes).

4. Socket diameter. Unless otherwise specified (see ordering data), the diameter of the socket to be furnished shall be selected from table II. The tolerance of the diameter shall be +0.001 and -0.000 inches.

TABLE II. Socket diameter.

Socket diameter 1/	Diameter designation (A)	Socket diameter 1/	Diameter designation (A)
0.999	1	2.249	6
1.249	2	2.449	7
1.499	3	3.249	8
1.749	4	3.499	9
1.999	5		

1/ All dimensions are in inches.
2/ The diameter designation is for use in developing the CID based part identification number only (see notes).

5. Internal taper. Unless otherwise specified (see ordering data), the number of the internal taper shall be selected from table III.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.

TABLE III. Internal taper number.

Taper number (C)	Taper designation 1/	Taper number (C)	Taper designation 1/
1	A	4	D
2	B	5	C
3	C	6	E

1/ The taper designation is for use in developing the CID based part identification number only (see notes).

6. Concentricity. The internal taper shall be concentric with the outside diameter within a tolerance of 0.002 inch total indicator reading at a 5 inch projection from the mouth of the socket.

7. Hardness. Unless otherwise specified (see ordering data), the hardness of the sockets shall be not less than Rockwell "C" 30 when tested in accordance with ASTM E 18.

8. Finish. The outside of the socket shall have a ground finish.

9. Identification marking. Each socket shall be permanently marked with the manufacturer's name or trademark of such known character that the source of manufacturer may be identified. They shall also be permanently marked with the number of the taper hole.

Contractor certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this commercial item description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Regulatory requirements. In accordance with section 23.403 of the Federal Acquisition Regulations, the Government's policy is to acquire items composed of the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition without adversely affecting performance requirements or exposing suppliers' employees to undue hazards from the recovered materials.

Environmental protection. During the manufacture of the sockets, materials hazardous to the ecological system as prohibited by the Federal, state, or local statutes in effect on the date of the contract shall not be used or emitted.

Preservation, packaging, packing, labeling, and marking. Preservation, packaging, packing, labeling, and marking shall be as specified in the contract or order.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.

NOTES

Ordering data. Purchasers should select the preferred options permitted herein, and include the following information in procurement documents:

a. Title, number, and date of this commercial item description.

b. Specify length (see table I).

c. Specify diameter (see table II).

d. Specify number of internal taper (see table III).


e. Specify hardness, if different (see para. 7).

f. Quantity of sockets required.

ANSI B5.10 is available from American National Standards Institute, ATTN: Sales Dept., 1430 Broadway, New York, NY 10018-3363.

ASTM E 18 is available from American Society for Testing and Materials, 1916 Race street, Philadelphia, PA 19103-1187.

CID based part identification number. The following part identification numbering procedure is for Government purposes and does not constitute a requirement for the contractor. The length designation from table I, the diameter designation from table II, and the taper number designation from table III are for use in developing the part number.



Supersession data. The types and classes previously covered in A-A-51132 listed below are now found in the following documents:

Type And class	New document
Type I	A-A-51132A
Type II	A-A-51188
Type III, Class 1	A-A-51189
Type III, Class 2	A-A-51190
Type III, Class 3	A-A-51191

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.

MILITARY INTEREST:

Custodian

Army - AL
Navy - YD
Air Force - 99

Review Activities

Air Force - 84
DLA - GS

CIVIL AGENCY COORDINATION ACTIVITY:

GSA - FSS

PREPARING ACTIVITY:

DLA - IP

Project 3460-0149

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER A-A-51132A	2. DOCUMENT DATE (YYMMDD) 91 01 28

3. DOCUMENT TITLE
SOCKET, STRAIGHT SHANK (TURRET TOOL HOLDER)

4. NATURE OF CHANGE *(Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)*

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION	
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (If applicable)	7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY

a. NAME	b. TELEPHONE (Include Area Code) (1) Commercial	(2) AUTOVON
Defense Industrial Plant Equipment Center ATTN: DIPEC-SSG	(901)775-4749	683-4749
c. ADDRESS (Include Zip Code) 2163 Airways Blvd. Memphis, TN 38114-5051	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340	

DD Form 1426, OCT 89 *Previous editions are obsolete.* 198/290

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.