A-A-51133
16 July 1984

COMMERCIAL ITEM DESCRIPTION

HOLDER, PLANER AND SHAPER, ADJUSTABLE

The General Services Administration has authorized the use of this commercial item description in preference to the type VII tool holder specified in Federal Specification 00-H-581.

This description covers tool holders that are designed to hold and support cutter bits that are used on planers and shapers.

Salient characteristics.

Classification. The tool holders shall be furnished under the tool holder numbers specified in table I. The dimensional data of the tool holders shall be as listed in table I. All tolerances of dimensional data shall be the same as the tolerances on the manufacturer's part drawings.

TABLE I. Adjustable planer and shaper tool holder.

Tool holder number	Shank thickness; inches	Shank height; inches	Shank length; inches	Width of notched tool channel; inches		Size of tool bit furnished	
				min.	max.	cross-section inches	length inches
H-A-4	3/8	7/8	5-1/2	0.327	0.351	5/16 x 7/16	3
H-A-0	5/8	1-1/4	6-1/8	0.327	0.351	5/16 x 7/16	3
H-A-1	3/4	1-1/2	7-9/16	0.390	0.427	3/8 x 1/2	3-1/2
H-A-2	1-1/8	1-3/4	10	0.515	0.543	1/2 x 3/4	4-1/2
H-A-3	1-3/8	2	12-1/2	0.640	0.678	5/8 x 7/8	5

Components. Adjustable planer and shaper holders shall consist of a body, clamping device, tool bit and wrench.

Body. The body shall have an integral shank and tool supporting head, shall be of drop-forged alloy steel, heat-threated to a Rockwell "C" 40 to 48 hardness.

Tool supporting head. The head shall support cutter bits parallel to the base of the holder and in various angular positions around the axis of the head.

FSC 3460

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.

Clamping device. The clamping device shall be of steel and rigidly clamp tool bit to supporting head.

Tool bit. A tool bit made of high speed tool steel conforming to the requirements of ANSI/ASTM A600 shall be furnished with each tool holder. The dimensions of the tool bit shall conform to table I.

Wrench. A wrench to fit the clamping device shall be furnished with each holder.

Measurement system. All dimensions in this commercial item description are given in the English system of measurements. These dimensions can be converted to Metric system equivalents by the use of ANSI/IEEE 268 for Department of Defense use or FED-STD-376 for Civil Agency use.

Responsibility for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements as specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in this commercial item description where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

Acceptance inspection. The supplier shall randomly select the number of samples specified in table II that is applicable to the quantity of items being purchased. Each sample shall be visually inspected, measured, and tested, by the supplier, to determine conformance with all requirements as specified herein. Any sample failing to meet all requirements specified herein shall be considered a defective item. If the number of defective items equals, or is less than the quantity specified under "Acceptance, number defective" column of table II, the supplier shall replace the defective samples with items that meet all of the requirements specified herein and the entire lot shall be considered acceptable for shipment. If the number of defective samples equals, or exceeds, the quantity specified in the "Rejection, number defective" column of table II, the entire lot shall be considered defective and unsuitable for acceptance.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.

TABLE II. Sampling plan.

Quantity of items being purchased	Sample size	Acceptance, number defective	Rejection, number defective
2-8	2	0	1
9-15	5	0	1
16-25	8	0	1
26-50	13	0	1
51-90	20	1	2
91-150	32	2	3
151-280	50	3	4
281-500	80	5	6

Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practical.

Preservation, packaging, packing, labeling and marking. Unless otherwise specified in the contract or order, preservation, packaging, packing, labeling and marking shall be in accordance with ASTM-D-3951. When specified in the contract or order, preservation, packaging, packing, labeling and marking shall be in accordance with Federal Specification PPP-T-1150, level as specified.

NOTE: Purchaser should specify the quantity and tool holder number for the items being ordered for a specific procurement.

The tool holder numbers and sizes correspond with type VII of Federal Specification 00-H-581.

ANSI/IEEE 268 "Metric Practice" and ANSI/ASTM A600 "Standard Specification for High-Speed Tool Steel" are available from the American National Standards Institute, ATTN: Sales Dept., 1430 Broadway, New York, NY 10018.

ASTM-D-3951 "Commercial Packaging, Standard Practice for" is available from American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.

Federal Specification PPP-T-1150 "Tools and Tool Accessories for Power Driven, Metal and Woodworking Machinery, Packaging and Packing of" and FED-STD-376 "Preferred Metric Units for General Use by the Federal Government" should be obtained from the contracting activity or as directed by the contracting officer.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Custodians

Army - AL
Navy - SH
Air Force - 99

Review activities

Air Force - 84
DLA - GS

User activity

Navy - MC

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - FSS

PREPARING ACTIVITY

DLA - IP

Project Number 3460-0116

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.