A-A-51136A
January 23, 1990
SUPERSEDING
A-A-51136
August 15, 1984

COMMERCIAL ITEM DESCRIPTION

TOOL HOLDER, THREADING TOOL TYPE, LATHE

The General Services Administraton has authorized the use of this commercial item description.

1. SCOPE

1.1 Scope. This description covers threading tool type tool holders that are designed to hold and support threading tools that are used on lathes.

1.2 Classification. The tool holders shall be of the following styles and sizes listed in tables I and II. The style and size tool holder to be furnished shall be as specified (see 6.1).

Style I - Tool holder, rigid.

Style II - Tool holder, spring or gooseneck form.

Dimensional data. The dimensional data of the tool holders shall be as specified in tables I and II. The tolerances of all dimensional data shall conform to those as specified on manufacturers part drawings.

TABLE I. Style I, rigid tool holder.

Tool holder size	Thickness of shank, inches	Height of shank, inches	Length of holder, inches	Radial length of formed threading tool, inches, min.
00	3/8	7/8	3-1/8	13/16
01	1/2	1-1/8	3-3/8	1
02	5/8	1-3/8	4	1-7/32
03	3/4	1-5/8	5	1-1/4
04	7/8	1-3/4	5-3/4	1-1/4

AMSC N/A FSC 3460

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.

TABLE II. Style II, spring or gooseneck form tool holder.

Tool holder size	Thickness of shank, inches	Height of shank, inches	Length of holder, inches	Radial length of formed threading tool, inches, min.
10	3/8	7/8	5-1/2	13/16
11	1/2	1-1/8	6=1/2	1
12	5/8	1-3/8	7-1/2	1-7/32
13	3/4	1-5/8	8-1/8	1-1/4

2. APPLICABLE DOCUMENTS

2.1 Documents. The following documents of the issue in effect on the date of invitation for bids or request for proposals form a part of this description to the extent specified herein.

Federal Specification PPP-P-40 - Preservation and Packing of Hand Tools; Tools and Tool Accessories for Power Driven Metal and Wood-working Machinery

Federal Standard FED-STD-376 - Preferred Metric Units for General Use by the Government

American Society for Testing and Materials ASTM D 3951 - Commercial Packaging, Standard Practice for

3. SALIENT CHARACTERISTICS

3.1 Design. The tool holders shall be new and of the manufacturer's commercial design in effect on the date of the solicitation. The tool holders shall meet the requirements specified herein and conform to current industrial practice.

3.2 Materials. The holders shall be made of drop-forged alloy steel, heat-treated to a Rockwell "C" 40 to 48 hardness or alloy steel, surface hardened to a Rockwell "C" 50 to 55 hardness.

3.3 Clamping device. The clamping device shall firmly support the threading tool on the head.

3.4 Type I tool holder. Rigid tool holders shall have a tool holding head rotated clockwise 34 degrees from the shank with a horizontal tapped boss fitted with an adjusting screw to control tool edge height.

3.5 Type II tool holder. The spring or gooseneck tool holders shall be the same as type I except they shall have a gooseneck form head to provide a resilient tool mounting.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.

3.6 Threading tool for type I and II tool holders. A threading tool shall be furnished with the types I and II tool holders. The threading tool shall be single point, radial form of high-speed tool steel hardened to a Rockwell "C" 63 to 67 hardness and shall be ground to an included angle of 60 degrees on the periphery that can be resharpened by grinding the top edge only.

3.7 Wrench. A wrench to fit the clamping device shall be furnished with each tool holder.

3.8 Measurement system. All dimensions in this description are given in US units. These dimensions may be converted to SI units through the use of conversion factors and methods specified in FED-STD-376.

3.9 Regulatory requirements. In accordance with section 23.403 of the Federal Acquisition Regulations, the Government's policy is to acquire items composed of the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition without adversely affecting performance requirements or exposing suppliers' employees to undue hazards from the recovered materials.

3.10 Workmanship. Workmanship of the tool holder shall be of a quality equal to that of comparable products furnished to the commercial market.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection, examination, and test requirements specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections, examinations, or tests set forth in this description where such inspections, examinations, and tests are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Responsibility for compliance. All items shall meet all requirements of sections 3 and 5. The inspection set forth in this description shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the description shall not relieve the contractor of the responsibility of ensuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling inspection, as part of manufacturing operations, is an acceptable practice to ascertain conformance to requirements, however, this does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to accept defective material.

4.2 Sampling inspection. As a minimum sampling inspection, the supplier shall randomly select the number of samples in table III that is applicable to the quantity of items being purchased. Each sample item shall be inspected to determine conformance with the examination in 4.3 and the dimensional

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:51Z
Check the source to verify that this is the currentversion before use.

inspection in 4.4. Should any of the samples fail to meet either the examination or inspection below, the entire lot shall be considered defective and unsuitable for acceptance. A lot is defined as all items of the same type and sizes presented at one time for acceptance.

TABLE III. Sampling plan.

Quantity of items being purchased	Sample size	Quantity of items being purchased	Sample size
2 to 8	2	91 to 150	20
9 to 15	3	151 to 280	32
16 to 25	5	281 to 500	50
26 to 50	8	501 to 1200	80
51 to 90	13		

4.3 Examination. Each tool holder submitted for sample inspection shall be visually examined to determine conformance with all requirements of this description except the hardness tests.

4.4 Dimensional inspection. Each tool holder submitted for sample inspection shall be inspected to assure conformance with all dimensional and tolerance requirements specified herein.

4.5 Hardness test. After the sample inspection has been completed, a hardness test shall be performed on 10 percent of the sample tool holders. If any of the test samples fail to meet the applicable hardness specified in 3.2, the total lot from which the samples were selected shall be rejected.

4.6 Packaging inspection. Packaging shall be inspected for conformance with section 5.

5. PACKAGING

5.1 Preservation, packing, and marking. Unless otherwise specified in the contract or purchase order preservation, packing, and marking shall be in accordance with ASTM D 3951. When specified (see 6.1) preservation, packing, and marking shall be in accordance with PPP-P-40, level as specified.

6. NOTES

6.1 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

a. Title, number, and date of this commercial item description.
b. Type and quantity required (see 1.2).
c. Packaging in accordance with PPP-P-40 if required; specify level (see 5.1).


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.

6.2 Cross reference data. Cross reference between this CID and preceeding documents is as follows:

A-A-51136	A-A-51136A
Tool holder number	Tool holder size
Type I	Type I
E-L-0	00
E-L-1	01
E-L-2	02
E-L-3	03
E-L-4	04
Type II	Type II
E-S-0	10
E-S-1	11
E-S-2	12
E-S-3	13

6.3 CID based part identification number. The following part identification numbering procedure is for Government purposes and does not constitute a requirement for the contractor. Where applicable, Arabic numbers shall be substituted for Roman numerals.

A51136 X XX



Size (see tables I and II)

Style (see 1.2)

CID number

MILITARY INTEREST:

Custodians

Army - AL
Navy - SH
Air Force - 99

Review Activities

Air Force -84
DLA - GS

User Activity

Navy - MC

CIVIL AGENCY COORDINATION ACTIVITY:

GSA - FSS

PREPARING ACTIVITY:

DLA - IP

Project 3460-0146

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
A-A-51136A	Tool Holder, Threading Tool Type, Lathe

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:51Z
Check the source to verify that this is the current version before use.