INCH-POUND

MIL-DTL-52525/37A
30 June 1998
SUPERSEDING
MIL-F-52525/37
30 June 1987

DETAIL SPECIFICATION SHEET

FITTINGS, HOSE, SCREW-ON TO 37° FLARE FEMALE SWIVEL, STRAIGHT, TYPE 100R12

This specification is approved for use by all Departments and Agencies of the Department of Defense

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-52525. The fittings described herein are for use with MIL-DTL-52471, type 100R12, 4-spiral-wrap reinforcement hose.



FIGURE 1. Fitting, screw-on to 37° flare female swivel, straight.

AMSC N/A FSC 4730

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:23Z
Check the source to verify that this is the current version before use.

TABLE I. Dimensions for type 100R12 fittings, straight.

Part number	Hose dash no.	Hose I.D.	Hose O.D.	Tube dash no.	Tube O.D.	Thread size	C Maximum
M52525/37-08-08	08	0.50	0.94	08	0.50	3/4-16	3.20
M52525/37-12-12	12	0.75	1.21	12	0.75	1-1/16-12	3.90
M52525/37-16-16	16	1.00	1.50	16	1.00	1-5/16-12	4.50

TABLE I. Dimensions for type 100R12 fittings, straight - Continued.

Part number	H hex size	L Maximum	M Minimum	N +0.030 –0.015	P ±0.005	Q Minimum
M52525/37-08-08	0.88	1.29	0.384	0.435	0.570	0.37
M52525/37-12-12	1.25	1.73	0.487	0.562	0.850	0.56
M52525/37-16-16	1.50	2.02	0.505	0.594	1.103	0.81

TABLE II. Maximum operating pressures of fittings.

Hose I.D.	PSI
.50	5000
.75	4000
1.00	4000

TABLE III. Over-tightening torque for swivel nut.

Tube O.D.	Torque
	Inch pounds (in-lb)
.50	450
.75	900
1.00	1200

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:23Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. The fittings shall be in accordance with figure 1 and tables I, II, and III.

2. Materials and finishes shall be as specified in MIL-DTL-52525.

3. Marking shall include the manufacturer's name or trademark, size, and hose identifier 100RE. Location of marking is optional.

4. Method of fabrication and assembly of swivel nut is optional.

NOTES:

1. Dimensions are in inches.

2. Part number.

Example of a Military part number: M52525/37-12-12



CONCLUDING MATERIAL

Custodian:
Army - AT
Air Force - 99

Preparing activity:
DLA - CC

(Project 4730-0859-26)

Review activities:
Air Force - 82
Army - AR

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:23Z
Check the source to verify that this is the current version before use.