DOD-STD-35-65A(MI)
NOTICE 1
26 SEPTEMBER 1986

MILITARY STANDARD

AUTOMATED ENGINEERING

DOCUMENT PREPARATION SYSTEM

CONNECTORS, ELECTRICAL, CIRCULAR

TO ALL HOLDERS OF DOD-STD-35-65A(MI):

1. THE FOLLOWING PAGES OF DOD-STD-65A(MI) HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED.

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
COVER	26 SEPTEMBER 1986	COVER	15 DECEMBER 1978
ii	26 SEPTEMBER 1986	ii	15 DECEMBER 1978
v	26 SEPTEMBER 1986	v	15 DECEMBER 1978
1	26 SEPTEMBER 1986	1	15 DECEMBER 1978
2	26 SEPTEMBER 1986	2	15 DECEMBER 1978
3	26 SEPTEMBER 1986	3	15 DECEMBER 1978
4	26 SEPTEMBER 1986	4	15 DECEMBER 1978
5	26 SEPTEMBER 1986	5	15 DECEMBER 1978
6	15 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	15 DECEMBER 1978
7	26 SEPTEMBER 1986	7	15 DECEMBER 1978
8	26 SEPTEMBER 1986	8	15 DECEMBER 1978
17	26 SEPTEMBER 1986	17	15 DECEMBER 1978
18	26 SEPTEMBER 1986	18	15 DECEMBER 1978
19	26 SEPTEMBER 1986	19	15 DECEMBER 1978
20	15 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	15 DECEMBER 1978
21	26 SEPTEMBER 1986	21	15 DECEMBER 1978
22	15 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	15 DECEMBER 1978
25	15 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	15 DECEMBER 1978
26	26 SEPTEMBER 1986	26	15 DECEMBER 1978
27	26 SEPTEMBER 1986	27	15 DECEMBER 1978
28	15 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	15 DECEMBER 1978
197	26 SEPTEMBER 1986	197	15 DECEMBER 1978
198	15 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	15 DECEMBER 1978
219	26 SEPTEMBER 1986	219	15 DECEMBER 1978
220	15 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	15 DECEMBER 1978
221	26 SEPTEMBER 1986	221	15 DECEMBER 1978
222	15 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	15 DECEMBER 1978
225	15 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	15 DECEMBER 1978
226	26 SEPTEMBER 1986	226	15 DECEMBER 1978
226a	26 SEPTEMBER 1986		
226b	26 SEPTEMBER 1986		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
226c	26 SEPTEMBER 1986		
226d	26 SEPTEMBER 1986		
226e	26 SEPTEMBER 1986		
226f	26 SEPTEMBER 1986		
226g	26 SEPTEMBER 1986		
226h	26 SEPTEMBER 1986		
226i	26 SEPTEMBER 1986		
226j	26 SEPTEMBER 1986		
226k	26 SEPTEMBER 1986		
226l	26 SEPTEMBER 1986		
226m	26 SEPTEMBER 1986		
226n	26 SEPTEMBER 1986		
226o	26 SEPTEMBER 1986		
229	15 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	15 DECEMBER 1978
230	26 SEPTEMBER 1986	230	15 DECEMBER 1978
230a	26 SEPTEMBER 1986		
230b	26 SEPTEMBER 1986		
230c	26 SEPTEMBER 1986		
230d	26 SEPTEMBER 1986		
230e	26 SEPTEMBER 1986		
230f	26 SEPTEMBER 1986		
230g	26 SEPTEMBER 1986		
233	26 SEPTEMBER 1986	233	15 DECEMBER 1978
234	26 SEPTEMBER 1986	234	15 DECEMBER 1978

2. RETAIN THIS NOTICE PAGE AND INSERT BEFORE THE TABLE OF CONTENTS.

3. Holders of DOD-STD-35-65A(MI) will verify the page changes indicated above have been entered. The notice page will be retained as a check sheet. This issuance, together with append pages is a seperate publication. Each notice is to be retained by stocking points until the Military Standard is completely revised or cancelled.

Custodian:
Army-MI

Review activities:
Army-AT
Army-AV
Army-ER
Army-ME
Army-MR
Army-SG
Army-CR

User activity:
Army-AR

Preparing activity:
Army-MI

(Project EDS-A365)

AREA EDS

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:24Z
Check the source to verify that this is the current version before use.

DOD-STD-35-65A(MI)

15 December 1978

SUPERSEDING
MIL-STD-35-65(MI)
31 January 1974

MILITARY STANDARD

AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM

CONNECTORS, ELECTRICAL, CIRCULAR

NO DELIVERABLE DATA REQUIRED BY THIS DOCUMENT

AREA EDS

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

SUPERSEDES COVER OF 15 DECEMBER 1978

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

DEPARTMENT OF THE ARMY
U.S. ARMY MATERIEL COMMAND
ALEXANDRIA, VA 22333

Connectors, Electrical, Circular
Automated Engineering
Document Preparation System

DOD-STD-35-65A(MI)

1. This Military Standard is approved for use by AMC, Department of the Army and is available for use by all Departments and Agencies of the Department of Defense.

2. Beneficial comments (recommendations, additions, deletions) and any pertinent data, which may be of use in improving this document, should be addressed to Commander, U.S. Army Missile Command, ATTN: AMSMI-RD-SE-TD-ST, Redstone Arsenal, Alabama 35898-5270, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

CONTENTS

			Page
Paragraph	1.	SCOPE	1
	1.1	General	1
	1.2	Purpose	1
	1.3	Utilization	1
	1.4	Military Specification Exception Title Index	1
	2.	REFERENCED DOCUMENTS	7
	2.1	Government Documents	7
	2.1.1	Specifications and Standards	7
	2.2	Other Publications	8
	2.3	Order of Precedence	8
	3.	DEFINITIONS	9
	4.	GENERAL REQUIREMENTS	11
	4.1	Introduction	11
	4.2	Specification Requirement Sheet (SRS)	11
	4.3	Configuration	11
	4.3.1	Dimensions	11
	4.3.2	Illustrations	11
	4.4	Units of Measure	11
	5.	DETAILED REQUIREMENTS	13
	5.1	Introduction	13
	5.2	MSE Formats	13
	5.3	Referenced Documents	13
	5.4	Test Matrix	13
	5.5	Tabulation	14
	5.6	Keyword Code Index (KCI) and Standard Paragraphs	17
	5.6.1	Interrelationship of Codes	17
	5.6.2	Automatic MSE Data	17
	5.6.3	DOD-STD-35 Tables	17

TABLES

Table	I.	Title Index	2
	II.	Test Matrix	14
	III.	Tabulation Candidates	15

APPENDICES

APPENDIX	A.	Illustrations	196
	B.	Characteristic Code Index	231
		Index	239

Source: https://assist.dla.mil -- Downloaded: 202640-26T07:24Z
Check the source to verify that this is the currentversion before use.

1. SCOPE

1.1 General. This dash-numbered part of the Automated Engineering Document Preparation System (AEDPS), provides detailed requirements for the preparation of Military Specification Exception (MSE) documentation for electrical, circular Connectors.

1.2 Purpose. This military standard provides the necessary information to prepare a Specification Requirement Sheet (SRS) which will be used to generate a MSE by automated data processing.

1.3 Utilization. General instructions, quality assurance provisions, packaging, and notes, applicable to all AEDPS dash-numbered parts, have been included in the basic document (DOD-STD-35) to avoid redundancy. Unless otherwise specified in this dash-numbered part, the following list contains additional subjects applicable to all AEDPS dash-numbered parts and included in DOD-STD-35:

a. Writing Methodology
b. Document and Part Numbering
c. Applicable Documents
d. Single and Multi-item Specification (Tabulation)
e. Keyword Code Index (KCI)
f. General Requirements of AEDPS

1.4 Military Specification Exception Title Index. The title code for a MSE shall be selected from one of the MSE titles listed in the Title Index (see table I). Data bases have been established for the generation of MSEs for the MSE titles indicated. If a suitable title code is not contained in the Title Index, leave the title code spaces on the SRS blank, and attach a request for assignment of a title code. Include in the request the desired title and the base document identifier. A code will be assigned and the code, title, and base document will be made a part of the Title Index.

One of the six-digit codes listed in the Title Index and entered on a SRS, specifies that the title of the MSE will be the title shown in the Title Index.

Each MSE title, listed in the Title Index, is compatible with the document(s) listed with that title under base document. The list of base documents may or may not be a complete listing. The information shown under coverage is intended for the user's reference. When more than one document is listed for a MSE title, this information will be useful in determining which of the documents is most suitable for use as the base document.

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:24Z
Check the source to verify that this is the currentversion before use.

The MSE title may or may not be the same as the title used in DODISS, FIIG, or the base document. In general, the MSE title uses the basic federal item name listed in Cataloging Handbook H6. However, titles with additional modifying and identifying words are provided to assist in defining the scope of the MSE. Also, less restrictive titles are provided to prevent exclusion of items.

TABLE I. TITLE INDEX

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
CONNECTOR, ELECTRICAL, CIRCULAR, WATERPROOF	071001	MIL-C-22992	HEAVY DUTY
		MS17343	WALL MOUNTING
		MS17344	PLUG
		MS17345	PLUG, CABLE
		MS17346	BOX MOUNTING
		MS17347	JAM NUT
		MS17348	JAM NUT BOX
		MS90555	WALL MTG, L
		MS90556	PLUG, L
		MS90557	PLUG, CABLE, L
		MS90558	WALL MTG, L
CONNECTOR, ELECTRICAL, CIRCULAR, AN TYPE	071002	MIL-C-5015	THREADED CRIMP FRONT REL
		MS3401	CABLE RECPT
		MS3402	BOX MTG
		MS3404	JAM NUT
		MS3406	PLUG
		MS3408	PLUG, 90 DEGREE
		MS3409	PLUG, 45 DEGREE
		MS3412	WALL MTG
		MS3436	PLUG, UTILITY
		MS3441	PLUG, UTILITY
		MS3451	CRIMP REAR REL CABLE RECPT
		MS3452	BOX MTG
		MS3454	JAM NUT
		MS3456	PLUG
		MS3459	PLUG, SELF LCKG
		MS3100	SOLDER WALL MTG
		MS3101	PLUG CABLE
		MS3102	BOX MTG

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:24Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
CONNECTOR, ELECTRICAL, CIRCULAR, AN TYPE (CONT)	071002 (CONT)	MS3103	RECPT POTTING
		MS3106	PLUG
		MS3107	PLUG QUICK DISC
		MS3108	PLUG, 90 DEGREE
		MS3507	PLUG, UTILITY
		MS25183	PLUG, POTTING
CONNECTOR, ELECTRICAL, CIRCULAR	071003	MIL-C-24231	PRESSURE-PROOF
		MIL-C-83723	ENVIRONMENTAL
CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE QUICK DISCONNECT	071005	MIL-C-26482	BAYONET CPLG SOLDER
		MS3110	WALL MTG
		MS3111	PLUG CABLE
		MS3112	BOX MTG
		MS3113	SOLDER MTG
		MS3114	JAM NUT
		MS3116	PLUG
		MS3119	THRU-BULKHEAD
		MS3440	NARROW FLANGE
		MS3442	WIDE FLANGE
		MS3443	SOLDER FLANGE
		MS3449	SINGLE HOLE MTG CRIMP
		MS3470	NARROW FLANGE
		MS3471	CABLE RECPT
		MS3472	WIDE FLANGE
		MS3473	SOLDER MOUNTING
		MS3474	JAM NUT
		MS3475	PLUG, RFI
		MS3476	PLUG
		MS3477	BOX, SOLDERLESS
		MS3479	JAM NUT SOLDRLS CRIMP

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE QUICK DISCONNECT (CONT)	071005 (CONT)	MIL-C-27599	SOLDER CONTACT BAYONET CPLG ER
		MS20026	WALL MOUNTING
		MS20027	PLUG
		MS20028	LINE PLUG
		MS20029	JAM NUT
		MS27334	WALL MOUNTING
		MS27335	BOX MOUNTING
		MS27336	PLUG
		MS27337	JAM NUT
		MIL-C-28840	HIGH DENSITY THREADED
		MIL-C-38999	HIGH DENSITY SCOOP-PROOF BAYONET CPLG
		MS27466	WALL MTG
		MS27467	PLUG
		MS27468	JAM NUT MTG
		MS27496	BOX MTG
		MS27505	BOX MTG FLANGE
		MS27656	BACK PANEL WALL MTG FLANGE
		MS27661	PLUG, LANYARD
		MS27662	THRU-BULKHEAD SOLDER
		MS27469	WALL MTG FLANGE
		MS27470	JAM NUT MTG
		MS27471	SOLDER MTG LOW SILHOUETTE CRIMP
		MS27472	WALL MTG FLANGE
		MS27473	PLUG
		MS27474	JAM NUT MTG
		MS27484	PLUG
		MS27497	BACK PANEL WALL MTG FLANGE
		MS27499	BOX MTG FLANGE
		MS27508	BACK PANEL BOX MTG FLANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
CONNECTOR, ELECTRICAL CIRCULAR, MINIATURE QUICK DISCONNECT (CONT)	071005 (CONT)	MIL-C-38999	HIGH DENSITY LOW SILHOUETTE BAYONET CPLG
		MS27513	BOX MTG FLANGE SOLDER
		MS27475	WALL MTG FLANGE
		MS27476	BOX MTG
		MS27477	JAM NUT MTG
		MS27478	SOLDER MTG
		MS27667	THRU-BULKHEAD
		MIL-C-50880	BAYONET CPLG ER
		MIL-C-81703	PUSH-PULL CPLG SOLDER CONTACT
		MS3130	WALL MTG FLANGE
		MS3132	BOX MTG FLANGE
		MS3134	JAM NUT
		MS3135	DUMMY STORAGE
		MS3137	PLUG
		MS3138	PLUG LANYARD
		MS3139	THRU-BULKHEAD
		MS3463	SOLDER MTG
		MS3466	BOX MTG
		MS3469	JAM NUT MTG CRIMP
		MS3140	WALL MTG FLANGE
		MS3144	JAM NUT MTG
		MS3145	BOX MTG
		MS3146	SOLDER MTG
		MS3147	PLUG
		MS3148	PLUG LANYARD
		MS3149	SINGLE HOLE MTG
		MS3424	WALL MTG FLANGE
		MS3445	RACK AND PANEL
		MS3446	PLUG RACK/PANEL
		MS3464	JAM NUT
		MS3467	PLUG
		MS3468	PLUG LANYARD

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
CONNECTOR, ELECTRICAL, CIRCULAR, UMBILICAL	071007	MIL-C-81582	
CONNECTOR SET, ELECTRICAL	071008	MIL-C-22249	
CONNECTOR SAVER, ELECTRICAL	071009	MIL-C-26482	

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

2. REFERENCED DOCUMENTS

2.1 Government Documents.

2.1.1 Specifications and Standards. Unless otherwise specified, the following specifications and standards, of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation, form a part of this standard to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-S-8516	Seal Compound, Polysulfide Rubber, Electric Connectors and Electric Systems, Chemically Cured
MIL-S-23586	Sealing Compound, Electrical, Silicone Rubber, Accelerator Required
MIL-C-26482	Connector, Electrical, (Circular, Miniature, Quick Disconnect, Environment Resisting) Receptacles and Plugs, General Specification For
MIL-C-38999	Connector, Electrical, Circular, Miniature, High Density, Quick Disconnect, Environment Resistant Removable Crimp Contacts, General Specification For
MIL-A-46146	Adhesive Sealants, Silicone, RTV, Non-Corrosive (For Use with Sensitive Metals and Equipment)
MIL-C-83723	Connector, Electrical, (Circular, Environment Resisting), Receptacles and Plugs, General Specification For

STANDARDS

MILITARY

DOD-STD-35	Automated Engineering Document Preparation System

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

MIL-STD-130	Identification Marking of U.S. Military Property
MIL-STD-202	Test Methods for Electronic and Electrical Component Parts
MIL-STD-454	Standard General Requirements for Electronic Equipment
MIL-STD-810	Environmental Test Methods
MIL-STD-1285	Marking of Electrical and Electronic Parts
MIL-STD-1344	Test Methods for Electrical Connectors
MIL-STD-1523	Age Control of Age-Sensitive Elastomeric Materials

(Copies of specifications, standards, drawings, and publications, required by contractors in connection with specific procurement functions, should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other Publications. The following documents form a part of this standard to the extent specified herein. The issues of the documents which are indicated as DoD adopted shall be the issue listed in the issue of the DoDISS specified in the solicitation. The issues of documents which have not been adopted shall be those in effect on the date of the cited DoDISS.

EIARS359	Standard Colors for Color Identification and Coding
ASTME380	Metric Practice Guide

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race St., Philadelphia, PA 19103.)

(Nongovernment standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

2.3 Order of Precedence. In the event of conflict between the text of this standard and the references cited herein, the text of this standard shall take precedence.

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:24Z
Check the source to verify that this is the current version before use.

5.6 Keyword Code Index (KCI) and Standard Paragraphs. The KCI provides codes, to be entered on a SRS, that are unique for the type part covered by this dash-numbered part of DOD-STD-35. The left-hand page presents the information in outline form using keywords and codes. The right-hand page presents the words that will appear in the MSE. To find the code to be entered on the SRS, find the subject in the index at the back of this dash-numbered part. Find the keyword on the KCI and it's associated code. Enter, on the SRS, the code and the characteristic value required. After the part's unique characteristics have been specified, refer to DOD-STD-35 when exceptions are required to Quality Assurance, Packaging, Notes, etc. Instructions are in DOD-STD-35 on how to enter any type characteristic value. Appendix B, Characteristic Code Index, provides a numerical list of codes used in this dash-numbered part. This index identifies the location of codes by page number.

5.6.1 Interrelationship of Codes. The interrelationship of the codes is shown by the indentation level of characteristic names on the KCI. The kind of characteristic value is shown by a colon, parentheses, period or underline. The standard paragraph, of which the code is a part, is shown adjacent to the code on the right-hand page. When a characteristic value, entered with a code, becomes part of the paragraph, the code is shown in the paragraph where the characteristic value will print. The MSE will contain the exact characteristic value entry, as supplied with the code, except for "X" entries.

5.6.2 Automatic MSE Data. Some statements, such as Altitude and Temperature, will appear in the printed MSE without making additional entries. These statements are linked by data base logic to characteristic codes listed under them and will print when one of the codes listed is used. Other statements may print automatically depending on the type MSE selected. Explanations are noted on the KCI as required.

5.6.3 DOD-STD-35 Tables. The KCI of this document contains references to tables in DOD-STD-35. Refer to DOD-STD-35 for general explanation in the generation of tables.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
*REQUESTER'S NAME	0101
*COMPANY NAME/COMMAND	0102
*STREET/BUILDING	0103
*CITY, STATE, ZIP	0104
*PHONE NUMBER, INCLUDE AREA CODE, AUTOVON IF APPLICABLE	0105
*REQUESTER'S FSCM	1004
*CONTRACT NUMBER/OFFICE SYMBOL	1005
*BASE DOCUMENT	1006
*SYSTEM APPLICATION	1008
*GOVERNMENT DESIGN ACTIVITY FSCM	6369
*FORMAT (SELECT ONE)	
SIX SECTION DOCUMENT.	0700
ONE SECTION DOCUMENT.	0800
*CONTROL (SELECT ONE)	
SOURCE.	6873

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
0101	0101.
0102	0102.
0103	0103.
0104	0104.
0105	0105.
1004	USER(S) FSCM(S) 1004.
1005	CONTRACT NUMBER OR OFFICE SYMBOL 1005.
1006	THE COMPLETE REQUIREMENTS FOR PROCURING THE ITEM(S) DESCRIBED HEREIN SHALL BE IN ACCORDANCE WITH THE BASE DOCUMENT(S), 1006, EXCEPT AS SPECIFIED IN THIS DOCUMENT. IN THE EVENT OF CONFLICT, THIS DOCUMENT SHALL GOVERN.
1008	SYSTEM APPLICATION 1008.
6369	GOVERNMENT DESIGN ACTIVITY FSCM 6369.
0700	
0800	
	SOURCE(S).
6873	THE FOLLOWING SOURCE(S) SHOWN WITH THE PART NUMBER(S) IS/ARE THE ONLY APPROVED SOURCE(S) FOR THE ITEM(S) DESCRIBED BY THIS DOCUMENT. IDENTIFICATION OF THE APPROVED SOURCE(S) HEREIN IS NOT TO BE CONSTRUED AS A GUARANTEE OF PRESENT OR CONTINUED AVAILABILITY AS A SOURCE OF SUPPLY FOR THE ITEM DESCRIBED.

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:24Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
SPECIFICATION.	6874
*SOURCE TABLE	
NOTE: REFER TO TABLE V OF DOD-STD-35.	
APERTURE CARDS REQUIRED.	0107
REVISION OF AEDPS DOCUMENT (NUMBER)	0108
SCOPE	
NOTE: THIS ENTRY IS AUTOMATIC AND DETERMINED BY THE TITLE CODE USED.	
PART NUMBER	
NOTE: AUTOMATIC WITH A SINGLE ITEM MSE.	
NOTE: AUTOMATIC WITH A MULTI-ITEM MSE.	
UNITS OF MEASURE (SELECT ONE)	
U.S.	6941
SI.	6942

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
6874	THE FOLLOWING SUGGESTED SOURCE(S) SHOWN WITH THEIR PART NUMBER(S) HAVE BEEN KNOWN TO MEET THE REQUIREMENT(S) OF THIS DOCUMENT. IDENTIFICATION OF THE 'SUGGESTED SOURCE(S) OF SUPPLY' HEREIN IS NOT TO BE CONSTRUED AS A GUARANTEE OF PRESENT OR CONTINUED AVAILABILITY AS A SOURCE OF SUPPLY FOR THE ITEM(S).
0107	
0108	0108.

SCOPE.

SCOPE. THIS DOCUMENT COVERS THE DETAILED REQUIREMENTS FOR TITLE CODE.

PART NUMBER. THE PART NUMBER FOR THE ITEM IS SUPPLIED BY COMPUTER.

PART NUMBER. THE PART NUMBER FOR THE ITEMS IS (THE SAME AS THE NUMBER OF THIS DOCUMENT) PLUS THE SUFFIX NUMBER FROM THE TABULATED CHARACTERISTIC TABLE. REVISION AND ACTIVITY SYMBOLS ARE NOT INCLUDED IN THE PART NUMBER.

6941	UNIT OF MEASURE. ALL UNITS OF MEASURE ARE IN INCH-POUND UNITS (U.S.) OR DEGREES UNLESS OTHERWISE SPECIFIED.
6942	UNIT OF MEASURE. ALL UNITS OF MEASURE ARE IN INTERNATIONAL SYSTEM OF UNITS (SI) OR DEGREES UNLESS OTHERWISE SPECIFIED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
ALTITUDE RATING	
OPERATING (SELECT ONE)	
SEA LEVEL TO (FEET)	5060
SEA LEVEL TO (METERS)	5061
NONOPERATING (SELECT ONE)	
SEA LEVEL TO (FEET)	5062
SEA LEVEL TO (METERS)	5063
TEMPERATURE RATING	
MAXIMUM OPERATING (DEGREES CELSIUS)	5069
MAXIMUM NONOPERATING (DEGREES CELSIUS)	5071
MAXIMUM STORAGE (DEGREES CELSIUS)	7302
MAXIMUM AMBIENT OPERATING (DEGREES CELSIUS)	5054
MINIMUM OPERATING (DEGREES CELSIUS)	5068
MINIMUM NONOPERATING (DEGREES CELSIUS)	5070
MINIMUM STORAGE (DEGREES CELSIUS)	7301

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:24Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
5052	THE MINIMUM AMBIENT OPERATING TEMPERATURE RATING SHALL BE 5052 DEGREES CELSIUS.
	RATED WORKING VOLTAGE.
2151	THE MAXIMUM RATED WORKING VOLTAGE AT SEA LEVEL SHALL BE 2151 VOLTS AC.
2153	THE MAXIMUM RATED WORKING VOLTAGE AT SEA LEVEL SHALL BE 2153 VOLTS DC.
2155	THE MAXIMUM RATED WORKING VOLTAGE AT SEA LEVEL SHALL BE 2155 VOLTS DC OR RMS.
2157	THE MAXIMUM RATED WORKING VOLTAGE AT ALTITUDE SHALL BE 2157 VOLTS AC.
2159	THE MAXIMUM RATED WORKING VOLTAGE AT ALTITUDE SHALL BE 2159 VOLTS DC.
2161	THE MAXIMUM RATED WORKING VOLTAGE AT ALTITUDE SHALL BE 2161 VOLTS DC OR RMS.
2163	THE REDUCED RATED WORKING VOLTAGE ALTITUDE SHALL BE 2163 FEET.
2165	THE REDUCED RATED WORKING VOLTAGE ALTITUDE SHALL BE 2165 METERS.

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 202640-26T07:24Z
Check the source to verify that this is the currentversion before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
CLASSIFICATION	
IN ACCORDANCE WITH BASE DOCUMENT	
TYPE (DESIGNATION)	2120
SERIES (DESIGNATION)	2122
CLASS (DESIGNATION)	2124
POLARIZATION (DESIGNATION)	2126
STYLE (DESIGNATION)	2128
SHELL SIZE (DESIGNATION)	2130
SERVICE RATING (DESIGNATION)	2132
CONTACT DESIGNATOR (DESIGNATION)	2134
FINISH DESIGNATOR (DESIGNATION)	2135

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH CLASSIFICATION.
2120	TYPE 2120 IN ACCORDANCE WITH THE BASE DOCUMENT SHALL APPLY.
2122	SERIES 2122 IN ACCORDANCE WITH THE BASE DOCUMENT SHALL APPLY.
2124	CLASS 2124 IN ACCORDANCE WITH THE BASE DOCUMENT SHALL APPLY.
2126	POLARIZATION 2126 IN ACCORDANCE WITH THE BASE DOCUMENT SHALL APPLY.
2128	STYLE 2128 IN ACCORDANCE WITH THE BASE DOCUMENT SHALL APPLY.
2130	SHELL SIZE 2130 IN ACCORDANCE WITH THE BASE DOCUMENT SHALL APPLY.
2132	SERVICE RATING 2132 IN ACCORDANCE WITH THE BASE DOCUMENT SHALL APPLY.
2134	CONTACT DESIGNATOR 2134 IN ACCORDANCE WITH THE BASE DOCUMENT SHALL APPLY.
2135	FINISH DESIGNATOR 2135 IN ACCORDANCE WITH THE BASE DOCUMENT SHALL APPLY.


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
CONTACT CURRENT RATING	
MAXIMUM (AMPERES)	2136
NOMINAL (AMPERES)	2138
COUPLING METHOD	
WRITE-IN _____	2140
CONFIGURATION	
(ILLUSTRATION NUMBER), SEE APPENDIX A	1009
*UNITS (SELECT ONE)	
U.S. (SELECT ONE)	
INCHES.	7572
FEET.	7573
YARDS.	7574
SI (SELECT ONE)	
CENTIMETERS.	7576
MILLIMETERS.	7577
METERS.	7578

REPRINTED WITHOUT CHANGE


Source: https://assist.dla.mil -- Downloaded: 202610-26T07:24Z
Check the source to verify that this is the currenversion before use.



071-01-1

SUPERSEDES PAGE 197 OF 15 DECEMBER 1978


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




071-01-2


REPRINTED WITHOUT CHANGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.







071-01-40





071-01-41







071-01-42

SUPERSEDES PAGE 219 OF 15 DECEMBER 1978

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




071-01-43




071-01-44

REPRINTED WITHOUT CHANGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



071-01-45




071-01-46




071-01-47

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:24Z
Check the source to verify that this is the current version before use.




071-01-48




071-01-49

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




071-01-56




071-01-57

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




071-01-58




071-01-59

SUPERSEDES PAGE 226 OF 15 DECEMBER 1978

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




071-01-60




071-01-61

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




071-01-62




071-01-63


NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



071-01-64







071-01-65

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




Ø71-Ø1-66




Ø71-Ø1-67

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026Ø1-26T07:24Z
Check the source to verify that this is the current version before use.




071-01-68




071-01-69

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




071-01-70




071-01-71


NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



071-01-72







071-01-73

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




071-01-74




071-01-75

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




071-01-76




071-01-77

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




071-01-78




071-01-79


NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



071-01-80







071-01-81

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




Ø71-Ø1-82




Ø71-Ø1-83

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026Ø1-26T07:24Z
Check the source to verify that this is the current version before use.




071-01-84



071-01-86




071-01-85




071-01-87

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 202640-26T07:24Z
Check the source to verify that this is the current version before use.



Ø71-Ø1-88




Ø71-Ø1-90




Ø71-Ø1-89

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026Ø1-26T07:24Z
Check the source to verify that this is the current version before use.



071-02-5



071-02-60




071-02-110


NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



071-02-226




071-02-227




071-02-228

REPRINTED WITHOUT CHANGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




071-02-229



071-02-230




071-02-231




071-02-232

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




071-02-233




071-02-234

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




071-02-235




071-02-236

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




071-02-237




071-02-238

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




071-02-239




071-02-240

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




071-02-241




071-02-242

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




Ø71-Ø2-243



Ø71-Ø2-244




Ø71-Ø2-245




Ø71-Ø2-246

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026Ø1-26T07:24Z
Check the source to verify that this is the current version before use.



071-03-1



071-04-1

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
0101	18	1508	170	1700	146	1812	162
0102	18	1509	170	1702	148	1814	162
0103	18	1520	132	1705	74	1820	162
0104	18	1529	192	1712	72	1822	162
0105	18	1545	184	1714	72	1826	156
0107	20	1546	184	1716	74	1829	156
0108	20	1562	32	1720	126	1832	154
0700	18	1563	32	1722	128	1834	154
0800	18	1568	34	1724	128	1836	156
1004	18	1570	34	1725	128	1840	108
1005	18	1571	34	1726	128	1842	108
1006	18	1572	34	1732	126	1848	106
1008	18	1591	36	1734	126	1850	106
1009	28	1592	36	1738	80	1878	124
1371	130	1600	44	1740	82	1880	126
1372	132	1601	44	1746	78	1882	126
1373	130	1602	40	1748	80	1886	124
1374	184	1603	38	1750	80	1888	124
1376	130	1604	38	1752	80	1892	106
1377	132	1612	190	1756	118	1894	106
1380	128	1614	190	1760	118	1898	104
1381	132	1618	190	1764	118	1900	106
1383	132	1620	190	1768	116	1904	64
1384	130	1621	190	1770	118	1914	64
1386	130	1624	104	1776	112	1916	64
1387	130	1626	104	1778	114	1920	108
1407	130	1628	104	1779	114	1926	108
1451	168	1632	102	1781	114	1928	108
1468	168	1634	104	1782	112	1932	152
1471	170	1640	136	1784	112	1934	152
1477	120	1646	134	1788	90	1938	150
1478	168	1648	134	1790	90	1940	152
1482	168	1652	142	1791	90	1968	164
1486	168	1658	140	1792	90	1970	164
1488	168	1660	140	1794	90	1974	162
1494	166	1662	142	1796	90	1980	84
1495	168	1663	140	1800	70	1990	84
1502	170	1674	142	1802	70	1994	84
1504	172	1694	148	1806	68	2000	82
1505	184	1696	148	1808	70	2052	134

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
2054	134	2155	24	2214	46	2274	66
2060	132	2156	36	2215	52	2276	66
2062	134	2157	24	2216	46	2278	66
2066	138	2158	38	2217	52	2280	68
2068	140	2159	24	2218	46	2282	68
2070	140	2160	38	2219	54	2284	68
2078	136	2161	24	2220	46	2286	68
2082	136	2162	38	2221	54	2288	68
2088	86	2163	24	2222	46	2290	68
2090	88	2164	38	2223	54	2292	68
2094	88	2165	24	2224	46	2294	68
2099	88	2166	38	2225	54	2296	68
2100	32	2170	40	2226	46	2298	68
2102	34	2172	40	2227	54	2300	70
2104	34	2174	40	2228	48	2302	70
2106	36	2176	40	2229	54	2304	70
2108	38	2178	40	2230	48	2306	70
2110	40	2180	40	2231	54	2308	70
2114	84	2182	42	2232	48	2310	72
2120	26	2184	42	2233	56	2312	72
2122	26	2186	42	2234	56	2314	74
2124	26	2188	42	2236	56	2316	74
2126	26	2190	42	2238	56	2318	74
2128	26	2192	42	2240	56	2320	74
2130	26	2194	42	2242	56	2322	74
2132	26	2195	42	2244	56	2324	74
2134	26	2196	42	2246	58	2326	74
2135	26	2197	44	2248	58	2328	74
2136	28	2198	44	2250	58	2330	74
2138	28	2200	44	2252	58	2332	76
2140	28	2202	44	2254	58	2334	76
2142	32	2204	44	2256	58	2336	76
2144	32	2206	44	2258	64	2338	76
2146	32	2207	52	2260	66	2340	76
2148	32	2208	44	2262	66	2342	76
2150	34	2209	52	2264	66	2344	76
2151	24	2210	44	2266	66	2346	76
2152	36	2211	52	2268	66	2348	76
2153	24	2212	46	2270	66	2350	76
2154	36	2213	52	2272	66	2352	78

SUPERSEDES PAGE 234 OF 15 DECEMBER 1978

U.S. GOVERNMENT PRINTING OFFICE: 1986 - 704-036/45527

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:24Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.
POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
U.S. Army Missile Command
ATTN: AMSMI-RD-SE-TD-ST
Redstone Arsenal, AL 35898-5276

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
DOD-STD-35-65A NOT.	

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.