DOD-STD-35-66A(MI)
NOTICE 1
26 SEPTEMBER 1986

MILITARY STANDARD

AUTOMATED ENGINEERING

DOCUMENT PREPARATION SYSTEM

CONNECTORS, ELECTRICAL,
PRINTED WIRING BOARD

TO ALL HOLDERS OF DOD-STD-35-66A(MI):

1. THE FOLLOWING PAGES OF DOD-STD-35-66A(MI) HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED.

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
COVER	26 SEPTEMBER 1986	COVER	1 DECEMBER 1978
ii	26 SEPTEMBER 1986	ii	1 DECEMBER 1978
v	26 SEPTEMBER 1986	v	1 DECEMBER 1978
1	26 SEPTEMBER 1986	1	1 DECEMBER 1978
2	26 SEPTEMBER 1986	2	1 DECEMBER 1978
3	26 SEPTEMBER 1986	3	1 DECEMBER 1978
4	26 SEPTEMBER 1986	4	1 DECEMBER 1978
9	1 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	1 DECEMBER 1978
10	26 SEPTEMBER 1986		1 DECEMBER 1978
11	26 SEPTEMBER 1986	11	1 DECEMBER 1978
12	26 SEPTEMBER 1986	12	1 DECEMBER 1978
13	26 SEPTEMBER 1986	13	1 DECEMBER 1978
14	1 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	1 DECEMBER 1978
15	26 SEPTEMBER 1986	15	1 DECEMBER 1978
16	1 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	1 DECEMBER 1978
51	26 SEPTEMBER 1986	51	1 DECEMBER 1978
52	1 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	1 DECEMBER 1978
121	26 SEPTEMBER 1986	121	1 DECEMBER 1978
122	1 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	1 DECEMBER 1978
129	26 SEPTEMBER 1986	129	1 DECEMBER 1978
130	1 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	1 DECEMBER 1978
137	1 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	1 DECEMBER 1978
138	26 SEPTEMBER 1986	138	1 DECEMBER 1978
141	1 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	1 DECEMBER 1978
142	26 SEPTEMBER 1986	142	1 DECEMBER 1978
145	1 DECMEBER 1978	(REPRINTED WITHOUT CHANGE)	1 DECEMBER 1978
146	26 SEPTEMBER 1986	146	1 DECEMBER 1978
149	1 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	1 DECEMBER 1978

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
150	26 SEPTEMBER 1986	150	1 DECEMBER 1978
155	26 SEPTEMBER 1986	155	1 DECEMBER 1978
156	1 DECMEBER 1978	(REPRINTED WITHOUT CHANGE)	1 DECEMBER 1978
156a	26 SEPTEMBER 1986		
156b	26 SEPTEMBER 1986		
156c	26 SEPTEMBER 1986		
156d	26 SEPTEMBER 1986		
156e	26 SEPTEMBER 1986		
156f	26 SEPTEMBER 1986		
156g	26 SEPTEMBER 1986		
156h	26 SEPTEMBER 1986		
156i	26 SEPTEMBER 1986		
156j	26 SEPTEMBER 1986		
156k	26 SEPTEMBER 1986		
156l	26 SEPTEMBER 1986		
156m	26 SEPTEMBER 1986		
156n	26 SEPTEMBER 1986		
156o	26 SEPTEMBER 1986		
156p	26 SEPTEMBER 1986		
156q	26 SEPTEMBER 1986		
156r	26 SEPTEMBER 1986		
156s	26 SEPTEMBER 1986		
156t	26 SEPTEMBER 1986		
156u	26 SEPTEMBER 1986		
156v	26 SEPTEMBER 1986		
156w	26 SEPTEMBER 1986		
156x	26 SEPTEMBER 1986		
156y	26 SEPTEMBER 1986		
156z	26 SEPTEMBER 1986		
156aa	26 SEPTEMBER 1986		
156ab	26 SEPTEMBER 1986		
156ac	26 SEPTEMBER 1986		
156ad	26 SEPTEMBER 1986		
156ae	26 SEPTEMBER 1986		
156af	26 SEPTEMBER 1986		
156ag	26 SEPTEMBER 1986		
156ah	26 SEPTEMBER 1986		
156ai	26 SEPTEMBER 1986		
156aj	26 SEPTEMBER 1986		
156ak	26 SEPTEMBER 1986		
156al	26 SEPTEMBER 1986		
156am	26 SEPTEMBER 1986		
159	1 DECEMBER 1978	(REPRINTED WITHOUT CHANGE)	1 DECEMBER 1978
160	26 SEPTEMBER 1986		
160a	26 SEPTEMBER 1986		
160b	26 SEPTEMBER 1986		
160c	26 SEPTEMBER 1986		
160d	26 SEPTEMBER 1986		
160e	26 SEPTEMBER 1986		

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

2. REFERENCED DOCUMENTS

2.1 Government Documents.

2,1.1 Specifications and Standards. Unless otherwise specified, the following specifications and standards, of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation, form a part of this standard to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-C-21097	Connectors, Electrical, Printed Wiring Board, General Purpose, General Specification For

STANDARDS

MILITARY

DOD-STD-35	Automated Engineering Document Preparation System
MIL-STD-130	Identification Marking of U.S. Military Property
MIL-STD-202	Test Methods for Electronic and Electrical Component Parts
MIL-STD-454	Standard General Requirements for Electronic Equipment
MIL-STD-810	Environmental Test Methods and Engineering Guidelines
MIL-STD-1285	Marking of Electrical and Electronic Parts
MIL-STD-1344	Test Methods for Electrical Connectors
MIL-STD-1523	Age Control of Age-Sensitive Elastomeric Materials

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

DOD-STD-35-66A(MI)

1 DECEMBER 1976

SUPERSEDING
SECTION I
MIL-STD-35-66 (MI)
1 DECEMBER 1974

MILITARY STANDARD

AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM

CONNECTORS, ELECTRICAL PRINTED WIRING BOARD

AREA EDS

NO DELIVERABLE DATA REQUIRED BY THIS DOCUMENT

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

SUPERSEDES COVER OF 1 DECEMBER 1978

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

DEPARTMENT OF THE ARMY
U.S. ARMY MATERIEL COMMAND
ALEXANDRIA, VA 22333

Connectors, Electrical, Printed Wiring Board
Automated Engineering
Document Preparation System

DOD-STD-35-66A(MI)

1. This Military Standard is approved for use by AMC, Department of the Army and is available for use by all Departments and Agencies of the Department of Defense.

2. Beneficial comments (recommendations, additions, deletions) and any pertinent data, which may be of use in improving this document, should be addressed to Commander, U.S. Army Missile Command, ATTN: AMSMI-RD-SE-TD-ST, Redstone Arsenal, Alabama 35898-5270, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

CONTENTS

			Page
Paragraph	1.	SCOPE	1
	1.1	General	1
	1.2	Purpose	1
	1.3	Utilization	1
	1.4	Military Specification Exception Title Index	1
	2.	REFERENCED DOCUMENTS	3
	2.1	Government Documents	3
	2.1.1	Specifications and Standards	3
	2.2	Other Publications	4
	2.3	Order of Precedence	4
	3.	DEFINITIONS	5
	4.	GENERAL REQUIREMENTS	7
	4.1	Introduction	7
	4.2	Specification Requirement Sheet (SRS)	7
	4.3	Configuration	7
	4.3,1	Dimensions	7
	4.3.2	Illustrations	7
	4.4	Units of Measure	7
	5.	DETAILED REQUIREMENTS	9
	5.1	Introduction	9
		MSE Formats	9
	5.3	Referenced Documents	9
	5.4	Tabulation	9
	5.5	Keyword Code Index (KCI) and Standard Paragraphs	11
	5.5.1	Interrelationship of Codes	11
	5.5.2	Automatic MSE Data	11
	5.5.3	DOD-STD-35 Tables	11

TABLES

Table	I.	Title Index	2
	11.	Tabulation Candidates	10

APPENDICES

APPENDIX	A.	Illustrations	119
	B.	Characteristic Code Index	161
		Index	167

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

1. SCOPE

1.1 General. This dash-numbered part of the Automated Engineering Document Preparation System (AEDPS), provides detailed requirements for the preparation of Military Specification Exception (MSE) documentation for Connectors, Electrical, Printing wiring Board.

1.2 Purpose. This military standard provides the necessary information to prepare a Specification Requirement Sheet (SRS) which will be used to generate a MSE by automated data processing.

1.3 Utilization. General instructions, quality assurance provisions, packaging, and notes, applicable to all AEDPS dash-numbered parts, have been included in the basic document (DOD-STD-35) to avoid redundancy. Unless otherwise specified in this dash-numbered part, the following list contains additional subjects applicable to all AEDPS dash-numbered parts and included in DOD-STD-35:

a. Writing Methodology
b. Document and Part Numbering
c. Applicable Documents
d. Single and Multi-item Specification (Tabulation)
e. Keyword Code Index (KCI)
f. General Requirements of AEDPS

1.4 Military Specification Exception Title Index. It is recommended that MIL-STD-1353, Selection and Use of Electrical Connectors be reviewed prior to using this dash-numbered part book.

The title code for a MSE shall be selected from one of the MSE titles listed in the Title Index (see table I). Data bases have been established for the generation of MSES for the MSE titles indicated. If a suitable title code is not contained in the Title Index, leave the title code spaces on the SRS blank, and attach a request for assignment of a title code. Include in the request the desired title and the base document identifier. A code will be assigned and the code, title, and base document will be made a part of the Title Index.

One of the six-digit codes listed in the Title Index and entered on a SRS, specifies that the title of the MSE will be the title shown in the Title Index.

Each MSE title, listed in the Title Index, is compatible with the document(s) listed with that title under base document. The list of base documents may or may not be a complete listing. The information shown under coverage is intended for the user's reference. When more

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

than one document is listed for a MSE title, this information will be found useful in determining which of the documents is most suitable for use as the base document.

The MSE title may or may not be the same as the title used in DODISS, FIIG, or the base document. In general, the MSE title uses the basic federal item name listed in Cataloging Handbook H6. However, titles with additional modifying and identifying words are provided to assist in defining the scope of the MSE. Also, less restrictive titles are provided to prevent exclusion of items.

TABLE 1. TITLE INDEX

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD	073001	MIL-C-21097	EDGEBOARD AND TWO PART
CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES	073003	MIL-C-24308	POLARIZED SHELL PWB TAILS
		MIL-C-55302	TWO PART
		MIL-C-83503	FLAT CABLE PWB TAILS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
160f	26 SEPTEMBER 1986		
160g	26 SEPTEMBER 1986		
160h	26 SEPTEMBER 1986		
160i	26 SEPTEMBER 1986		
160j	26 SEPTEMBER 1986		
160k	26 SEPTEMBER 1986		
160l	26 SEPTEMBER 1986		
160m	26 SEPTEMBER 1986		
160n	26 SEPTEMBER 1986		
163	26 SEPTEMBER 1986	163	1 DECEMBER 1978
164	26 SEPTEMBER 1986	164	1 DECEMBER 1978
165	26 SEPTEMBER 1986	165	1 DECEMBER 1978
166	26 SEPTEMBER 1986	166	1 DECEMBER 1978

2. RETAIN THIS NOTICE PAGE AND INSERT BEFORE THE TABLE OF CONTENTS.

3. Holders of DoD-STD-35-66A(MI) will verify the page changes indicated above have been entered. The notice page will be retained as a check sheet. This issuance, together with append pages is a separate publication. Each notice is to be retained by stocking points until the Military Standard is completely revised or cancelled.

Custodian:
Army-M I

Review activities:
Army-AT
Army-AV
Army-ER
Army-ME
Army-MR
Army-SG
Army-CR

User activity:
Army-AR

Preparing activity:
Army-MI

(Project EDS-A363)

AREA EDS

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

(Copies of specifications, standards, drawings, and publications, required by contractors in connection with specific procurement functions, should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other Publications. The following documents form a part of this standard to the extent specified herein. The issues of the documents which are indicated as DoD adopted shall be the issue listed in the issue of the DoDISS specified in the solicitation. The issues of documents which have not been adopted shall be those in effect on the date of the cited DoDISS.

ASTME380 Metric Practice Guide

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race St., Philadelphia, PA 19103.)

(Nongovernment standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)

2.3 Order of Precedence. In the event of conflict between the text of this standard and the references cited herein, the text of this standard shall take precedence.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

5. DETAILED REQUIREMENTS

5.1 Introduction. This section provides instructions for completion of the SRS and references for instructions on specific requirements contained in DOD-STD-35.

5.2 MSE Formats. AEDPS has the capability to prepare a six-section or a single-section document. The six-section document appears similar to a six-section military specification. The single-section document appears similar to a military specification sheet. Specification requirements described in DOD-STD-35 are applicable to either of the formats selected. It is mandatory that one of the two following codes and an "X" be entered on the SRS to create the desired MSE format:

am 0700 for a six-section format

b. 0800 for a single-section format

5.3 Referenced Documents. Section 2 of the MSE may contain a list of all referenced documents within Sections 3, 4, and 5 of the MSE. Instructions for referencing documents to appear-in Section 2 of the forthcoming MSE are contained in DOD-STD-35.

5.4 Tabulation. Instructions for tabulation are provided in DOD-STD-35. Table II provides codes for column headings which may be used for Connectors, Electrical, printed wiring Board characteristics. When different units of measure are available for specifying a characteristic, only one of the units may be tabulated; e.g. either ounces or grams.

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

TABLE II. TABULATION CANDIDATES

CODE	COLUMN HEADING	CODE	COLUMN HEADING	CODE	COLUMN HEADING
1009	CONFIGUR-ATION	1564	NUMBER OF CONTACTS	1566	CONT TERMN LETTER PER 073-02-1
1580	PLZN	1906	TYPE	1908	STYLE
1910	CLASS	1912	SIZE	1914	MTG PROV SYMBOL
1918	MTG HRDW TYPE	1924	RATED WORKING VOLTAGE DC OR RMS	1936	CURRENT RATING AMPERES
1938	NOM BOARD THICKNESS INCH	1940	NOM BOARD THICKNESS MILLIMETER	1942	MIN BOARD THICKNESS INCH
1944	MIN BOARD THICKNESS MILLIMETER	1946	MAX BOARD THICKNESS INCH	1948	MAX BOARD THICKNESS MILLIMETER
2114	CONTACT TYPE	2122	CONTACT TERMN TYPE	2124	WIRE SIZE AWG
2126	WIRE SIZE MILLIM DIA	2132	ACCESSORY	2134	ACCESSORY PART NO.
2142	MATING CONN PART NUMBER	7021	MAX MASS GRAMS	7022	MAX WEIGHT OUNCES

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

5.5 Keyword Code Index (KCI) and Standard Paragraphs. The KCI provides codes, to be entered on a SRS, that are unique for the type part covered by this dash-numbered part of DOD-STD-35. The left-hand page presents the information in outline form using keywords and codes. The right-hand page presents the words that will appear in the MSE. To find the code to be entered on the SRS, find the subject in the index at the back of this dash-numbered part. Find the keyword on the KCI and it's associated code. Enter, on the SRS, the code and the characteristic value required. After the part's unique characteristics have been specified, refer to DOD-STD-35 when exceptions are required to Quality Assurance, Packaging, Notes, etc. Instructions are in DOD-STD-35 on how to enter any type characteristic value. Appendix B, Characteristic Code Index, provides a numerical list of codes used in this dash-numbered part. This index identifies the location of codes by page number.

5.5.1 Interrelationship of Codes. The interrelationship of the codes is shown by the indentation level of characteristic names on the KCI. The kind of characteristic value is shown by a colon, parentheses, period or underline. The standard paragraph, of which the code is a part, is shown adjacent to the code on the right-hand page. When a characteristic value, entered with a code, becomes part of the paragraph, the code is shown in the paragraph where the characteristic value will print. The MSE will contain the exact characteristic value entry, as supplied with the code, except for "X" entries.

5.5.2 Automatic MSE Data. Some statements, such as Altitude and Temperature, will appear in the printed MSE without making additional entries. These statements are linked by data base logic to characteristic codes listed under them and will print-when one of the codes listed is used. Other statements may print automatically depending on the type MSE selected. Explanations are noted on-the KCI as required.

5,5.3 DOD-STD-35 Tables. The KCI of this document contains references to tables in DOD-STD-35. Refer to DOD-STD-35 for general explanation in the generation of tables.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
*REQUESTER'S NAME	0101
*COMPANY NAME/COMMAND	0102
*STREET\BUILDING	0103
*CITY, STATE, ZIP	0104
*PHONE NUMBER, INCLUDE AREA CODE, AUTOVON IF APPLICABLE	0105
*REQUESTER'S FSCM	1004
*CONTRACT NUMBER/OFFICE SYMBOL	1005
*BASE DOCUMENT	1006
*SYSTEM APPLICATION	1008
*GOVERNMENT DESIGN ACTIVITY FSCM	6369
*FORMAT (SELECT ONE)	
SIX SECTION DOCUMENT.	0700
ONE SECTION DOCUMENT.	0800
*CONTROL (SELECCT ONE)	
SOURCE.	6873

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
0101	0101.
0102	0102.
0103	0103.
0104	0104.
0105	0105.
1004	USER(S) FSCM(S) 1004.
1005	CONTRACT NUMBER OR OFFICE SYMBOL 1005.
1006	THE COMPLETE REQUIREMENTS FOR PROCURING THE ITEM(S) DESCRIBED HEREIN SHALL BE IN ACCORDANCE WITH THE BASE DOCUMENT(S), 1006, EXCEPT AS SPECIFIED IN THIS DOCUMENT. IN THE EVENT OF CONFLICT, THIS DOCUMENT SHALL GOVERN.
1008	SYSTEM APPLICATION 1008.
6369	GOVERNMENT DESIGN ACTIVITY FSCM 6369.
0700	
0800	
	SOURCE(S).
6873	THE FOLLOWING SOURCE(S) SHOWN WITH THE PART NUMBER(S) IS/ARE THE ONLY APPROVED SOURCE(S) FOR THE ITEM(S) DESCRIBED BY THIS DOCUMENT. IDENTIFICATION OF THE APPROVED SOURCE(S) HEREIN IS NOT TO BE CONSTRUED AS A GUARANTEE OF PRESENT OR CONTINUED AVAILABILITY AS A SOURCE OF SUPPLY FOR THE ITEM DESCRIBED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
SPECIFICATION.	6874
*SOURCE TABLE	
NOTE: REFER TO TABLE V OF DOD-STD-35.	
APERTURE CARDS REQUIRED.	0107
REVISION OF AEDPS DOCUMENT (NUMBER)	0108
SCOPE	
NOTE: THIS ENTRY IS AUTOMATIC AND DETERMINED BY THE TITLE CODE USED.	
PART NUMBER	
NOTE: AUTOMATIC WITH A SINGLE ITEM MSE.	
NOTE: AUTOMATIC WITH A MULTI-ITEM MSE.	
UNITS OF MEASURE (SELECT ONE)	
U s .	6941
SI.	6942

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

CHAR
CODE STANDARD PARAGRAPH

6874 THE FOLLOWING SUGGESTED SOURCE(S) SHOWN WITH THEIR PART NUMBER(S) HAVE BEEN KNOWN TO MEET THE REQUIREMENT(S) OF THIS DOCUMENT. IDENTIFICATION OF THE 'SUGGESTED SOURCE(S) OF SUPPLY' HEREIN IS NOT TO BE CONSTRUED AS A GUARANTEE OF PRESENT OR CONTINUED AVAILABILITY AS A SOURCE OF SUPPLY FOR THE ITEM(S).

0107

0108 0108.

SCOPE .

SCOPE. THIS DOCUMENT COVERS THE DETAILED REQUIREMENTS FOR TITLE CODE.

PART NUMBER. THE PART NUMBER FOR THE ITEN1 IS SUPPLIED BY COMPUTER.

PART NUMBER. THE PART NUMBER FOR THE ITEMS IS (THE SAME AS THE NUMBER OF THIS DOCUMENT) PLUS THE SUFFIX NUMBER FROM THE TABULATED CHARACTERISTIC TABLE. REVISION AND ACTIVITY SYMBOLS ARE NOT INCLUDED IN THE PART NUMBER.

6941 UNIT OF MEASURE. ALL UNITS OF MEASURE ARE IN INCH-POUND UNITS (U.S.) OR DEGREES UNLESS OTHERWISE SPECIFIED.

6942 UNIT OF MEASURE. ALL UNITS OF MEASURE ARE IN INTERNATIONAL SYSTEM OF UNITS (SI) OR DEGREES UNLESS OTHERWISE SPECIFIED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

CHARACTERISTIC NAME	CHAR CODE
CLASSIFICATION	
IN ACCORDANCE WITH BASE DOCUMENT	
TYPE (DESIGNATION)	1906
STYLE (DESIGNATION)	1908
CLASS (DESIGNATION)	1910
SIZE (DESIGNATION)	1912
MOUNTING PROVISION SYMBOL (DESIGNATION)	1914
TERMINAL TYPE (DESIGNATION)	1916
MOUNTING HARDWARE TYPE (DESIGNATION)	1918
CONTACT CURRENT RATING	
MAXIMUM (AMPERES)	1562
NOMINAL (AMPERES)	1936
RATED WORKING VOLTAGE	
SEA LEVEL (SELECT ONE)	
(VOLTS AC)	1920
(VOLTS DC)	1922
(VOLTS DC OR RMS)	1924

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

CHAR CODE	STANDARD PARAGRAPH
2418	CONDUCTOR SIZE 2418 SHALL BE USED.
2420	THERE SHALL BE 2420 INSERTIONS AND WITHDRAWALS WITH MEASUREMENTS TAKEN ON THE FIRST AND LAST CYCLES.
2422	INSERTION TOOL PART NUMBER SHALL BE 2422.
2424	EXTRACTION TOOL PART NUMBER SHALL BE 2424.
1878	CONTACT RESISTANCE. THE REQUIREMENT(S) SHALL BE IN ACCORDANCE WITH THE BASE DOCUMENT, EXCEPT 1878.
1879	CONTACT RESISTANCE. THE CONTACT RESISTANCE SHALL BE AS FOLLOWS:
2100	THE INDIVIDUAL CONTACT RESISTANCE SHALL BE NOT GREATER THAN 2100 MILLIVOLT(S) DROP.
1800	THE INDIVIDUAL CONTACT RESISTANCE SHALL BE NOT GREATER THAN 1800 OHM(S).
2426	THE DIFFERENCE BETWEEN THE INITIAL MEASUREMENT AND ANY SUCCEEDING MEASUREMENT MADE UPON AN IDENTICAL INDIVIDUAL CONTACT SHALL NOT INCREASE BY MORE THAN 2426 PERCENT OF THE INITIAL MEASUREMENT.
2428	THE AVERAGE CONTACT RESISTANCE OF ALL CONTACTS MEASURED SHALL BE NOT GREATER THAN 2428 OHM(S).


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI(


CHARACTERISTIC NAME	CHAR CODE
CONTACT RESISTANCE (CONT)	
AS FOLLOWS: (CONT)	
MAXIMUM RESISTANCE AT ELEVATED TEMPERATURE (SELECT ONE)	
(MILLIVOLTS)	2430
(OHMS)	2432
TEST METHODS (SELECT ONE)	
PER BASE DOCUMENT EXCEPT ____	1862
PER MIL-STD-1344, METHOD 3004.	2434
TEST CURRENT (SELECT ONE)	
(AMPERES)	1866
(MILLIAMPERES)	2436
HIGH TEMPERATURE TEST (DEGREES CELSIUS)	2438
CONTACT RETENTION	
REQUIREMENTS (SELECT ONE)	
PER BASE DOCUMENT EXCEPT ____	2094
NO EVIDENCE OF PHYSICAL DAMAGE.	2096

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




Ø73-Ø1-1




Ø73-Ø1-2

Source: https://assist.dla.mil -- Downloaded: 2026Ø-26T07:24Z
Check the source to verify that this is the currentversion before use.




073-01-3




073-01-4

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




073-01-14




073-01-15

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




073-01-16



073-01-17

REPRINTED WITHOUT CHANGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-26


REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




073-01-27

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




073-01-31

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




073-01-36



073-01-37

REPRINTED WITHOUT CHANGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-38

SUPERSEDES PAGE 146 OF 1 DECEMBER 1978


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-41


REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




073-01-42

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




073-01-51




073-01-52

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




073-01-53



073-01-54

REPRINTED WITHOUT CHANGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-55

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




TERMINATION

073-01-56

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-57

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-58

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-59

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-60

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-61

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-62

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-63

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-64

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




073-01-65

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



BACK VIEW



VIEW A-A




VIEW B-B

073-01-66

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-67

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-68

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-69

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-70

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.





073-01-71

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.








073-01-72



NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-74

NEw PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-75

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-76

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-77

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-78

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-79

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-80

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




073-01-81

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.








073-01-82

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-83


NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




073-01-84

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




Ø73-Ø1-85



Ø73-Ø1-86

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026Ø1Ø-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-87

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-88

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-89

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-90

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-91

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-32

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-93

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-01-94

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




073-01-95


NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-03-1




073-03-2




073-04-1

REPRINTED WITHOUT CHANGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




073-04-2




073-05-1

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




073-06-1




073-06-2

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




Ø73-Ø6-3




Ø73-Ø6-4

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026Ø-26T07:24Z
Check the source to verify that this is the current version before use.




Ø73-Ø6-5




Ø73-Ø6-6

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026Ø-26T07:24Z
Check the source to verify that this is the current version before use.




Ø73-Ø6-7




Ø73-Ø6-8

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026Ø-26T07:24Z
Check the source to verify that this is the current version before use.




073-06-9




073-06-10

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




073-06-11




073-06-12

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




073-06-13




073-06-14

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




073-06-15



073-06-16

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-06-17

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-06-18

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.



073-06-19

NEW PAGE


Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




073-06-20

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.




Ø73-Ø6-21




Ø73-Ø6-22


NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026Ø-26T07:24Z
Check the source to verify that this is the current version before use.




073-06-23





DETAIL A

073-06-24



073-06-25

NEW PAGE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
0101	12	1508	100	1732	90	1924	16
0102	12	1509	100	1738	90	1926	18
0103	12	1520	80	1740	90	1928	18
0104	12	1529	112	1744	60	1930	18
0105	12	1545	108	1745	60	1932	18
0107	14	1546	108	1748	60	1934	18
0108	14	1562	16	1756	60	1936	16
0700	12	1564	24	1758	60	1938	18
0800	12	1566	26	1762	40	1940	18
1004	12	1574	26	1764	40	1942	18
1005	12	1576	28	1768	38	1944	18
1006	12	1580	34	1770	40	1946	18
1008	12	1582	34	1774	38	1948	20
1009	22	1584	34	1778	38	1950	20
1371	80	1586	34	1782	38	1952	20
1372	80	1590	34	1784	38	1954	20
1373	80	1602	28	1790	92	2004	82
1374	108	1604	28	1794	92	2006	82
1376	80	1606	26	1798	92	2008	82
1377	80	1624	86	1800	50	2012	82
1380	78	1636	84	1812	40	2014	82
1381	80	1638	86	1820	40	2062	94
1383	80	1640	84	1822	40	2066	94
1384	78	1644	70	1862	52	2067	94
1386	78	1646	70	1866	52	2070	92
1387	78	1648	70	1878	50	2082	58
1407	80	1652	68	1879	50	2084	54
1451	98	1654	70	1886	56	2086	54
1468	98	1658	70	1890	58	2087	56
1471	100	1662	84	1902	56	2090	56
1477	74	1669	82	1904	56	2094	52
1478	98	1670	82	1906	16	2096	52
1482	98	1674	88	1908	16	2100	50
1486	98	1682	86	1910	16	2102	24
1488	98	1688	88	1912	16	2104	24
1494	98	1690	88	1914	16	2106	24
1495	98	1706	44	1916	16	2108	26
1502	100	1712	42	1918	16	2110	26
1504	100	1714	42	1920	16	2112	26
1505	108	1716	42	1922	16	2114	26

SUPERSEDES PAGE 163 OF 1 DECEMBER 1978

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
2116	26	2312	36	2392	46	2474	58
2118	26	2314	36	2394	46	2476	58
2120	26	2316	36	2396	48	2478	62
2122	26	2318	36	2398	48	2480	64
2124	26	2320	36	2400	48	2482	64
2126	26	2322	38	2402	48	2484	64
2128	28	2324	38	2404	48	2486	64
2130	28	2326	38	2406	48	2488	64
2132	28	2328	38	2408	48	2490	64
2134	28	2330	40	2410	48	2492	64
2136	28	2332	40	2412	48	2494	64
2138	28	2334	42	2414	48	2496	64
2140	28	2336	42	2416	48	2498	66
2142	28	2338	42	2418	50	2500	68
2144	28	2340	42	2420	50	2502	68
2146	28	2342	42	2422	50	2504	68
2150	34	2344	42	2424	50	2506	68
2152	34	2346	42	2426	50	2508	70
2154	34	2348	42	2428	50	2510	70
2156	34	2350	42	2430	52	2512	70
2158	34	2352	44	2432	52	2514	70
2160	34	2354	44	2434	52	2516	70
2162	34	2356	44	2436	52	2518	72
2164	34	2358	44	2438	52	2520	76
2166	34	2360	44	2440	54	2522	76
2168	34	2362	44	2442	54	2524	76
2170	34	2364	44	2444	54	2526	76
2172	34	2366	44	2446	54	2528	76
2174	34	2368	44	2448	54	2530	76
2176	34	2370	44	2450	54	2532	76
2178	34	2372	44	2452	54	2534	76
2286	58	2374	46	2454	56	2536	76
2292	58	2376	46	2456	56	2538	76
2294	58	2378	46	2458	56	2540	76
2300	36	2380	46	2460	56	2542	78
2302	36	2382	46	2462	56	2544	78
2304	36	2384	46	2466	56	2546	78
2306	36	2386	46	2468	56	2548	78
2308	36	2388	46	2470	58	2550	80
2310	36	2390	46	2472	58	2552	80

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
2554	80	2634	92	2714	108	4704	106
2556	80	2636	94	2716	108	4715	106
2558	82	2638	94	2718	108	4717	68
2560	82	2640	94	2720	108	4754	72
2562	82	2642	94	2722	108	4755	72
2564	84	2644	94	2724	108	4756	72
2566	84	2646	94	2726	108	4760	72
2568	84	2648	94	2728	110	4761	72
2570	84	2650	94	2730	110	4762	72
2572	84	2652	96	2732	110	4765	96
2574	84	2654	96	2734	110	4766	96
2576	84	2656	96	2736	110	4770	96
2578	84	2658	98	2738	110	4772	96
2580	86	2660	98	2740	110	4773	96
2582	86	2662	98	2742	110	4788	74
2584	86	2664	100	2744	110	4790	76
2586	86	2666	100	2746	110	4793	76
2588	86	2668	100	2748	110	4795	74
2590	86	2670	100	2750	110	4798	74
2592	86	2672	100	2752	110	4799	74
2594	86	2674	100	2778	112	4803	74
2596	88	2676	102	2780	112	4805	74
2598	88	2678	102	2782	112	4813	74
2600	88	2680	102	2784	112	4815	74
2602	88	2682	104	2786	112	4849	62
2604	88	2684	104	4662	102	4850	66
2606	88	2686	104	4663	104	4854	66
2608	88	2688	104	4664	104	4855	66
2610	90	2690	104	4665	104	4856	66
2612	90	2692	106	4666	102	4859	62
2614	90	2694	106	4667	104	4861	66
2616	90	2696	106	4672	102	4867	66
2618	90	2698	106	4674	102	4869	68
2620	90	2700	106	4675	102	4870	68
2622	90	2702	106	4681	108	4874	64
2624	92	2704	106	4682	108	4875	66
2626	92	2706	106	4683	102	4878	96
2628	92	2708	106	4684	102	4884	62
2630	92	2710	106	4685	102	4885	62
2632	92	2712	106	4686	102	4891	62

SUPERSEDES PAGE 165 OF 1 DECEMBER 1978

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

CHARACTERISTIC CODE INDEX

CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.	CHAR CODE	PAGE NO.
4894	60	6803	32				
4897	68	6870	114				
4900	62	6873	12				
4902	62	6874	14				
4906	60	6941	14				
4908	60	6942	14				
4942	112	6991	116				
4943	112	6992	116				
4944	112	6993	116				
4950	22	6994	116				
5000	66	6995	116				
5052	22	7001	114				
5054	22	7002	114				
5060	20	7003	114				
5061	20	7004	114				
5062	20	7005	114				
5063	20	7021	32				
5068	22	7022	32				
5069	20	7023	32				
5070	22	7024	32				
5071	20	7301	22				
5209	112	7302	20				
6205	104	7572	22				
6267	68	7577	22				
6280	62	7580	24				
6308	62	7629	114				
6310	62	7630	114				
6359	78						
6369	12						
6372	114						
6790	30						
6791	30						
6792	30						
6793	30						
6794	30						
6795	30						
6796	30						
6798	30						
6799	30						
6801	30						

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.
POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
U.S. Army Missile Command
ATTN: AMSMI-RD-SE-TD-ST
Redstone Arsenal, AL 35898-5276

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:24Z
Check the source to verify that this is the current version before use.