GGG-M-125/8A
September 20, 1982
SUPERSEDING
GGG-M-125/8
March 28, 1975

FEDERAL SPECIFICATION

RESPIRATOR ASSEMBLY: HALF MASK, PARTICULATE-FILTER (FOR PNEUMOCONIOSIS AND FIBROSIS PRODUCING DUSTS AND NUISANCE INERT DUSTS)

This specification was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

The complete requirements for procuring the respirators described herein shall consist of this document and the issue in effect of GGG-M-125/GEN.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers the specific requirements for half-mask respirators with air filters for removal of dust.

1.2 Classification. Half-mask respirators covered by this specification shall be of the following types as specified (see 6.2):

Type I - Half-mask respirator, with provisions to replace the air-purifying element(s) (reusable).
Type II - Half-mask respirator where the air-purifying element(s) is/are not intended to be replaceable, (disposable).

2. APPLICABLE DOCUMENTS

Latest issue of GGG-M-125/GEN and documents referenced therein and the additional documents specified herein.

3. REQUIREMENTS

3.1 Approval and certification. (See GGG-M-125/GEN).

3.2 Design. Respirator masks shall be of a design that covers the mouth and nose, leaving the eyes uncovered. The design shall allow respirable air to pass through the filter with minimum resistance to breathing when worn. Type I mask (see figure 1) shall have provisions for allowing one or two filters to be attached to the facepiece. Type II mask (see figure 2) shall be a completely disposable item, that is discarded after use. Both types shall permit the wearer to have unobstructed and good downward vision even when protective spectacles or eyeglasses are worn. The design shall provide a gas-tight seal with the face, when worn.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:37Z
Check the source to verify that this is the current version before use.

3.3 Principal parts.

3.3.1 Type I. Respirators shall consist of the following parts:

a. Half-mask facepiece attached to a head strap with provisions for allowing a filter or filters to be attached to the facepiece.
b. Filter or filters.
c. Exhalation valve or valves.

3.3.1.1 Filter element for type I respirator. Unless otherwise specified (see 6.2), 50 filter elements shall be furnished with each type I respirator having a single receptacle mask and 100 filter elements shall be furnished with each type I respirator having a dual mask.

3.3.1.2 Head harness. The head harness shall be of the type supplied on the respirator when certified by the NIOSH/MSHA.

3.3.2 Type II. Type II disposable respirator shall consist of the following parts:

a. Half-mask facepiece.
b. Head harness.

3.3.2.1 Half-mask facepiece. The facepiece shall be of a design that fits the facial contours of the average wearer snugly, covering the mouth and nose, leaving the eyes uncovered. The facepiece may be constructed entirely of filter media, or constructed so that the filter media is supported on a lightweight frame. When worn, the mask shall offer minimum resistance to breathing.

3.3.2.2 Head harness. The head harness shall be of the type supplied on the respirator when certified by the NIOSH/MSHA.

3.4 Type I and II respirator filtering media. The filtering media for type I and II respirators shall provide protection against pneumoconsiosis and fibrosis producing dusts (including, but not limited to aluminum, asbestos, coal, flour, iron ore, free silica, and nuisance or inert dusts) as specifed in 30 CFR, part 11.

3.5 Instructions. Requirements in accordance with GGG-M-125/GEN.

3.6 Marking. Requirements in accordance with GGG-M-125/GEN.

3.7 Workmanship. Requirements in accordance with GGG-M-125/GEN.

3.8 Sanitization. Type I shall conform to the requirements for masks specified in GGG-M-125/GEN.

3.9 Spare parts. When specified (see 6.2), spare parts shall be furnished with each respirator.

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T12:37Z
Check the source to verify that this is the currentversion before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Quality assurance provisions shall be in accordance with the requirements of GGG-M-125/GEN and the additional requirements specified herein.

4.2 Examination. Respirator samples selected in accordance with GGG-M-125/GEN shall be examined for the defects listed in table I.

TABLE I. Classification of defects.

Categories	Defects
Major:	
101	Type not as specified.
102	Respirator not in accordance with NIOSH/MSHA requirements.
103	Principal parts missing.
104	Quantity of extra filters for type I not as specified.
105	Instructions missing.
106	Marking not as specified.
107	Material not new.
108	Poor workmanship.

4.3 Tests. Respirator assemblies sampled in accordance with GGG-M-125/GEN shall be subjected to the following test:

a. Cleaning and sanitization test type I only (see GGG-M-125/GEN).

5. PREPARATION FOR DELIVERY (In accordance with GGG-M-125/GEN).

6. NOTES

6.1 Intended use. Type I and II respirators covered by this specification are intended to provide protection to the respiratory organs of the wearer from pneumoconiosis and fibrosis producing dusts and from nuisance or inert dusts. Type II respirators are intended to be discarded after use.

6.2 Ordering data. Purchasers shall select the preferred options offered herein and include the following data in procurement documents:

a. Title, number, and date of this specification.
b. Type required (see 1.2).
c. If different quantity of filters for type I respirator is required (see 3.3.1.1).
d. Level of packaging and level of packing required (see GGG-M-125/GEN).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:37Z
Check the source to verify that this is the current version before use.

MILITARY INTEREST:

Custodians

Army - EA
Navy - YD
Air Force - 99

Review Activities

Army - MD, ME
DLA - GS

User Activities

Navy - SH, CG, MC

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - FSS
TVA -
DCG


PREPARING ACTIVITY:

Navy - YD


Project No. 4240-0448

Orders for this publication are to be placed with General Services Administration, acting as an agent for the Superintendent of Documents. See section 2 of this specification to obtain extra copies and other documents referenced herein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:37Z
Check the source to verify that this is the current version before use.



Dual filter half-mask respirator.



Single filter half-mask respirator.

Figure 1. Type I half-mask respirator assemblies for dust.
(For illustrative purposes only.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:37Z
Check the source to verify that this is the current version before use.



Figure 2. Type II, half-mask respirator.
(For illustrative purposes only.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:37Z
Check the source to verify that this is the current version before use.