MIL-C-46907B (AR)
AMENDMENT 5
2 June 1982
SUPERSEDING
AMENDMENT 4
14 January 1981

MILITARY SPECIFICATION

CHARGE, PROPELLING, M36A1,
BAG LOADING ASSEMBLY FOR

This amendment forms a part of Military Specification MIL-C-46907B (PA) dated 28 April 1965, and is approved for use by the US Army Armament Research and Development Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

* 2.1, Specifcations, add:

"FEDERAL

PPP-B-26 - Bag, Plastic (General Purpose)
PPP-T-97 - Tape, Pressure-sensitive Adhesive, Filament Reinforced"

2.1, Specifications, Military, add:

"MIL-B-117 - Bag, Sleeve and Tubing-Interior Packaging
MIL-B-2427 - Box, Ammunition Packing, Wood Nailed
MIL-F-50449 - Filler Sheet Form (For Use in Ammunition Containers)"

PAGE 2

2.1, Drawings, Ordnance Corps, add:

"7548645 - Box Fiberboard, Packing, Reusable Collapsible for High Explosives
8796522 - Marking Diagram and Sealing for Wooden Packing Boxes
9241693 - Packing and Marking of Fiberboard Cartons for Shipment of Propellant Increments"

FSC 1315

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T07:14Z
Check the source to verify that this is the current version before use.

PAGE 3

Add new paragraphs:

"3.4 Weight of propellant. The weight of propellant, and its tolerance, loaded into the bag loading assembly, shall be as specified on dwg. 8863614. Weighing shall be in accordance with 4.2.3.1.

"3.5 Gross weight of propellant and bag. The weight of loaded bag assembly (see dwg. 8863614) within each lot shall not vary more than plus three or minus three grains from the established loaded bag weight (assessed propellant weight plus propellant bag tare weight - 4.2.3.3)."

"3.5 delete: paragraph in its entirety; add:

"3.5 Gross weight of propellant and bag. The weight of the bag loading assembly (see dwg. 8863614) within each lot shall not vary more than plus three or minus three grains from the established loaded bag weight (assessed propellant weight plus propellant bag average or actual weight - see 4.2.3.3)."

PAGE 5

* 4.2.2.2, Minor 203, delete: "Location of center opening" and substitute "Length of bar tack".

PAGE 6

4.2.2.4, add: "7548645"

4.2.2.5, add: "7548645 and 9241693"

add: Major defects

"105. Carton damaged to extent that bag liner is exposed when applicable Visual

106. Banding strip improperly located, missing, broken or loose (when applicable) Visual

add: Minor defect

205. Content move when shaken Manual"

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T07:14Z
Check the source to verify that this is the current version before use.

PAGE 7

Add new paragraph:

"4.2.3.3 Gross weight of propellant and bag. Critical Defect. The loaded bag assembly shall be weighed 100 percent. Any bag loading assembly that fails to comply with the requirement as specified in 3.5 shall be classified defective and removed from the lot."

PAGE 8

Add new paragraph:

"5.1.2 Level C. The bag loading assembly shall be packed in containers complying with drawing 7548645 except that the liner bag shall be a polyolefin conductive bag, in accordance with PPP-B-26 and the pressure tape shall be in accordance with PPP-T-97. The polyolefin bag will be folded down in 1 1/2 inch folds and then taped to fit into the carton."

Add new paragraph:

"5.1.3 Level A. The bag loading assembly shall be packed in heat seal barrier bags complying with Type I, Class E of MIL-B-117. The barrier bag size shall be 22 1/2 inches long x 22 1/2 inches wide, nominal. Approximately 15 pounds of propellant shall be packed in the bag and closed by heat sealing. Two heat sealed bags shall be packed in a wooden box conforming to Grade A, Type I, Class 3 of MIL-B-2427. Both ends, sides, top and bottom of the wooden box shall be lined with 1/16 inch thick solid water resistance sheet material conforming to MIL-F-50449. The box shall be closed and strapped in accordance with MIL-B-2427. The net weight shall not exceed 30 pounds of propellant."

5.2, delete: para in its entirety;

add: "5.2 Marking"

add: new paragraph:

5.2.1 Level B. The containers shall be marked in accordance with drawing 8858577 or 8858848 as applicable."

Add new paragraph:

"5.2.2 Level C. The container shall be marked in accordance with drawing 9241693."

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T07:14Z
Check the source to verify that this is the current version before use.

Add new paragraph:

"5.2.3 Level A. The containers shall be marked in accordance with drawing 8796522."

NOTE: The margins of this amendment are marked with an asterisk or vertical line to indicate where changes from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requiremets of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1315-A502)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T07:14Z
Check the source to verify that this is the current version before use.