NOTICE OF
CHANGE

DOD-STD-35-85A(MI)
NOTICE 3
18 SEPTEMBER 1992

MILITARY STANDARD

AUTOMATED ENGINEERING
DOCUMENT PREPARATION SYSTEM

FANS AND IMPELLERS

TO ALL HOLDERS OF DOD-STD-35-85A(MI):

1. THE FOLLOWING PAGES OF DOD-STD-35-85A(MI) HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED.

| NEW PAGE | DATE | SUPERSEDED PAGE | DATE |
|---|---|---|---|
| 3 | 18 SEPTEMBER 1992 | 3 | 31 AUGUST 1987 |
| 4 | 18 SEPTEMBER 1992 | 4 | 31 AUGUST 1987 |
| 5 | 18 SEPTEMBER 1992 | 5 | 31 AUGUST 1987 |
| 6 | 1 DECEMBER 1978 (Reprinted without change) | | |
| 115 | 1 DECEMBER 1978 (Reprinted without change) | | |
| 116 | 18 SEPTEMBER 1992 | 116 | 1 DECEMBER 1978 |
| 117 | 18 SEPTEMBER 1992 | 117 | 1 DECEMBER 1978 |
| 118 | 1 DECEMBER 1978 (Reprinted without change) | | |

2. RETAIN THIS NOTICE PAGE AND INSERT BEFORE THE TABLE OF CONTENTS.

3. Holders of DOD-STD-35-85A(MI) will verify that page changes and additions indicated above have been entered. The notice page will be retained as a check sheet. This issuance, together with appended pages is a separate publication. Each notice is to be retained by stocking points until the Military Standard is completely revised or canceled.

Custodians:
Army-MI

Review activities:
Army-AT, AV, CR, ER
ME, MR, Sc

User activity
Army - AR

Preparing activity:
Army - MI

(Project EGDS-A436)

AMSC N\A

AREA EGDS

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

TABLE I. TITLE INDEX (CONT)

| MSE TITLE | TITLE CODE | BASE DOCUMENT NUMBER | BASE DOCUMENT COVERAGE |
|---|---|---|---|
| FAN (CONT) | 316009 (CONT) | MIL-F-68 | CIRCULATING BRACKET, NONOSCILLATING |
| | | MIL-F-151 | CIRCULATING CEILING |
| | | MIL-F-16081 | VENTILATING PROPELLER |
| | | MIL-F-16716 | CENTRIFUGAL INDUSTRIAL |
| | | MIL-F-18523 | CENTRIFUGAL DRAFT |
| | | MIL-F-18602 | VANEAXIAL,DRAFT STEAM DRIVEN |
| | | MIL-F-18953 | VANEAXIAL AND TUBEAXIAL VENT |
| | | MIL-F-19004 | CENTRIFUGAL VENT |
| | | MIL-F-43320 | TUBEAXIAL TENTS |
| | | MIL-F-46851 | GROUND SUPPORT EQUIPMENT |
| | | MIL-F-50084 | CENTRIGUAL 12CFM |
| | | MIL-F-51228 | VANEAXIAL 300 CFM |
| | | MIL-F-53026 | CIRCULATING |



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

## 2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation.

SPECIFICATIONS

MILITARY

| | |
|---|---|
| MIL-S-901 | Shock Tests, H.I. (High Impact); Shipboard Machinery, Equipment and Systems, Requirements |
| MIL-F-16081 | Fans, Ventilating, Propeller |
| MIL-I-17214 | Indicator, Permeability, Low-Mu (Go-No-Go) |

STANDARDS

MILITARY

| | |
|---|---|
| DOD-STD-35 | Automated Engineering Document Preparation Systems |
| MIL-STD-130 | Identification Marking of U.S. Military Property |
| MIL-STD-167 | Mechanical Vibrations of Shipboard Equipment |
| MIL-STD-202 | Test Methods for Electronic and Electrical Component Parts |



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

| | |
|---|---|
| MIL-STD-461 | Electromagnetic Interference Characteristics, Requirements for Equipment |
| MIL-STB-462 | Electromagnetic Interference Characteristics, Measurements of |
| MIL-STD-740 | Airborne and Structureborne Noise Measurements and Acceptance Criteria of Shipboard Equipment |
| MIL-STD-81O | Environmental Test Methods and Engineering Guidelines. |
| MIL-ST&1285 | Marking of Electrical and Electronic Parts |

(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Documents Order Desk, Bldg 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.)

2.2 Non-Government publications. The following document(s) form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the docunents which are DoD adopted are these listed in the issue of the DODISS cited in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS are the issues of the documents cited in the solicitation.

| | |
|---|---|
| ASTM E 380 | Metric Practice Guide |
| ASTMD 570 | Standard Test Methods for Water Absorption of Plastics |

(Application for copies should be addressed to the American Society for Testing and Materials,, 1916 Race St., Philadelphia, Pa. 19103.)

(Nongovernment standards are generally available for reference from libraries. They are also districted among technical groups and using Federal agencies.)

2.3 Order of Precedence. In the event of conflict between the text of this standard and the references cited herein, the text of this standard shall take precedence.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

## 3. DEFINITIONS

Definitions contained in DOD-STD-35 are appliable to Fans and IMpellers.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

| CHAR CODE | STANDARD PARAGRAPH |
|---|---|
| 1430 | THERE SHALL BE 1430 VIBRATION MONITORING POINT(S). |
| 1439 | THE LOCATION OF VIBRATION MONITORING POINTS SHALL BE ANY SUITABLE LOCATION . |
| 1462 | THE LOCATION OF VIBRATION MONITORING POINTS SHALL BE AS CLQSE AS PRACTICAL TO THE TEST SPECIMEN( S ) . |
| 4977 | MOUNTING SHALL BE BY W SUITABLE METHOD. |
| 4976 | MOUNTING SHALL BE BY THE NORMAL METHOD. |
| 4975 | MOUNTING SHALL BE IN ACCORDANCE WITH 4975. |
| 2312 | WATER ABSORPTION. THE REQUIREMENT(S) SHALL BE IN ACCORRDANCE WITH THE BASE DOCUMENT, EXCEPT 2312. |
| 2313 | WATER ABSORPTION. THE REQUIREMENT(S) SHALL BE AS FOLLOWS: |
| 2314 | THE CHANGE IN WEIGHT SHALL BE NOT GREATER THAN 2314 PERCENT. |
| 2316 | THE CHANGE IN PHYSICAL DIMENSIONS SHALL BE NOT GREATER THAN 2316 PERCENT. |



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

KEYWORD CODE INDEX (KCI)

| CHARACTERISTIC NAME | CHAR CODE |
|---|---|
| WATER ABSORPTION ( CONT) | |
| TEST METHODS ( SELECT ONE) | |
| PER BASE DOCUMENT EXCEPT ____ | 2302 |
| PER ASTMD570. | 2304 |
| MOUNTING HARDWARE ( SEE TABLE X, DOD-STD-35 ) | |
| NOTE: AUTOMATIC WHEN TABLE X IS USED. | |
| WORKMANSHIP | |
| (DOC DES) | 6870 |
| ADDITIONAL REQUIREMENTS | |
| A____ | 7001 |
| B____ | 7002 |
| C____ | 7003 |
| D____ | 7004 |
| E____ | 7005 |
| PART MARKING (SELECT ONE) | |
| (DOC DES) | 6372 |
| MIL-STD-12!35. | 7630 |
| MIL-STD-130• | 7629 |



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

| CHAR CODE | STANDARD PARAGRAPH |
|---|---|
| 2302 | WATER ABSORPTION. TESTING SHALL BE PERFORMED IN ACCORDANCE WITH THE BASE DOCUMENT, EXCEPT 2302. |
| 2304 | WATER ABSORPTION. TESTING SHALL BE PERFORMED IN ACRDANCE wTH ASTMD570• |
| | MOUNTING HARDWRE. MOUNTING HARDWARE IDENTIFIED IN THE FOLLOWING TABLE SHALL BE FURNISHED WITH EACH ITEM. |
| 6870 | WORKMANSHIP. WORKMANSHIP SHALL BE IN ACCORDANCE WITH 6870. |
| | ADDITIONAL REQUIREMENTS . |
| 7001 | (A) 70010 |
| 7002 | (B) 7002. |
| 7003 | (c) 7003. |
| 7004 | (D) 7004. |
| 7005 | (E) 7005. |
| 6372 | PART MARKING. PART IDENITIFICATION MARKING SHALL BE IN ACCORDANCE WITH 6372, USING THE PART NUMBER AS THE IDENTIFYING NUMBER. |
| 7630 | PAKT MARKING. PART IDENTIFICATION MARKING SHALL BE IN ACCORDANCE WITH MIL-STB-1285. |
| 7629 | PART MARKING. PART IDENTIFICATION MARKING SHALL BE IN ACCRDANCE WITtl MIL-STD-130. |



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.

# KEYWORD CODE INDEX (KCI)

| CHARACTERISTIC NAME | CHAR CODE |
|---|---|
| ADDITIONAL PART WING | |
| A | 6991 |
| B | 6992 |
| C | 6993 |
| D | 6994 |
| E | 6995 |
| APPLICABLE DOCUMENTS (SEE DOD-STD-35) | |
| QUALITY ASSURANCE PREVISIONS ( SEE DOD-STD-35 ) | |
| PACKAGING (SEE DOBSTD-35) | |
| NOTES SEE DOD-STD-35) | |
| NOMENCLATURE (SEE DOD-STD-35) | |
| SUPERSEDED DOCUMENT (SEE DOD-STD-35) | |
| PART NUMBER CROSS-REFERENCE (SEE DOD- STD-35) | |



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:00Z
Check the source to verify that this is the current version before use.