INCH-POUND

MIL-C-87217
AMENDMENT 3
29 Oct 1991
SUPERSEDING
AMENDMENT 2
22 April 1988

MILITARY SPECIFICATION

CAPACITORS, FIXED, SUPERMETALLIZED PLASTIC FILM DIELECTRIC, DIRECT CURRENT FOR LOW ENERGY, HIGH IMPEDANCE APPLICATIONS, HERMETICALLY SEALED IN METAL CASES, HIGH RELIABILITY, GENERAL SPECIFICATION FOR

This amendment forms a part of MIL-C-87217, dated 11 March 1985, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 2

* 3.2, delete and substitute the following:

"3.2 Qualification. Capacitors furnished under this specification shall be products which are qualified for listing on the applicable qualified products list at the time set for opening of bids (see 4.4 and 6.3). In addition, the manufacturer shall obtain certification from the qualifying activity that the reliability assurance requirements of 4.1.1 have been met and are being maintained. Authorized distributors which are approved to MIL-STD-790 distributor requirements by the qualified product list (QPL) manufacturers are listed in the QPL."

PAGE 4

3.16.1, lines 7 through 10: Delete "The 'JAN" or "J" shall be placed immediately before the part number except that if such location would place a hardship on the manufacturer in connection with such marking, the "JAN" or "J" may be located on the first line above or below the part number.

PAGE 5

4.1.1b: Delete in its entirety.

4.4.1, line 2: Delete "MIL-C-87217" and substitute "MIL-C-83421".

PAGE 6

4.5c: Delete in its entirety.


DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T12:20Z
Check the source to verify that this is the current version before use.

PAGE 10

6.1, delete and substitute:

"6.1 Intended use. Capacitors covered by this specification are primarily intended for use in low-energy, high impedance applications such as integrators, RC timing circuits, precision filters, and other applications where the ac component of voltage is not significant. Styles covered by this specification are available in tight tolerances and exhibit excellent capacitance stability over long life, as well as high insulation resistance and low loss factor. These capacitors can exhibit momentary breakdown in low energy applications. To insure clearing of breakdown, the circuit in which capacitors of 0.1 µF and greater capacitance are intended for use shall be capable of providing at least 100 microjoules of energy. Applications for these capacitors shall be limited to circuits that can provide the minimum energy and that are insensitive to momentary breakdown/clearing actions."

PAGE 13

Checklist, Item c.1, lines 1 and 2, delete and substitute:

"1. Capacitor shall have (must be verified) and describe, design by part number indicating the following with the necessary tolerances defined:"

Checklist, Item e. Traceability plan, add: "1/".

Checklist, add the following at end:

"1/ Traceability shall be applicable to MIL-C-83421 raw materials."

PAGE 14

B20, delete and substitute:

"B20. APPLICABLE DOCUMENTS. This section is not applicable to this appendix."

B20.1: Delete in its entirety.

The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T12:20Z
Check the source to verify that this is the current version before use.

CONCLUDING MATERIAL

Custodians:
Army - ER
Navy - EC
Air Force - 85
NASA - NA

Review activities:
Army - AR, MI
Air Force - 17, 19
DLA - ES

User activities:
Navy - AS, CG, MC, OS, SH

Preparing activity:
Air Force - 85

Agent:
DLA - ES

(Project 5910-1763)



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T12:20Z
Check the source to verify that this is the current version before use.