INTERIM AMENDMENT

TO

FEDERAL SPECIFICATION

INSULATION BOARD, THERMAL (POLYSTYRENE)

This interim amendment was developed by the Naval Facilities Engineering Command, Naval Construction Battalion Center, Port Hueneme, CA 93043, based upon currently available technical information. It is recommended that Federal agencies use it in procurement and forward recommendations for changes to the preparing activity at the address shown above.

The General Services Administration has authorized the use of this interim amendment as a valid exception to Federal Specification HH-I-524C, dated October 1, 1980.

PAGE 3

Paragraph 3.3, Delete period at the end and add: "(see 6.4, 6.5, and 6.9)".

PAGE 12

Paragraph 6.9, Renumber "6.10"

Add new paragraph 6.9:

"6.9 Physical properties. Except for thermal resistance, the physical properties in this specification are not performance requirements but are properties required for quality control purposes. However, the properties may be useful in selecting a material for a specific application. For example, the compressive strengths can be used in selecting materials for sub-flooring and the densities can indicate the material to specify when the lightest possible insulation board is required. Water vapor transmission and water absorption properties are important when the insulation is exposed to water since water degrades thermal resistance properties; however, those properties may not be important when the insulation is protected within the walls of a building."

Preparing activity:

Navy - YD

Project No. 5640-N060

FSC 5640

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:55Z
Check the source to verify that this is the current version before use.