DATA ITEM DESCRIPTION

Form Approved
OMB No 0704-0188

ic reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources gering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1 TITLE	2 IDENTIFICATION NUMBER
PLANNED MAINTENANCE SYSTEM (PMS) QUALITY ASSURANCE CHECK SHEET	DI-MNTY-80993

3 DESCRIPTION / PURPOSE

3.1 The Quality Assurance Check Sheet describes the items inspected during the review of the Planned Maintenance System (PMS) documentation.

4 APPROVAL DATE (YYMMDD)	5 OFFICE OF PRIMARY RESPONSIBILITY (OPR)	6a DTIC APPLICABLE	6b GIDEP APPLICABLE
900517	N/CEL-TD		

7 APPLICATION / INTERRELATIONSHIP

7.1 This Data Item Description (DID) contains the format and content preparation instructions for the PMS Assurance Check Sheet resulting from the work task described by 4.2 of MIL-P-24534 (Navy).

7.2 This DID is related to DI-MNTY-80994, Planned Maintenance System Functional Block Diagram; DI-MNTY-80979, Planned Maintenance System

(Continued on Page 2)

8 APPROVAL LIMITATION	9a APPLICABLE FORMS	9b AMSC NUMBER
		N4947

10 PREPARATION INSTRUCTIONS

10.1 Reference document. The application issue of the documents cited herein, including their approval dates and dates of any applicable amendments, notices, and revisions, shall be as specified in the contract.

10.2 Format. The PMS Quality Assurance Check Sheet shall be documented using contractor format:

10.3 Content. The check sheet shall contain the following Maintenance Requirement Card (MRC) information in accordance with MIL-P-24534 (Navy):

10.3.1 System/equipment. Enter the nomenclature of the applicable system, equipment or subsystem.

10.3.2 MIP series. Enter the Maintenance Index Page (MIP) series identification.

10.3.3 MRC number. Enter the identification number of the applicable MRC.

(Continued on Page 2)

DISTRIBUTION STATEMENT

Distribution Statement A: Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:42Z
Check the source to verify that this is the current version before use.

7. Application/Interrelationship (continued)

Master System and Subsystem Index; DI-MNTY-80980, Planned Maintenance System Failure Modes and Effects Analysis; DI-MNTY-80981, Planned Maintenance System Functional Failure Analysis; DI-MNTY-80982, Planned Maintenance System Functionally Significant Items Index; DI-MNTY-80983, Planned Maintenance System Additional Functionally Significant Item Index Selection Report; DI-MNTY-80984, Planned Maintenance System Logic Tree Analysis With Supporting Rationale and Justification; DI-MNTY-80985, Planned Maintenance System Servicing and Lubrication Analysis; DI-MNTY-80986, Planned Maintenance System Requirement Index; DI-MNTY-80987, Planned Maintenance System Procedure Evaluation Sheet; DI-MNTY-80988, Planned Maintenance System Task Definition; DI-MNTY-80989, Planned Maintenance System Inactive Equipment Maintenance Requirement Analysis; DI-MNTY-80990, Planned Maintenance System Reliability Centered Maintenance Documentation Control Sheet; DI-MNTY-80991, Planned Maintenance System Maintenance Requirement Card; DI-MNTY-80992, Planned Maintenance System Maintenance Index Page.

10. Preparation Instructions (Continued)

10.3.4 Checked by column. The personnel performing the quality assurance check shall enter their initials for each item of documentation which was inspected.

10.3.5 Date column. The personnel performing the quality assurance check shall enter the date each item of documentation which was inspected.

10.4 The following checks concern MIL-P-24534 procedure areas:

10.4.1 Correct nomenclatures are in Ship system, system, subsystem and equipment area as specified in 3.11.4.1, 3.11.4.2, 3.11.4.3 and 3.11.4.4.

10.4.2 ESWBS levels are in Ship system, system, subsystem, and equipment area as specified in 3.11.4.1, 3.11.4.2, 3.11.4.3, and 3.11.4.4.

10.4.3 Correct MIP series is in MRC Code area as specified in 3.11.5.

10.4.4 Correct periodicity code is in MRC Code area as specified in 3.11.5.

10.4.5 Rates area is filled in as specified in 3.11.6.

10.4.6 M/H area is properly filled in as specified in 3.11.7.

10.4.7 Preliminary time is included in M/H area as specified in 3.11.13.6 and 3.11.7.

10.4.8 Total M/H and Elapsed Time areas are correctly computed and filled in as specified in 3.11.8 and 3.11.9.

10.4.9 MR Description area is properly filled in (complete sentence, second person imperative, and beginning with an action verb) as specified in 3.11.10.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:42Z
Check the source to verify that this is the current version before use.

10. Preparation Instructions (Continued)

10.4.10 Safety Precautions area is properly filled in (first precaution refers to a manual or instruction) as specified in 3.11.11.

10.4.11 All other specific warnings in Safety Precautions area are in the same order in which they appear in the procedure block as specified in 3.11.11.

10.4.12 Cautions do not appear in Safety Precautions area as specified in 3.11.1.11.

10.4.13 For submarine applications, Safety Precautions area contains re-entry control statement as required as specified in 3.11.11.2.

10.4.14 Safety Precautions area contains cleaning solvent statement when required as specified in 3.11.11.3.

10.4.15 Safety Precautions area contains the "DO NOT WORK ALONE" statement, and Rates/MH areas contain the suitable number of personnel, when required as specified in 3.11.11.1.1.

10.4.16 Tools, Parts, Materials, and Test Equipment area is properly filled in in the following order: test equipment materials, parts, tools, and miscellaneous as specified in 3.11.12.

10.4.17 SCAT codes and nomenclature for test equipment are listed as specified in 3.11.12(a) and 3.11.12.1(a).

10.4.18 Tools are listed by proper nomenclature as specified in 3.11.12(d), 3.11.12.1(d), and 3.11.12.1(e).

10.4.19 Materials and lubricants are identified by government specification number, item name, and nomenclature if possible as specified in 3.11.12(b) and 3.11.12.1(b).

10.4.20 Page number area is properly filled in as specified 3.11.18.

10.4.21 Repair parts are properly listed as specified 3.11.12(c) and 3.11.12.1(c).

10.4.22 Equipage and special materials are properly listed as specified in 3.11.12(e), 3.11.12.1(f) and 3.11.12.1(g).

10.4.23 Classification markings, if applicable, are properly filled in as specified in 3.11.3.1.

10.4.24 Language, sentence structure, steps, and terminology meet standard criteria as shown in the reference paragraph 3.11.13.

10.4.25 Notes are not used for action steps as shown in the reference paragraph 3.11.13.2.

10.4.26 Notes are numbered if MRC contains more than one as shown in the reference paragraph 3.11.13.2.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:42Z
Check the source to verify that this is the current version before use.

10. Preparation Instructions (Continued)

10.4.27 Warnings and cautions precede applicable step in which hazard is encountered as shown in the reference paragraph 3.11.1.11.10.4.28 Repeat steps are used properly as specified in 3.11.13.4(a).

10.4.29 References to other publications are restricted as specified in 3.11.2.7.

10.4.30 Scheduled MRC references are properly made as specified in 3.11.13.4(c).

10.4.31 Unscheduled MRC references are properly made as specified in 3.11.13.4(c).

10.4.32 Fill-in blanks are used properly as specified in 3.11.13.5.

10.4.33 All initial "make ready" steps, such as energizing equipment warmup, positioning switches, opening doors, and establishing communications, are included in Preliminary as specified in 3.11.13.6.

10.4.34 MR description is exactly as in MR Description area with initial capitals and underlined, or in boldface as specified in 3.11.13.7.

10.4.35 All steps within each MR are in continuous alpha-numerical sequence as specified in 3.14.4.

10.4.36 Alternate procedures are preceded by a note as specified in 3.11.13.8.

10.4.37 Tables are numbered and referenced in text as specified in 3.11.15 and 3.14.6.

10.4.38 Close-out statement is included at completion of procedure if applicable as specified in 3.11.13.7.

10.4.39 Procedural steps are factual and concise, and are not susceptible to misinterpretation as specified in 3.11.1.1.

10.4.40 Optimum value is stated, followed by a range, when a measure or adjustment is identified as specified in 3.11.1.1(d).

10.4.41 No words are misspelled as specified in 3.11.1.8.

10.4.42 Abbreviations used are approved as specified in 3.11.1.9.

10.4.43 Signs and symbols are standard as specified in 3.11.1.10.

10.4.44 Figures are numbered and referenced in text as specified in 3.11.14 and 3.14.5.1.

10.4.45 Spacing and format meet standard criteria as specified in 3.14.3.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:42Z
Check the source to verify that this is the current version before use.

10. Preparation Instructions (Continued)

10.4.46 Preferred words and expressions are used as specified in Appendix A.

10.4.47 Capitalization meets standard criteria as specified in Appendix C.

10.4.48 IEM scheduling MRCs meet standard criteria as specified in 3.11.21.2.

10.4.49 Line art meets standards as specified 3.11.14.1.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:42Z
Check the source to verify that this is the current version before use.