MIL-V-18318B
AMENDMENT 2
5 JANUARY 1978
SUPERSEDES
AMENDMENT 1
11 July 1972

MILITARY SPECIFICATION

VALVE, PRESSURE REGULATING, OXYGEN SYSTEM

This amendment forms a part of Military Specification MIL-V-18318B, dated 29 September 1966 and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1 SPECIFICATIONS - Federal

Delete the following:

"O-T-236 Trichloroethylene (perchloroethylene) Technical Grade
O-T-634 Trichloroethylene, Technical"

SPECIFICATIONS - Military

Delete the following:

MIL-F-22191 Films, Transparent, Flexible, Heat Sealable for Packaging Applications"

Add the following:

"MIL-B-22191 Barrier, Materials, Transparent, Flexible, Heat Sealable

MIL-C-81302 Cleaning Compound, Solvent, Trichlorotrifluoroethane."

Add the following to the bottom of the page:

"Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commanding Officer, Naval Air Engineering Center, Lakehurst, NJ 08733, by using the self-addressed Standard Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter".

PAGE 3

2.1 STANDARDS - Military

Delete the following:

"MS 33586 Metals, Definition of Dissimilar".

FSC 1660

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T11:16Z
Check the source to verify that this is the current version before use.

PAGE 3 (Continued)

Add the following:

"MIL-STD-889 Dissimilar Metals"

3.1 Delete

PAGE 4

3.4.1.1 - Delete "MS 33586" and substitute "MIL-STD-889".

PAGE 7

3.7.4.1, line 3 - Delete "exceeds 120" and substitute "rises to 120 ± 10"

3.7.4.2, line 3 - Delete "exceeds 600": and substitute "rises to 625 ± 25"

PAGE 8

3.13 - Delete first sentence and substitute the following:

"All parts of the valve shall be degreased by flushing, immersing, scrubbing, pressure spray or vapor degreasing with MIL-C-81302 cleaning compound."

Add after last sentence:"All parts shall then be protected to prevent recontamination".

PAGE 9

4.2(a) - Delete

4.3 - Delete

4.3.1 - Delete

4.4 - Delete and substitute the following:

"4.4 First article inspection - First article inspection shall consist of all the examinations and tests of this specification."

4.4.1 - Delete and substitute the following:

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T11:16Z
Check the source to verify that this is the current version before use.

PAGE 9

"4.4.1 First article samples - Unless otherwise specified, as soon as practicable, after the award of the contract or order, the manufacturer shall submit two valves. The samples shall be representative of the construction, workmanship, components, and materials to be used during production. When a manufacturer is in continuous production of these units from contract to contract, submission of further first article samples on the new contract may be waived at the discretion of the procuring activity (see 6.2). Approval of the first article samples or the waiving of first article inspection does not preclude the requirements of submitting to the quality conformance inspection. The first article inspection samples shall be furnished to the Government as directed by the contracting officer (see 6.2")".

4.4.1.1 Delete

PAGE 10

4.4.1.2 Delete

PAGE 13

4.7.3, Note 1/ at bottom of paragraph - Delete

PAGE 14

4.7.4, Note/ at bottom of paragraph - Delete

PAGE 16

5.1.1, line 4 - Delete "MIL-F-22191" and substitute "MIL-B-22191"

PAGE 19

6.2(c), line 2 - Delete "4.4.1.1 and 4.4.1.2" and substitute "4.4.1".

6.4 Delete

Custodians
Army - AV
Navy - AS
Air Force - 99

Preparing Activity
Navy - AS
(Project No. 1660-0347)

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T11:16Z
Check the source to verify that this is the current version before use.