
MILITARY SPECIFICATION SHEET

BOOT, DUST AND WATER SEAL, TYPE D (FOR LEVER OPERATED CIRCUIT BREAKERS), STYLE 1 (PANEL MOUNTED WITHOUT MOUNTING FRAME)

The complete requirements for procuring the Boot described herein shall consist of this document and the issue in effect of Specification MIL-B-5423.




Dash No	Dimensions ± .031(79)				
	L1	W1	W2	L2	
01	1 250 (31 75)	.750 (19 05)	.531 (13 49)	60 (15 24)	
02	1 312 (33 32)	1 500 (38 10)	1 250 (31 75)	60 (15 24)	(A)
03	1 281 (32 54)	2 250 (57 15)	2 000 (50 80)	60 (15 24)	

(A) denotes changes

5930


Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:43Z
Check the source to verify that this is the current version before use.

RECOMMENDED PANEL LAYOUT



(FOR NUMBER OF SCREWS AND LOCATION SEE TABLE)

Dash No.	Mounting holes			Markings	Panel cutout	
	No. of screws	Location				
		B	B1		X	Y
01	2	yes	none	none	1.250 (31.75)	.531 (13.49)
02	4	none	.375 (9.53)	on-off	1.312 (33.32)	1.250 (31.75)
03	6	yes	.750 (19.05)	none	1.281 (32.54)	2.000 (50.80)



MOUNTING SCREW

NOTES
1. Dimensions are in inches
2. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm
3. Millimeters are in parentheses
4. Unless otherwise specified, tolerances are ±.02(.51 mm) and ±.031(.79 mm)
5. Edges shall be smooth and free from burrs
6. The number of mounting screws shall be supplied as indicated

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:43Z
Check the source to verify that this is the current version before use.

REQUIREMENTS

Dimensions and configuration	See figure
Silicone rubber	Grade 50 per ZZ-R-765, Class III, Transparent
Ⓐ Splashproof	MIL-STD-108, table I
Endurance (with MS 25304)	10,000 operations (see 4 7 7 1 of MIL-B-5423B)
Minute cracks after life test, which do not permit leakage, shall not be cause for rejection	

Custodians
Army - EL
Navy - AS
Air Force - 80

Review activities
Army - EL
Navy - SH, AS
Air Force - 80

User activities
Army - MU, AT, ME, AV
Navy - MC, CG
Air Force - 80

Preparing activity
Army - EL

Agent
DSA - ES

(Project 5930-0785)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:43Z
Check the source to verify that this is the current version before use.

FOLD

Department of the Army
Headquarters
U.S.Army Electronics Command
Fort Monmouth, New Jersey 07703

POSTAGE AND FEES PAID

OFFICIAL BUSINESS

Commanding General
U.S.Army Electronics Command
ATTN AMSEL-PP-ED
Fort Monmouth, New Jersey 07703

To detach this form, cut along this line

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:43Z
Check the source to verify that this is the current version before use.

To detach this form, cut along this line

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No 22-R255

INSTRUCTIONS This sheet is to be filled out by personnel either Government or contractor involved in the use of the specification in procurement of products for military use by the Department of Defense This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost Comments and the return of this form will be appreciated Fold on lines on reverse side staple in corner and send to preparing activity Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements

SPECIFICATION MIL-B 5423/13A BOOT,DUST AND WATER SEAL,TYPE D(FOR LEVER OPERATED CIRCUIT BREAKERS),STYLE 1(PANEL MOUNTED WITHOUT MOUNTING FRAME)

ORGANIZATION

CITY AND STATE | CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3 IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO (If "yes", in what way?)

4 REMARKS (Attach any pertinent data which may be of use in improving this specification. If there are additional papers attach to form and place both in an envelope addressed to preparing activity)

SUBMITTED BY (Printed or typed name and activity) - Optional | DATE

DD FORM 1 JAN 66 1426 REPLACES DD FORM 1426, 1 OCT 54, WHICH MAY BE USED

ESC-FM 1068-68

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T04:43Z
Check the source to verify that this is the current version before use.