MILITARY SPECIFICATION

BINDER, LOAD, CARGO TIE-DOWN, 10,000 POUNDS (44.5 kN) CAPACITY

This amendment forms a part of Military Specification MIL-B-43021D, dated 31 May 1978, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1, under "STANDARDS MILITARY": Change title of MIL-STD-147 to "Palletized Unit Loads".

Add the following: "MIL-STD-130 - Identification Marking of U.S. Military Property."

"MIL-STD-1188 - Commercial Packaging of Supplies and Equipment."

2.2 Delete.

PAGE 3

3.4.1 Delete and substitute:

"3.4.1 Limit load. The assembled load binder shall show no visible evidence of release, fracture, weld separation, or permanent deformation when tested to 10,000 pounds (44.5 (kN) capacity as specified in 4.5.1."

3.5, line 4: Delete "MIL-STD-961." and substitute MIL-STD-130."

PAGE 5

4.4.2.3 Delete and substitute:

"4.4.2.3 End item testing. Testing shall be performed as specified in 4.5.1 and 4.5.2 for conformance to the requirements specified in 3.4.1 and 3.4.2 respectively. The sample unit shall be a complete load binder assembly. The inspection level for the limit load test shall be S-2 for each lot with results reported as pass or fail.

★U.S. GOVERNMENT PRINTING OFFICE: 1981—703-023/7149

FSC 1670

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T20:23Z
Check the source to verify that this is the current version before use.

PAGE 5 (cont'd)

Two of the same samples previously subjected to the limit load test shall be retested for ultimate load and the results reported as pass or fail. If during the ultimate load test, failure of a sample unit occurs under 13,000 pounds (57.8 kN), the test shall then be performed on all of the samples submitted for the limit load test. In this retest, if the average ultimate load for all samples, recorded as specified in 4.5.2, falls below 12,000 pounds (53.4 kN) or if a single retested sample falls below 10,000 pounds (44.5 kN) the lot shall be rejected."

4.4.3, in first sentence: Delete " - packaging".
In fourth sentence: Delete " - Prepared for delivery" and substitute "packaged".

PAGE 6

4.4.3.1 Delete.

4.5.1 Delete and substitute: "Limit load test."

4.5.2. Delete and substitute:

"4.5.2 Ultimate load test. The binder shall be secured in a suitable tensile testing device and subjected to a load of 13,000 pounds (57.8 kN) applied gradually in the direction shown on Drawing 11-1-901. The load shall be removed immediately upon reaching 13,000 pounds. Any failure at 13,000 pounds after initially reaching 13,000 pounds without failure, shall not be cause for rejection. After load relaxation, the binder shall be examined for evidence of damage as specified in 3.4.2. Any failure above 13,000 pounds tensile load shall not be cause for rejection and the load shall be recorded as 13,000 pounds for subsequent ultimate load averaging. The ultimate load test is considered to be a destructive test. Units subjected to the ultimate load test or any parts thereof shall not be recycled or delivered as part of the quantity of units on order."

PAGE 7

5.1 Delete " - packaging" in two places.

5.1.1, line 1: Delete "individually preserved-packaged" and substitute "unit packed".

5.1.2 Delete and substitute: "5.1.2 Commercial. Each binder shall be preserved in accordance with MIL-STD-1188."

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T20:23Z
Check the source to verify that this is the current version before use.

PAGE 7 (cont'd)

5.2 Delete "C" and substitute "Commercial".

5.2.1, line 1: Delete "packaged as specified in 5.1.1" and substitute "preserved as specified in 5.1".

Line 4: Delete "The packages" and substitute "Level A unit packs".

Line 5: Delete the data within the parentheses.

Third sentence: Delete.

5.2.2, line 1: Delete "packaged as specified in 5.1.1". and substitute "preserved as specified in 5.1".

Line 4: Delete "The packages" and substitute "Level A unit packs".

Line 5: Delete the data within the parentheses.

PAGE 8

5.2.3 Delete and substitute: "5.2.3 Commercial packing. Binders, preserved as specified in 5.1 shall be packed in accordance with MIL-STD-1188."

5.4 Delete and substitute: "5.4 Marking. In addition to any special marking required by the contract, unit packs, shipping containers, and palletized unit loads shall be marked in accordance with MIL-STD-129 or MIL-STD-1188 as applicable."

6.2 (c): Delete "packaging" and substitute "preservation".

Custodians:

Army - GL
Air Force - 99

Review activities:

Army - AV
Air Force - 11

User activity:

Navy - MC

Preparing activity:

Army - GL

Project No. 1670-0649

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T20:23Z
Check the source to verify that this is the current version before use.